

Location	RDP #	Recorders
Southern bushland See associated figure	01	EA

Stratum and Form	Dominant Species	Score ¹	% cover
Top Trees	<i>Eucalyptus pilularis</i>		
	<i>Angophora costata</i>		
	<i>Syncarpia glomulifera</i>		
Middle 1 Small Trees	<i>Syncarpia glomulifera</i>		
	<i>Allocasuarina littoralis</i>		
Middle 2 Small Trees	<i>Pittosporum undulatum</i>		
	<i>Alphitonia excelsa</i>		
Lower 1 Grasses/Graminoids/Vines	<i>Lomandra longifolia</i>		
	<i>Clematis aristata</i>		
	<i>Dianella caerulea</i>		

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	80%	
Weed cover	Y	<1%	Only <i>Ochna serrulata</i> .
Dumping			
Fill			
Fire scars			
Fallen timber	Y	10m	
Natural regen			
Other			

¹ Modified Braun-Blanquet score

Location	RDP #	Recorders
Northern end - weedy steep slope See associated figure	02	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus saligna</i>	5
Middle 1 Small Trees	<i>Pittosporum undulatum</i>	1
	<i>Ligustrum lucidum</i>	7
Middle 2 Shrubs, juvenile Small Trees	<i>Lantana camara</i>	7
	<i>Ligustrum lucidum</i>	3
Lower 1 Grasses/ Vines	<i>Ehrharta erecta</i>	2
	<i>Solanum seafortianum</i>	2
	<i>Stephania japonica</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	10%	Not much litter due to dense cover of Privet
Weed cover	Y	80%	Dense Privet and Lantana
Dumping			
Fill			
Fire scars			
Fallen timber	Y	10m	
Natural regen			
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Northern end – near eastern boundary slope See associated figure	03	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus saligna</i>	4b
	<i>Eucalyptus paniculata</i>	4b
Middle 1 Small Trees	<i>Ligustrum lucidum</i>	7
	<i>Glochidion ferdinandi</i>	1
	<i>Acacia elata</i>	1
Middle 2 Shrubs, juvenile Small Trees	<i>Lantana camara</i>	7
	<i>Ligustrum sinense</i>	6
	<i>Ligustrum lucidum</i>	3
Lower 1 Grasses/ Vines	<i>Asparagus aethiopicus</i>	4b

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y		
Weed cover	Y	80%	Dense Privet (2 species) and Lantana
Dumping			
Fill	?		Possibly spoil / batter
Fire scars			
Fallen timber	Y	45m	
Natural regen			
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Creek bank below perimeter road See associated figure	04	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus saligna</i>	5
	<i>Eucalyptus pilularis</i>	4b
Middle 1 Small Trees	<i>Pittosporum undulatum</i>	4b
Middle 2 Shrubs, juvenile Small Trees	<i>Ligustrum lucidum</i>	4b
	<i>Cordyline</i> sp.	4a
Lower 1 Grasses/Graminoids, shrubs, juvenile Small Trees	<i>Ligustrum lucidum</i>	4b
	<i>Lomandra longifolia</i>	4b
	<i>Ochna serrulata</i>	3
Lower 2 Herbs /Ferns/Vines	<i>Hedera helix</i>	4a
	<i>Nephrolepis cordifolia</i>	4a
	<i>Asparagus aethiopicus</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y		
Weed cover	Y	80%	Dense Privet (2 species) and Lantana
Dumping			
Fill	?		Possibly spoil / batter form road
Fire scars			
Fallen timber			
Natural regen			
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland See associated figure	05	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Angophora costata</i>	4b
	<i>Eucalyptus pilularis</i>	4b
	<i>Syncarpia glomulifera</i>	4b
Middle 1 Small Trees	<i>Syncarpia glomulifera</i>	4a
	<i>Glochidion ferdinandi</i>	2
Lower 1 Shrubs	<i>Maytenus silvestris</i>	2
	<i>Polyscias sambucifolia</i>	2
	<i>Lantana camara</i>	2
Lower 2 Grasses/Graminoids, Vines, Ferns	<i>Morinda jasminoides</i>	4a
	<i>Adiantum aethiopicum</i>	4a
	<i>Lomandra longifolia</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y		
Weed cover	Y	80%	Dense Privet (2 species) and Lantana
Dumping			
Fill	?		Possibly spoil / batter form road
Fire scars			
Fallen timber			
Natural regen			
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland near western boundary See associated figure	06	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Angophora costata</i>	5
	<i>Eucalyptus pilularis</i>	4b
	<i>Syncarpia glomulifera</i>	4b
Middle 1 Small Trees, Vines	<i>Syncarpia glomulifera</i>	4b
	<i>Pittosporum undulatum</i>	4b
	<i>Morinda jasminoides</i>	4b
Lower 1 Shrubs, juvenile Small Trees, Vines	<i>Lantana camara</i>	5
	<i>Pittosporum undulatum</i>	24b
	<i>Morinda jasminoides, Parsonsia straminea</i>	5

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y		
Weed cover	Y	50%	
Dumping			
Fill			
Fire scars			
Fallen timber			
Natural regen			
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland near eastern boundary See associated figure	07	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus pilularis</i>	5
	<i>Syncarpia glomulifera</i>	5
	<i>Eucalyptus resinifera</i>	4b
Middle 1 Small Trees	<i>Pittosporum undulatum</i>	5
Middle 2 Shrub, juvenile small trees	Unidentified exotic	4b
	<i>Glochidion ferdinandi</i>	2
Lower 1 Grasses/Graminoids, Vines, Herbs	<i>Lomandra longifolia</i>	4b
	<i>Parsonsia straminea</i>	3
	<i>Pseuderanthemum variabile</i>	2
Lower 2 Grasses	<i>Entolasia marginata</i>	4b

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	80%	
Weed cover	Y	10%	Unidentified species – looks like a waxy Blueberry Ash
Dumping			
Fill			
Fire scars			
Fallen timber	Y	15m	
Natural regen	Y		
Other	Y		Small bit of fine-grained sandstone outcropping

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland near southern boundary See associated figure	08	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Syncarpia glomulifera</i>	5
	<i>Eucalyptus pilularis</i>	5
Middle 1 Small Trees	<i>Syncarpia glomulifera</i>	4b
	<i>Eucalyptus pilularis</i>	4b
	<i>Angophora costata</i>	4b
Middle 2 Juvenile small trees, Shrubs	<i>Pittosporum undulatum</i>	4b
	<i>Acacia longifolia</i>	1
	Unidentified exotic	1
Lower 1 Grasses/Graminoids, Vines	<i>Lomandra longifolia</i>	3
	<i>Lepidosperma laterale</i>	2
	<i>Dianella caerulea</i>	3
	<i>Morinda jasminoides</i>	4a
Lower 2 Grasses, Ferns	<i>Entolasia marginata</i>	4b
	<i>Adiantum aethiopicum</i>	4b
	<i>Lindsaea linearis</i>	3

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	80%	
Weed cover	Y	5%	Unidentified species – looks like a waxy Blueberry Ash
Dumping			
Fill			
Fire scars			
Fallen timber	Y	10m	
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland See associated figure	09	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus pilularis</i>	6
Middle 1 Small Trees	<i>Pittosporum undulatum</i>	4b
	<i>Glochidion ferdinandi</i>	4b
Middle 2 Shrubs, Juvenile small trees	<i>Breynia oblongifolia</i>	4b
	<i>Pittosporum undulatum</i>	4b
	<i>Glochidion ferdinandi</i>	4b
Lower 1 Shrubs	<i>Leucopogon juniperinus</i>	2
	<i>Breynia oblongifolia</i>	2
Lower 2 Herbs, vines	<i>Pseuderanthemum variabile</i>	3
	<i>Pandorea pandorana</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	40%	
Weed cover	Y	10%	Privet, Lantana
Dumping			
Fill			
Fire scars			
Fallen timber	Y	20m	
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland See associated figure	10	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus pilularis</i>	4b
	<i>Eucalyptus saligna</i>	4b
Middle 1 Small Trees	<i>Eucalyptus saligna</i>	
	<i>Syncarpia glomulifera</i>	
	<i>Glochidion ferdinandi</i>	4b
Middle 2 Shrubs, Juvenile small trees, Vines	<i>Breynia oblongifolia</i>	4b
	<i>Pittosporum undulatum</i>	4b
	<i>Morinda jasminoides</i>	4b
Lower 1 Shrubs, Juvenile small trees	<i>Maytenus silvestris</i>	
	<i>Glochidion ferdinandi</i>	2
	<i>Pittosporum undulatum</i>	2
Lower 2 Grasses/Graminoids	<i>Lomandra longifolia</i>	3
	<i>Entolasia marginata</i>	
	<i>Oplismenus aemulus</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	60%	
Weed cover	Y	10%	Small-leaved Privet
Dumping			
Fill			
Fire scars			
Fallen timber	Y	15m	
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland near confluence of 2 creeks See associated figure	11	EA

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus pilularis</i>	5
	<i>Eucalyptus saligna</i>	4b
Middle 1 Small Trees	<i>Syncarpia glomulifera</i>	6
	<i>Glochidion ferdinandi</i>	4b
	<i>Ficus coronata</i>	4b
Lower 1 Ferns, Vines, Grasses/Graminoids	<i>Doodia aspera</i>	3
	<i>Lomandra longifolia</i>	2
	<i>Morinda jasminoides</i>	3

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	20%	
Weed cover	Y	5%	Small and Large-leaved Privet
Dumping			
Fill			
Fire scars			
Fallen timber	Y	5m	
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Southern bushland below perimeter road – recent regrowth See associated figure	12	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Eucalyptus saligna</i>	6
Middle 1 Small Trees	<i>Glochidion ferdinandi</i>	4b
	<i>Pittosporum undulatum</i>	4b
Middle 2 Small Trees, Vines	<i>Pittosporum undulatum</i>	4b
	<i>Ligustrum sinense</i>	4b
	<i>Morinda jasminoides</i>	4a
Lower 1 Grasses/Graminoids, Vines	<i>Lomandra longifolia</i>	3
	<i>Entolasia marginata</i>	2
	<i>Morinda jasminoides</i>	3

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	50%	
Weed cover	Y	20%	Small-leaved Privet
Dumping			
Fill			
Fire scars			
Fallen timber	Y	5m	
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.

Location	RDP #	Recorders
Fenced section on perimeter road corner See associated figure	13	EA + AM

Stratum and Form	Dominant Species	Score ¹
Top Trees	<i>Syncarpia glomulifera</i>	6
	<i>Eucalyptus pilularis</i>	4b
	<i>Eucalyptus saligna</i>	Nearby
Middle 1 Small Trees	<i>Syncarpia glomulifera</i>	3
	<i>Pittosporum undulatum</i>	3
Lower 1 Shrubs	<i>Cordyline</i> sp.	3
	<i>Ligustrum lucidum</i>	2
Lower 2 Grasses/Graminoids, Vines	<i>Passiflora tarminiana</i>	4b
	<i>Lomandra longifolia</i>	3
	<i>Entolasia marginata</i>	2

CONDITION ASSESSMENT			
Attribute	Y/N	cover	Notes
Leaf Litter	Y	80%	
Weed cover	Y	30%	Mostly vines
Dumping			
Fill			
Fire scars			
Fallen timber	Y		
Natural regen	Y		
Other			

¹ Modified Braun-Blanquet score – see associated table.