

Contact: Lillian Charlesworth Phone: 02 9860 1510

Email: Icharlesworth@planning.nsw.gov.au

Our ref: 16/14965 Your ref: RZ/27/2014

Mr Greg Dyer Interim General Manager City of Parramatta Council PO Box 32 Parramatta NSW 2124

Attention: Sonia Jacenko

Dear Mr Dyer

Alteration of Gateway Determination - Corner of Parramatta Road, Good Street and Cowper Street, Granville

I refer to Council's request for an extension of time to complete the above planning proposal.

I have determined as the delegate of the Greater Sydney Commission, in accordance with section 56(7) of the *Environmental Planning and Assessment Act* 1979 to alter the Gateway determination dated 9 November 2015 (as since altered) for Planning Proposal PP_2015_PARRA_007_00. The Alteration to Gateway determination is enclosed.

The Planning Proposal is now due for completion by 16 February 2017.

22/11/16

If you have any questions in relation to this matter, I have arranged for Ms Lillian Charlesworth to assist you. Ms Charlesworth can be contacted on (02) 9860 1510.

Yours sincerely

Catherine Van Laeren

Director Sydney Region West

Planning Services

Encl:

Alteration to Gateway Determination



Alteration of Gateway Determination

Planning Proposal (Department Ref: PP_2015_PARRA_007_00)

I, the Director Sydney Region West, Planning Services at the Department of Planning and Environment as delegate of the Greater Sydney Commission, have determined under section 56(7) of the *Environmental Planning and Assessment Act* 1979 to alter the Gateway determination dated 9 November 2015 for the proposed amendment to *Parramatta Local Environmental Plan 2011* as follows:

1. Delete

condition "6"

and replace with:

a new condition 6 "The timeframe for completing the Local Environmental Plan is by 15 months from the week following the date of the Gateway determination".

Dated 22nd day of November 2016

Catherine Van Laeren
Director Sydney Region West
Planning Services
Department of Planning and
Environment

Delegate of the Greater Sydney Commission