15.3 LOT 10 LANSDOWNE STREET PLANNING PROPOSAL AND DEVELOPMENT CONTROL PLAN AMENDMENT

Author: Nick Thistleton, Graduate Strategic Planner

Authoriser: Warwick Bennett, General Manager

- 1. Lansdowne Street Rezoning Lot 10 DP 1247119 Kingsdale Consulting Pty Ltd 20190617 <u>0</u> 🛣
 - 2. Lansdowne Street Site Specific DCP Provisions 🗓 👹

Link to Community Strategic Plan:	EN4 Maintain a balance between growth, development and environment protection through sensible planning
Cost to Council:	\$2600 (amount to be refunded)
Use of Reserve Funds:	Nil

RECOMMENDATION

Attachments:

That

- 1. The report from the Graduate Strategic Planner regarding the planning proposal at Lot 10 Lansdowne Street be received.
- 2. Council endorse the planning proposal to amend the *Goulburn Mulwaree Local Environmental Plan 2009* to rezone Lot 10 DP1247119 from B6 Enterprise Corridor with a floor space ratio of 0.8:1 to R5 Large Lot Residential with no floor space ratio and a minimum lot size of 1000m².
- 3. Council forward the planning proposal to the Department of Planning, Industry and Environment for a gateway determination.
- 4. In the event that the NSW Department of Planning, Industry and Environment issues a gateway determination to proceed with the planning proposal, consultation be undertaken with the community and government agencies in accordance with any directions of the gateway determination.
- 5. The Department of Planning, Industry and Environment be advised that Council wishes to be issued with an authorisation to use delegation for this planning proposal.
- 6. Council refund the \$2,600 lodgement fee paid and waive any future planning proposal fees applicable.
- 7. The site specific amendment to the *Goulburn Mulwaree Development Control Plan 2009* attached to this report be placed on public exhibition for a minimum period of 28 days commencing the same day as the public exhibition period for the aforementioned planning proposal.

BACKGROUND

A proposed amendment to the *Goulburn Mulwaree Local Environmental Plan 2009* (GM LEP) to rezone land at Lansdowne Street and Theatre Drive from B6 Enterprise Corridor with a floor space ratio of 0.8:1 to part R5 Large Lot Residential with a minimum lot size of 1000m² and no floor space ratio and part E3 Environmental Management with a minimum lot size of 10000m² has been previously considered by Council.

The decision was made at the time to proceed with the rezoning as proposed with the exception of the proposed zoning for Lot 10 DP1247119, which surrounds the northern and western boundary of the Theatre Drive subdivision (**Figure 1**).

This lot was deferred pending consideration of an alternate access from Theatre Drive to Robinson Street instead of Lansdowne Street and the development of site specific development controls that are intended to minimise the potential for land use conflict and traffic hazards between the residential subdivision of Theatre Drive and businesses to the north that generate heavy vehicle movements along Lansdowne Street potentially 24 hours a day.



Figure 1: Subject area, Lot 10 DP1447119 is shown in hatched red.

Council resolved as follows on 18 December 2018:

That:

- 1. The report of the Senior Strategic Planner regarding the Lansdowne Street Planning Proposal be received.
- 2. Council endorse the current Planning Proposal to amend the Goulburn Mulwaree Local Environmental Plan 2009 to:
 - a) Rezone land being Lots 11 27 DP1247119 (Theatre Drive Subdivision), 150 Lansdowne Street Goulburn (Lot 1 DP 1018281)
 - b) Rezone lot 28 DP 1247119 from B6 Enterprise Corridor to zone E3 Environmental Management;
 - c) Remove existing Floor Space Ratio (FSR) controls for lots no longer proposed to be rezoned B6 Enterprise Corridor; and
 - d) Apply a Minimum Lot Size of 1000 m2 (in R5 Large Lot Residential) and a 1 Hectare Lot Size (E3 Environmental Management) under Goulburn Mulwaree Local Environmental Plan 2009.
- 3. The decision on any zoning matter for Lot 10 DP 1247119 be deferred at this time.
- 4. A Draft Instrument be prepared that is consistent with the above Amendment;
- 5. The Planning Proposal and relevant documentation be forwarded to the Department of Planning and Environment for making as soon as possible.
- 6. Council thank those who made a submission and advise the proponent accordingly.
- 7. Future development applications for development on land in DP1247119 (Theatre Drive Subdivision), Lot 1 DP 1018281 (150 Lansdowne Street) and Lot 28 DP 1247119 include restrictions on the title of each lot as generally outlined in this report and in Attachment 2

pursuant to Section 88B of the Conveyancing Act, 1919.

- 8. In pursuance of paragraph 2 and 6 of this resolution, site specific development control plan (DCP) provisions are developed to ensure that the mitigation measures are considered as applicable in future development application assessment including:
 - a) Construction standards for all development and boundary fencing in relation to noise and vibration.
 - b) Restrictions on the title of lots on land identified in paragraph 7 above.
- 9. The DCP provisions in paragraph 4 are publicly exhibited.

CARRIED

SUPPLEMENTARY RESOLUTION 2018/1

Moved: Cr Peter Walker Seconded: Cr Andrew Banfield

That the applicant be requested to consider a proposed alternate access to this subdivision directly on to both Cathcart and Robinson Streets and to consider proposing the closure of Theatre Drive access onto Lansdowne Street.

CARRIED

The land at Lansdowne Street, with the exception of the deferred Lot 10 DP 1247119, was rezoned in accordance with the above resolution on 25 January 2019. That rezoning is now known as Amendment 12 to the GM LEP.

REPORT

Introduction

The purpose of this report is for Council to consider the:

- 1. Planning proposal lodged on 17 June 2019 for the deferred area that responds to **Part 3** of the above resolution and the above Supplementary Resolution,
- 2. Site specific development controls proposed for the site; and
- 3. Request to waiver the planning proposal lodgement and processing fees (\$2600).

The proponent has submitted their submission in support of the rezoning along with other supporting documents (Attachment 1).

Planning Proposal Details

This new planning proposal intends to rezone Lot 10 DP 1247119 from B6 Enterprise Corridor with a floor space ratio of 0.8:1 to R5 Large Lot Residential with a minimum lot size of 1000m² and no floor space ratio.

In support of the application, the proponent has provided additional information in response to some of the issues raised in submissions against the original amendment regarding traffic safety and noise impacts. The additional information includes the following (Attachment 1):

- Industrial Noise Intrusion Assessment Proposed Planning Proposal Land Rezoning For Residential Subdivision prepared by Harwood Acoustics (5 March 2019), and
- Traffic count data provided by Austraffic for 18 February 24 February 2019 (1 week)

In response to the supplementary resolution, the proponent has also provided a revised subdivision plan that includes closing the existing connection from Theatre Drive to Lansdowne Street with an alternative access to Robinson Street. A pedestrian access to Cathcart Street has also been included as indicated in Figure 2.

Revised Plan of Subdivision

In accordance with supplementary resolution this current planning proposal includes a revised plan of subdivision (**Figure 2**).



Figure 2 Revised Plan of Subdivision

The revised plan of subdivision includes the following elements:

- Closure of direct access to Lansdowne Street from Theatre Drive (now a cul-de-sac) to avoid conflict between residential and industrial vehicle traffic on Lansdowne Street;
- A new access to Robinson Street from Theatre Drive;
- A three (3) metre wide pedestrian access from Theatre Drive to Cathcart Street;
- Recommended dwelling location for Lot 28 (zoned E3 Environmental Management);
- Proposed playground equipment on Lot 28;
- Access to Proposed Lots 32, 33, 34, 37 38 via right of carriageway; and
- Direct access to Lansdowne Street from Proposed Lots 29, 30 and 31.

Noise Constraints

The supporting *Harwood Acoustics: Industrial Noise Intrusion Assessment Proposed Planning Proposal – Land Rezoning for Residential Subdivision* found that the land is significantly constrained by noise with some recorded readings of up to 56 dBA. The assessment does concur with Council's existing approach of including restrictions on the title of the land relating to dwelling construction and fencing requirements. However this assessment also recommends a 2.1 metre lapped and capped timber fence along the Lansdowne Street frontage and that other noise attenuation development controls be explored. In this respect refer to the Draft Site Specific DCP Provisions below.

Traffic Count

The supporting traffic count data provided by the proponent demonstrates that there is indeed a high volume of heavy vehicle traffic on Lansdowne Street during daylight hours and less heavy vehicle traffic on Robinson Street with minimal heavy vehicle movement between 6am and 6pm and on weekends.

The proponent suggests that traffic movements are not significant enough to warrant particular concern for the proposal. This assertion is not supported by the noise assessment that demonstrates the significant amount of noise levels being generated from heavy vehicles. Notwithstanding this, the noise constraint assessment assessed the noise impacts of heavy vehicle movements in its findings and has provided recommended mitigation measures.

Draft Site Specific Development Control Plan Provisions.

In order to further minimise land use conflict and to provide a mechanism for enforcing commitments made by the developer, a proposed amendment to the *Goulburn Mulwaree Development Control Plan 2009* (GM DCP applicable to the Theatre Drive subdivision is attached to this report (Attachment 2). This site specific development control chapter contains provisions that:

- Requires dwellings to provide acoustic reports, which demonstrate that noise levels will be kept to an acceptable level;
- Protects ecological values across the subject area; and
- Requires direct access to Robinson Street to be completed prior to dwellings being erected on Lot 10 with closure of the Lansdowne Street access to Theatre Drive).

The intention of this draft site specific development control chapter is to support the proposed rezoning.

Refund and Waiver of Planning Proposal Fees

Attached to their request for the planning proposal, the proponent has also requested a refund of the lodgement and processing fee to the value of \$2600, paid under Council's 2018/2019 fees and charges (Attachment 1).

In support of this request, the proponent has provided the following argument:

'This rezoning of Lot 10 DP 1247119 essentially comprises part of the Planning Proposal initiated by Council at its meeting held on 18 December 2016 and was only a deferred matter from the Council meeting of the 18th December 2018. Simgrow Pty Ltd will be responsible for all capital costs associated with the variations to the internal road layout and the development of this site has been ongoing for many years being the subject of discussions with various Councils and staff and Simgrow Pty Ltd have always cooperated with Council requirements. The current predicament has not been initiated by the land owners but was precipitated by Council's with a change to the LEP. Waiving of any fee is considered a reasonable request in this instance.

The last sentence refers to Council's approval of 17 lots in the Theatre Drive subdivision in 2012. This subdivision was approved as a residential subdivision at a time when the B6 Enterprise Corridor zone permitted dwellings under the GM LEP. The ability to erect dwellings on the site was removed a year later in 2013 following a planning proposal that removed dwellings as a permissible use in B6 Enterprise Corridor zone.

Given the above, it is recommended that the fees paid be refunded on the grounds that Council is rectifying the unintended negative effects of a previous planning proposal that did not properly take into account the Theatre Drive residential subdivision.

It is also recommended that any future planning proposal fees applicable are also waived (with the exception of fees for any supporting studies) on these grounds. Furthermore, it should be noted that Council's fees and charges for planning proposals were amended for the 2019/2020 financial year to include the following exemption:

"This fee does not apply to planning proposals initiated by Council or planning proposals that are consistent with a strategy adopted by Council."

In this instance, the proposed rezoning is consistent with a direct recommendation of Council's adopted *Employment Land Strategy* (p.17). It should also be noted that the intention of this exemption is to not charge proponents for carrying out the recommendations of Council's own adopted strategy.

Conclusion

Given that site specific development controls have been introduced to limit land use conflict between the proposed residential area and the nearby businesses to the north and to enforce the developer's commitments, it is recommended that Council endorse the planning proposal and the site specific development controls.

It is also recommended that the request to refund the fees paid and waive future applicable fees also be granted on the grounds that Council is rectifying the unintended site effects of a previous planning proposal and is carrying out a direct recommendation in the *Employment Land Strategy*.

Doc ID: 920477

(inclu	en at Customer Service Counter uding Subdivision Certificate Application)
	tact number of person delivering documentation
ame:	Robert Mowle
ontact Number:	48210973
	Related Information:
pplication number:	
	Lot 10 Jawdowne Q.
ouncil Officer reques	ting documentation: Kate Wooll
chedule of document	s received: Rezoning
• () c)	-
O PLAN	
: (3) angedate	e Consulhip P/C.
: Co Manor	and Acoustics
•	
e these replacement /s	superseded plans Yes/No
mments:	

KINGSDALE CONSULTING PTY LTD

ABN 12 148 887 647 ACN 148 887 647

> P O Box 539 GOULBURN NSW 2580

The General Manager Goulburn Mulwaree Council Locked Bag 22 GOULBURN NSW 2580

Attention: Scott Martin / Kate Wooll

RE: Lot 10 DP 1247119 LANSDOWNE STREET REZONING

Dear Scott and Kate

I refer to previous discussions regarding the above matter and please find attached a submission in support of the rezoning of Lot 10 DP 1247119 from B6 Enterprise Zone to R5 Large Lot Residential Zone and for the land to have a minimum lot size of 1,000m². An Industrial Noise Intrusion Assessment report prepared by Harwood Acoustics is separately attached as well as plans prepared by CPC Land Development Consultants Pty Ltd and an electronic copy of the documentation.

If you require any additional information or clarification, please contact me on 0428 483 558 or at robansue@bigpond.net.au

Yours sincerely

N/E/ m

Robert Mowle DIRECTOR KINGSDALE CONSULTING PTY LTD 17 June 2019

SUBMISSION

This submission on behalf of Simgrow Pty Ltd is submitted to the Goulburn Mulwaree Council to request an amendment to *Goulburn Mulwaree LEP 2009* (LEP) to rezone Lot 10 DP 1247119 from B6 Enterprise Zone to R5 Large Lot Residential Zone and to enable Lot 10 DP 1247119 to have a minimum lot size of 1,000m² – see maps below:

 Amending Goulburn Mulwaree Land Zoning Map Sheet LZN_001D by rezoning Lot 10 DP 1247119 from B6 (Enterprise Corridor Zone) to R5 (Large Lot Residential Zone).



Amendment to Goulburn Mulwaree Land Zoning Map – Sheet LZN_001D (Map Source: NSW Legislation website)



(2) Amending Goulburn Mulwaree Land Lot Size Map Sheet LSZ_001D by identifying Lot 10 DP 1247119 having a minimum lot size of 1,000m² (U1) – see map below.

Amendment to Goulburn Mulwaree Lot Size Map – Sheet LSZ_001D (Map Source: NSW Legislation website)

Council is also advised that when the *Goulburn Mulwaree Local Environmental Plan (GLEP) 2009* was introduced the subject land was zoned B6 Enterprise Corridor and it had previously been zoned for 4 industrial development under Goulburn LEP 1990. When the GLEP 2009 commenced, dwellings were permitted with Council consent in the B6 zone. The zone also had an objective "To provide for residential uses, but only as part of a mixed use development."

An application for the subdivision of Lot 2 DP 1018281 (150 Lansdowne Street) was approved by Council on 7 December 2011. This approval (which had been commenced) consisted of 17 lots for residential purposes plus a single residue lot (with frontage to both Lansdowne and Robinson Streets) and a single lot in the southern comer being subject to a Conservation Management Plan. On 19 October 2012 Council amended its LEP without any consultation with the land owners to remove the objective relating to residential development and to prohibit residential accommodation in the B6 zone. This has created a situation where the subdivision for 17 lots (for the purpose of residential development) was lawfully permitted, but future applications for dwellings on those lots were not permitted.

This matter was considered by Council at its meeting held on the 18 December 2018 and a copy of the Council report is attached at Appendix 1.

Council will recall that the whole site was originally a drive-in theatre which was purchased by Simgrow Pty Ltd in the late 1980's. The proposed development of this land has seen many permutations over the years varying from light industrial / commercial to residential development. The report to the Council meeting of the 18 December 2018 included the following background details:

"Development Application 50/1011/DA for the subdivision of Lot 2 DP 1018281 (150 Lansdowne Street - the site of the former drive-in theatre) was approved on 7 December 2011. The approved subdivision consisted of 17 Lots for residential purposes plus a single lot designated for future industrial commercial activities (with frontage to both Lansdowne and Robinson Street) and a single lot in the southern corner of the subject site for the purpose of protecting remnant native vegetation. The Subdivision Certificate for the approved subdivision was issued on 30 August 2018. It is understood that prior to this, the 17 Lot residential component of the subdivision had been put on the market with many lots sold. These lots were sold with Section 10.7 Planning Certificates (Environmental Planning and Assessment Act, 1979) that identified the land as being zoned B6 Enterprise Corridor under Goulburn Mulwaree Local Environmental Plan 2009 (GM LEP 2009) upon which Residential Accommodation (this definition including detached dwellings and dual occupancies) is prohibited. When the GM LEP 2009 was introduced the subject land was zoned B6 enterprise Corridor. It had previously been zoned "4 Industrial" under Goulburn LEP 1990. At the time LEP 2009 commenced, dwellings were permitted with Council consent in the B6 Enterprise Corridor zone. The zone also had an objective "to provide for residential uses, but only as part of a mixed use development". On October 2012 Council amended GM LEP 2009 to remove the objective relating to residential development and prohibit residential accommodation in the B6 Enterprise Corridor zone. This created a situation where the subdivision for 17 lots could still be enacted, but future applications for dwellings on those lots were prohibited. It is this situation that Council is trying to address with a current Planning Proposal to rezone the land to zone R5 Large Lot Residential under GM LEP 2009." (bold text by writer).

Council resolved as follows:

"RESOLUTION 2018/602

- 1. The report of the Senior Strategic Planner regarding the Lansdowne Street Planning Proposal be received.
- 2. Council endorse the current Planning Proposal to amend the Goulburn Mulwaree Local Environmental Plan 2009 to:
 - a) Rezone land being Lots 11- 27 DP1247119 (Theatre Drive Subdivision), 150 Lansdowne Street Goulburn (Lot 1 DP 1018281)
 - b) Rezone lot 28 DP 1247119 from B6 Enterprise Corridor to zone E3 Environmental Management;
 - c) Remove existing Floor Space Ratio (FSR) controls for lots no longer proposed to be rezoned B6 Enterprise Corridor; and
 - d) Apply a Minimum Lot Size of 1000 m2 (in R5 Large Lot Residential) and a 1 Hectare Lot Size (E3 Environmental Management) under Goulburn Mulwaree Local Environmental Plan 2009.
 - 3. The decision on any zoning matter for Lot 10 DP 1247119 be deferred at this time.
 - 4. A Draft instrument be prepared that is consistent with the above Amendment;
 - 5. The Planning Proposal and relevant documentation be forwarded to the Department of Planning and Environment for making as soon as possible.
 - 6. Council thank those who made a submission and advise the proponent accordingly.
 - 7. Future development applications for development on land in DP1247119 (Theatre Drive Subdivision), Lot 1 DP 1018281 (150 Lansdowne Street) and Lot 28 DP 1247119 include restrictions on the title of each lot as generally outlined in this report and in Attachment 2 pursuant to Section 88B of the Conveyancing Act, 1919.
 - In pursuance of paragraph 2 and 6 of this resolution, site specific development control plan (DCP) provisions are developed to ensure that the mitigation measures are considered as applicable in future development application assessment including: a) Construction standards for all development and boundary fencing in relation to noise and vibration. b) Restrictions on the title of lots on land identified in paragraph 7 above.
 The DCP provisions in paragraph 4 are publicly exhibited.
- SUPPLEMENTARY RESOLUTION 2018/603

That the applicant be requested to consider a proposed alternate access to this subdivision directly on to both Cathcart and Robinson Streets and to consider proposing the closure of Theatre Drive access onto Lansdowne Street."

In respect to this Resolution, Simgrow Pty Ltd have:

1. Redesigned the proposed subdivision of Lot 10 DP 1247119 and:

- Removed direct access from Theatre Drive to Lansdowne Street.
- Provided direct access from Theatre Drive to Robinson Street.
- Provided a range of lot sizes from 1100m² to 1679m² along Lansdowne Street with the larger lots being located to the east of Lansdowne Street.
- Provided an area for the establishment of a playground area particularly for young children in the Theatre Drive and Abbey Road areas.
- Provided for pedestrian access from Cathcart Street to Theatre Drive.

No direct vehicular access has been provided to Cathcart Street from Theatre Drive at this



stage although Simgrow Pty Ltd are prepared to have ongoing discussions with Council in respect to this matter. See plans below.

2. Carried out a Traffic Count Analysis:

It is noted that the report to the meeting of Council included the following comments: The business operators also questioned whether traffic counts in Robinson or Lansdowne Street had been undertaken. Unfortunately, counts are unavailable for this section of Lansdowne St, but traffic counts were available for Robinson Street (undertaken in 2016) as follows:

ClassM Site: Descrip Filter ti Scheme Filter:	ntion me:		1	50m sou 50m sou 0:21 Mo /ehicle cl 2is(1 2 3	nday, 23 assificati	3 May 20 ion (Aust	16 => 13 Roads94	1:56 Tue ()	sday, 7	June 201						
Speed	Dem,	16.3													Speed	Totals
		-						Class	8						i i	
			1	2	3	4	5	- 6	7		9	2.0	11	12	1	
10 -	20		7.0		3	4	2							. 1	79	0.5%
20 -	30		232	4	27	2.2			3	7	2	2			287	1.78
38 -	40		1105	36	195	40	2	4	2	13	4	1			1407	8.54
40 -	50		5981	141	693	63	5	18	10	1	5	3			6930	41.6%
50 -	60		6002	66	62.0	7		5	8						6709	40.4%
60 -	70		1034	5	8.0									1	1119	6.78
70 -	80		75		6								1.1		81	0.5%
80 -	90	4	17										+	1.1	17	0.1%
90 - 3	190	1	- 5												.3	0.04
100 - 1	110	1	1												1	0.0%
310 - 1	120	1													0	0.0%
	130	1													9	0.05
	140														0	0.0%
	150	+													0	0.04
150 - 1	160	÷													0	D.05
		i.	14520	252	1624	104	18	27	31	21	13	3	0	ō.	14413	
		1	07.4%	1.5%	9.84	0.64	0.1%	0.2% 1448 To	#1.0 #1#F	0.3%	0.15	0.0%	0.0%	0.051	MOT 11	11

The graph suggests a relatively high vehicle usage rate over the count period from 10.21 on Monday 23 May through to 1.56pm Tuesday 7 June being 16,613 vehicles (approximately 1,186 per day). Heavy vehicles are classes 3 – 12 using Austroads vehicle classification system. Therefore heavy vehicles accounted for 1,841 movements (131.5 per day). It is likely that the number of heavy vehicle and car movements has increased since that time. Essentially the traffic count demonstrates the relatively high level of vehicle and heavy vehicle usage of Robinson Street, it would be anticipated that Lansdowne Street would have a similarly high usage level. The issues raised above have been considered further in the options section of this report.

The report also includes the following comments:

It is considered that measures will be put in place via the proponent's response (888 Instrument and lot configuration) to address some of the concerns of objectors. This would also necessitate site specific development control plan provisions being in place as a means of alerting assessment staff and purchasers to likely construction standards or restrictions on lots. However, the usage of Robinson Street and Lansdowne Street by heavy freight and other industrial type businesses is potentially going to be an ongoing cause for dispute between landowners. The measures outlined only go a part of the way to solving these ongoing land use conflicts. The activity and noise levels by 24 hour a day truck usage of Lansdowne and Robinson Street should not be underestimated. Whilst dwellings can be constructed with increased standards for noise and vibration, amenity levels of private open space etc. will still be reduced. The traffic counts for Robinson Street are very high in a residential context aside from the heavy vehicle component. This traffic activity will be ongoing and whilst the mitigation measures proposed go some way to address the problems they are not a "complete" solution.

It is noted that this traffic count was undertaken in June 2016 and only in Robinson Street at a location 150m south of Mary Street – it is not considered appropriate to use this traffic count information to predict traffic levels adjacent to the subject development and traffic counts adjacent to the site should have been taken prior to the Council meeting. However, Council did undertake traffic counts during January 2019 in Robinson Street and Lansdowne Street as noted in the results shown below:

Class Speed Matrix

ClassMatr Site: Descriptio Filter time Scheme: Filter:	n:	Robinse 13:53 Tr Vehicle	9.0.1NS on Street 8 uesday, 18 classificatio) Dir(NES)	3 January on (AustR	2019 => bads94)	13:53 Tu								
						Class_								
	SV	SVI	152	TE3	74	ART3	ABT4	ARTS	ABLTS	BD	DET	TRT	Tota	5]
km/li	1	2	3	4	5	6	7	8	9	10	11	12		
10- 20	5.0		12	17	-	-	1	-	é	1.1	-		86	0.8%
20- 30 1	320	15	138	67	5		1	-	12	7			567	5.2%
30-40 1	3148	103	497	43	6	Ŷ	12	14	e	÷	-		3804	35.1%
60- 50	4389	5.7	3.9-0	7		2	1	-					4797	44.34
50- 60 i	1237	5	90	1		1							1334	12.3%
60 - 70	212	2	11			-							225	2.18
70-90	13		2			-							15	0.18
80- 90	2				-	-							2	0.0%
98-180	2					-							2	0.0%
108-110													. 0	0.0%
110-120					-	-							0	0.0%
120-130						-	× .						0	0.0%
130-140														0.0%
148-150													0	0.0%
158-160	-		1		-	-							1	0.0%
Total	9323 86.1%	182 1.78	1101 10.2%	135 1.28	$ \begin{array}{c} 11 \\ 0.18 \end{array} $	12 0.1%	15 0-13	17 8.2%	24 0.25	13 0.18	0 0.0%	0.0%	10933 ADT 774	

Class Speed Matrix

ClassMatri Site: Descriptio Filter time: Scheme: Filter:	n:	Robins 13:53 Ti Vehicle	89.0.1SN en St 40m uesday, 16 classificati: () Dir(NES)	January on (AustR	2019 => oads94)	13:57 Tue								
						Class								
	sv	SVT	782	783	T4	ART3	ART4	ART5	AR76	ND.	DRI	TRI	Tota	1
kn/h	1	2	3	4	5	6	7	8	9	10	11	12		
18- 20	21.0	3		6	-			1					246	1.8%
20- 30 1	433	11	114	68	1.2		3	11	20	1	1		668	5.0%
30-40	2979	8.9	519	Ş0	2	e	13	9	20	5			3729	27.95
40- 50	6103	0.3	742	65	-	2	6		9	1	1		7019	52.68
50- 60 1	1407	6	166			1							1560	11.8%
60-70	85		15			~							100	0.78
70- 80	1.1		1						-		-	-	12	0.1%
00- 90	-								-				2	0.05
90-100													0	0.08
100-110													0	0.0%
110-120													0	0.01
120-130												-	0	0.08
130-140													0	0.08
140 - 150													0	0.08
150-160			,	,									0	0.0%
Total	11230	194	1584	219	24	16	22	23	35	7	2	D	13356	
	84.15	1.55	11.9%	1.6%	0.2%	0.1%	0.2%	0.29	0.3%	0.1%	0.0%	0.05	ADE 1984	

Class Speed Matrix

Description Filter time: Scheme:		Lansdov 13:55 Tu Vehicle d	25.0.1WE whe Stree lesday, 15	t 20m wer 5 January an (AustRe	2019 => 1 ceds84}	14:03 Tue	sday, 29							
Filter:		Cls(1-12)) Dir(NES)	N) Sp(10,	160) Heat	tway(>0).	Span(0 - 1	00) Lane(0-16)					
						Class		4875						
km/h	v2	SVT 2	TR2 3	7763 4	74 5	ART3 6	ART4 7	8	7876 9	10	11	787 12	Tota	1
10-20 I	120			13		1			-	3			170	0.7
20- 30 1	1870	24	28	20		-	1	- 5	36	48			1065	8.0
30- 40	2724	50	401	148	27		26	20	1.90	224			4064	16.
40- 50 1	8055	257	924	168	76	31	15	11	297	147			9887	40.5
50- 60	6576	195	539	39	1.0	3	11		23	29			7374	30.
60- 70 i	028	17	77						3		-		1028	4.3
70- 90 1	BZ	1		-	-								90	0.1
80-90	16	1											16	0.3
98-100	- 1		-		-	-		-			-			10.0
108-110	é												6	0.0
110-120													0	0.0
120-130													ő	0.0
130-140									2				ŭ	0.0
140-150													0	0.1
150-160													õ	0.0
Total	20085	516	2398	400	134	59	47	48	452	449	11	D	24603	
	81.79	2.18	9.78	1.68	0.5%	0.28	0.2%	0.2%	1.8%	1.8%	0.0%	0.06		
ClassMatrix	x-166						<u>Clas</u>	s Spee	ed Matr	<u>ix</u>				
iite:)escription 'liter time: Scheme:		Lansdow 13:54 Tu Vehicle d	37.0.1EW vne Street lassificatio Dir/NES/	January in (AustRo	2019 => 1 ads84)	4:06 Tue	stay, 29	January 2	2019	<u>ix</u>				
lite: Ascription filter time:		Lansdow 13:54 Tu Vehicle d	esday, 15	January in (AustRo	2019 => 1 ads84)	4:06 Tue	stay, 29	January 2	2019	<u>ix</u>				
ite: Ascription liter time: icheme:		Lansdow 13:54 Tu Vehicle d	esday, 15 lassificatio	January in (AustRo	2019 => 1 ads84)	4:06 Tue way(>0) \$	stay, 29	January 2	2019	<u>10</u>	DRT	TRT 12	Tota	1
ite: escription ilter time: cheme: ilter: km/h	1: 	Lansdow 13:54 Tu Vehicle d Cis(1-12) SVT 2	vne Street esday, 15 lassificatio Dir(NES/ 78/2	January m (AustRe V) Sp(10,1 TB3 4 - 37	2019 => 1 bads94) 160) Head 74	4:06 Tue Way(>0) 5 	stay. 29 - ipan(0 - 1) ART4	January 2 00) Lane(* ART>	2019 0-16) ART6 9	50 10			Tota. 216	_
ite: lescription liter time: cheme: liter: <u>km/h</u> 10- 20	1: 5V 1 137 407	Lansdow 13:54 Tu Vehicle d Cis(1-12) SVT 2 1	vne Street esday, 15 læssificatio Dir(NES/ 782 3	January in (AustRe V) Sp(10,1 TB3 4 	2019 => 1 bads94) 160) Head 74 5	4:06 Tue way(>0) 5 	St sciay, 29 . ipan(0 - 1) ART4 7	January 2 00) Lane(* ART> 8	2019 0-16) ART6 9 6 19	50 10	11	12		1.1
ite: lescription liter time; icheme: liter: <u>km/h</u> 10- 20 20- 30	1: 	Lansdow 13:54 Tu Vehicle d Cis(1-12) SVT 2	vne Street lesday, 15 lassificatio Dir(NESV TBR 3 20	January m (AustRe V) Sp(10,1 TB3 4 - 37	2019 => 1 bads94) 160) Head 74 5 14	4:06 Tue way(>0) 5 	St sciay, 29 ipan(0 - 1) ART4 7	January 2 00) Lane(* ART> 8	2019 0-16) ART6 9	50 10	11	12	216	1.3
ite: lescription liter time: cheme: liter: km/h 10- 20 + 20- 30 + 30- 40 +	1: 50 1 137 407 1305 9616	Lansdow 13:54 Tu Vehicle d Cls(1-12) 3VT 2 1 3 55 123	vine Street esday, 15 lassificatio Dir(NESV 3 20 65 194 309	3 January In (AustRe V) Sp(10,1 TB3 4 - 37 - 115 - 60 - 90	2019 => 1 bads94) 160) Head 	4:06 Tue way(>0) 5 	St sciay, 29 ipan(0 - 1) ART4 7	January 2 00) Lane(* ART> 8	2019 0-16) ART6 9 6 19 72 91	50 10	11	12	216 733	1.5 5.1 12.4
ite: Aescription ilter time: icheme: ilter: ilter: 20- 30 30- 40 40- 50 50- 60	1: 5W 1 137 407 1305 0016 0248	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 2 2 1 3 55 122 125 125	vine Street esday, 15 lassificatio Dir(NESV 3 20 65 -194 367	3 January Im (AustRe V) Sp(10,1 103 4 - 33 - 115 - 40 - 59 - 25	2019 => 1 bads94) 160) Head - - - - - - - - - - - - - - - - - - -	4:06 Tue way(>0) 5 class ART3 6	/ St sday, 29 . ipan(0 - 1) ART4 7 10 10 10	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) ART6 9 6 19 72	B0 10	11	12	216 733 1794 5515 4820	1.5 5.1 12.4 38.2 33.4
ite: Nescription ilter time: icheme: ilter: km/h 10- 20 20- 30 30- 40 40- 50	1: 50 1 137 407 1305 9616	Lansdow 13:54 Tu Vehicle d Cls(1-12) 3VT 2 1 3 55 123	vine Street esday, 15 lassificatio Dir(NESV 3 20 65 -194 367	3 January In (AustRe V) Sp(10,1 TB3 4 - 37 - 115 - 60 - 90	2019 => 1 bads94) 160) Head 	4:06 Tue way(>0) 5 class ART3 6	St sday, 29 - ipan(0 - 1) ART4 7 1 1 1	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) ART6 9 6 19 72 91	50 10 13 63 63	11	12	216 733 1794 5515	1.5 5.1 12.4 38.2 33.4
ite: Aescription itter time; icheme: itter: itter: km/h 10- 20 20- 20 20- 30 30- 40 50- 60 50- 60 60- 70 70- 80 1	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 2 2 1 3 55 122 125 125	vine Street esday, 15 lassificatio Dir(NESV 3 20 65 194 309	3 January Im (AustRe V) Sp(10,1 103 4 - 33 - 115 - 40 - 59 - 25	2019 => 1 bads94) 160) Head 160) Head 160 14 10 14 10 14 15	4:06 Tue way(>0) 5 class 6 6	/ St sday, 29 . ipan(0 - 1) ART4 7 10 10 10	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 6 19 72 21	50 10 13 63 63	11	12	216 733 1794 5515 4820 1162 147	1.5 5.1 12.4 38.2 33.4 8.1 1.0
ite: hescription iliter time; icheme: iliter: iliter: 20 = 30 20 = 30 30 = 40 40 = 50 60 = 70 70 = 80 80 = 90	1: 500 1 137 407 1305 0616 6165 1021	Lansdow 13:54 Tu Vehicle d (Cis(1-12) 397 2 2 1 55 55 55 55 24	vine Street esday, 15 lassificatio Dir(NESV 7002 3 20 66 194 30% 30% 30% 30% 30% 110	(AustRe V) Sp(10,1 103 4 - 37 - 112 - 60 - 99 - 25 - 4	2019 => 1 bads94) 160) Head 160) Head 160 14 10 14 10 14 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 19 72 9 72 9 72 9 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 3162 147 32	1.9 5.1 12.4 38.2 33.4 8.1 1.0 0.2
ite: lescription ilter time: icheme: ilter: ilter: 20 - 30 20 - 30 30 - 40 40 - 50 50 - 60 60 - 70 70 - 80 90 - 100	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d (Cis(1-12) 397 2 2 1 55 55 55 55 24	vine Street esday, 15 lassificatio Dir(NESV 7002 3 20 66 194 30% 30% 30% 30% 30% 110	(AustRe V) Sp(10,1 103 4 - 37 - 112 - 60 - 99 - 25 - 4	2019 => 1 bads94) 160) Head 160) Head 160 14 10 14 10 14 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 19 72 9 72 9 72 9 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147	1.5 5.1 12.4 38.2 33.4 8.1 1.0 0.2 0.2
ine: liter time: iner time: iner: liter: los 20 20 = 30 20 = 30 30 = 40 40 = 50 50 = 60 50 = 60 50 = 90 90 = 100 50 = 110 50 = 100 50	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cls(1-12) 2 2 1 5 5 5 5 125 125 125 125 125 125 1	vine Street esday, 15 lassificatio Dir(NESV 7002 3 20 66 194 30% 30% 30% 30% 30% 110	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 9 19 19 19 10 21 21	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4	1.5 5.1 12.4 38.2 33.4 8.1 1.0 0.5 0.6 0.0
ite: lescription liter time: liter time: liter: l	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vine Street esday, 15 lassificatio Dir(NESV 7002 3 20 66 194 30% 30% 30% 30% 30% 110	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 6 19 6 19 72 72 72 72 72 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1	1.3 5.1 12.4 38.2 33.4 8.1 1.0 0.2 0.0 0.0 0.0 0.0 0.0
ite: lescription libertime; icheme: libert 10-20-20-20-20- 20-30-30-40- 60-20-40- 60-40- 60-40- 60-90- 90-100- 10-110 10-120-20- 20-130	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vne Street esday, 15 kasoficatio Din(NESV 7782 3 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 20 6 8 20 20 6 8 20 20 20 20 20 20 20 20 20 20 20 20 20	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1	1.5 5.1 12.6 38.2 33.6 8.1 1.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0
ite: lescription liter time: liter time: liter: liter: los 20 20= 30 30 - 40 40 - 30 50 - 60 60 - 70 90 - 100 90 - 100 10 - 120 10 - 120 21 - 130 30 - 40 10 - 20 10 - 100 10 - 120 10 - 120 1	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vne Street esday, 15 kasoficatio Din(NESV 7782 3 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 20 6 8 20 20 6 8 20 20 20 20 20 20 20 20 20 20 20 20 20	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1 1 1 0	1.5 5.1 12.4 38.2 33.4 8.1 1.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0
kite: >>>>>>>>>>>>>>>>>>>>>>>>>>>>	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vne Street esday, 15 kasoficatio Din(NESV 7782 3 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 20 6 8 20 20 6 8 20 20 20 20 20 20 20 20 20 20 20 20 20	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1	1 12.4 38.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0
ite: lescription liter time: liter time: liter: liter: los 20 20= 30 30 - 40 40 - 30 50 - 60 60 - 70 90 - 100 90 - 100 100 - 120 10 - 120 21 - 130 30 - 40 10 - 20 10 - 100 10 - 120 10 - 120 1	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vne Street esday, 15 kasoficatio Din(NESV 7782 3 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 20 6 8 20 20 6 8 20 20 20 20 20 20 20 20 20 20 20 20 20	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1 1 1 0	1.5 5.1 12.4 38.2 33.4 8.1 1.0 0.2 0.0 0.0 0.0 0.0 0.0 0.0 0.0
ite: lescription liter time; liter time; liter: l	1: 500 1 1307 1305 10216 1025 2045 1025	Lansdow 13:54 Tu Vchilet d Cis(1-12) 2 2 7 8 8 8 2 9 128 24 128 24 128 24 128 24 128 24 128 24 128	vna Street esday, 15 kassification Dir(NESV 700 3 20 20 3 20 3 5 20 3 5 20 3 5 7 10 2 10 2 10 2 10 2 10 2 10 2 10 2 10	January m (AustRev) V) Sp(10,1 TB3 4 37 112 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 4 2 28 20 20 20 20 20 20 20 20 20 20 20 20 20	2019 => 1 Jack54) 160) Head 160 160 160 16 16 16 16 16 16 16 16 16 16 16 16 16	4:06 Tue kway(>0) \$ class_ ART3 6 	<pre>st sday. 29 ipan(0 - 1) ART4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</pre>	January 2 00) Lane(ART> 8 2 2 5 5	2019 0-16) 9 6 19 72 21 - - - - - - - - - - - - - - - - - -	ED 10 13 23 23 27 25	11	12	216 733 1794 5515 4820 1162 147 32 4 1 1 1 1 0 0 0	1.5 5.1 12.4 38.2 33.4 0.1 1.0 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0
ite: lescription liter time: ither time: ither: liter: l	1: 5W 1 1977 4077 1305 0216 0245 1051 125	Lansdow 13:54 Tu Vehicle d Cis(1-12) 2 2 5 5 5 5 5 5 5 5 125 125 125 125 125	vne Street esday, 15 kasoficatio Din(NESV 7782 3 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 6 8 20 20 6 8 20 20 6 8 20 20 20 20 20 20 20 20 20 20 20 20 20	January in (AustRe V) Sp(10,1 103 4 103 103 103 103 103 103 103 103 103 103	2019 => 1 bads94) 160) Head 160 14 10 14 15 15 15 15	4:06 Tue way(>0) \$ ART3 6 6	<pre>/ St sday, 29 - ipan(0 - 1) ART4 7 10 10 10 10 10 10 10 10 10 10 10 10 10</pre>	January 2 00) Lane() ART> 8 2 2 2	2019 0-16) 9 6 72 72 72 72 72 72 72 72	ED 10 1 13 63 97 15	11	12	216 733 1794 5515 4820 1162 1162 1262 147 32 4 1 1 1 1 0 0	1.5 5.1 12.4 38.2 33.4 0.1 1.0 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0

The Austroads Vehicle Classification System is detailed on the following page 10.

In respect to the Council traffic counts above, the following information is obtained:

•	Robinson Street 30m	North of Finlay Road:
	Classes 3 to 12	95 movements per day in both directions.
	AADT	774 movements per day in both directions.

Robinson Street 40m South of Lansdowne Street:
 Classes 3 to 12
 AADT
 138 movements per day in both directions.
 954 movements per day in both directions.

- Lansdowne Street 20m West of Lansdowne Place:
 Classes 3 to 12 285 movements per day in both directions.
 AADT 1757 movements per day in both directions.
- Lansdowne Street 20m West of Lansdowne Place:
 Classes 3 to 12
 AADT
 1030 movements per day in both directions.

AUSTROADS Vehicle Classification System UNITS Vehicle Type Length Axies 210 AUSTROADS Classification THE ST. ypical Cescription Parameters Typical Configuration LIGHT VID Short up to 5 Sec Short Securi, Wagor, 4MO, URHs 1 $d(3) \le 3.2m$ and asies = 2 e 3) Short-Yowing Trailer, Carlwar, Float, etc. groups = 3 4(1)2:21m, c(1),652m 5 2 e or 4(1) 2.2 Million (42, 2 Million (4) 2.2 Million (42, 2 Million (4) 100 Million (42, 2 Million) of the second 2 Two Alche Trock of Bas а 0(1) = 5.2m and arres = 2 THEFT 戶 島 Heliu Three Acia Truck of Bas 4 э 2 sxies = 5 and groups = 2 夓 Pear Aris Track a 5 2 ٤. axies > 5 anti-groups = 2 Three Axis Articulated d(1) > 3.2m, adds = 3 and groves = 3 e. THEFT 5 Four Asle Articulated 2 im or dete = 2 im or dete = 3 ; axist = 4 and groups > 2 , d, 伊 戶 Long 1 Sector 13 Fire Alter Artistand 2 Int in delts = 2 Int or delts = 3.2 Briefs = 5 Brief groups = 2 E. 屈 fix kale Articult . axee + 6 and groups > 2 or axits > 0 and groups = 3 2.6 > 2igio veno e ano sa 8 Deuble, o a, 10 groups + d and access G 16 Æ E-cubie Rood Tran 11 groups = 5 or 6 and axits > 5 Triple Road Trail Large 18 groups >6 and axies = 6 飍 oronam Limacimum acts spaping of 10 om/

The Austroads Vehicle Classification System is detailed below:

Simgrow Pty Ltd have also had traffic counts undertaken in Robinson Street and Lansdowne Street by Austraffic which provide an hourly analysis of traffic during the period 18 February 2019 to the 24 February 2019. A volume summary and total average daily vehicle classification of these counts is shown on the pages 12 to 17 and a vehicle type summary is indicated in the tables on page 11 and schematically at page 18. The vehicle types have been categorized by Austraffic as:

Light Vehicle	Austroads Classes 1 and 2
Small Truck	Austroads Class 3
Medium Truck	Austroads Classes 4 and 5
Large Truck	Austroads Classes 6 to 12

(a) Robinson Street:

Vehicle Type	South	nbound	North	bound
	Weekday	Weekend	Weekday	Weekend
Light Vehicles	1301	782	817	482
Small Trucks	72	19	100	23
Medium Trucks	28	7	33	2
Large Trucks (LT)	12(0.8%)	2 (0.2%)	7 (0.7%)	1 (0.2%)
LT – 12.00am to 6.00am	1	1	1	1
LT -6.00pm to 12.00am	1	0	Û	0

(b) Lansdowne Street (East of Oxley Street)

Vehicle Type	West	bound	East	bound
	Weekday	Weekend	Weekday	Weekend
Light Vehicles	1159	753	1228	781
Small Trucks	102	20	83	12
Medium Trucks	87	17	84	22
Large Trucks (LT)	68 (4.8%)	9 (1.1%)	76 (5.2%)	9 (1.1%)
LT - 12.00am to	10	1	25	2
6.00am				
LT -6.00pm to	4	1	6	2
12.00am				

(c) Lansdowne Street (East of Knox Street)

Vehicle Type	Wes	tbound	East	bound
	Weekday	Weekend	Weekday	Weekend
Light Vehicles	518	355	542	343
Small Trucks	35	7	52	23
Medium Trucks	31	11	37	13
Large Trucks (LT)	23 (3.7%	6 (1.6%)	29 (4.4%	6 (1.6%)
LT – 12.00am to	3	0	8	3
6.00am				
LT -6.00pm to	1	0	2	0
12.00am				

(Data Source: Austraffic)

-

Road	Lansdowne	St					instanting the		
Location	Blw Knux S	It & Oxley St				Average W	eekday	607	
Suburb	Goulburn					All Day Ave	rage	542	
Site No.	8602 2					Weekday H	eavy's	14,7%	
Start Date	Monday 18/	02/2019				All Day Hea	wy's	13.0%	
Direction	Westbound					1000			
				Day of Weel	_				
Country		Tue	Wed	Thu	s Fri	Sat	Sun	Ave	
Starting	Mon								All Days
Time	18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	W'day	Ave
AM Peak	52	53	43	39	48	50	25	S. S. A.	
PM Peak	68	56	61	53	68	36	45	TEL SALES	
0:00	2	2	1	1	0	1	3	1	1
1:00	0	2	3	5	2	2	2	2	2
2:00	0	2	1	1	2	0	0	1	1
3:00	3	4	3	4	3	0	1	3	3
4:00	2	6	1	2	1	1	0	2	2
5:00	6	7	14	10	6	4	2	8	7
6:00	30	28	27	27	20	0	3	26	20
7:00	13	21	20	31	21	9	4	21	17
8:00	32	53	40	36	48	23	8	42	34
9:00	40	34	30	33	42	37	14	36	33
10:00	38	36	37	39	42	47	25	38	38
11:00	52	32	43	37	39	60	24	41	40
12:00	53	36	46	46	38	36	45	44	43
13:00	36	36	41	36	43	30	29	38	36
14:00	52	49	44	49	54	23	25	50	42
15:00	68	50	61	53	68	30	24	60	51
16:00	59	45	53	52	62	32	27	54	47
17:00	46	56	53	41	55	23	31	50	44
18:00	31	33	33	39	24	17	17	32	28
19:00	14	24	20	25	22	15	12	21	19
20:00	17	20	12	10	15	11	13	15	14
21:00	11	14	8	14	12	11	7	12	11
22:00	5	3	13	3	8	7	9	6	7
23:00	2	1	3	1	3	9	5	2	3
otal	611	594	607	595	630	426	330	607	542
6 Heavies	15.1%	14.6%	14.0%	16.3%	13.7%	7.5%	4.2%	14.7%	13.0%







Road	Lansdowne St		
Location	Btw Knox St & Oxley St	Average Weekday	669
Suburb	Goulburn	All Day Average	580
Site No.	8602_2	Weekday Heavy's	17.7%
Start Date	Monday 18/02/2019	All Day Heavy's	16.4%
Direction	Eastbound		the set of the set

	1433 1640	Day of Week							
Starting	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Ave	All Days
Time	18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	W'day	Ave
AM Peak	54	64	52	60	69	63	37		动动力的
PM Peak	66	56	77	50	77	44	34		
0:00	2	1	2	3	0	2	1	2	2
1:00	1	2	1	2	4	2	2	2	2
2:00	5	1	2	1	4	0	1	3	2
3:00	3	5	5	7	3	0	0	5	3
4:00	5	10	7	6	10	2	0	8	6
5:00	21	17	24	27	20	10	2	22	17
6:00	27	38	35	26	33	11	11	32	26
7:00	41	46	45	51	40	13	14	45	36
8:00	44	64	47	60	69	37	14	57	48
9:00	54	57	62	43	49	37	37	61	47
10:00	49	34	46	38	45	63	31	42	44
11:00	47	36	47	43	60	40	33	47	44
12:00	48	38	45	-41	39	44	26	42	40
13:00	49	37	52	40	46	31	34	45	41
14:00	58	56	37	36	43	24	32	46	41
15:00	60	53	77	50	77	24	27	63	53
16:00	66	42	62	48	56	23	13	65	44
17:00	35	34	45	32	32	19	23	36	31
18:00	16	25	21	25	22	12	16	22	20
19.00	13	15	23	17	19	7	15	17	16
20.00	7	14	7	14	12	2	12	11	10
21:00	4	6	2		5	6	4	4	4
22:00	5	2	1	2	3	6	5	3	3
23:00	2	1	2	1	7	3	1	3	2
Total	661	634	687	615	697	414	354	659	580
% Heavies	17.2%	17.4%	18.8%	17.1%	18.1%	11.8%	9.3%	17.7%	16.4%

Lansdowne Street – Eastbound – Between Knox Street and Oxley Street Volume Summary



Lansdowne Street – Eastbound – Between Knox Street and Oxley Street Total Average Daily Vehicle Classification (Data Source: Austraffic)

Road	Lansdowne St		
Location	Blw Robinson St & Oxley St	Average Weekday	1470
Suburb	Goulburn	All Day Average	1286
Site No.	8602_1	Weekday Heavy's	16.5%
Start Date	Monday 18/02/2019	All Day Heavy's	14.4%
Direction	Eastbound	en deleter en en en en en en en en en	No. deserves

	Day of Week								1986
Starting	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Ave	All Days
Lime	18-Feb	19-Feb	20-Feb	21-Feb	22-⊱eb	23-Feb	24-Feb	Wday	Ave
AM Peak	122	134	122	140	140	106	64		
PM Peak	148	114	162	116	174	78	100	1.100	
0:00	4	2	6	8	10	6	2	6	- 5
1.00	2	6	4	4	6	6	4	4	5
2:00	14	4	10	- 4	12	2	2	9	7
3:00	6	16	12	24	12	6	2	14	11
4:00	12	32	16	16	24	8	0	20	.15
5:00	46	38	52	62	36	18	12	47	38
6:00	54	76	90	52	60	30	24	67	55
7:00	86	110	102	124	102	44	18	105	84
8:00	78	134	122	140	140	68	16	123	100
9:00	122	134	112	100	124	106	58	118	108
10:00	102	90	102	94	92	86	50	96	88
11:00	100	84	106	110	70	78	64	94	87
12:00	110	86	90	104	100	78	64	98	90
13:00	98	86	116	92	92	54	78	97	88
14:00	114	114	82	78	106	74	70	99	91
15:00	124	110	162	116	174	54	100	137	120
16:00	148	102	160	110	104	46	54	125	103
17:00	74	84	100	86	76	50	46	84	74
18:00	34	56	40	52	38	34	26	44	40
19:00	34	30	50	36	38	18	24	38	33
20:00	18	30	22	28	24	18	16	24	22
21:00	8	12	8	8	16	2	12	10	9
22:00	12	8	4	4	6	6	10	7	7
23:00	4	4	4	2	10	2	2	5	4
Total	1404	1450	1572	1454	1472	894	754	1470	1286
% Heavies	15.4%	16.6%	15.8%	17.6%	17.3%	6.3%	4.0%	16.5%	14.4%

Lansdowne Street – Eastbound – Between Robinson Street and Oxley Street Volume Summary



Lansdowne Street – Eastbound – Between Robinson Street and Oxley Street Total Average Daily Vehicle Classification (Data Source: Austraffic)

Lancdowna St

Road

Road	Lansdowne	St	的第三人称单数	1.17105436, 244					
Location	Btw Robins	on St & Oxle	y St			Average We	ekday	1416	ESC TRA
Suburb	Goulburn			All Day Aver	rage	1239	1.1374.88		
Site No.	8602 1	8602 1 Weekday Heavy's							
Start Date	Monday 18/	Monday 18/02/2019 All Day Heavy's							
Direction	Westbound							15.9%	
CHEVENON	1100100010								
		:							
				Day of Wee					
Starting	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Ave	All Days
Time	18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	W'day	Ave
AM Peak	112	120	106	98	102	86	168	E. C. C.	
PM Peak	154	124	154	128	142	74	78	1.12.10	
0:00	4	6	2	12	12	2	4	7	. 6
1:00	0	12	12	8	4	12	2	1	1
2:00	2	10	2	10	8	8	6	6	7
3:00	6	8	12	12	10	2	0	10	7
4:00	6	22	2	6	8	6	4	9	8
5:00	20	26	42	34	26	6	6	30	23
6:00	68	66	68	72	52	14	6	65	49
7:00	40	58	68	82	70	30	8	64	51
8:00	78	120	106	80	86	38	16	94	- 75
9:00	98	76	80	84	102	72	26	88	77
10:00	86	78	78	92	80	70	168	83	93
11:00	112	84	90	98	- 98	86	52	96	89
12:00	122	90	110	100	104	66	44	105	91
13:00	88	82	98	78	104	52	62	90	81
14:00	108	120	96	116	114	68	40	111	95
15.00	154	108	164	126	142	74	52	137	116
16:00	136	108	130	122	130	62	78	125	109
17:00	102	124	122	86	104	58	64	108	94
18:00	. 68	80	44	82	52	30	50	65	58
19:00	32	48	44	46	32	24	22	40	35
20:00	32	40	24	26	36	22	20	32	29
21:00	22	32	16	32	18	8	22	- 24	21
22:00	10	8	26	6	18	16	10	14	13
23:00	- 4	4	4	2	16	4	6	6	. 6
Total	1398	1410	1430	1414	1426	830	768	1416	1239



18.9%

19.4%

3.9%

18.1%

15.9%

7.5%



Lansdowne Street - Westbound - Between Robinson Street and Oxley Street **Total Average Daily Vehicle Classification** (Data Source: Austraffic)

Deed

Road	Robinson S	1				and the second second	and the states	MARK IN A	
Location	South of La	nsdowne St				Average We	eekdary	957	
Suburb	Goulburn					All Day Ave	rage	829	
Site No.	8602 3					Weekday H	leavy's	14.6%	
Start Date	Monday 18	02/2019				All Day Hea		12.9%	
Direction	Northbound								
	Log Gives			Day of Wee	k	Sec. 1			
Starting	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Ave	All Days
Time	18 Feb	19 Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	Wday	Ave
AM Peak	98	92	70	78	78	70	46		
PM Peak	116	96	108	114	108	66	48		
0:00	2	2	2	0	D	0	0	1	1
1:00	0	0	2	2	2	2	6	1	2
2:00	2	4	0	2	4	4	0	2	2
3:00	2	2	8	- 4	0	2	0	3	3
4:00	2	4	2	0	8	2	2	3	3
6:00	2	4	2	2	0	2	4	2	2
6:00	24	18	22	16	18	4	2	20	15
7:00	38	28	40	46	44	22	12	39	33
8:00	86	92	58	78	66	20	2	76	57
9:00	98	72	66	56	78	50	16	74	62
10:00	60	58	68	66	64	70	46	63	62
11:00 12:00	62	64	70	58	70	64	46	65	62
	82	80	78	114	74	- 44	48	86	74
13:00	74	58	70	72	62	46	48	67	61
14:00	54	56	76	62	76	34	44	65	57
15:00	84	78	72	86	86	42	40	81	70
16:00	116	80	98	114	108	66	34	103	88
17:00	-86	96	108	86	88	40	26	93	76
18:00	46	34	34	58	40	24	34	42	39
19:00	20	28	32	26	28	8	18	27	23
20:00	20	24	10	14	12	16	12	16	15
21:00	12	4	10	12	8	8	0	9	8
22:00	8	22	6	8	14	2	4	12	9
23:00	4	0	6	4	14	0	0	6	4
otal	984	806	942	986	964	572	444	957	829
% Heavies	14.2%	16.1%	14.6%	13.2%	14.9%	6.6%	3.2%	14.6%	12.9%







Road Location Suburb Site No. Start Date Direction

> Starting Time AM Peak **PM Peak** 0:00 2:00 3:00 4:00 5:00 6:00 7:00 8:00 9:00 10:00 11:00 12.00

13:00

14:00

15.00

16:00

17.00

18:00

19:00

20:00

21:00 22:00 23:00

Iotal

% Heavies

	Robinson St		-	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	1. 14 Y 1 1 1 1 1 1 1	Charles and the	1	A CONTRACTOR	A Sold of Party of
	South of Lar	and a state which the same				Average We	ekdav	1414	
	Goulburn					All Day Ave	*	1241	DATE OF STREET, DATE
	3602 3					Weekday H	*	8.0%	The state of the second second
	Monday 18/	02/2019				All Day Hea		7.1%	Contraction of the second second
	Southbound					Par Day 110a		7.170	
	overnoveno								Carlory Andrews
		100 B. Co.	1.00	Day of Wee	k	1		-	C. Sacar
	Mon	Tue	Wed	Thu	Fri	Sat	Sun	Ave	All Days
	18-Feb	19-Feb	20-Feb	21-Feb	22-Feb	23-Feb	24-Feb	Widay	Ave
	130	164	118	160	138	108	84		
	148	130	160	138	168	102	76		
1	2	2	0	4	0	4	0	2	2
-	0	0	2	6	0	4	2	2	2
1	0	4	0	4	6	2	0	3	2
	2	0	4	0	0	4 6	2	. 1	2
	10	12	-10	14	16	6	2	12	10
	20	20	28	26	14	2	4	22	16
	44	44	40	40	54	14	8	- 44	35
	124	108	84	126	106	36	16 .	110	86
	130	164	118	160	138	68	20	142	114
	122	122	112	102	108	66	38	113	99
	92	112	92	118	80	108	76	99	97
	95	84	88	78	90	90	84	87	87
	64	94	94	94	104	102	62	90	88

	12	16	14	20	20	4	14	16			
	4	8	2	2	12	12	2	6			
	0	0	0	2	6	2	2	2			
	1410	1388	1384	1438	1450	898	722	1414			
1.1	6.2%	6.6%	9.0%	9.6%	8.4%	3.8%	3.0%	8.0%			
Robinson Street – Southbound – South of Lansdowne Street											

Volume Summary



Robinson Street – Southbound – South of Lansdowne Street Total Average Daily Vehicle Classification (Data Source: Austraffic)





Some observations from this data:

- The majority of the traffic on Lansdowne Street is between Robinson Street and Oxley Street.
- There is a significant reduction in traffic during weekends on Lansdowne Street and Robinson Street.
- There is minimal large truck traffic between 6.00pm and 6.00am.
- There is minimal large truck traffic in Robinson Street.
- Traffic volumes are not considered to be high particularly in respect to large trucks.
- The vast majority of traffic in Lansdowne Street and Robinson Street is class 1 sedan motor vehicles

3. Carried out a Noise Assessment

Simgrow Pty Ltd engaged Harwood Acoustics to undertake a Noise Assessment (copy attached) which includes the following comments and recommendations:

"The author visited the Site on several occasions throughout November and December 2018 and January 2019 to carry out attended noise surveys of noise emission from industrial activity at various locations across the development Site, as shown in Figure 1.

The acoustical environment during all noise surveys was dominated by activity at Boral Concrete which included the loading of cement trucks from the hoppers, washing cement trucks (or adding water to the mix).

Other industrial activity included noise emanating from Goulburn Farm Machinery, Allmac Welding and heavy vehicle movements along Lansdowne Street. The level of noise emission from premises along Robinson Street was significantly lower than those along Lansdowne Street, particularly near to Boral Concrete. The level of noise emission from the eastern end of Lansdowne Street was considerably less than the Boral site." (Page 9)

"6. CONCLUSION

An industrial noise intrusion assessment has been undertaken in relation to a planning proposal seeking to rezone land at Lot 10 in DP 1018281 Lansdowne and Robinson Streets, Goulburn, NSW to facilitate residential subdivision.

industrial noise levels and heavy vehicle movement noise levels have been established across the Site based on attended noise surveys undertaken in November and December 2018 and January 2019. Industrial noise levels range from 51 to 62 dBA during the day and noise emitted from heavy vehicles are from 54 to 56 dBA at night at the least exposed and most exposed potential future dwellings respectively. These measured and established noise levels have been used to determine the potential for compliance with the internal noise design goals derived from Australian Standard AS2107:2016 'Acoustics – Recommended design sound levels and reverberation times for building interiors' (AS2107).

These design goals can be achieved for any future residences based on typical example constructions outlined in Section 5 of this report. Individual assessments of future dwellings may be undertaken prior to issue of construction certificates. This may be facilitated by the inclusion of 88b instruments on burdened lots.

Any acoustical treatment, where required will not be onerous and result typically in

an upgrade to standard glazing thicknesses and or standard plasterboard thickness in some ceilings.

The approach of including 88b instruments that require internal noise design goals to be met in accordance with AS2107:2016 is in keeping with the approved residential subdivision on the adjoining parcel of land at Theatre Drive.

This assessment does not address potential for compliance with external noise goals derived from the EPA's Noise Policy for Industry (2017) for noise emission arising from industrial premises impacting on future residents. However, advice is provided in Section 5.3 to reduce external noise impacts in the design stage of future dwellings so far as is reasonably practicable." (Page 14)

As a response to the traffic and noise assessments, Simgrow Pty Ltd have initiated the following actions:

- Removed direct access from Theatre Drive to Lansdowne Street.
- Proposed the erection of a lapped and capped timber fence (density 15kg/m²) 2.10m high along the Lansdowne Street boundary of lots 32 to 38 inclusive as a sound barrier as well as to provide privacy and amenity to the area see example below. The attached Industrial Noise Intrusion Assessment report includes the following statement regarding this barrier "This will provide attenuation of between 5 and 6 dB from noise emission arising from industrial sites and trucks passing on Lansdowne Street. The proposed boundary fence will provide a reduction in external noise levels which will improve external noise amenity in gardens and courtyards and also potentially reduce the level of construction required to meet the recommended internal noise design goals."
- Proposed the erection of a lapped and capped timber fence 1.8m high along the Robinson Street boundary of lots 38 to 48 inclusive to provide privacy and amenity to the area – see example below.



Typical Lapped and Capped Timber Fence

In respect to other matters associated with this rezoning request:

1. Lot Size

The minimum lot size proposed by Simgrow Pty Ltd is $1000m^2$ and is consistent with that applying to the existing Theatre Drive development. The proposed conceptual subdivision proposes lots having a boundary with Lansdowne Street having areas varying between $1100m^2$ (similar area to the subdivision of Lot 1 DP 1018281) located towards the west to $1679m^2$ being the eastern most lot with lots progressively increasing in area towards the east. Lots fronting Robinson Street are proposed to be generally $1000m^2$ with larger lots towards the north. These lot sizes are consistent with the Theatre Drive development and will have no impact on the amenity of the area. It is also noted that the minimum lot size in the Abbey Road development to the west is $2000m^2$ (V) and $700m^2$ (Q) in the residential areas to the north and east – see map below. The proposed $1000m^2$ (U1) minimum lot size is a sensible size for lots located between these areas.



Lot Size Map (Map Source: NSW Legislation website)

It is also noted that Council resolved to include 150 Lansdowne Street Goulburn (Lot 1 DP 1018281) as part of the R5 rezoning and 1000m² minimum lot size. The rezoning of this parcel of land certainly sets a precedent for the Simgrow Pty Ltd land being within the impact area to the Boral site insofar that it is reasonable to assume that proposed allotments fronting Lansdowne Street generally west of Knox Street can have direct access to Lansdowne Street as well. Lot 1 DP 1018281 has an area of 2150m² and on

the assumption that this lot will be subdivided in the future, each lot will have an area of 1075m² with access from Lansdowne Street. It is logical to assume that the Simgrow Pty Ltd land generally west of Knox Street should be able to have a similar development potential – see aerial photograph below.



Aerial Photograph – Lot 1 DP 1018281 and Part Lot 10 DP 1247119 (Map Source: Six Maps)

2. Zoning

The zoning proposed by Simgrow Pty Ltd is R5 Large Lot Residential Zone to be consistent with the zoning located and adjoining the land to the west – see map below on page 23. It is noted that the B6 boundary in this area (Hume Street, Lansdowne Street, Robinson Street, Mary Street, Cathcart Street) generally all follow a street boundary to, at least, separate this development from adjacent residential development by a 20m wide road reserve. There is no logical reason why this should not happen in this area with the controls detailed above in this submission.



Zoning Map (Map Source: NSW Legislation website)

3. Council Fees

Subject to this request being supported by Council, Council is requested to waive any fees for the processing of this request for the rezoning the subject land. This rezoning of Lot 10 DP 1247119 essentially comprises part of the Planning Proposal initiated by Council at its meeting held on the 18 December 2016 – see Item 4 (History) below. Simgrow Pty Ltd will be responsible for all the capital costs associated with the variations to the internal road layout and the development of this site has been ongoing for many years being the subject of discussions with various Councils and staff and Simgrow Pty Ltd have always cooperated with Council requirements. This current predicament has not been initiated by the land owners but was precipitated by Council with a change to the LEP. Waiving of any fee is considered a reasonable request.

4. History

As indicated in this submission above, the whole site was originally a drive-in theatre which was purchased by Simgrow Pty Ltd in the late 1980's. The proposed development of this land has seen many permutations over the years varying from light industrial / commercial to residential development. Development Application 50/1011/DA for the subdivision of Lot 2 DP 1018281 (150 Lansdowne Street - the site of the former drive-in theatre) was approved on 7 December 2011. The approved subdivision consisted of 17 Lots for residential purposes plus a single lot designated for future industrial commercial activities (with frontage to both Lansdowne and Robinson Street) and a

single lot in the southern corner of the subject site for the purpose of protecting remnant native vegetation. The situation where the subdivision for 17 lots could still be enacted, but future applications for dwellings on those lots were prohibited was addressed by Council at its meeting held on the 18 December 2018 with the Planning Proposal rezoning the 17 lots R5 Large Lot Residential to permit residential development.

Simgrow Pty Ltd have always expected residential development to occur on this land as is evidenced by the concept plan indicated below which was prepared during 2004 (approx.).



(Plan Source: Unknown)

It is therefore erroneous to suggest that, historically, the land adjacent to Lansdowne Street and Robinson has been intended for industrial / commercial use. The current approved plan of subdivision was the result of discussions between Council staff and Simgrow Pty Ltd being a compromise between residential and industrial / commercial development on the B6 zoned land – it really is not a desirable long term development concept. The rezoning of this parcel of land was initially considered by Council at its meeting held on the 20 December 2016 and a copy of this report is attached at Appendix 2. Some relevant statements within this report are:

 The purpose of the report is to recommend that Council initiate a planning proposal to amend the Gou/burn Mulwaree Local Environmental Plan 2009 to 24 alter the zone, minimum lot size and floor space ratio controls for land at 150 and 170 Lansdowne Street, Goulburn (Lots 1 and 2 DP 1018281). The proposal is that the subject land be rezoned from B6 Enterprise corridor to part RS Large Lot Residential and part E3 Environmental Management.

Comment: The Planning Proposal prepared by Council included the whole of Lot 2 DP 1018281 to be rezoned for residential development.

11. The objective of the B6 zone including residential development (when it was first brought in) was to provide some flexibility to development where residents can work and live in the same locality. This can reduce the potential for a clash of incompatible uses as workers and residents have a shared interest. It can act as a small business incubator for "start-up" businesses to keep their costs down in the establishment phase. In this case the rezoning to R5 will probably lead to the entire site being subdivided for large lot residential development. This is fine on the western side where it abuts existing rural residential development. However the existing development across Lansdowne Street and Robinson Street includes uses such as a concrete batching plant and truck depots. These may not be compatible with the lifestyle expectations of new residents. Council may need to consider generous setbacks, landscaping and noise attenuation measures in any future development application for lots that have frontage to Lansdowne Street and Robinson Street. Avoiding the potential conflict between residential traffic and industrial / business related traffic will also be a challenge.

Comment: Simgrow Pty Ltd have initiated measures for noise attenuation in Lansdowne Street and Robinson Street by the erection of a timber lapped and capped fence having a minimum density of 15kg/m² as well as removing the opportunity for traffic conflict in Lansdowne Street particularly.

CONCLUSION

The inclusion of the following measures being:

- Removed direct access from Theatre Drive to Lansdowne Street.
- Provided direct access from Theatre Drive to Robinson Street.
- Provided a range of lot sizes from 1100m² to 1679m² with the larger lots being located to the east of Lansdowne Street and north of Robinson Street.
- Provided an area for the establishment of a playground area particularly for young children in the Theatre Drive and Abbey Road areas.
- The erection of a lapped and capped timber fence (density 15kg/m²) 2.10m high along the Lansdowne Street boundary of lots 32 to 38 inclusive as a sound barrier as well as to provide privacy and amenity to the area.
- The erection of a lapped and capped timber fence 1.8m high along the Robinson Street boundary of lots 38 to 48 inclusive to provide privacy and amenity to the area.

will ameliorate any concerns of the existing businesses in the area and in particular will:

- Create a permanent interface barrier between existing businesses in Lansdowne Street and Robinson Street and this residential development.
- Remove any interaction between traffic in Lansdowne Street with residential and pedestrian traffic from Theatre Drive.
- Not create an environment for on-going conflict between the existing businesses and this residential development.
- Result in a buffer between the residential development and existing businesses being provided by the proposed timber lapped and capped timber (15kg/m²) boundary fence in Lansdowne Street and Robinson Street.