

REPORT TO

MHA PBR Pty Ltd

ON

LIMITED ENVIRONMENTAL AND HAZARDOUS MATERIALS ASSESSMENT

**FOR** 

**DUE DILIGENCE** 

AT

122-128 & 130 PYRMONT BRIDGE ROAD AND 206 PARRAMATTA ROAD, ANNANDALE, NSW

Date: 28 January 2021 Ref: E33770PArpt-DRAFT

# JKEnvironments www.jkenvironments.com.au

T: +61 2 9888 5000 JK Environments Pty Ltd ABN 90 633 911 403





Report prepared by:

Anthony Barkway

Senior Environmental Engineer

Report reviewed by:

**Brendan Page** 

Principal Associate | Environmental Scientist

For and on behalf of JKE PO BOX 976 NORTH RYDE BC NSW 1670

#### **DOCUMENT REVISION RECORD**

Report Reference	Report Status	Report Date
E33770PArpt	DRAFT Report	28 January 2021

#### © Document copyright of JK Environments (JKE)

This Report (which includes all attachments and annexures) has been prepared by JKE for the Client, and is intended for the use only by that Client.

This Report has been prepared pursuant to a contract between JKE and the Client and is therefore subject to:

- a) JKE's proposal in respect of the work covered by the Report;
- b) The limitations defined in the client's brief to JKE; and
- c) The terms of contract between JKE and the Client, including terms limiting the liability of JKE.

If the Client, or any person, provides a copy of this Report to any third party, such third party must not rely on this Report, except with the express written consent of JKE which, if given, will be deemed to be upon the same terms, conditions, restrictions and limitations as apply by virtue of (a), (b), and (c) above.

Any third party who seeks to rely on this Report without the express written consent of JKE does so entirely at their own risk and to the fullest extent permitted by law, JKE accepts no liability whatsoever, in respect of any loss or damage suffered by any such third party.





# **Executive Summary**

MHA PBR Pty Ltd ('the client') commissioned JK Environments (JKE) to undertake a Limited Environmental and Hazardous Materials Assessment at 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW ('the site'). The purpose of this assessment is to make a preliminary evaluation of site contamination and to assess the potential for hazardous building materials to be present onsite for due diligence purposes, prior to acquisition. The site location is shown on Figure 1 and the investigation was confined to the site boundaries as shown on Figure 2.

The primary aims of the assessment were to identify any past or present potentially contaminating activities at the site, identify the potential for site contamination, make a preliminary assessment of the soil and groundwater contamination conditions and to identify hazardous materials present within the site buildings. The scope of work included the following:

- Review of site information, including background and site history information from various sources outlined in the report;
- Site walkover inspection including inspection of safely accessible building areas for the presence and condition of hazardous buildings materials;
- Preparation of a preliminary CSM;
- Design and implementation of a sampling and analysis program;
- Evaluation of the analytical results with reference to relevant NSW EPA endorsed guidelines; and
- Preparation of a report detailing the works undertaken and presenting the findings of this assessment, and an indication on potential capital expenditure required to further investigate the site.

The assessment included a review of historical information, soil sampling from five boreholes and groundwater sampling from two monitoring wells installed onsite. Parts of the site are currently used as commercial retail tenancies (i.e. "Energy Shop Australia" and "Olde English Tiles") and as music tutoring premises including car parking to the east. The site has historically been used for various commercial/industrial activities including dry cleaners and electroplating. Commercial/industrial activities were also identified for the neighbouring properties including service station, dry cleaners and mechanical workshops etc.

This assessment identified asbestos in soil, along with some heavy metals and hydrocarbons that exceeded the ecological-based site assessment criteria (SAC). Hydrocarbons in the form of volatile total recoverable hydrocarbons (TRHs) and chlorinated volatile organic compounds (VOCs) were also identified in groundwater, with the TRH concentrations exceeding the human health-based SAC. Risks from asbestos and the ecological risks associated with heavy metals and TRHs in soil were assessed to be low in the context of the existing land use/site layout as there is currently no complete exposure pathway. A potential pathway exists in relation to exposure to vapours from volatile contaminants in soil and/or groundwater. This warrants further investigation for due diligence purposes. It is also anticipated that further detailed investigation will be necessary prior to any site redevelopment.

#### JKE recommends the following:

- A detailed hazardous materials assessment should be undertaken to confirm the presence and extent of all
  hazardous building materials present on site. A Hazardous Materials Register and Management Plan should be
  produced for all properties comprising the site following this assessment, in order to comply with currently
  endorsed regulations, codes and guidelines;
- Should refurbishment or demolition works be proposed, a destructive hazardous building materials survey should be undertaken prior to any demolition works taking place. Any proposed demolition works are to be complete with regards to the hazardous building materials report and all relevant codes, guidelines and standards. Clearance certificates are to be issued following removal of any hazardous building materials;
- Undertake a due diligence soil vapour investigation to determine the potential human health risks associated with vapour intrusion;
- Complete Detailed Site Investigation (DSI) as required for any future proposed development on site;
- Complete an ASS assessment as required for any future proposed development on site;
- Asbestos control measures will be required to be implemented for any works across the site which require
  penetration of the concrete slab/pavement. Control measures including preparation of a work specific Asbestos
  Management Plan (AMP) and engaging a specialist (i.e. licensed asbestos assessor) to assist with its





implementation, air monitoring for potential asbestos fibres during the works and use of appropriate personal protective equipment are recommended.

Indicative capital expenditure forecast is included in Section 11.1.

The conclusions and recommendations should be read in conjunction with the limitations presented in the body of this report.





# **Table of Contents**

1	INTR	ODUCTION	1
	1.1	AIMS AND OBJECTIVES	1
	1.2	SCOPE OF WORK	1
2	SITE	INFORMATION	2
	2.1	SITE IDENTIFICATION	2
	2.2	SITE LOCATION AND REGIONAL SETTING	2
	2.3	TOPOGRAPHY	2
	2.4	SITE INSPECTION	3
	2.5	Surrounding Land Use	4
	2.6	Underground Services	4
	2.7	SECTION 10.7 PLANNING CERTIFICATE	4
3	GEOL	OGY AND HYDROGEOLOGY	5
	3.1	REGIONAL GEOLOGY	5
	3.2	ACID SULFATE SOIL (ASS) RISK AND PLANNING	5
	3.3	Hydrogeology	5
4	SITE	HISTORY INFORMATION	6
	4.1	REVIEW OF HISTORICAL AERIAL PHOTOGRAPHS	6
	4.2	REVIEW OF HISTORICAL LAND TITLE RECORDS	7
	4.3	REVIEW OF COUNCIL RECORDS	7
	4.4	NSW EPA AND DEPARTMENT OF DEFENCE RECORDS	7
	4.5	HISTORICAL BUSINESS DIRECTORY AND ADDITIONAL LOTSEARCH INFORMATION	8
	4.6	SUMMARY OF SITE HISTORY INFORMATION	9
	4.7	INTEGRITY OF SITE HISTORY INFORMATION	10
5	PREL	IMINARY CONCEPTUAL SITE MODEL	11
	5.1	POTENTIAL CONTAMINATION SOURCES/AEC AND COPC	11
	5.2	Affected Media, Receptors and Exposure Pathways	12
6	SAM	PLING, ANALYSIS AND QUALITY PLAN	14
	6.1	DATA QUALITY OBJECTIVES (DQO)	14
	6.2	SOIL SAMPLING PLAN AND METHODOLOGY	16
	6.3	GROUNDWATER SAMPLING PLAN AND METHODOLOGY	17
	6.4	LABORATORY ANALYSIS	18
7	SITE	ASSESMENT CRITERIA (SAC)	19
	7.1	Soil	19
	7.2	GROUNDWATER	20
8	RESU	ILTS	21
	8.1	SUMMARY OF DATA (QA/QC) EVALUATION	21
	8.2	SUBSURFACE CONDITIONS	21
	8.3	FIELD SCREENING	21
	8.4	SOIL LABORATORY RESULTS	22
	8.5	GROUNDWATER LABORATORY RESULTS	24



9	HAZARDOUS MATERIALS ASSESSMENT		26
	9.1	Asbestos	26
	9.2	LEAD IN PAINT	26
	9.3	SYNTHETIC MINERAL FIBRE (SMF)	26
	9.4	POLYCHLORINATED BIPHENYLS (PCBs)	27
	9.5	OZONE DEPLETING SUBSTANCES (ODS)	27
10	DISCU	SSION	28
	10.1	CONTAMINATION SOURCES/AEC AND POTENTIAL FOR SITE CONTAMINATION	28
	10.2	TIER 1 RISK ASSESSMENT AND REVIEW OF CSM	28
	10.3	DECISION STATEMENTS	30
	10.4	HAZARDOUS MATERIALS	31
11	CONC	LUSIONS AND RECOMMENDATIONS	32
	11.1	INDICATIVE CAPITAL EXPENDITURE FORECAST	33
12 LIMITATIONS		34	



# **List of Tables**

Table 2-1: Site Identification	2
Table 4-1: Summary of Historical Aerial Photographs	6
Table 4-2: NSW EPA and Department of Defence Records	8
Table 4-3: Historical Business Directory and other Records	9
Table 4-4: Summary of Historical Land Uses / Activities	10
Table 5-1: Potential (and/or known) Contamination Sources/AEC and Contaminants of Potential Concern	11
Table 5-2: CSM	12
Table 6-1: Soil Sampling Plan and Methodology	16
Table 6-2: Groundwater Sampling Plan and Methodology	17
Table 6-3: Laboratory Details	18
Table 8-1: Summary of Subsurface Conditions	21
Table 8-2: Summary of Field Screening	21
Table 8-3: Summary of Soil Laboratory Results – Human Health and Environmental (Ecological)	22
Table 8-4: Summary of Groundwater Laboratory Results – Human Health and Environmental (Ecological)	24
Table 11-1: Capital Expenditure Forecast	33

# **Attachments**

Appendix	A:	Report	<b>Figures</b>
----------	----	--------	----------------

Appendix B: Site Information and Site History
Appendix C: Laboratory Results Summary Tables

Appendix D: Borehole Logs

**Appendix E: Laboratory Reports & COC Documents** 

Appendix F: Report Explanatory Notes Appendix G: Data (QA/QC) Evaluation Appendix H: Field Work Documents

Appendix I: Guidelines and Reference Documents



# **Abbreviations**

Asbestos Fines/Fibrous Asbestos	AF/FA
Ambient Background Concentrations	ABC
Added Contaminant Limits	ACL
Asbestos Containing Material	ACM
Australian Drinking Water Guidelines	ADWG
Area of Environmental Concern	AEC
Australian Height Datum	AHD
Acid Sulfate Soil	ASS
Above-Ground Storage Tank	AST
Below Ground Level	BGL
Benzo(a)pyrene Toxicity Equivalent Factor	BaP TEQ
Bureau of Meteorology	ВОМ
Benzene, Toluene, Ethylbenzene, Xylene	BTEX
Cation Exchange Capacity	CEC
Contaminated Land Management	CLM
Contaminant(s) of Potential Concern	CoPC
Chain of Custody	COC
Conceptual Site Model	CSM
Development Application	DA
Dial Before You Dig	DBYD
Data Quality Indicator	DQI
Data Quality Objective	DQO
Detailed Site Investigation	DSI
Ecological Investigation Level	EIL
Ecological Screening Level	ESL
Environmental Management Plan	EMP
Excavated Natural Material	ENM
Environment Protection Authority	EPA
Environmental Site Assessment	ESA
Fibre Cement Fragment(s)	FCF
Fibre Cement Sheet	FCS
Health Investigation Level	HILs
Health Screening Level	HSL
Health Screening Level-Site Specific Assessment	HSL-SSA
International Organisation of Standardisation	ISO
JK Environments	JKE
Lab Control Spike	LCS
Light Non-Aqueous Phase Liquid	LNAPL
Map Grid of Australia	MGA
National Association of Testing Authorities	NATA
National Environmental Protection Measure	NEPM
Organochlorine Pesticides	ОСР
Organophosphate Pesticides	ОРР
Polycyclic Aromatic Hydrocarbons	PAH
Potential ASS	PASS
Potential Asbestos Containing Materials	PACM
Polychlorinated Biphenyls	PCBs
Person Conducting a Business or Undertaking	PCBU
Per-and Polyfluoroalkyl Substances	PFAS
Photo-ionisation Detector	PID
Protection of the Environment Operations	POEO
Practical Quantitation Limit	PQL
Quality Assurance	QA



Quality Control	QC
Remediation Action Plan	RAP
Relative Percentage Difference	RPD
Site Assessment Criteria	SAC
Sampling, Analysis and Quality Plan	SAQP
Site Audit Statement	SAS
Site Audit Report	SAR
Site Specific Assessment	SSA
Source, Pathway, Receptor	SPR
Specific Contamination Concentration	SCC
Standard Penetration Test	SPT
Standing Water Level	SWL
Trip Blank	ТВ
Toxicity Characteristic Leaching Procedure	TCLP
Total Recoverable Hydrocarbons	TRH
Trip Spike	TS
Upper Confidence Limit	UCL
United States Environmental Protection Agency	USEPA
Underground Storage Tank	UST
Virgin Excavated Natural Material	VENM
Volatile Organic Compounds	VOC
World Health Organisation	WHO
Work Health and Safety	WHS

#### Units

Litres L mBGL Metres BGL Metres m Millivolts mV ml or mL Millilitres Milliequivalents meq micro Siemens per Centimetre μS/cm Micrograms per Litre μg/L Milligrams per Kilogram mg/kg Milligrams per Litre mg/L Parts Per Million ppm Percentage %



#### 1 INTRODUCTION

MHA PBR Pty Ltd ('the client') commissioned JK Environments (JKE) to undertake a Limited Environmental and Hazardous Materials Assessment at 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW ('the site'). The purpose of this assessment is to make a preliminary evaluation of site contamination and to assess the potential for hazardous building materials to be present onsite for due diligence purposes, prior to acquisition. The site location is shown on Figure 1 and the investigation was confined to the site boundaries as shown on Figure 2.

#### 1.1 Aims and Objectives

The primary aims of the assessment were to identify any past or present potentially contaminating activities at the site, identify the potential for site contamination, make a preliminary assessment of the soil and groundwater contamination conditions and to identify hazardous materials present within the site buildings. The objectives were to:

- Provide an appraisal of the past site use(s) based on a review of historical records;
- Assess the current site conditions and use(s) via a site walkover inspection;
- Identify potential contamination sources/areas of environmental concern (AEC) and contaminants of potential concern (CoPC);
- Assess the soil and groundwater contamination conditions via implementation of a preliminary sampling and analysis program;
- Prepare a preliminary conceptual site model (CSM);
- Assess the potential risks posed by contamination to the receptors identified in the CSM;
- Assess the presence and condition of hazardous building materials on site; and
- Assess the need for additional investigation or management as part of the due diligence.

# 1.2 Scope of Work

The assessment was undertaken generally in accordance with a JKE proposal (Ref: EP53312PArev1) of 6 January 2021 and a Consultancy Services Agreement executed by the client, dated12 January 2021. The scope of work included the following:

- Review of site information, including background and site history information from various sources outlined in the report;
- Site walkover inspection including inspection of safely accessible building areas for the presence and condition of hazardous buildings materials;
- Preparation of a preliminary CSM;
- Design and implementation of a sampling and analysis program;
- Evaluation of the analytical results with reference to relevant NSW EPA endorsed guidelines; and
- Preparation of a report detailing the works undertaken and presenting the findings of this assessment, and an indication on potential capital expenditure required to further investigate the site.



#### 2 SITE INFORMATION

#### 2.1 Site Identification

Table 2-1: Site Identification

Current Site Owner (certificate of title):	Zac One Pty Ltd, 130 PBR Pty Ltd and Camperdown Administration Pty Ltd
Site Address:	122-128 & 130 Pyrmont Bridge Road, Annandale, NSW
Lot & Deposited Plan:	Lots 3, 4, 5, 6 and 12 in DP 976387; Lot 100 in DP 1101482; and Lot 1 in DP 539271
Current Land Use:	Commercial
Local Government Authority:	Inner West Council
Current Zoning:	IN2 – Light Industrial
Site Area (m²) (approx.):	2,624
RL (AHD in m) (approx.):	14-16
Geographical Location (decimal degrees) (approx.):	Latitude: -33.886897  Longitude: 151.173508
Site Location Plan:	Figure 1
Sample Location Plan:	Figure 2
Contamination Location Plan	Figure 3

# 2.2 Site Location and Regional Setting

The site is located in a predominantly light industrial/commercial/residential area of Annandale and is bound by Pyrmont Bridge Road to the south-east, commercial buildings to the east/north-east, Cahill Street to the north, Mathieson Street to the west and Parramatta Road to the south. The site is located approximately 80m to the east of Johnstons Creek.

# 2.3 Topography

The regional topography is characterised by a west/north-west facing hillside that falls towards Johnstons Creek. The site has a gentle slope towards the north-west at approximately 3°. Parts of the site appeared to have been levelled to account for the slope and accommodate the existing buildings.



#### 2.4 Site Inspection

A walkover inspection of the site was undertaken by JKE on 15 January 2021. The inspection was limited to accessible areas of the site and immediate surrounds. Selected site photographs obtained during the inspection are attached in the appendices.

A summary of the inspection findings is outlined in the following subsections:

# 2.4.1 Current Site Use and/or Indicators of Former Site Use

At the time of the inspection, the site comprised three adjoining commercial properties which were mainly occupied by retail tenancies including: "Energy Shop Australia" – heating/cooling/hot water systems specialists (206 Parramatta Road), "Olde English Tiles" – home tiles and finishes sales shop and warehouse (130 Pyrmont Bridge Road), music tutoring premises including on-grade car parking area (122-128 Pyrmont Bridge Road). Some of the above ground floor areas within buildings on site were used as residences and were not accessed during our inspection.

## 2.4.2 Buildings, Structures and Roads

The site was occupied by three double storey commercial buildings adjoining each other and built predominantly to their property boundaries. The eastern part of the site area was a secure fenced, on-grade car parking area.

Inspection of internal accessible building areas for the purposes of hazardous materials assessment is described further in Section 9 of this report.

#### 2.4.3 Presence of Drums/Chemical Storage and Waste

Minor quantities (<1,000 Litres in total) of various general and domestic use cleaning chemicals were identified within various parts of the buildings on site. Most of these chemicals were stored within dedicated areas and no evidence of any major associated chemical spills or leaks were identified.

#### 2.4.4 Evidence of Cut and Fill

Fill material is expected to be present across the site associated with developed areas such as beneath the existing buildings and pavements.

#### 2.4.5 Visible or Olfactory Indicators of Contamination (odours, spills etc)

Two reinstated concreted core hole locations were identified in the vicinity of BH3/MW3 (Refer Figure 2) at 206 Parramatta Road within the internal customer parking area which suggests that this area was previously investigated. No pertaining information/reports were made available for our review as part of this assessment.





#### 2.4.6 Drainage and Services

Surface water was not expected to accumulate at the site due to the presence of drainage in the form of stormwater inlets in various parts of the site area. The majority of surface water runoff is expected to eventuate at the bounding street frontages and ultimately discharged into the municipal stormwater system.

#### 2.4.7 Sensitive Environments

Sensitive environments such as wetlands, ponds, creeks or extensive areas of natural vegetation were not identified on site or in the immediate surrounds.

## 2.5 Surrounding Land Use

During the site inspection, JKE observed the following land uses in the immediate surrounds:

- North Cahill Street, across which were commercial and residential type properties including "VG Group" car detailing, "Simply Seated" event hire warehouse etc;
- South Parramatta Road to the south across which whee mixed residential/commercial properties, and Pyrmont Bridge Road to the south-east across which was "7-Eleven" service station site;
- East three storey commercial building tenanted by "Persian Carpet Gallery" shop on the ground floor and learning centre on the second; and
- West Car servicing and mechanical repairs workshop ("Harold Park Repairs") and residential type properties.

JKE are of the opinion that the adjacent "7-Eleven" service station to the south-east, car detailing shop (i.e. "VG Group") to the north-east and the mechanical workshop ("Harold Park Repairs") to the west/south-west of the site are all considered to be potential off-site sources of contamination as these properties are located within 20m of the site boundary and are either up-gradient or cross-gradient of the site.

#### 2.6 Underground Services

The 'Dial Before You Dig' (DBYD) plans were reviewed for the assessment in order to establish whether any major underground services exist at the site or in the immediate vicinity that could act as a preferential pathway for contamination migration. Major services were not identified that would be expected to act as preferential pathways for contamination migration.

# 2.7 Section 10.7 Planning Certificate

The section 10.7 (2 and 5) planning certificates were reviewed for the assessment. Copies of the certificates were made available as part of "Call Option" documents for each of the three properties comprising the site. A summary of the relevant information is outlined below:

- The land is not deemed to be: significantly contaminated; subject to a management order; subject of an approved voluntary management proposal; or subject to an on-going management order under the provisions of the CLM Act 1997;
- The land is not the subject of a Site Audit Statement (SAS); and
- The land is not located in a heritage conservation area.





#### 3 GEOLOGY AND HYDROGEOLOGY

#### 3.1 Regional Geology

Regional geological information was reviewed for the assessment. The information was sources from the Lotsearch report attached in the appendices. The report indicates that the site is underlain by Hawkesbury Sandstone, which typically consists of medium to coarse grained quartz sandstone with minor shale and laminite lenses.

#### 3.2 Acid Sulfate Soil (ASS) Risk and Planning

A review of the acid sulfate soil (ASS) risk map prepared by Department of Land and Water Conservation (1997)<sup>1</sup> indicated that the site is located in an area classed as 'disturbed terrain'. Soil investigations are required to assess these areas for ASS potential.

ASS information presented in the Lotsearch report indicated that the site is located within Classes 3 and 5 ASS risk areas. Works in a Class 3 risk area that could pose an environmental risk in terms of ASS include works at depths beyond 1m below existing ground level or works by which the water table is likely to be lowered beyond 1m below existing ground level. Whilst works in a Class 5 risk area that could pose an environmental risk in terms of ASS include works within 500m of adjacent Class 1,2,3,4 land which are likely to lower the water table below 1m AHD on the adjacent Class 1,2,3,4 land.

#### 3.3 Hydrogeology

Hydrogeological information presented in the Lotsearch report indicated that the regional aquifer on-site and in the areas immediately surrounding the site includes porous, extensive highly productive aquifers. There was a total of 10 registered bores within the report buffer of 1,000m. In summary:

- The nearest registered bore was located approximately 375m from the site. This was utilised for monitoring purposes;
- All of the bores were registered for monitoring purposes;
- There were no nearby bores (i.e. within 1,000m) registered for domestic or irrigation uses; and
- The drillers log information from the closest registered bores typically identified fill and clay soil to depths of 1.75-8.7m, underlain by sandstone or shale bedrock. Standing water levels (SWLs) in the bores ranged from 1.75m below ground level (BGL) to 2.4mBGL.

The information reviewed for this assessment indicates that the subsurface conditions at the site are likely to consist of relatively low permeability (residual) soils overlying shallow bedrock. The potential for viable groundwater abstraction and use of groundwater under these conditions is considered to be low. There is a reticulated water supply in the area and consumption of groundwater is not expected to occur. Use of groundwater is not proposed as part of the development.

Considering the local topography and surrounding land features, JKE anticipate groundwater to flow northwest towards the Johnstons Creek.

<sup>&</sup>lt;sup>1</sup> Department of Land and Water Conservation, (1997). 1:25,000 Acid Sulfate Soil Risk Map (Series 9130S3, Ed 2)





#### 4 SITE HISTORY INFORMATION

# 4.1 Review of Historical Aerial Photographs

Historical aerial photographs were reviewed for the assessment. The information was sourced for the Lotsearch report. JKE has reviewed the photographs, and summarised relevant information in the following table:

Table 4-1: Summary of Historical Aerial Photographs

Year	<b>Details</b>
1930	<b>On-site:</b> The site appeared to be occupied by a number of commercial/industrial buildings. Due to poor quality of this image further details could not be evaluated.
	<b>Off-site:</b> Surrounding properties appeared to be similar to the site occupied by buildings and most likely commercial/industrial in nature.
1943	<b>On-site:</b> The site appeared to comprise a number of adjoining properties occupied by buildings built to the property boundaries. Buildings across the central and western parts of the site appeared to be commercial/industrial in nature and are similar to the ones currently present. The eastern part of the site appeared to be occupied by a number of residential type terraces.
	<b>Off-site:</b> Surrounding properties appeared to be a mixture of commercial/industrials type properties which where situated to the north, north-west, south-east and south-west of the site, and residential properties elsewhere.
1951	The site and surrounding features appeared generally similar to the previous photograph.
1955	The site and surrounding features appeared generally similar to the previous photograph.
1961	On-site: The eastern part of the site appeared to have been redeveloped and used as an on-grade parking area.  Off-site: The property to the south-east across Pyrmont Bridge Road appeared to have been redeveloped into a service station. Neighbouring land to the east appeared to be occupied by a commercial/industrial building.
1965	The site and surrounding features appeared generally similar to the previous photograph.
1970	Land further to the north-east across and bounding Cahill Street appeared to be under redevelopment.
1978	Properties to the north-east and east of the site appeared to have been redeveloped occupied by commercial/industrial buildings. The property to the south-east appeared to have also been redeveloped, remaining in operation as a service station.
1982	Commercial/industrial type building appeared to have been developed on the property to the north-west of the site. The site and remaining surrounding features appeared generally similar to the previous photograph.
1986	The site and surrounding features appeared generally similar to the previous photograph.
1991	The site and surrounding features appeared generally similar to the previous photograph.
1994	The site and surrounding features appeared generally similar to the previous photograph.



Year	Details
2000	On-site: Refurbishment works including roof replacement were noted for some of the buildings on site. The small building previously present in the northern part of the site (i.e. 130 Pyrmont Bridge Road) appeared to have been demolished and the area was vacant.  Off-site: The surrounding features appeared generally similar to the previous photograph.
2009	A new commercial building appeared to have been constructed on neighbouring property to the north/north-west across Cahill Street. The site and remaining surrounding features appeared generally similar to the previous photograph.
2015	A number of multi-storey commercial/residential type building appeared to have been developed to the south across Parramatta Road. No other significant changes were noted.
2020	The site and surrounding features appeared generally similar to the previous photograph.

#### 4.2 Review of Historical Land Title Records

Historical land title records were reviewed for the assessment. The record search was undertaken by InfoTrack Pty Ltd. Copies of the title records are attached in the appendices. The title records indicate the following:

- Commercial corporate entities owned most lots comprising the site since at least 1950s.
- The western (206 Parramatta Road) and central (130 Pyrmont Bridge Road) parts of the site identified as Lot 1 in DP 539271 and Lot 100 in DP 1101482 respectively were noted to have been under the ownership of Lawrence Dry Cleaners Pty Ltd from 1955 through to 1969; and
- The lots comprising the site were under the ownership of their current registered proprietors from between 2005 and 2016.

The historical land title records identified dry cleaner activities attributed to areas of the site currently identified as Lot 1 in DP 539271 (206 Parramatta Road) and Lot 100 in DP 1101482 (130 Pyrmont Bridge Road) between 1955 and 1969 which potentially could have resulted in contamination of the land.

#### 4.3 Review of Council Records

A search of council records is currently underway. The results will be summarised in a separate letter when received.

#### 4.4 NSW EPA and Department of Defence Records

A review of the NSW EPA and Department of Defence databases was undertaken for the assessment. Information from the following databases were sourced from the Lotsearch report:

- Records maintained in relation to contaminated land under Section 58 of the CLM Act 1997;
- Records of sites notified in accordance with the Guidelines on the Duty to Report Contamination under Section 60 of the CLM Act 1997 (2015)<sup>2</sup>;

<sup>&</sup>lt;sup>2</sup> NSW EPA, (2015). *Guidelines on the Duty to Report Contamination under Section 60 of the CLM Act 1997.* (referred to as Duty to Report Contamination)





- Licensed activities under the Protection of the Environment Operations Act (1997)<sup>3</sup>;
- Sites being investigated under the NSW EPA per-and polyfluoroalkyl substances (PFAS) investigation program;
- Sites being investigated by the Department of Defence for PFAS contamination; and
- Sites being managed by the Department of Defence for PFAS contamination.

The search included the site and surrounding areas in the report buffer. A summary of the key relevant information is provided below:

Table 4-2: NSW EPA and Department of Defence Records

Records	A and Department of Defe	Off-site
Records under Section 58 of the CLM Act 1997	None	There were four properties listed in the report buffer one of which was a 7-Eleven service station located approximately 20m to the east and up-gradient of the site. It was indicated that regulation under the CLM Act is not required for this property. However due to the ongoing use as a service station this property is considered to represent a potential off-site source of contamination.
Records under the Duty to Report Contamination under Section 60 of the CLM Act 1997	None	None
Licences under the POEO Act 1997	None	None
Records relating to the NSW EPA PFAS Investigation Program	None	None
Records relating to the Department of Defence PFAS management and investigation programs	None	None

# 4.5 Historical Business Directory and Additional Lotsearch Information

Historical business records and other relevant information were reviewed for the assessment. The information was sourced from the Lotsearch report and summarised in the following table:

<sup>&</sup>lt;sup>3</sup> Protection of the Environment Operations Act 1997 (NSW) (referred to as POEO Act 1997)



**JK**Environments



Table 4-3: Historical Business Directory and other Records

Records	On-site	Off-site
Historical dry cleaners, motor garages and service stations	A dry cleaner (Lawrence Dry Cleaners) was noted to have historically been operating in the central/western parts of the site (i.e. 130 Pyrmont Bridge Road) between 1958 and until at least 1972.	A dry cleaner (Lawrence Dry Cleaners) was also noted to have historically operated from neighbouring property (208 Parramatta Road) situated approximately 9m south-west of the site between 1948 and until at least 1962.
		There were a number of motor garages/service stations as well as dry cleaners identified within the report buffer between 1948-1993. Twenty-four were identified within 250m radius of the site. to the north, north-west, west, south-west, south and south-east. Due to the distance and down-gradient location most of these properties are not considered to represent an off-site source of contamination. However, some upgradient and cross-gradient properties may present a potential area of concern (i.e. to the south-east, south and south-west).
Other historical businesses that could represent potential sources of contamination	Various identified historical commercial/industrial activities including electroplating (1950-1961).	Various historical commercial/industrial activities.
National waste management site database	None	None
National liquid fuel facilities	None	One active petrol station "7-Eleven" was listed located approximately 20m east of the site and is considered to represent an off-site source of contamination.
Mapped heritage items	None	Various heritage items were mapped in the report buffer. These are not considered to have any relevance in the context of this assessment.
Mapped ecological constraints	None	Various ecological items were mapped in the report buffer These are not considered to have any relevance in the context of this assessment.
Mapped naturally occurring asbestos	None	None

# 4.6 Summary of Site History Information

A time line summary of the historical land uses and activities is presented in the following table. The information presented in the table is based on a weight of evidence assessment of the site history documentation and observations made by JKE.



Table 4-4: Summary of Historical Land Uses / Activities

Year(s)	On-site - Potential Land Use / Activities	Off-site - Potential Land Use / Activities
1930-Current	The majority of the site area appeared to have been commercial/industrial in nature since at least 1930s. Some identified uses which could have potentially resulted in contamination included: dry cleaners (1958-1972), electroplating (1950-1961) and other commercial/industrial activities. The eastern part of the site appeared to have been residential in nature until it was redeveloped and used as an on-grade car parking area from 1961.	Surrounding properties appeared to be similar to the site mostly commercial/industrial in nature since at least 1930s with some residential land uses also noted to be present.  Some of the identified current/historical uses on neighbouring properties which could potentially present a risk of contamination include: "7-Eleven" service station located 20m to the south-east, "VG Group" car detailing shop 20m to the north-east, "Harold Park Repairs" mechanical workshop and historical dry cleaners on the property 9m to the west/south-west.

# 4.7 Integrity of Site History Information

The majority of the site history information was obtained from government organisations as outlined in the relevant sections of this report. The veracity of the information from these sources is considered to be relatively high. A certain degree of information loss can be expected given the lack of specific land use details over time. JKE have relied upon the Lotsearch report and have not independently verified any information contained within. However, it is noted that the Lotsearch report is generated based on databases maintained by various government agencies and is expected to be reliable.



#### 5 PRELIMINARY CONCEPTUAL SITE MODEL

NEPM (2013) defines a CSM as a representation of site related information regarding contamination sources, receptors and exposure pathways between those sources and receptors. The CSM for the site is presented in the following sub-sections and is based on the site information (including the site inspection information) and the review of site history information. Reference should also be made to the figures attached in the appendices.

#### 5.1 Potential Contamination Sources/AEC and CoPC

The potential contamination sources/AEC and CoPC are presented in the following table:

Table 5-1: Potential (and/or known) Contamination Sources/AEC and Contaminants of Potential Concern

Source / AEC	CoPC
Fill material – The site appears to have been historically filled to achieve the existing levels. The fill may have been imported from various sources and could be contaminated.	Heavy metals (arsenic, cadmium, chromium, copper, lead, mercury, nickel and zinc), petroleum hydrocarbons (referred to as total recoverable hydrocarbons – TRHs), benzene, toluene, ethylbenzene and xylene (BTEX), polycyclic aromatic hydrocarbons (PAHs), organochlorine pesticides (OCPs), organophosphate pesticides (OPPs), polychlorinated biphenyls (PCBs) and asbestos. Total phenol has also been considered at the request of the client.
Historical commercial/industrial activities across the site  – potentially contaminating activities historically took place across parts of the site including dry cleaners, electroplating etc.	Heavy metals, TRH, BTEX, PAHs, PCBs and Volatile Organic Compounds (VOCs), including chlorinated solvents.
Hazardous Building Material – Hazardous building materials may be present as a result of former building and demolition activities. These materials may also be present in the existing buildings/structures on site.	Asbestos, lead and PCBs
<u>Use of pesticides</u> – Pesticides may have been used beneath the buildings and/or around the site.	Heavy metals and OCPs
Off-site commercial/industrial activities on neighbouring properties – current/historical potentially contaminating activities were identified for neighbouring properties including: "7-Eleven" service station (20m to the southeast), "Harold Park Repairs" mechanical workshop (20m to the west), "VG Group" car detailing (20m to the north-east), historical dry cleaners (9m to the west) etc. Fuels, oils and solvents may have been used during these activities.	Heavy metals, TRH, BTEX, PAHs and VOCs.



# 5.2 Affected Media, Receptors and Exposure Pathways

Affected media, receptors and exposure pathways relevant to the potential contamination sources/AEC are outlined in the following CSM table:

Table 5-2: CSM

Affected media	Soil, groundwater and soil vapour have been identified as potentially affected medi			
Receptor identification	The proposed land use has not been confirmed, therefore we have assumed a potentially sensitive future scenario which may include mixed use, including residential. Human receptors include site occupants/users (including adults and children), construction workers and intrusive maintenance workers. Off-site human receptors include adjacent land users.  Ecological receptors include terrestrial organisms and plants within unpaved site areas (i.e. future proposed landscaped areas if any), and freshwater ecology in Johnstons			
	Creek.			
Potential exposure pathways	Potential exposure pathways relevant to the human receptors include ingestion, dermal absorption and inhalation of dust (all contaminants) and vapours (volatile TRH, naphthalene, VOCs including chlorinated solvents and BTEX). The potential for exposure would typically be associated primarily with the development/excavation works, and current/future uses of the site. Potential exposure pathways for ecological receptors include primary/direct contact and ingestion.			
	Exposure during current site use could occur via inhalation of vapours within enclosed spaces (i.e. within currently present buildings). There is currently no exposed soil.			
	Exposure during future site use could occur via direct contact with soil in unpaved areas such as gardens/landscaping areas, inhalation of airborne asbestos fibres during soil disturbance, or inhalation of vapours within enclosed spaces such as buildings and basements.			
	Exposure to groundwater may potentially occur through direct migration and potential exposure to groundwater seepage within future basements on site. Exposure to groundwater could also occur in Johnstons Creek through direct migration, however, connectivity between the aquifer and the creek has not been confirmed at this time. Groundwater has the potential to enter the creek via the stormwater system (which is expected to discharge into the creek) in a drained basement scenario and/or a situation where groundwater seepage is captured and discharged to stormwater.			
Potential exposure mechanisms	<ul> <li>The following have been identified as potential exposure mechanisms for site contamination:</li> <li>Vapour intrusion into site buildings and/or potential future proposed basements (either from soil contamination or volatilisation of contaminants from groundwater);</li> <li>Contact (dermal, ingestion or inhalation) with exposed soils (i.e. potentially in future proposed landscaped areas and/or unpaved areas); and</li> </ul>			
	<ul> <li>Migration of groundwater off-site and into nearby water bodies, including aquatic ecosystems.</li> </ul>			



# Presence of preferential pathways for contaminant movement

Generally speaking, local underground services such stormwater and services cable trenches/pipes have the potential to act as preferential pathways for contaminant migration at the site. However, the potential for migration would depend on the fate and transport properties of the CoPC. Major services including sewer and stormwater mains, high-voltage power and/or major telecommunications were not shown on the DBYD plans traversing the site.



#### 6 SAMPLING, ANALYSIS AND QUALITY PLAN

# 6.1 Data Quality Objectives (DQO)

Data Quality Objectives (DQOs) were developed to define the type and quality of data required to achieve the project objectives outlined in Section 1.1. The DQOs were prepared with reference to the process outlined in Schedule B2 of NEPM (2013) and the Guidelines for the NSW Site Auditor Scheme, 3<sup>rd</sup> Edition (2017)<sup>4</sup>. The seven-step DQO approach for this project is outlined in the following sub-sections.

The DQO process is validated in part by the Data Quality Assurance/Quality Control (QA/QC) Evaluation. The Data (QA/QC) Evaluation is summarised in Section 8.1 and a more detailed evaluation is provided in the appendices.

#### 6.1.1 Step 1 - State the Problem

Preliminary CSM presented in this report identified potential sources of contamination/AEC at the site that may pose a risk to human health and the environment. Investigation data was required to assess the contamination status of the site and risks posed by CoPC in the context of ongoing commercial/industrial land use and potential future re-development including for a more sensitive land use such as residential/private health care facility, as part of the due diligence.

A hazardous building materials assessment is also required as part of the due diligence program.

The scope of the assessment was constrained by the due diligence timeline imposed by the client.

#### 6.1.2 Step 2 - Identify the Decisions of the Study

The objectives of the assessment are outlined in Section 1.1. The decisions to be made reflect these objectives and are as follows:

- Did the site inspection, or does the historical information identify potential contamination sources/AEC at the site?
- Are any results above the Site Assessment Criteria (SAC)?
- Do potential risks associated with contamination exist, and if so, what are they?
- Is there a need for additional investigations and/or management with regards to contamination as part of the due diligence.

#### 6.1.3 Step 3 - Identify Information Inputs

The primary information inputs required to address the decisions outlined in Step 2 include the following:

- Site information, including site observations and site history documentation;
- Sampling of potentially affected media, including soil and groundwater. Soil vapour assessment was outside the scope of this initial due diligence assessment;
- Observations of sub-surface variables such as soil type, photo-ionisation detector (PID) concentrations, odours and staining, and groundwater physiochemical parameters;

<sup>&</sup>lt;sup>4</sup> NSW EPA (2017). Guidelines for the NSW Site Auditor Scheme, 3<sup>rd</sup> ed. (referred to as Site Auditor Guidelines 2017)





- Laboratory analysis of soils and groundwater for the CoPC identified in the CSM; and
- Field and laboratory QA/QC data.

#### 6.1.4 Step 4 - Define the Study Boundary

The sampling will be confined to the site boundaries as shown in Figure 2 and will be limited vertically to a depth of 5.5mBGL achieved during drilling (spatial boundary). The sampling was completed on 12 January 2021 and 15 January 2021 (temporal boundary). The assessment of potential risk to adjacent land users has been made based on data collected within the site boundary.

#### 6.1.5 Step 5 - Develop an Analytical Approach (or Decision Rule)

#### 6.1.5.1 Tier 1 Screening Criteria

The laboratory data will be assessed against relevant Tier 1 screening criteria (referred to as SAC), as outlined in Section 7. SAC exceedances do not necessarily indicate a requirement for remediation or a risk to human health and/or the environment. Exceedances are considered in the context of the CSM and valid SPR-linkages.

For this assessment, the individual results have been reported as either above or below the SAC. Statistical evaluation of the dataset via calculation of mean values and/or 95% upper confidence limit (UCL) values has not been undertaken due to the spatial distribution of the data and the number of samples submitted for analysis.

#### 6.1.5.2 Field and Laboratory QA/QC

Field QA/QC included analysis of intra-laboratory duplicates, trip spike and trip blank samples. Further details regarding the sampling and analysis undertaken, and the acceptable limits adopted, is provided in the Data Quality (QA/QC) Evaluation in the appendices.

The suitability of the laboratory data is assessed against the laboratory QA/QC criteria which is outlined in the attached laboratory reports. These criteria were developed and implemented in accordance with the laboratory's National Association of Testing Authorities, Australia (NATA) accreditation and align with the acceptable limits for QA/QC samples as outlined in NEPM (2013) and other relevant guidelines.

In the event that acceptable limits are not met by the laboratory analysis, other lines of evidence are reviewed (e.g. field observations of samples, preservation, handling etc) and, where required, consultation with the laboratory is undertaken in an effort to establish the cause of the non-conformance. Where uncertainty exists, JKE typically adopt the most conservative concentration reported (or in some cases, consider the data from the affected sample as an estimate).

## 6.1.5.3 Appropriateness of Practical Quantitation Limits (PQLs)

The PQLs of the analytical methods are considered in relation to the SACs to confirm that the PQLs are less than the SAC. In cases where the PQLs are greater than the SAC, a discussion of this is provided.





#### 6.1.6 Step 6 – Specify Limits on Decision Errors

To limit the potential for decision errors, a range of quality assurance processes are adopted. A quantitative assessment of the potential for false positives and false negatives in the analytical results is undertaken with reference to Schedule B(3) of NEPM (2013) using the data quality assurance information collected.

Decision errors can be controlled through the use of hypothesis testing. The test can be used to show either that the baseline condition is false or that there is insufficient evidence to indicate that the baseline condition is false. The null hypothesis is an assumption that is assumed to be true in the absence of contrary evidence. For this assessment, the null hypothesis has been adopted which is that, there is considered to be a complete SPR linkage for the CoPC identified in the CSM unless this linkage can be proven not to (or unlikely to) exist. The null hypothesis has been adopted for this assessment.

#### 6.1.7 Step 7 - Optimise the Design for Obtaining Data

The most resource-effective design will be used in an optimum manner to achieve the objectives. Adjustment of the investigation design can occur following consultation or feedback from project stakeholders. For this assessment, the design was optimised via consideration of the various lines of evidence used to select the sample locations, the media being sampled, and also by the way in which the data were collected.

The sampling plan and methodology are outlined in the following sub-sections.

# 6.2 Soil Sampling Plan and Methodology

The soil sampling plan and methodology adopted for this assessment is outlined in the table below:

Table 6-1: Soil Sampling Plan and Methodology

Aspect	Input
Sampling Density	Samples were collected from five locations as shown on the attached Figure 2. Based on the site area (2,624m²), this number of locations corresponded to a sampling density of approximately one sample per 525m². The sampling plan was designed for due diligence purposes only and does not meet the minimum sampling density for hotspot identification, as outlined in the NSW EPA Contaminated Sites Sampling Design Guidelines (1995) <sup>5</sup> .
Sampling Plan	The sampling locations were placed on a judgemental sampling plan and were broadly positioned for site coverage, taking into consideration areas that were not easily accessible. This sampling plan was considered suitable to make a preliminary assessment of potential risks associated with the AEC and CoPC identified in the CSM, and assess whether further investigation is warranted.
Set-out and Sampling Equipment	Sampling locations were set out using a tape measure. In-situ sampling locations were checked for underground services by an external contractor prior to sampling.  Samples were collected using a drill rig equipped with spiral flight augers. Soil samples were
	obtained from a Standard Penetration Test (SPT) split-spoon sampler, or directly from the auger when conditions did not allow use of the SPT sampler.
Sample	Soil samples were obtained on 12 January 2021 in accordance with standard field procedures. Soil
Collection and	samples were collected from the fill and natural profiles based on field observations. The sample
Field QA/QC	depths are shown on the logs attached in the appendices.

<sup>&</sup>lt;sup>5</sup> NSW EPA, (1995), Contaminated Sites Sampling Design Guidelines. (referred to as EPA Sampling Design Guidelines 1995)





Aspect	Input	
	Samples were placed in glass jars with plastic caps and teflon seals with minimal headspace. Samples for asbestos analysis were placed in zip-lock plastic bags. During sampling, soil at selected depths was split into primary and duplicate samples for field QA/QC analysis. The field splitting procedure included splitting the soil by hand and alternately filling the sampling containers to obtain a representative split sample.	
Field Screening	A portable Photoionisation Detector (PID) fitted with a 10.6mV lamp was used to screen the samples for the presence of volatile organic compounds (VOCs). PID screening for VOCs was undertaken on soil samples using the soil sample headspace method. VOC data was obtained from partly filled zip-lock plastic bags following equilibration of the headspace gases. PID calibration records are maintained on file by JKE.	
	Fill/spoil at the sampling locations was visually inspected during the works for the presence of fibre cement fragments.	
Decontami- nation and	Sampling personnel used disposable nitrile gloves during sampling activities.	
Sample Preservation	Soil samples were preserved by immediate storage in an insulated sample container with ice or ice bricks. On completion of the fieldwork, the samples were stored temporarily in fridges in the JKE warehouse before being delivered in the insulated sample container to a NATA registered laboratory for analysis under standard chain of custody (COC) procedures.	

# 6.3 Groundwater Sampling Plan and Methodology

The groundwater sampling plan and methodology is outlined in the table below:

Table 6-2: Groundwater Sampling Plan and Methodology

Aspect	Input
Sampling Plan	Groundwater monitoring wells were installed in BH2 (MW2) and BH3 (MW3). The wells were positioned to gain a snap-shot of the groundwater conditions. Considering the topography and the location of the nearest down-gradient water body, MW2 was considered to be in the upgradient area of the site and would be expected to provide an indication of groundwater flowing onto (beneath) the site from the east. MW3 was considered to be in the intermediate to downgradient area of the site and would be expected to provide an indication of groundwater flowing across (beneath) the site and beyond the down-gradient site boundary.
Monitoring Well Installation Procedure	<ul> <li>The monitoring well construction details are documented on the appropriate borehole logs attached in the appendices. The monitoring wells were installed to depths of approximately 3.37-5.36m below ground level where auger refusal was met in bedrock. The wells were generally constructed as follows: <ul> <li>50mm diameter Class 18 PVC (machine slotted screen) was installed in the lower section of the well to intersect groundwater;</li> <li>50mm diameter Class 18 PVC casing was installed in the upper section of the well (screw fixed);</li> <li>A 2mm sand filter pack was used around the screen section for groundwater infiltration;</li> <li>A hydrated bentonite seal/plug was used on top of the sand pack to seal the well; and</li> <li>A gatic cover was installed at the surface with a concrete plug to limit the inflow of surface water.</li> </ul> </li> </ul>
Monitoring Well	The monitoring wells were developed on 12 January 2021 using a submersible electrical pump.  Due to the hydrogeological conditions, groundwater inflow into the wells was relatively low,
Development	therefore the wells were pumped until they were effectively dry.



Aspect	Input				
Groundwater Sampling	The monitoring wells were allowed to recharge for approximately three to four days after development. Groundwater samples were obtained on 15 January 2021.				
	Prior to sampling, the monitoring wells were checked for the presence of Light Non-Aqueous Phase Liquids (LNAPLs) using an inter-phase probe electronic dip meter. The monitoring well head space was checked for VOCs using a calibrated PID unit. The samples were obtained using a peristaltic pump. During sampling, the following parameters were monitored using calibrated field instruments:  • SWL using an electronic dip meter; and  • pH, temperature, electrical conductivity (EC), dissolved oxygen (DO) and redox potential (Eh) using a YSI Multi-probe water quality meter.				
	Steady state conditions were considered to have been achieved when the difference in the pH measurements was less than 0.2 units, the difference in conductivity was less than 10%, and when the SWL was not in drawdown.				
	Groundwater samples were obtained directly from the single use PVC tubing and placed in the sample containers. Duplicate samples were obtained by alternate filling of sample containers. This technique was adopted to minimise disturbance of the samples and loss of volatile contaminants associated with mixing of liquids in secondary containers, etc.				
	Groundwater removed from the wells during development and sampling was transported to JKE in jerry cans and stored in holding drums prior to collection by a licensed waste water contractor for off-site disposal.				
	The field monitoring record and calibration data are attached in the appendices.				
Sample Preservation	The samples were preserved with reference to the analytical requirements and placed in an insulated container with ice or ice bricks. On completion of the fieldwork, the samples were temporarily stored in a fridge at the JKE office, before being delivered in the insulated sample container to a NATA registered laboratory for analysis under standard COC procedures.				

# 6.4 Laboratory Analysis

Samples were analysed by an appropriate, NATA Accredited laboratory using the analytical methods detailed in Schedule B(3) of NEPM 2013. Reference should be made to the laboratory reports attached in the appendices for further details.

Table 6-3: Laboratory Details

Samples	Laboratory	Report Reference
All primary samples and field QA/QC samples including (intra-laboratory duplicates, trip blanks and trip spikes)	Envirolab Services Pty Ltd NSW, NATA Accreditation Number – 2901 (ISO/IEC 17025 compliance)	259409 and 259572



#### 7 SITE ASSESMENT CRITERIA (SAC)

The SAC were adopted from the NEPM 2013 and other guidelines as discussed in the following sub-sections. The guideline values for individual contaminants are presented in the attached report tables and further explanation of the various criteria adopted is provided in the appendices.

#### **7.1** Soil

Soil data were compared to relevant Tier 1 screening criteria in accordance with NEPM (2013) as outlined below.

#### 7.1.1 Human Health

- Health Investigation Levels (HILs) for a 'commercial/industrial' exposure scenario (HIL-D) and 'residential with minimal opportunities for soil access' exposure scenario (HIL-B);
- Health Screening Levels (HSLs) for a 'commercial/industrial' exposure scenario (HSL-D) and 'low-high
  density residential' exposure scenario (HSL-A & HSL-B). HSLs were calculated based on conservative
  assumptions including a 'sand' type and a depth interval of 0m to 1m;
- HSLs for direct contact presented in the CRC Care Technical Report No. 10 Health screening levels for hydrocarbons in soil and groundwater Part 1: Technical development document (2011)<sup>6</sup>; and
- Asbestos was assessed on the basis of presence/absence. Asbestos HSLs were not adopted as detailed asbestos quantification was not undertaken.

#### 7.1.2 Environment (Ecological – terrestrial ecosystems)

- Ecological Investigation Levels (EILs) and Ecological Screening Levels (ESLs) for a 'commercial/industrial' and for an 'urban residential and public open space' (URPOS) exposure scenario. These have only been applied to the top 2m of soil as outlined in NEPM (2013). The criterion for benzo(a)pyrene has been increased from the value presented in NEPM (2013) based on the Canadian Soil Quality Guidelines<sup>7</sup>;
- ESLs were adopted based on a coarse soil type which is most conservative;
- EILs for selected metals were calculated based on the most conservative added contaminant limit (ACL) values presented in Schedule B(1) of NEPM (2013) and published ambient background concentration (ABC) values presented in the document titled Trace Element Concentrations in Soils from Rural and Urban Areas of Australia (1995)<sup>8</sup>. This method is considered to be adequate given the main objectives of this assessment.

<sup>&</sup>lt;sup>8</sup> Olszowy, H., Torr, P., and Imray, P., (1995), *Trace Element Concentrations in Soils from Rural and Urban Areas of Australia. Contaminated Sites Monograph Series No. 4*. Department of Human Services and Health, Environment Protection Agency, and South Australian Health Commission



<sup>&</sup>lt;sup>6</sup> Cooperative Research Centre for Contamination Assessment and Remediation of the Environment (CRC Care), (2011). Technical Report No. 10 - Health screening levels for hydrocarbons in soil and groundwater Part 1: Technical development document

<sup>&</sup>lt;sup>7</sup> Canadian Council of Ministers of the Environment, (1999). *Canadian soil quality guidelines for the protection of environmental and human health: Benzo(a)Pyrene (1997)* (referred to as the Canadian Soil Quality Guidelines)



#### 7.1.3 Management Limits for Petroleum Hydrocarbons

Management limits for petroleum hydrocarbons (as presented in Schedule B1 of NEPM 2013) were considered.

#### 7.2 Groundwater

Groundwater data were compared to relevant Tier 1 screening criteria in accordance with NEPM (2013), following an assessment of environmental values in accordance with the Guidelines for the Assessment and Management of Groundwater Contamination (2007)<sup>9</sup>. Environmental values for this investigation include aquatic ecosystems and human-health risks in non-use scenarios.

#### 7.2.1 Human Health

- The NEPM (2013) HSLs were not considered as there is not 2m of soil across the site and the groundwater was recorded within sandstone bedrock. On this basis, JKE have undertaken a site-specific assessment (SSA) for the Tier 1 screening of human health risks posed by volatile contaminants in groundwater. The assessment included selection of alternative Tier 1 criteria that were considered suitably protective of human health. These criteria are based on drinking water guidelines and have been referred to as HSL-SSA. The criteria were based on the following (as shown in the attached report tables):
  - Australian Drinking Water Guidelines 2011 (updated 2018)<sup>10</sup> for BTEX compounds and selected VOCs;
  - World Health Organisation (WHO) document titled Petroleum Products in Drinking-water,
     Background document for the development of WHO Guidelines for Drinking Water Quality
     (2008)<sup>11</sup> for petroleum hydrocarbons;
  - o USEPA Region 9 screening levels for naphthalene (threshold value for tap water); and
  - The use of the laboratory PQLs for other contaminants where there were no Australian guidelines.

#### 7.2.2 Environment (Ecological - aquatic ecosystems)

Groundwater Investigation Levels (GILs) for 95% protection of freshwater species were adopted based on the Default Guideline Values in the Australian and New Zealand Guidelines for Fresh and Marine Water Quality (2018)<sup>12</sup>. The 99% trigger values were adopted where required to account for bioaccumulation. Low and moderate reliability trigger values were also adopted for some contaminants where high-reliability trigger values don't exist.

<sup>&</sup>lt;sup>12</sup> Australian and New Zealand Governments (ANZG), (2018). *Australian and New Zealand Guidelines for Fresh and Marine Water Quality*. Australian and New Zealand Governments and Australian state and territory governments, Canberra ACT, Australia (referred to as ANZG 2018)



<sup>&</sup>lt;sup>9</sup> NSW Department of Environment and Conservation, (2007). *Guidelines for the Assessment and Management of Groundwater Contamination*.

<sup>&</sup>lt;sup>10</sup> National Health and Medical Research Council (NHMRC), (2018). *National Water Quality Management Strategy, Australian Drinking Water Guidelines 2011* (referred to as ADWG 2011)

<sup>&</sup>lt;sup>11</sup> World Health Organisation (WHO), (2008). *Petroleum Products in Drinking-water, Background document for the development of WHO Guidelines for Drinking Water Quality* (referred to as WHO 2008)



#### 8 RESULTS

# 8.1 Summary of Data (QA/QC) Evaluation

The data evaluation is presented in the appendices. In summary, JKE are of the opinion that the data are adequately precise, accurate, representative, comparable and complete to serve as a basis for interpretation to achieve the assessment objectives.

#### 8.2 Subsurface Conditions

A summary of the subsurface conditions encountered during the investigation is presented in the following table. Reference should be made to the borehole logs attached in the appendices for further details.

Table 8-1: Summary of Subsurface Conditions

Profile	Description				
Pavement	Concrete pavement was encountered at the surface in all boreholes.				
Fill	Fill was encountered beneath the pavement in all boreholes and extended to depths of approximately 0.3mBGL to 0.6mBGL. The fill typically comprised sand, silty sand and gravelly silty sand with inclusions of igneous and sandstone gravel, concrete fragments and clay nodules.				
Natural Soil	Residual soil comprising silty sandy clay was encountered below the fill in BH2 only. The residual soil profile typically extended to the top of the weathered sandstone bedrock.				
Bedrock	Sandstone bedrock was encountered in all boreholes at depths of 0.3mBGL to 0.8mBGL.				
Groundwater	Groundwater seepage was not encountered in the boreholes during drilling. All boreholes remained dry on completion of drilling and a short time after.				

# 8.3 Field Screening

A summary of the field screening results is presented in the following table:

Table 8-2: Summary of Field Screening

Aspect	Details	
PID Screening of Soil Samples for VOCs	PID soil sample headspace readings are presented in attached report tables and the COC documents attached in the appendices. The results ranged from 0.0ppm to 1.2ppm equivalent isobutylene. These results indicate that relatively low concentrations of PID detectable VOCs were present in some samples.	
Groundwater Depth	A SWL was measured in MW2 at 4.81mBGL approximately three hours after completion of drilling, during development of this well. The remaining boreholes were dry during and a short time after completion of drilling.  SWLs measured on the 15 January 2021 in the monitoring wells installed at the site ranged from 2.12mBGL to 2.35mBGL.	
Groundwater Field	Field measurements recorded during sampling were as follows:	
Parameters	- pH ranged from 6.04 to 6.05;	
	- EC ranged from 606μS/cm to 682μS/cm;	
	- Eh ranged from 52.1mV to 96.3mV; and	



Aspect	Details		
	- DO ranged from 4.0ppm to 4.2ppm.		
LNAPLs petroleum hydrocarbons	Phase separated product (i.e. LNAPL) were not detected using the interphase probe during groundwater sampling.		

# 8.4 Soil Laboratory Results

The soil laboratory results were assessed against the SAC presented in Section 7.1. All SAC are shown in summary report tables attached in the appendices. A summary of the results is presented below:

# 8.4.1 Human Health and Environmental (Ecological) Assessment

Table 8-3: Summary of Soil Laboratory Results – Human Health and Environmental (Ecological)

Analyte	N	Max. (mg/kg)	N> Human Health Criteria	N> Ecological Criteria	Comments
Arsenic	10	6	0	NSL	-
Cadmium	10	0.8	0	NSL	-
Chromium (total)	10	45	0	0	-
Copper	10	210	0	1	Copper concentration exceeded the adopted EIL in one fill sample collected from BH4.
Lead	10	340	0	0	-
Mercury	10	0.8	0	NSL	-
Nickel	10	63	0	2	Nickel concentrations exceeded the adopted EIL in two fill samples collected from BH4 and BH5.
Zinc	10	390	0	3	Zinc concentrations exceeded the adopted EIL in three fill samples collected from BH3 and BH4.
Total Phenol	5	<5	0	NSL	-
Total PAHs	10	20	0	NSL	-
Benzo(a)pyrene	10	1.7	NSL	0	-
Carcinogenic PAHs (as BaP TEQ)	10	2.6	0	NSL	-
Naphthalene	10	<pql< td=""><td>0</td><td>NSL</td><td>-</td></pql<>	0	NSL	-



Analyte	N	Max. (mg/kg)	N> Human Health Criteria	N> Ecological Criteria	Comments
DDT+DDE+DDD	5	<pql< td=""><td>0</td><td>NSL</td><td>-</td></pql<>	0	NSL	-
DDT	5	<pql< td=""><td>NSL</td><td>0</td><td>-</td></pql<>	NSL	0	-
Aldrin and dieldrin	5	7.2	0	NSL	-
Chlordane	5	<pql< td=""><td>0</td><td>NSL</td><td>-</td></pql<>	0	NSL	-
Heptachlor	5	<pql< td=""><td>0</td><td>NSL</td><td>-</td></pql<>	0	NSL	-
PCBs	5	<pql< td=""><td>0</td><td>NSL</td><td>-</td></pql<>	0	NSL	-
TRH F1	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
TRH F2	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
TRH F3	10	610	0	2	TRH F3 concentrations exceeded the adopted EIL in two fill samples collected from BH2 and BH4.
TRH F4	10	1,300	0	0	-
Benzene	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Toluene	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Ethylbenzene	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Xylenes	10	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Asbestos (in soil)	5	Detected	0	NA	Chrysotile asbestos was detected in two fill sample from BH3 and BH4. Identified asbestos occurrences were considered to be friable (fibrous asbestos/asbestos fines - FA/AF) in BH3 and bonded asbestos (ACM) in BH4.

# Notes:

N: Total number (primary samples)

NSL: No set limit NL: Not limiting



# 8.5 Groundwater Laboratory Results

The soil laboratory results were assessed against the SAC presented in Section 7.2. SAC are shown in the report tables attached in the appendices. A summary of the results is presented below:

Table 8-4: Summary of Groundwater Laboratory Results – Human Health and Environmental (Ecological)

Analyte	N	Max.	N> Human	N> Ecological	Comments
		(μg/L)	Health Criteria	Criteria	
Arsenic	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Cadmium	2	0.3	0	1	The cadmium concentration exceeded the adopted GIL in MW2.
Chromium (total)	2	16	0	1	The chromium concentration exceeded the adopted GIL in MW3.
Copper	2	3			The copper concentration exceeded the adopted GIL in MW3.
Lead	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Mercury	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Nickel	2	2	0	0	-
Zinc	2	520	0	2	Zinc concentrations exceeded the adopted GIL in both MW2 and MW3.
Total PAHs	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Benzo(a)pyrene	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
TRH F1	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
TRH F2	2	270	2	0	TRH F2 concentrations exceeded the adopted site specific HSL-SSA criterion in both MW2 and MW3.
TRH F3	2	<pql< td=""><td>NSL</td><td>0</td><td>-</td></pql<>	NSL	0	-
TRH F4	2	<pql< td=""><td>NSL</td><td>0</td><td>-</td></pql<>	NSL	0	-
Benzene	2	1	0	0	A detectable benzene concentration below the SAC was identified in MW3.
Toluene	2	1	0	0	A detectable toluene concentration below the SAC was identified in MW3.
Ethylbenzene	2	<pql< td=""><td>0</td><td>0</td><td>-</td></pql<>	0	0	-
Total Xylenes	2	2	0	0	A detectable concentration of xylenes below SAC was identified in MW3
рН	2	6.7	0	0	-



Analyte	N	Max. (μg/L)	N> Human Health Criteria	N> Ecological Criteria	Comments
EC	2	600	0	0	-
VOCs	2	5	0	0	Detectable concentrations of cis-1,2-dichloroethene, trichloroethene (TCE), tetrachloroethene (PCE) and chloroform were identified in MW3. However, all results were below the adopted HSL-SSA criteria. All other VOC concentrations were below the laboratory PQL.

Notes:

N: Total number (primary samples)

NSL: No set limit NL: Not limiting



#### 9 HAZARDOUS MATERIALS ASSESSMENT

For the purposes of this assessment, hazardous materials were limited to asbestos, lead in paint, synthetic mineral fibre (SMF), PCBs and ozone depleting substances (OSD) which may be present within the site buildings. No previous Asbestos / Hazardous Materials Surveys and/or Management Plans were provided for review.

A walkover inspection of the site buildings was undertaken by JKE on 15 January 2021. The inspection was limited to safely accessible building areas and comprised visual assessment of the presence and condition of hazardous buildings materials. Inspection included tenanted/occupied building areas, back of house areas, stock storage areas, car parking areas and excluded some of the first and second floor areas within building at 206 Parramatta Road. Roof structures were inspected from a distance were possible as no safe access was available. Selected site photographs obtained during the inspection are attached in the appendices. Descriptions of the hazardous materials assessment undertaken is contained in the following sections.

#### 9.1 Asbestos

In Australia, asbestos cement materials were first manufactured in the 1920s and were commonly used in the manufacture of residential building materials from the mid-1940s until the late 1980s. During the 1980s asbestos cement materials were phased out in favour of asbestos-free products. From 31 December 2003, the total ban on manufacture, use, reuse, import, transport, storage or sale of all forms of asbestos came into force. The site buildings are understood to have been present since at least 1930s, therefore the potential for asbestos containing building materials to be present is considered to be high.

Our inspection identified potential asbestos containing materials (PACMs), observed to be present as fibre cement sheet (FCS) ceiling panels on the ground floor of 206 Parramatta Road within the amenities area. FCS was also observed in other parts of the buildings on site. Identified PACMs were not labelled. In general, all inspected PACMs were non-friable and appeared to be in good or fair condition.

Due to the age of the buildings, there remains a potential that asbestos containing materials are present in areas of the buildings not inspected, covered up, or that were inaccessible.

#### 9.2 Lead in Paint

Significantly deteriorated paint systems that are likely to impact on demolition/refurbishment practices or that would be considered a health or environmental hazard were not identified.

#### 9.3 Synthetic Mineral Fibre (SMF)

During our inspection, SMF was observed to be present throughout the site as sarking insulation beneath the roof, around pipe/ductwork, within hot water systems and boiler units and as ceiling tiles. Observed SMF was considered to be mostly in a good or fair condition and in general presented a low risk as contact with site occupants is limited.



# 9.4 Polychlorinated Biphenyls (PCBs)

The use of PCBs in electrical equipment (i.e. transformers, lighting capacitors etc.) within Australia was phased out in the early to mid-1970s. Site buildings were constructed prior to the phase out of PCBs, therefore there is a potential for PCBs to be present within the buildings on site. However, our inspection did not identify any potential PCB containing equipment to be present.

# 9.5 Ozone Depleting Substances (ODS)

Some of the split air conditioning systems on site were found to contain R22 refrigerant gas. R22 is a hydro chlorofluorocarbon (HCFC) which is considered to be ozone depleting.



### 10 DISCUSSION

### 10.1 Contamination Sources/AEC and Potential for Site Contamination

Based on the scope of work undertaken for this assessment, JKE identified the following potential contamination sources/AEC:

- Imported fill material (entire site);
- Various historical commercial/industrial activities across the site including dry cleaner's, electroplating etc. (entire site);
- Hazardous building materials (entire site);
- Use of pesticides (entire site); and
- Current and historical off-site commercial/light industrial activities on neighbouring properties including "7-Eleven" service station (20m to the south-east), "Harold Park Repairs" mechanical workshop (20m to the west), "VG Group" car detailing (20m to the north-east), historical dry cleaner's (29 to the west) etc.

Considering the above, and based on a qualitative assessment of various lines of evidence as discussed throughout this report, JKE are of the opinion that there is a potential for site contamination. The preliminary soil and groundwater data collected for the assessment is discussed further in the following subsection, as part of the Tier 1 risk assessment.

### 10.2 Tier 1 Risk Assessment and Review of CSM

For a contaminant to represent a risk to a receptor, the following three conditions must be present:

- 1. Source The presence of a contaminant;
- 2. Pathway A mechanism or action by which a receptor can become exposed to the contaminant; and
- 3. Receptor The human or ecological entity which may be adversely impacted following exposure to contamination.

If one of the above components is missing, the potential for adverse risks is relatively low.

### 10.2.1 Soil

### 10.2.1.1 Asbestos

Chrysotile asbestos was detected in two fill sample from BH3 and BH4 (see Figure 3). AF/FA was indicated to be present in BH3 by the laboratory whilst bonded asbestos (as ACM) was indicated to be present in BH4. The presence of FA/AF occurrences in fill is considered to be a result of former building demolition/ refurbishment activities that took place historically at the site. These identified occurrences are not considered to pose an unacceptable risk to current site users given the site area remains sealed under concrete pavements or beneath building footprints, hence there is no complete SPR during current day-to-day use.

We are of the opinion that the risk of exposure to asbestos would increase during excavation works as part of the redevelopment and these risks will need to be managed/mitigated. Further characterisation and/or



remediation associated with this occurrence will be required for any future proposed re-development on site.

### 10.2.1.2 Heavy metals

Copper, nickel and zinc concentrations exceeded the adopted ecological criteria in fill samples from BH3, BH4 and BH5 (see Figure 3). The source of heavy metals is considered to be associated with the fill material. These identified exceedances are not considered to currently present an unacceptable ecological risk as there were no accessible soils which were observed to be present anywhere on site, i.e. there is no complete SPR linkage. Further characterisation or remediation associated with these ecological exceedances may potentially be required as part of future site re-development.

### 10.2.1.3 Hydrocarbons

The concentrations of TRH F3 fraction exceeded the adopted ecological criteria (i.e. URPOS) in two fill samples from BH2 and BH4 (see Figure 3). It was noted that testing of the underlying deeper fill and natural samples in these locations confirmed non-detect TRH concentrations which indicated that the TRH has not migrated vertically. These identified exceedances are not considered to currently present an unacceptable ecological risk as there were no accessible soils which were observed to be present anywhere on site, i.e. there is no complete SPR linkage. Further characterisation or remediation associated with these ecological exceedances may potentially be required as part of future site re-development.

### 10.2.1.4 Pesticides and PCBs

Detectable concentrations of Aldrin and Dieldrin (OCPs) were identified in fill sample from BH4. All concentrations were identified to be below the adopted SAC. However, it should be noted that these detected concentrations may have implications with regards to waste management/disposal during site redevelopment.

### 10.2.2 Groundwater

### 10.2.2.1 Heavy metals

Cadmium, chromium, copper and zinc were detected in the groundwater samples above the ecological criteria in MW2 and MW3, as shown on Figure 3 attached in the appendices. Elevated concentrations of these metals are common in urban groundwater as a result of leaking water infrastructure and surface runoff. The occurrence of these metals in groundwater is unlikely to pose a risk that warrants remediation of groundwater. However, further characterisation with regards to these exceedances may potentially be required as part of future site re-development.

### 10.2.2.2 Hydrocarbons

TRH F2 concentrations exceeded the adopted HSL-SSA criterion in both MW2 and MW3. Further characterisation and/or management associated with these exceedances may potentially be required. The source of the TRHs in groundwater has not been established.



It is noted that detectable concentrations of BTEX compounds were also identified in groundwater sample collected from MW3. All detect concentrations were below the adopted SAC for groundwater. However, the detect concentrations of BTEX may potentially be attributed to spills or leaks which have taken place on site or may potentially indicate migration of impacted groundwater from off-site sources (i.e. "7-Eleven" service station to the south-east). Further investigation is required to confirm the associated risks.

### 10.2.2.3 VOCs

It is noted that detectable concentrations of cis-1,2-dichloroethene, TCE, PCE and chloroform below the adopted HSL-SSA criteria were identified in groundwater sample collected from MW3. Identified concentrations of PCE and its breakdown products TCE and cis-1,2-dichloroethene are typically associated with dry cleaning processes which were identified to have historically taken place on site and on neighbouring properties in close proximity to the site.

Further groundwater characterisation and soil vapour investigation is required to assess the potential human health risks associated with the identified dry cleaner-related chemicals. A specific point source/location (e.g. leaking sewer infrastructure, area of historical spills etc) for these contaminants has not been confirmed.

### 10.3 Decision Statements

The decision statements are addressed below:

Did the site inspection, or does the historical information identify potential contamination sources/AEC at the site?

Yes, as noted in Section 10.1.

Are any results above the SAC?

Copper, nickel and zinc were detected above the adopted ecological SAC in fill at BH3, BH4 and BH5. TRH F3 was detected above the ecological SAC in fill at BH2 and BH4. Cadmium, chromium, copper and zinc were also identified above the ecological SAC for groundwater within MW2 and MW3. TRH F2 was also detected above the adopted HSL-SSA criteria in MW2 and MW3.

Do potential risks associated with contamination exist, and if so, what are they?

Potential risks have been identified as discussed in Section 10.1.

Is there a need for additional investigations and/or management with regards to contamination as part of the due diligence.

Due to the potential risks from groundwater and soil vapour, further investigation is recommended. As the site is currently paved, direct contact risks with groundwater or soil contamination are not of primary concern at this stage. However, additional detailed investigation would most likely be necessary during future redevelopment of the site.





### 10.4 Hazardous Materials

The site buildings are understood to have been present since at least 1930s. No previous Asbestos / Hazardous Materials Surveys and/or Management Plans were provided to JKE for review as part of this assessment.

Hazardous materials identified on site during JKE's inspection were limited to PACMs, SMF and R22 refrigerant gases.

PACMs were observed to be present as FCS ceiling panels on the ground floor of 206 Parramatta Road within the amenities area. FCS was also observed in other parts of the buildings on site. In general, all inspected PACMs were non-friable and appeared to be in good or fair condition.

If a workplace was built before 31 December 2003 or if asbestos has been identified at the workplace, an up to date asbestos register must be kept on premises and made available by a person conducting a business or undertaking (PCBU) to anyone likely to be exposed to asbestos.

SMF was observed to be present throughout the site as sarking insulation beneath the roof, around pipe / ductwork, within hot water systems and boiler units and as ceiling tiles. The presence of the SMF within the site buildings is not considered to be of significant concern as contact with site occupants is limited.

R22 refrigerant gas was identified for some of the air conditioning systems at the site. R22 is a hydro chlorofluorocarbon (HCFC) and is currently being phased out.



### 11 CONCLUSIONS AND RECOMMENDATIONS

The assessment included a review of historical information, soil sampling from five boreholes and groundwater sampling from two monitoring wells installed onsite. Parts of the site are currently used as commercial retail tenancies (i.e. "Energy Shop Australia" and "Olde English Tiles") and as music tutoring premises including car parking to the east. The site has historically been used for various commercial/industrial activities including dry cleaners and electroplating. Commercial/industrial activities were also identified for the neighbouring properties including service station, dry cleaners and mechanical workshops etc.

This assessment identified asbestos in soil, along with some heavy metals and hydrocarbons that exceeded the ecological-based SAC. Hydrocarbons in the form of volatile TRH and chlorinated VOCs were also identified in groundwater, with the TRH concentrations exceeding the human health-based SAC. Risks from asbestos and the ecological risks associated with heavy metals and TRHs in soil were assessed to be low in the context of the existing land use/site layout as there is currently no complete exposure pathway. A potential pathway exists in relation to exposure to vapours from volatile contaminants in soil and/or groundwater. This warrants further investigation for due diligence purposes. It is also anticipated that further detailed investigation will be necessary prior to any site redevelopment.

### JKE recommends the following:

- A detailed hazardous materials assessment should be undertaken to confirm the presence and extent
  of all hazardous building materials present on site. A Hazardous Materials Register and Management
  Plan should be produced for all properties comprising the site following this assessment, in order to
  comply with currently endorsed regulations, codes and guidelines;
- Should refurbishment or demolition works be proposed, a destructive hazardous building materials survey should be undertaken prior to any demolition works taking place. Any proposed demolition works are to be complete with regards to the hazardous building materials report and all relevant codes, guidelines and standards. Clearance certificates are to be issued following removal of any hazardous building materials;
- Undertake a due diligence soil vapour investigation to determine the potential human health risks associated with vapour intrusion;
- Complete Detailed Site Investigation (DSI) as required for any future proposed development on site;
- Complete an ASS assessment as required for any future proposed development on site;
- Asbestos control measures will be required to be implemented for any works across the site which
  require penetration of the concrete slab/pavement. Control measures including preparation of a work
  specific Asbestos Management Plan (AMP) and engaging a specialist (i.e. licensed asbestos assessor)
  to assist with its implementation, air monitoring for potential asbestos fibres during the works and use
  of appropriate personal protective equipment are recommended.

At this stage, JKE consider that there is no requirement to notify the NSW EPA Guidelines on the Duty to Report Contamination under Section 60 of the CLM Act 1997 (2015)<sup>13</sup>. This should be reassessed as further investigations/assessments occur.

<sup>&</sup>lt;sup>13</sup> NSW EPA, (2015). *Guidelines on the Duty to Report Contamination under Section 60 of the CLM Act 1997* (referred to as Duty to Report Contamination)





### 11.1 Indicative Capital Expenditure Forecast

Capital expenditure forecast for the site foreseeable at this stage is summarised in the following table:

Table 11-1: Capital Expenditure Forecast

Action Item / Comments	\$\$\$ Short term #	\$\$\$ As part of re- development*
Allow for preparation of hazardous materials register & management plan for the site in accordance with the regulations.	\$6,000 - \$8,000	NA
Allow for a destructive hazardous building materials survey to be carried out prior to any demolition works as part of redevelopment.	NA	\$6,000 - \$8,000
Undertake a soil vapour investigation to determine the potential human health risks associated with vapour intrusion.	\$15,000 - \$30,000	\$15,000 - \$30,000^
Allow to complete a DSI as required for any future proposed re-development on site.	NA	\$30,000 - \$50,000^
Allow for asbestos control measures to be implemented for any future proposed re-development across the site.	NA	\$20,000 - \$40,000
Allow to complete an ASS Assessment for any future proposed re-development on site.	NA	\$5,000 - \$7,000

### Notes:

All budgets are exclusive of GST and are based on our knowledge at the time of preparation. Actual costs may vary depending on the exact scope of work and timing.

<sup>#:</sup> Essential capital expenditure forecast in the short term (i.e. within 1 year of purchase).

<sup>\*:</sup> Foreseeable capital expenditure forecast in relation to potential re-development.

<sup>^:</sup> Depending on the timing, if soil vapour investigation is not completed as stand-alone a short time after purchase then it should be completed as part of the DSI prior to re-development. Presented budget for the DSI excludes soil vapour investigation. If, however DSI and soil vapour investigation are both undertaken concurrently then the two presented budgets should be added.



### 12 LIMITATIONS

The report limitations are outlined below:

- JKE accepts no responsibility for any unidentified contamination issues at the site. Any unexpected problems/subsurface features that may be encountered during development works should be inspected by an environmental consultant as soon as possible;
- Previous use of this site may have involved excavation for the foundations of buildings, services, and similar facilities. In addition, unrecorded excavation and burial of material may have occurred on the site. Backfilling of excavations could have been undertaken with potentially contaminated material that may be discovered in discrete, isolated locations across the site during construction work;
- This report has been prepared based on site conditions which existed at the time of the investigation; scope of work and limitation outlined in the JKE proposal; and terms of contract between JKE and the client (as applicable);
- The conclusions presented in this report are based on investigation of conditions at specific locations, chosen to be as representative as possible under the given circumstances, visual observations of the site and immediate surrounds and documents reviewed as described in the report;
- Subsurface soil and rock conditions encountered between investigation locations may be found to be different from those expected. Groundwater conditions may also vary, especially after climatic changes;
- The investigation and preparation of this report have been undertaken in accordance with accepted practice for environmental consultants, with reference to applicable environmental regulatory authority and industry standards, guidelines and the assessment criteria outlined in the report;
- Where information has been provided by third parties, JKE has not undertaken any verification process, except where specifically stated in the report;
- JKE has not undertaken any assessment of off-site areas that may be potential contamination sources or may have been impacted by site contamination, except where specifically stated in the report;
- JKE accept no responsibility for potentially asbestos containing materials that may exist at the site. These materials may be associated with demolition of pre-1990 constructed buildings or fill material at the site;
- JKE have not and will not make any determination regarding finances associated with the site;
- Additional investigation work may be required in the event of changes to the proposed development or landuse. JKE should be contacted immediately in such circumstances;
- Material considered to be suitable from a geotechnical point of view may be unsatisfactory from a soil contamination viewpoint, and vice versa; and
- This report has been prepared for the particular project described and no responsibility is accepted for the use of any part of this report in any other context or for any other purpose.



## **Important Information About This Report**

These notes have been prepared by JKE to assist with the assessment and interpretation of this report.

#### The Report is based on a Unique Set of Project Specific Factors

This report has been prepared in response to specific project requirements as stated in the JKE proposal document which may have been limited by instructions from the client. This report should be reviewed, and if necessary, revised if any of the following occur:

- The proposed land use is altered;
- The defined subject site is increased or sub-divided;
- The proposed development details including size, configuration, location, orientation of the structures or landscaped areas are modified;
- The proposed development levels are altered, eg addition of basement levels; or
- Ownership of the site changes.

JKE will not accept any responsibility whatsoever for situations where one or more of the above factors have changed since completion of the investigation. If the subject site is sold, ownership of the investigation report should be transferred by JKE to the new site owners who will be informed of the conditions and limitations under which the investigation was undertaken. No person should apply an investigation for any purpose other than that originally intended without first conferring with the consultant.

### **Changes in Subsurface Conditions**

Subsurface conditions are influenced by natural geological and hydrogeological process and human activities. Groundwater conditions are likely to vary over time with changes in climatic conditions and human activities within the catchment (e.g. water extraction for irrigation or industrial uses, subsurface waste water disposal, construction related dewatering). Soil and groundwater contaminant concentrations may also vary over time through contaminant migration, natural attenuation of organic contaminants, ongoing contaminating activities and placement or removal of fill material. The conclusions of an investigation report may have been affected by the above factors if a significant period of time has elapsed prior to commencement of the proposed development.

### This Report is based on Professional Interpretations of Factual Data

Site investigations identify actual subsurface conditions at the actual sampling locations at the time of the investigation. Data obtained from the sampling and subsequent laboratory analyses, available site history information and published regional information is interpreted by geologists, engineers or environmental scientists and opinions are drawn about the overall subsurface conditions, the nature and extent of contamination, the likely impact on the proposed development and appropriate remediation measures.

Actual conditions may differ from those inferred, because no professional, no matter how qualified, and no subsurface exploration program, no matter how comprehensive, can reveal what is hidden by earth, rock and time. The actual interface between materials may be far more gradual or abrupt than an investigation indicates. Actual conditions in areas not sampled may differ from predictions. Nothing can be done to prevent the unanticipated, but steps can be taken to help minimise the impact. For this reason, site owners should retain the services of their consultants throughout the development stage of the project, to identify variances, conduct additional tests which may be needed, and to recommend solutions to problems encountered on site.

### **Investigation Limitations**

Although information provided by a site investigation can reduce exposure to the risk of the presence of contamination, no environmental site investigation can eliminate the risk. Even a rigorous professional investigation may not detect all contamination on a site. Contaminants may be present in areas that were not surveyed or sampled, or may migrate to areas which showed no signs of contamination when sampled. Contaminant analysis cannot possibly cover every type of contaminant which may occur; only the most likely contaminants are screened.





### Misinterpretation of Site Investigations by Design Professionals

Costly problems can occur when other design professionals develop plans based on misinterpretation of an investigation report. To minimise problems associated with misinterpretations, the environmental consultant should be retained to work with appropriate professionals to explain relevant findings and to review the adequacy of plans and specifications relevant to contamination issues.

### Logs Should not be Separated from the Investigation Report

Borehole and test pit logs are prepared by environmental scientists, engineers or geologists based upon interpretation of field conditions and laboratory evaluation of field samples. Logs are normally provided in our reports and these should not be re-drawn for inclusion in site remediation or other design drawings, as subtle but significant drafting errors or omissions may occur in the transfer process. Photographic reproduction can eliminate this problem, however contractors can still misinterpret the logs during bid preparation if separated from the text of the investigation. If this occurs, delays, disputes and unanticipated costs may result. In all cases it is necessary to refer to the rest of the report to obtain a proper understanding of the investigation. Please note that logs with the 'Environmental Log' header are not suitable for geotechnical purposes as they have not been peer reviewed by a Senior Geotechnical Engineer.

To reduce the likelihood of borehole and test pit log misinterpretation, the complete investigation should be available to persons or organisations involved in the project, such as contractors, for their use. Denial of such access and disclaiming responsibility for the accuracy of subsurface information does not insulate an owner from the attendant liability. It is critical that the site owner provides all available site information to persons and organisations such as contractors.

### **Read Responsibility Clauses Closely**

Because an environmental site investigation is based extensively on judgement and opinion, it is necessarily less exact than other disciplines. This situation has resulted in wholly unwarranted claims being lodged against consultants. To help prevent this problem, model clauses have been developed for use in written transmittals. These are definitive clauses designed to indicate consultant responsibility. Their use helps all parties involved recognise individual responsibilities and formulate appropriate action. Some of these definitive clauses are likely to appear in the environmental site investigation, and you are encouraged to read them closely. Your consultant will be pleased to give full and frank answers to any questions.



**Appendix A: Report Figures** 

AERIAL IMAGE SOURCE: MAPS.AU.NEARMAP.COM

This plan should be read in conjunction with the Environmental report.

SITE LOCATION PLAN


Title:

Location: 122-128 & 130 PYRMONT BRIDGE ROAD AND 206 PARRAMATTA ROAD, ANNADALE, NSW

Project No: E33770PA


**JK**Environments

PLOT DATE: 25/01/2021 4:04:04 PM DWG FILE: Z:\5 EIS\5C EIS JOBS\3



This plan should be read in conjunction with the Environmental report.

© JK ENVIRONMENTS





**Appendix B: Site Information and Site History** 



**Selected Site Photographs** 



Site Address: 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW

**Selected Site Photos Dated:** 12 and 15 January 2021



**Photograph 1:** View of the car parking area in the eastern part of the site (122-128 Pyrmont Bridge Road).



**Photograph 2:** View of the site building at 122-128 Pyrmont Bridge Road from Cahill Street.



**Photographs 3:** View of the site buildings at 130 Pyrmont Bridge Road and 206 Parramatta Road from Cahill Street.



**Photograph 4:** View of the above-ground floor within the building at 130 Pyrmont Bridge Road.



Site Address: 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW

**Selected Site Photos Dated:** 12 and 15 January 2021



**Photograph 5:** View of 206 Parramatta Road from the corner of Cahill Street and Mathieson Street.



**Photograph 6:** View of the internal car parking entrance to 206 Parramatta Road from Mathieson Street.



**Photographs 7:** "7-Eleven" service station site to the south / south-east across Pyrmont Bridge Road.



**Photograph 8:** "Harold Park Repairs" car servicing and mechanical repairs workshop to the west / south-west across Mathieson Street.



Site Address: 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW

Selected Site Photos Dated: 12 and 15 January 2021



**Photograph 9:** Neighboring commercial tenancies along Cahill Street including "VG Group" car detailing premises.



**Photograph 10:** View of the roof structure to the building at 122-128 Pyrmont Bridge Road.



**Photographs 11:** View of the roof structure to the building at 206 Parramatta Road.



**Photograph 12:** SMF as sarking insulation beneath the roof observed at 206 Parramatta Road.



Site Address: 122-130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW

Selected Site Photos Dated: 12 and 15 January 2021



**Photograph 13:** Split air conditioning unit containing R22 refrigerant gas.



Photograph 14: Potentially asbestos containing FCS ceiling panels observed within the amenities on the ground floor at 206 Parramatta Road.



**Photographs 15:** Identified reinstated concreted core hole location at 206 Parramatta Road which suggests that this area was previously investigated.



**Photograph 16:** Drilling rig setup over BH3/MW3.



**Lotsearch Environmental Risk and Planning Report** 



Date: 11 Jan 2021 12:08:20 Reference: LS017140 EP

Address: 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### Disclaimer:

The purpose of this report is to provide an overview of some of the site history, environmental risk and planning information available, affecting an individual address or geographical area in which the property is located. It is not a substitute for an on-site inspection or review of other available reports and records. It is not intended to be, and should not be taken to be, a rating or assessment of the desirability or market value of the property or its features. You should obtain independent advice before you make any decision based on the information within the report. The detailed terms applicable to use of this report are set out at the end of this report.

# **Dataset Listing**

Datasets contained within this report, detailing their source and data currency:

Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Cadastre Boundaries	NSW Department of Finance, Services & Innovation	13/11/2020	13/11/2020	Quarterly	-	-	-	-
Topographic Data	NSW Department of Finance, Services & Innovation	25/06/2019	25/06/2019	As required	-	-	-	-
List of NSW contaminated sites notified to EPA	Environment Protection Authority	14/12/2020	14/12/2020	Monthly	1000	0	1	6
Contaminated Land Records of Notice	Environment Protection Authority	06/01/2021	06/01/2021	Monthly	1000	0	0	1
Former Gasworks	Environment Protection Authority	11/01/2021	11/10/2017	Monthly	1000	0	0	0
National Waste Management Facilities Database	Geoscience Australia	12/11/2020	07/03/2017	Quarterly	1000	0	0	0
National Liquid Fuel Facilities	Geoscience Australia	12/11/2020	13/07/2012	Quarterly	1000	0	1	4
EPA PFAS Investigation Program	Environment Protection Authority	14/12/2020	23/11/2020	Monthly	2000	0	0	0
Defence PFAS Investigation & Management Program - Investigation Sites	Department of Defence	08/01/2021	08/01/2021	Monthly	2000	0	0	0
Defence PFAS Investigation & Management Program - Management Sites	Department of Defence	08/01/2021	08/01/2021	Monthly	2000	0	0	0
Airservices Australia National PFAS Management Program	Airservices Australia	07/01/2021	07/01/2021	Monthly	2000	0	0	0
Defence 3 Year Regional Contamination Investigation Program	Department of Defence	14/12/2020	14/12/2020	Monthly	2000	0	0	0
EPA Other Sites with Contamination Issues	Environment Protection Authority	04/02/2020	13/12/2018	Annually	1000	0	0	0
Licensed Activities under the POEO Act 1997	Environment Protection Authority	11/01/2021	11/01/2021	Monthly	1000	0	0	3
Delicensed POEO Activities still regulated by the EPA	Environment Protection Authority	11/01/2021	11/01/2021	Monthly	1000	0	0	4
Former POEO Licensed Activities now revoked or surrendered	Environment Protection Authority	11/01/2021	11/01/2021	Monthly	1000	0	3	5
UBD Business Directories (Premise & Intersection Matches)	Hardie Grant			Not required	100	55	834	834
UBD Business Directories (Road & Area Matches)	Hardie Grant			Not required	100	-	64	64
UBD Business Directory Dry Cleaners & Motor Garages/Service Stations (Premise & Intersection Matches)	Hardie Grant			Not required	250	4	144	260
UBD Business Directory Dry Cleaners & Motor Garages/Service Stations (Road & Area Matches)	Hardie Grant			Not required	250	-	7	7
Points of Interest	NSW Department of Finance, Services & Innovation	30/03/2020	30/03/2020	Quarterly	1000	0	0	86
Tanks (Areas)	NSW Department of Customer Service - Spatial Services	30/03/2020	30/03/2020	Quarterly	1000	0	0	0
Tanks (Points)	NSW Department of Customer Service - Spatial Services	30/03/2020	30/03/2020	Quarterly	1000	0	0	0
Major Easements	NSW Department of Finance, Services & Innovation	30/03/2020	30/03/2020	Quarterly	1000	0	0	5
State Forest	Forestry Corporation of NSW	18/01/2018	18/01/2018	As required	1000	0	0	0
NSW National Parks and Wildlife Service Reserves	NSW Office of Environment & Heritage	21/01/2020	30/09/2019	•	1000	0	0	0
Hydrogeology Map of Australia	Commonwealth of Australia (Geoscience Australia)	08/10/2014	17/03/2000	As required	1000	1	1	1
Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018	NSW Department of Planning, Industry and Environment	26/10/2020	21/02/2018	•	1000	0	0	0

Dataset Name	Custodian	Supply Date	Currency Date	Update Frequency	Dataset Buffer (m)	No. Features Onsite	No. Features within 100m	No. Features within Buffer
Groundwater Boreholes	NSW Dept. of Primary Industries - Water NSW; Commonwealth of Australia (Bureau of Meteorology)	24/07/2018	23/07/2018	Annually	2000	0	0	30
Geological Units 1:100,000	NSW Department of Planning, Industry and Environment	20/08/2014		None planned	1000	1	-	3
Geological Structures 1:100,000	NSW Department of Planning, Industry and Environment	20/08/2014		None planned	1000	0	-	0
Naturally Occurring Asbestos Potential	NSW Dept. of Industry, Resources & Energy	04/12/2015	24/09/2015	Unknown	1000	0	0	0
Atlas of Australian Soils	Australian Bureau of Agriculture and Resource Economics and Sciences (ABARES)	19/05/2017	17/02/2011	As required	1000	1	1	2
Soil Landscapes of Central and Eastern NSW	NSW Department of Planning, Industry and Environment	14/10/2020	27/07/2020	Annually	1000	1	-	3
Environmental Planning Instrument Acid Sulfate Soils	NSW Department of Planning, Industry and Environment	23/12/2020	03/07/2020	Monthly	500	2	-	-
Atlas of Australian Acid Sulfate Soils	CSIRO	19/01/2017	21/02/2013	As required	1000	2	2	2
Dryland Salinity - National Assessment	National Land and Water Resources Audit	18/07/2014	12/05/2013	None planned	1000	0	0	0
Dryland Salinity Potential of Western Sydney	NSW Department of Planning, Industry and Environment	12/05/2017	01/01/2002	None planned	1000	-	-	-
Mining Subsidence Districts	NSW Department of Customer Service - Subsidence Advisory NSW	30/03/2020	30/03/2020	Quarterly	1000	0	0	0
Current Mining Titles	NSW Department of Industry	07/01/2021	07/01/2021	Monthly	1000	0	0	0
Mining Title Applications	NSW Department of Industry	07/01/2021	07/01/2021	Monthly	1000	0	0	0
Historic Mining Titles	NSW Department of Industry	07/01/2021	07/01/2021	Monthly	1000	11	11	11
Environmental Planning Instrument SEPP State Significant Precincts	NSW Department of Planning, Industry and Environment	23/12/2020	07/12/2018	Monthly	1000	0	0	0
Environmental Planning Instrument Land Zoning	NSW Department of Planning, Industry and Environment	23/12/2020	18/12/2020	Monthly	1000	1	15	163
Commonwealth Heritage List	Australian Government Department of the Agriculture, Water and the Environment	24/11/2020	20/11/2019	Quarterly	1000	0	0	1
National Heritage List	Australian Government Department of the Agriculture, Water and the Environment	24/11/2020	20/11/2019	Quarterly	1000	0	0	0
State Heritage Register - Curtilages	NSW Department of Planning, Industry and Environment	12/11/2020	02/07/2020	Quarterly	1000	0	0	12
Environmental Planning Instrument Heritage	NSW Department of Planning, Industry and Environment	23/12/2020	18/12/2020	Monthly	1000	0	8	211
Bush Fire Prone Land	NSW Rural Fire Service	07/01/2021	28/11/2020	Weekly	1000	0	0	0
Native Vegetation of the Sydney Metropolitan Area	NSW Office of Environment & Heritage	01/03/2017	16/12/2016	As required	1000	0	1	1
Ramsar Wetlands of Australia	Department of the Agriculture, Water and the Environment	08/10/2014	24/06/2011	As required	1000	0	0	0
Groundwater Dependent Ecosystems	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	0	0	0
Inflow Dependent Ecosystems Likelihood	Bureau of Meteorology	14/08/2017	15/05/2017	Unknown	1000	0	0	0
NSW BioNet Species Sightings	NSW Office of Environment & Heritage	11/01/2021	11/01/2021	Weekly	10000	-	-	-

# **Site Diagram**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038






## **Contaminated Land**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





# **Contaminated Land**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

# List of NSW contaminated sites notified to EPA

Records from the NSW EPA Contaminated Land list within the dataset buffer:

Map Id	Site	Address	Suburb	Activity	Management Class	Status	Location Confidence	Dist (m)	Direction
35	7-Eleven (former Mobil) Annandale Service Station	198 Parramatta Road	Annandale	Service Station	Regulation under CLM Act not required	Current EPA List	Premise Match	20m	East
237	O'Dea Reserve	Salisbury Lane	Camperdown	Landfill	Contamination formerly regulated under the CLM Act	Current EPA List	Premise Match	312m	South
7673	Former Gee Graphics	27 Church Street	Camperdown	Other Industry	Regulation under CLM Act not required	Current EPA List	Premise Match	319m	East
13541	The Spruce	12-14 Marsden Street	Camperdown	Other Industry	Regulation under CLM Act not required	Current EPA List	Premise Match	412m	East
36	Shell Coles Express Service Station	124-126 Johnston Street	Annandale	Service Station	Regulation under CLM Act not required	Current EPA List	Premise Match	666m	North West
13454	125 Corunna Road	125 Corunna ROAD	STANMORE	Unclassified	Regulation under CLM Act not required	Current EPA List	Premise Match	843m	West

The values within the EPA site management class in the table above, are given more detailed explanations in the table below:

EPA site management class	Explanation
Contamination being managed via the planning process (EP&A Act)	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. The contamination of this site is managed by the consent authority under the Environmental Planning and Assessment Act 1979 (EP&A Act) planning approval process, with EPA involvement as necessary to ensure significant contamination is adequately addressed. The consent authority is typically a local council or the Department of Planning and Environment.
Contamination currently regulated under CLM Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). Management of the contamination is regulated by the EPA under the CLM Act. Regulatory notices are available on the EPA's Contaminated Land Public Record of Notices.
Contamination currently regulated under POEO Act	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. Management of the contamination is regulated under the Protection of the Environment Operations Act 1997 (POEO Act). The EPA's regulatory actions under the POEO Act are available on the POEO public register.
Contamination formerly regulated under the CLM Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). The contamination was addressed under the CLM Act.
Contamination formerly regulated under the POEO Act	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed under the Protection of the Environment Operations Act 1997 (POEO Act).
Contamination was addressed via the planning process (EP&A Act)	The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed by the appropriate consent authority via the planning process under the Environmental Planning and Assessment Act 1979 (EP&A Act).
Ongoing maintenance required to manage residual contamination (CLM Act)	The EPA has determined that ongoing maintenance, under the Contaminated Land Management Act 1997 (CLM Act), is required to manage the residual contamination. Regulatory notices under the CLM Act are available on the EPA's Contaminated Land Public Record of Notices.

EPA site management class	Explanation
Regulation being finalised	The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997. A regulatory approach is being finalised.
Regulation under the CLM Act not required	The EPA has completed an assessment of the contamination and decided that regulation under the Contaminated Land Management Act 1997 is not required.
Under assessment	The contamination is being assessed by the EPA to determine whether regulation is required. The EPA may require further information to complete the assessment. For example, the completion of management actions regulated under the planning process or Protection of the Environment Operations Act 1997. Alternatively, the EPA may require information via a notice issued under s77 of the Contaminated Land Management Act 1997 or issue a Preliminary Investigation Order.

NSW EPA Contaminated Land List Data Source: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

## **Contaminated Land**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Contaminated Land: Records of Notice**

Record of Notices within the dataset buffer:

Map Id	Name	Address	Suburb	Notices	Area No	Location Confidence	Distance	Direction
67	O'Dea Reserve	Salisbury Lane	Camperdown	1 former	3342	Premise Match	312m	South

Contaminated Land Records of Notice Data Source: Environment Protection Authority © State of New South Wales through the Environment Protection Authority Terms of use and disclaimer for Contaminated Land: Record of Notices, please visit http://www.epa.nsw.gov.au/clm/clmdisclaimer.htm

### **Former Gasworks**

Former Gasworks within the dataset buffer:


Map Id	Location	Council	Further Info	Location Confidence	Distance	Direction
N/A	No records in buffer					

Former Gasworks Data Source: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

# **Waste Management & Liquid Fuel Facilities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





# **Waste Management & Liquid Fuel Facilities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **National Waste Management Site Database**

Sites on the National Waste Management Site Database within the dataset buffer:

Site Id	Owner	Name	Address	Suburb	Class	Landfill	Reprocess	Transfer	Comments	Loc Conf	Dist (m)	Direction
	No records in buffer											

Waste Management Facilities Data Source: Geoscience Australia Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

## **National Liquid Fuel Facilities**

National Liquid Fuel Facilties within the dataset buffer:

Map Id	Owner	Name	Address	Suburb	Class	Operational Status	Operator	Revision Date	Loc Conf	Dist (m)	Direction
4690	7-Eleven Pty Ltd	Camperdown	198 Parramatta Road	Camperdown	Petrol Station	Operational		13/07/2012	Premise Match	20m	East
4555	BP	BP Connect Camperdown	25 Parramatta Road	Camperdown	Petrol Station	Operational		25/07/2011	Premise Match	508m	East
4625	Shell	Coles Express Annandale	124 Johnston Street	Annandale	Petrol Station	Operational		25/07/2011	Premise Match	666m	North West
4620	Shell	Coles Express Stanmore	268-310 Parramatta Road	Stanmore	Petrol Station	Operational		25/07/2011	Premise Match	802m	West

National Liquid Fuel Facilities Data Source: Geoscience Australia Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

## **PFAS Investigation & Management Programs**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **EPA PFAS Investigation Program**

Sites that are part of the EPA PFAS investigation program, within the dataset buffer:

ld	Site	Address	Loc Conf	Dist	Dir
N/A	No records in buffer				

EPA PFAS Investigation Program: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

## **Defence PFAS Investigation Program**

Sites being investigated by the Department of Defence for PFAS contamination within the dataset buffer:

Map ID	Base Name	Address	Loc Conf	Dist	Dir
N/A	No records in buffer				

Defence PFAS Investigation Program Data Custodian: Department of Defence, Australian Government

# **Defence PFAS Management Program**

Sites being managed by the Department of Defence for PFAS contamination within the dataset buffer:

N	lap ID	Base Name	Address	Loc Conf	Dist	Dir
N	I/A	No records in buffer				

Defence PFAS Management Program Data Custodian: Department of Defence, Australian Government

## Airservices Australia National PFAS Management Program

Sites being investigated or managed by Airservices Australia for PFAS contamination within the dataset buffer:

Мар	ID	Site Name	Impacts	Loc Conf	Dist	Dir
N/A		No records in buffer				

Airservices Australia National PFAS Management Program Data Custodian: Airservices Australia

# **Defence Sites**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Defence 3 Year Regional Contamination Investigation Program**

Sites which have been assessed as part of the Defence 3 Year Regional Contamination Investigation Program within the dataset buffer:

Property ID	Base Name	Address	Known Contamination	Loc Conf	Dist	Dir
N/A	No records in buffer					

Defence 3 Year Regional Contamination Investigation Program, Data Custodian: Department of Defence, Australian Government

## **EPA Other Sites with Contamination Issues**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

# **EPA Other Sites with Contamination Issues**

This dataset contains other sites identified on the EPA website as having contamination issues. This dataset currently includes:

- · James Hardie asbestos manufacturing and waste disposal sites
- · Radiological investigation sites in Hunter's Hill
- · Pasminco Lead Abatement Strategy Area

### Sites within the dataset buffer:


Site Id	Site Name	Site Address	Dataset	Comments	Location Confidence	Distance	Direction
N/A	No records in buffer						

EPA Other Sites with Contamination Issues: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

## **Current EPA Licensed Activities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





# **EPA Activities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Licensed Activities under the POEO Act 1997**

Licensed activities under the Protection of the Environment Operations Act 1997, within the dataset buffer:


EPL	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
21149	ACCIONA INFRASTRUCTUR E PROJECTS AUSTRALIA PTY LTD		WestConnex between M4 East at Haberfield and the New M5 at St. Peters, MARRICKVILLE, NSW 2204		Road Construction	Road Match	132m	South West
21278	JOHN HOLLAND PTY LTD		WestConnex between the M4- M5 Mainline Tunnels and Rozelle, ROZELLE, NSW 2039		Road construction	Road Match	533m	North West
12208	SYDNEY TRAINS		SYDNEY TRAINS, HAYMARKET, NSW 1238		Railway systems activities	Network of Features	874m	South

POEO Licence Data Source: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

## **Delicensed & Former Licensed EPA Activities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





#### **EPA Activities**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Delicensed Activities still regulated by the EPA**

Delicensed activities still regulated by the EPA, within the dataset buffer:

Licence No	Organisation	Name	Address	Suburb	Activity	Loc Conf	Distance	Direction
289	SYDNEY SOUTH WEST AREA HEALTH SERVICE	ROYAL PRINCE ALFRED HOSPITAL	MISSENDEN ROAD	CAMPERDOWN	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	469m	East
12070	THE UNIVERSITY OF SYDNEY	The University of Sydney	Camperdown & Darlington Campuses	SYDNEY UNIVERSITY	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	508m	East
7244	APPAREL FITTINGS AUSTRALASIA PTY LTD C/- STAR DEAN- WILLCOCKS	APPAREL FITTINGS AUSTRALASIA PTY LTD	67 JOHN STREET	LEICHHARDT	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	894m	North West
11888	SYDNEY SOUTH WEST AREA HEALTH SERVICE	DEPARTMENT OF FORENSIC MEDICINE	50 PARRAMATTA ROAD	GLEBE	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	899m	East

Delicensed Activities Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

## Former Licensed Activities under the POEO Act 1997, now revoked or surrendered

Former Licensed activities under the Protection of the Environment Operations Act 1997, now revoked or surrendered, within the dataset buffer:


Licence No	Organisation	Location	Status	Issued Date	Activity	Loc Conf	Distance	Direction
4653	LUHRMANN ENVIRONMENT MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW	Surrendered	06/09/2000	Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	50m	-
4838	Robert Orchard	Various Waterways throughout New South Wales - SYDNEY NSW 2000	Surrendered	07/09/2000	Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	50m	-
6630	SYDNEY WEED & PEST MANAGEMENT PTY LTD	WATERWAYS THROUGHOUT NSW - PROSPECT, NSW, 2148	Surrendered	09/11/2000	Other Activities / Non Scheduled Activity - Application of Herbicides	Network of Features	50m	-
6068	THE PRETERM FOUNDATION	300 BRIDGE ROAD, CAMPERDOWN, NSW 2050	Surrendered	09/05/2000	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	657m	North East
6799	SUMMIT MOTORS PTY LIMITED	36 PARRAMATTA ROAD, GLEBE, NSW 2037	Surrendered	02/08/2000	Hazardous, Industrial or Group A Waste Generation or Storage	Premise Match	942m	East

Former Licensed Activities Data Source: Environment Protection Authority © State of New South Wales through the Environment Protection Authority

#### **Historical Business Directories**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





### **Historical Business Directories**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Business Directory Records 1950-1991 Premise or Road Intersection Matches**

Universal Business Directory records from years 1991, 1986, 1982, 1978, 1975, 1970, 1965, 1961 & 1950, mapped to a premise or road intersection within the dataset buffer:

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	Handbag Mfrs &/or W/salers	Buffers Belts., 206 Parramatta Rd., Camperdown. 2050	48123	1991	Premise Match	0m	On-site
	Belt Mfrs &/or Dists Ladies &/or Gents	Buttler Belts, 206 Parramatta Rd, Camperdown 2050	35877	1991	Premise Match	0m	On-site
	NAME PLATE MFRS. &/OR DISTS.(N0250)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	60291	1982	Premise Match	0m	On-site
	PLASTIC DISPLAY UNITS. (P5660)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	64575	1982	Premise Match	0m	On-site
	PLASTIC SIGNS &/OR LETTERS MFRS. &/OR DISTS. (P6400)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	65052	1982	Premise Match	0m	On-site
	PRICE TICKETING SYSTEM MFRS.(P8240)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	65858	1982	Premise Match	0m	On-site
	SIGN MFRS. (S3360)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	74858	1982	Premise Match	0m	On-site
	BUILDING DIRECTORY SIGN &/OR LETTERING EQUIPMENT MFRS.&/OR SUPPLIERS. (B7240)	Movitex S. Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050.	10026	1982	Premise Match	0m	On-site
	DIESEL ENGINES DISTS.	Movigraph Systems Pty. Ltd. 206 Parramatta Road., Camperdown 2050	19019	1978	Premise Match	0m	On-site
	PLASTIC SIGNS &/OR LETTERS MFRS.	Movitax & Movigraph System Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	58036	1978	Premise Match	0m	On-site
	DIRECTORY & NOTICE BOARDS.	Movitex & Movigraph Systems 206 Parramatta Road Camperdown 2050	19029	1978	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty Ltd 206 Parramatta Road, Camperdown 2050	54519	1978	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty Ltd 206 Parramatta Road, Camperdown. 2050	54523	1978	Premise Match	0m	On-site
	NAME PLATE MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty Ltd, 206 Parramatta Rd, Camperdown 2050	53732	1978	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty Ltd, 206 Parramatta Rd, Camperdown 2050	54580	1978	Premise Match	0m	On-site
	BUILDING DIRECTORY SIGN &/OR LETTERING EQUIPMENT MFRS. &/OR SUPPLIERS.	Movitex & Movigraph Systems Pty. Ltd, 206 Parramatta Rd, Camperdown. 2050	8426	1978	Premise Match	0m	On-site
	ADVERTISING-DISPLAY SPECIALISTS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	1495	1978	Premise Match	0m	On-site
	PLASTIC DISPLAY UNITS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	57533	1978	Premise Match	0m	On-site

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	PRICE TICKETING SYSTEM MFRS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	58773	1978	Premise Match	0m	On-site
	SIGN MFRS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	66276	1978	Premise Match	0m	On-site
	CHARTS - RECORDING INSTRUMENTS.	Movietex & Moviegraph Systems 206 Parramatta Rd., Camperdown. 2050	14351	1975	Premise Match	0m	On-site
	NAME PLATE MFRS. &/OR DISTS.	Movitax & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	63321	1975	Premise Match	0m	On-site
	PLASTIC SIGNS &/OR LETTERS MFRS.	Movitax & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	68296	1975	Premise Match	0m	On-site
	ADVERTISING-DISPLAY SPECIALISTS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd, Camperdown. 2050	1194	1975	Premise Match	0m	On-site
	BUILDING DIRECTORY SIGN &/OR LETTERING EQUIPMENT MFR& &/OR SUPPLIERS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd, Camperdown. 2050	9482	1975	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	64398	1975	Premise Match	0m	On-site
	PLASTIC DISPLAY UNITS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	67743	1975	Premise Match	0m	On-site
	SIGN MFRS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	77568	1975	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS. &/OR DISTS.	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Road., Camperdown, 2050	64341	1975	Premise Match	0m	On-site
	PRICE TICKETING SYSTEM MFRS.	Movitex & Movlgraph System Pty. Ltd., 206 Parramatta Rd., Camperdown. 2050	69160	1975	Premise Match	0m	On-site
	ELECTRIC SIGN MANUFACTURERS &/OR INSTALLERS (E240)	Movitex & Movi graph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	294354	1970	Premise Match	0m	On-site
	CHARTS & GRAPH SYSTEMS	MOVITEX & MOVIGRAPH SYSTEMS PTY LTD., 206 PARRAMATTA RD., CAMPERDOWN, 2050	279154	1970	Premise Match	0m	On-site
	BUILDING DIRECTORY SIGNS & LETTERING EQUIPMENT MFRS. &/OR SUPPLIERS (B818)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown 2050	271711	1970	Premise Match	0m	On-site
	ADVERTISING DISPLAY SPECIALISTS	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	260178	1970	Premise Match	0m	On-site
	DISPLAY MACHINES- WINDOW-MANUFACTURERS (D360)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	289817	1970	Premise Match	0m	On-site
	HIRING SERVICES (H436)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	316273	1970	Premise Match	0m	On-site
	OFFICE EQUIPMENT MFRS./DISTRIBUTORS	MOVITEX & MOVIGRAPH SYSTEMS PTY. LTD., 206 PARRAMATTA RD., CAMPERDOWN, 2050	344712	1970	Premise Match	0m	On-site
	PLASTIC DISPLAY UNITS (P553)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	349472	1970	Premise Match	0m	On-site
	PLASTIC SIGNS,LETTER MFRS. (P590)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	350148	1970	Premise Match	0m	On-site
	PRICE TICKETING SYSTEM MFRS.(P778)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050	351605	1970	Premise Match	0m	On-site
	NAME PLATE MFRS. (N040)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050.	343279	1970	Premise Match	0m	On-site

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	OFFICE EQUIPMENT MFRS./DISTRIBUTORS	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050.	344713	1970	Premise Match	0m	On-site
	SIGN MANUFACTURERS (S317)	Movitex & Movigraph Systems Pty. Ltd., 206 Parramatta Rd., Camperdown, 2050.	361545	1970	Premise Match	0m	On-site
	ELECTROPLATERS	Alfa Plating Works., 6 Mathieson St., Camperdown	303822	1961	Premise Match	0m	On-site
	MOTOR ACCESSORIES—MFRS.	Ogilvie, A. J., 6 Mathleson St., Camperdown	343916	1961	Premise Match	0m	On-site
	ELECTROPLATERS	Alfa Plating Works, 6 Mathieson St., Camperdown	39114	1950	Premise Match	0m	On-site
	ELECTROPLATERS	Ogilvie, I. M., Mathieson St., Camperdown	39232	1950	Premise Match	0m	On-site
	FOUNDERS-NON-FERROUS	Ogilvie, T. M., Mathieson St., Camperdown	47893	1950	Premise Match	0m	On-site
	MOTOR ACCESSORIES- MANUFACTURERS	Oglivie, A. J., 6 Mathieson St., Camperdown	81879	1950	Premise Match	0m	On-site
2	Motor Car/Truck Dealers - New/Used	Pearce Motor Sales, 128 Pyrmont Bridge Rd., Camperdown	120867	1965	Premise Match	0m	On-site
	MOTOR CAR/TRUCK DEALERS—NEW/USED	Pearce Motor Sales, 128 Pyrmont Bridge Rd., Camperdown	345300	1961	Premise Match	0m	On-site
	MOTOR CAR & TRUCK DEALERS-USED	Pearce Motor Sales, 128 Pyrmont Bridge Rd., Camperdown	82510	1950	Premise Match	0m	On-site
3	COSMETIC CONTAINER MANUFACTURERS	Popolare Metal Stamping Co. Pty. Ltd., 130 Pyrmont Bridge Rd., Camperdown	29190	1950	Premise Match	0m	On-site
	METAL PRESSERS & STAMPERS	Popolare Metal Stamping Co. Pty. Ltd., 130 Pyrmont Bridge Rd., Camperdown	76022	1950	Premise Match	0m	On-site
	DIE & PRESS TOOL MAKERS	Popolare Metal Stamping Pty. Ltd., 130 Pyrmont Bridge Rd., Camperdown	32735	1950	Premise Match	0m	On-site
4	Scientific Apparatus Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd Camperdown 2050	61632	1991	Premise Match	0m	North East
	Medical Equipment &/or Repairs	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown 2050	51494	1991	Premise Match	0m	North East
	Instrument Industrial Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown. 2050	49190	1991	Premise Match	0m	North East
	Instrument Measuring Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown.2050	49252	1991	Premise Match	0m	North East
	Instrument Optical Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown.2050	49290	1991	Premise Match	0m	North East
	Instrument Scientific Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown.2050	49325	1991	Premise Match	0m	North East
	Instrument Surveying Geodetic &/or Geophysical Mfrs &/or Imps &/or Dists	Carl Zeiss Pty Ltd, 114 Pyrmont Bridge Rd., Camperdown.2050	49359	1991	Premise Match	0m	North East
	Optical Supplies &/or Equipment Mfrs &/or W/Salers	Carl Zeiss Pty. Ltd., 114 Prymont Bridge Rd Camperdown 2050	56247	1991	Premise Match	0m	North East
	Photographic Equipment &/or Supplies Mfrs. &/or Imps. &/or Dists.	Carl Zeiss Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown 2050	97088	1991	Premise Match	0m	North East
	SCIENTIFIC APPARATUS MFRS. &/OR IMPS. &/OR DISTS.	Zeisa, Carl Pty Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	85073	1986	Premise Match	0m	North East
	INSTRUMENT-INDUSTRIAL- MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	48322	1986	Premise Match	0m	North East
	INSTRUMENT-MEASURING- MFRS, &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	48420	1986	Premise Match	0m	North East
	INSTRUMENT-OPTICAL-MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	48428	1986	Premise Match	0m	North East
	INSTRUMENT-SCIENTIFIC ¬MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	48547	1986	Premise Match	0m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
4	MEDICAL EQUIPMENT &/OR SUPPLIES MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	53349	1986	Premise Match	0m	North East
	MEDICAL SUPPLIES.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	58486	1986	Premise Match	0m	North East
	OPTICAL SUPPLIES MFRS. &/OR W/SALERS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	70776	1986	Premise Match	0m	North East
	SAFETY EQUIPMENT MFRS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	84214	1986	Premise Match	0m	North East
	INSTRUMENT-SCIENTIFIC ¬MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Road, Camperdown. 2050	48465	1986	Premise Match	0m	North East
	PHOTOGRAMMETRIC EQUIPMENT.	Zelss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	72793	1986	Premise Match	0m	North East
	MEDICAL SUPPLIES. (M2040)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd. Camperdown. 2050.	51012	1982	Premise Match	0m	North East
	INSTRUMENTS - INDUSTRIAL - MFRS. &/OR DISTS. (12900)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	42219	1982	Premise Match	0m	North East
	INSTRUMENTS - MEASURING - MFRS. &/OR IMPS. &/OR DISTS(13100)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	42293	1982	Premise Match	0m	North East
	INSTRUMENTS - OPTICAL - MFRS.&/OR DISTS. (I3210)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	42317	1982	Premise Match	0m	North East
	INSTRUMENTS - SCIENTIFIC MFRS.&/OR DISTS. &/OR IMPS. (13350)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	42426	1982	Premise Match	0m	North East
	INSTRUMENTS - SURVEYING GEODETIC &/OR GEOPHYSICAL DISTS. (13400)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	42438	1982	Premise Match	0m	North East
	MEDICAL EQUIPMENT MFRS. &/OR DISTS. (M1960)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	46920	1982	Premise Match	0m	North East
	OPTICAL SUPPLIES MFRS. &/OR W/SALERS. (O3350)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	61775	1982	Premise Match	0m	North East
	PHOTOGRAMMETRIC EQUIPMENT. (P3400)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	63444	1982	Premise Match	0m	North East
	PHOTOGRAPHIC EQUIPMENT - MFRS. &/OR DISTS. (P3820)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	63812	1982	Premise Match	0m	North East
	SAFETY EQUIPMENT MFRS. &/OR DISTS. (S0195)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	72854	1982	Premise Match	0m	North East
	SCIENTIFIC APPARATUS MFRS.&/OR DISTS. (S1530)	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050.	73636	1982	Premise Match	0m	North East
	OPTICAL SUPPLIES MFRS. &/OR W/SALERS.	Zeiss, Carl Pty Ltd, 114 Pyrmont Bridge Rd, Camperdown 2050	54943	1978	Premise Match	0m	North East
	INSTRUMENTS-OPTICAL- MFRS. &/OR DISTS.	Zeiss, Carl Pty. Ltd, 114 Pyrmont Bridge Rd, Camperdown. 2050	37649	1978	Premise Match	0m	North East
	INSTRUMENTS-SCIENTIFIC MFRS. &/OR DISTS. &/OR IMPS.	Zeiss, Carl Pty. Ltd. 114 Pyrmont bridge Rd., Camperdown. 2050	37687	1978	Premise Match	0m	North East
	INSTRUMENTS-MEASURING- MFRS. &/OR IMPS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	37624	1978	Premise Match	0m	North East
	INSTRUMENTS-SCIENTIFIC MFRS. &/OR DISTS. &/OR IMPS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	37767	1978	Premise Match	0m	North East
	INSTRUMENTS-SURVEYING GEODETIC &/OR GEOPHYSICAL DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	37780	1978	Premise Match	0m	North East
	PHOTOGRAMMETRIC EQUIPMENT	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	56499	1978	Premise Match	0m	North East
	PHOTOGRAPHIC EQUIPMENT-MFRS.&/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	56781	1978	Premise Match	0m	North East
	PICTURE THEATRE EQUIPMENT &/OR SUPPLIES.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	57072	1978	Premise Match	0m	North East
	SCIENTIFIC APPARATUS MFRS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	65148	1978	Premise Match	0m	North East
	INSTRUMENTS-MEASURING-MFRS.&/OR IMPS. &/OR DISTS.	Zeiss Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	44513	1975	Premise Match	0m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
4	INSTRUMENTS-OPTICAL- MFRS &/OR DISTS.	Zeiss Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	44538	1975	Premise Match	0m	North East
	INSTRUMENTS-SCIENTIFIC MFRS- &/OR DISTS. &/OR IMPS.	Zeiss Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	44676	1975	Premise Match	0m	North East
	INSTRUMENTS-SURVEYING GEODETIC &/OR GEOPHYSICAL DISTS.	Zeiss Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	44694	1975	Premise Match	0m	North East
	SCIENTIFIC APPARATUS MFRS &/OR DISTS	Zeiss Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	76105	1975	Premise Match	0m	North East
	OPTICAL SUPPLIES MFRS. &/OR W/SALERS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	64828	1975	Premise Match	0m	North East
	PHOTOGRAMMETRIC EQUIPMENT.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	66573	1975	Premise Match	0m	North East
	PHOTOGRAPHIC EQUIPMENT-MFRS. &/OR DISTS.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	66924	1975	Premise Match	0m	North East
	PICTURE THEATRE EQUIPMENT &/OR SUPPLIES.	Zeiss, Carl Pty. Ltd., 114 Pyrmont Bridge Rd., Camperdown. 2050	67212	1975	Premise Match	0m	North East
5	Sheet Metal Workers	Model Engineering Products Pty. Ltd., Cahill & Mathieson St., Camperdown	144011	1965	Road Intersection	7m	North West
	SPRAYERSINDUSTRIAL	Model Engineering Products Pty. Ltd., Cahill & Mathieson Sts., Camperdown	146776	1965	Road Intersection	7m	North West
	Engineers General &/or Mfrg. &/or Mechanical	Model Engineering Products Pty. Ltd., Cahill St. & Mathleson St., Camperdown	82658	1965	Road Intersection	7m	North West
6	Kitchen Units Mfrs &/or Dists &/or Installers	A Plan Self Assembly Kitchens, 208 Parramatta Rd., Camperdown. 2050	50078	1991	Premise Match	9m	South West
	Builders Supplies	Builders Bargain Centre., 208 Parramatta Rd., Camperdown 2050	37083	1991	Premise Match	9m	South West
	BUILDERS SUPPLIERS. (B7060)	Homes & Builders Bargain Centre, 208 Parramatta Rd., Camperdown. 2050.	9787	1982	Premise Match	9m	South West
	BUILDERS SUPPLIERS.	Bargain Centre. 208 Parramatta Rd., Camperdown. 2050	8148	1978	Premise Match	9m	South West
	ENGINEER'S SUPPLIES	S & B Machinery Pty. Ltd., 208 Parramatta Rd, Camperdown. 2050.	30689	1975	Premise Match	9m	South West
	SPRAYING EQUIPMENT MFRS. &/OR DISTS.	S. & B. Machinery Pty. Ltd., 208 Parramatta Rd., Camperdown.	79416	1975	Premise Match	9m	South West
	AIR COMPRESSOR MFRS. &/OR DISTS.	S. & B. Machinery Pty. Ltd., 208 Parramatta Rd., Camperdown. 2050	1581	1975	Premise Match	9m	South West
	OIL-LUBERICATING MFRS. &/OR SUPPLIERS	S. & B. Machinery Pty. Ltd., 208 Parramatta Rd., Camperdown. 2050	64732	1975	Premise Match	9m	South West
	STATION &/OR FARM SUPPLIES.	S. & B. Machinery Pty. Ltd., 208 Parramatta Rd., Camperdown. 2050	79732	1975	Premise Match	9m	South West
	WIRE ROPE MERCHANTS.	S. & B. Machinery Pty. Ltd., 208 Parramatta Rd., Camperdown. 2050	87613	1975	Premise Match	9m	South West
	ENGINEERS-GENERAL &/OR MFRG.&/OR MECHANICAL (E615)	Stead & Baker Pty Pty. Ltd., 208 Parramatta Rd., Camperdown	299641	1970	Premise Match	9m	South West
	TRANSMISSION BELTING MFRS. &/OR DISTS	Stead & Baker Pty. Ltd, 208 Parramatta Rd, Camperdown	370897	1970	Premise Match	9m	South West
	WIRE ROPE MERCHANTS (W340)	Stead & Baker Pty. Ltd, 208 Parramatta Rd, Camperdown	374874	1970	Premise Match	9m	South West
	BELTING-LEATHER, RUBBER, PLASTIC,ETCMFRS. &/OR DISTS. (B325)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	266974	1970	Premise Match	9m	South West
	ENGINEERS-STEAM (E760)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	301007	1970	Premise Match	9m	South West
	HACKSAW MACHINERY MFRS. (H030)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	313542	1970	Premise Match	9m	South West
	METER & METER EQUIPMENT MFRS./IMPS./DISTS. (M324)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	330233	1970	Premise Match	9m	South West
	OILS-LUBRICATING- MERCHANTS(O 200)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	345177	1970	Premise Match	9m	South West
	PUMP MANUFACTURERS &/OR DISTRIBUTORS (P906)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	353836	1970	Premise Match	9m	South West

lap Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
6	FOUNDERS-NON-FERROUS (F540)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	306148	1970	Premise Match	9m	South West
	SPRAYING EQUIPMENT MFRS. &/OR DISTRIBUTORS (S464)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	363846	1970	Premise Match	9m	South West
	STATION/FARM SUPPLIES (S504)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	364255	1970	Premise Match	9m	South West
	VALVES/COCKS (STEAM/LIQUID,Etc.) MFRS./DISTS.(V065)	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	372415	1970	Premise Match	9m	South West
	AIR COMPRESSOR MFRS. &/OR DISTS. (A245)	Stead & Baker, 208 Parramatta Rd., Camperdown	260771	1970	Premise Match	9m	South West
	SIGN MANUFACTURERS	Neon Tube Lighting Displays, 208 Parramatta Rd., Camperdown	144813	1965	Premise Match	9m	South West
	Belting - Leather, Rubber, Etc. Mfrs. &/or Dists.	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	51500	1965	Premise Match	9m	South West
	Engineers - Steam	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	84218	1965	Premise Match	9m	South West
	Founders - Non-Ferrous	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	89519	1965	Premise Match	9m	South West
	Hacksaw Machinery Mfrs.	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	97675	1965	Premise Match	9m	South West
	Motor Accessories - Dealers	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	119641	1965	Premise Match	9m	South West
	Motor Accessories - W'sale	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	119884	1965	Premise Match	9m	South West
	Motor Spare Parts Dealers - Retail	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	126656	1965	Premise Match	9m	South West
	Piston Ring Manufacturers &/or Distributors	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	133456	1965	Premise Match	9m	South West
	SPRAYING EQUIPMENT MFRS. &/OR DISTRIBUTORS	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	146826	1965	Premise Match	9m	South West
	STATION/FARM SUPPLIES	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	147199	1965	Premise Match	9m	South West
	Transmission Belting Dists.	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	153753	1965	Premise Match	9m	South West
	Valves - Steam, Water - Mfrs./Dists.	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	155264	1965	Premise Match	9m	South West
	Valves/Cocks, Etc. Mfrs.	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	155212	1965	Premise Match	9m	South West
	Wire Rope Merchants	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	157696	1965	Premise Match	9m	South West
	Engineers General &/or Mfrg. &/or Mechanical	Stead & Baker Pty. Ltd., 268 Parramatta Rd., Camperdown	82893	1965	Premise Match	9m	South West
	Air Compressor Mfrs. &/or Dists.	Stead & Baker., 208 Parramatta Rd., Camperdown	45657	1965	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS / DYERS	Lawrence Dry Cleaners Pty. Ltd., 208 Parramatta Rd., Camperdown	299159	1961	Premise Match	9m	South West
	FLUORESCENT LIGHTING EQUIPMENT MANUFACTURERS	Neon Tube Lighting Display, (Stead & Baker), 208 Parramatta Rd., Camperdown	312216	1961	Premise Match	9m	South West
	BRASS FITTINGS & BRASSWARE MANUFACTURERS	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	275670	1961	Premise Match	9m	South West
	STATION/FARM SUPPLIES	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown	252807	1961	Premise Match	9m	South West
	FOUNDERS-NON-FERROUS	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	313720	1961	Premise Match	9m	South West
	MOTOR SPARE PARTS DEALERS—RETAIL	Stead & Baker Pty. Ltd., 208 Parramatta Rd., Camperdown.	351747	1961	Premise Match	9m	South West
	ELECTRIC SIGN MANUFACTURERS &/OR INSTALLERS	Stead & Baker, 208 Parramatta Rd., Camperdown	301252	1961	Premise Match	9m	South West
	FLUORESCENT LIGHTING SPEC.	Stead & Baker, 208 Parramatta Rd., Camperdown	312289	1961	Premise Match	9m	South West
	MOTOR SPARE PARTS MFRS. &/OR WHOLESALERS	Stead & Baker, 208 Parramatta Rd., Camperdown	351927	1961	Premise Match	9m	South West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
6	DRY CLEANERS, PRESSERS & DYERS	Lawrence Dry Cleaners, 212 Parramatta Rd Camperdown	35398	1950	Premise Match	9m	South West
7	Umbrella Mfrs &/or Wsalers	Arnold House Pty Ltd, 16 Cahill St Camperdown 2050	65374	1991	Premise Match	9m	North
8	FURNITURE-GENERAL-MFRS. &/OR W/SALERS.	Legend Furniture, 2 Mathieson St., Camperdown. 2050	36744	1975	Premise Match	9m	North West
	FURNITURE-LOUNGE SUITES- MFRS.&/OR W'SALERS (F755)	Fairweather, W. O. & Son Pty. Ltd., 2 Mathieson St., Camperdown 2050	309733	1970	Premise Match	9m	North West
	CABINETMAKERS (C006)	Fairweather, W. O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	275128	1970	Premise Match	9m	North West
	FURNITURE-PERIOD-MFRS. &/OR WHOLESALERS (F780)	Fairweather, W. O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	310024	1970	Premise Match	9m	North West
	CHAIR MANUFACTURERS (C239)	Fairweather, W.O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	279101	1970	Premise Match	9m	North West
	FURNITURE-BEDROOM- MFRS. &/OR WHOLESALERS	Fairweather, W.O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	308989	1970	Premise Match	9m	North West
	UPHOLSTERERS (U050)	Fairweather, W.O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	372047	1970	Premise Match	9m	North West
	WOODWORKERS/TURNERS (W410)	Fairweather, W.O. & Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	375036	1970	Premise Match	9m	North West
	FRENCH POLISHERS (F597)	Fairweather, W.O.& Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	306252	1970	Premise Match	9m	North West
	FURNITURE-GENERAL-MFRS. &/OR WHOLESALERS (F730)	Fairweather, W.O.& Son Pty. Ltd., 2 Mathieson St., Camperdown, 2050	309211	1970	Premise Match	9m	North West
	Furniture - Lounge Suites - Mfrs. &/or W'Salers	Fairweather, W. O. & Son, Mathieson St., Camperdown	93784	1965	Premise Match	9m	North West
	Furniture - Bedroom - Mfrs. &/or Wholesalers	Fairweather, W. O. & Son., Mathieson St., Camperdown	92839	1965	Premise Match	9m	North West
	Furniture - General - Mfrs. &/or Wholesalers	Fairweather, W. O. & Son., Mathieson St., Camperdown	93251	1965	Premise Match	9m	North West
	Furniture - Period - Mfrs. &/or Wholesalers	Fairweather, W. O. & Son., Mathieson St., Camperdown	158627	1965	Premise Match	9m	North West
	Woodworkers/Turners	Fairweather, W. O. & Son., Mathieson St., Camperdown	157875	1965	Premise Match	9m	North West
	Upholsterers	Fairweather, W. O. and Son, Mathieson St., Camperdown	154892	1965	Premise Match	9m	North West
	Cabinetmakers	Fairweather, W. O., Mathieson St., Camperdown	59911	1965	Premise Match	9m	North West
	Chair Manufacturers	Fairweather, W. O., Mathieson St., Camperdown	63875	1965	Premise Match	9m	North West
	French Polishers	Fairweather, W. O., Mathieson St., Camperdown	89619	1965	Premise Match	9m	North West
	WOODWORKERS/TURNERS	Fairweather, W. O. & Son, 2 Mathieson St., Camperdown	263618	1961	Premise Match	9m	North West
	FURNITURE-GENERAL-MFRS. &/OR WHOLESALERS	Fairweather, W. O. & Son, Mathieson St., Camperdown	317492	1961	Premise Match	9m	North West
	UPHOLSTERERS	Fairweather, W. O. and Son, Mathieson St., Camperdown	260455	1961	Premise Match	9m	North West
	CHAIR MANUFACTURERS	Fairweather. W. O., Mathieson St., Camperdown	286325	1961	Premise Match	9m	North West
	FURNITURE MANUFACTURERS & WHOLESALERS-GENERAL	Fairweather, W. O. and Son, Mathieson St., Camperdown	52705	1950	Premise Match	9m	North West
	UPHOLSTERERS	Fairweather, W. O. and Son, Mathieson St., Camperdown	111180	1950	Premise Match	9m	North West
	CABINETMAKERS	Fairweather, W. O., Mathieson St., Camperdown	14893	1950	Premise Match	9m	North West
	CHAIR MANUFACTURERS	Fairweather, W. O., Mathieson St., Camperdown	20812	1950	Premise Match	9m	North West
	FRENCH POLISHERS	Fairweather, W. O., Mathieson St., Camperdown	48054	1950	Premise Match	9m	North West
9	CONFECTIONERY MFRS. &/OR W/SALERS. (C7366)	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown. 2050.	17818	1982	Premise Match	13m	North West
	CONFECTIONERY MFRS. &/OR W/SALERS.	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown. 2050	16117	1978	Premise Match	13m	North West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
9	CONFECTIONERS-MFRS. &/OR W/SALERS.	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown. 2050	18631	1975	Premise Match	13m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown	285408	1970	Premise Match	13m	North West
	Confectioners - Manufacturing &/or Wholesale	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown	70034	1965	Premise Match	13m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Cains Confectionery Co. Pty. Ltd., 11 Mathieson St., Camperdown	292587	1961	Premise Match	13m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Cains Confectionery Co., Matheson St., Camperdown	28540	1950	Premise Match	13m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Cains Confectionery Co., Mathieson St., Camperdown	28541	1950	Premise Match	13m	North West
10	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Camperdown Car Club Co. Pty. Limited, Cnr. Parramatta & Pyrmont Rds. CAMPERDOWN	350437	1961	Road Intersection	14m	South
11	Bath, Basin &/or Sink Mfrs &/or Dists	Bathrooms International Aust. Pty Ltd, 112 Pyrmont Bridge Rd, Camperdown 2050	35657	1991	Premise Match	17m	North East
	Plumbers Supplies	Bathrooms International Aust. Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown. 2050	58236	1991	Premise Match	17m	North East
	Tile Floor &/or Wall Mfrs &/or Imps &/or Merchants	Renditions Pty Ltd, 112 Pyrmont Bridge Rd Camperdown 2050	64248	1991	Premise Match	17m	North East
	Tile Layers Floor &/or Wall	Renditions Pty Ltd, 112 Pyrmont Bridge Rd Camperdown 2050	64280	1991	Premise Match	17m	North East
	NAME PLATE MFRS. &/OR DISTS.	Movitex Systems Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown. 2050	69067	1986	Premise Match	17m	North East
	PLASTIC SIGNS &/OR LETTERS MFRS. &/OR DISTS.	Movitex Systems Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown. 2050	74839	1986	Premise Match	17m	North East
	PRICE TICKETING SYSTEM MFRS.	Movitex Systems Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown. 2050	75850	1986	Premise Match	17m	North East
	BUILDING DIRECTORY SIGN &/OR LETTERING EQUIPMENT MFRS. &/OR SUPPLIERS.	Movitex Systems Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown.2050	8903	1986	Premise Match	17m	North East
	SIGN MFRS. &/OR DISTS.	MovItex Systems Pty. Ltd., 112 Pyrmont Bridge Rd., Camperdown. 2050	86732	1986	Premise Match	17m	North East
	PLASTIC SIGNS &/OR LETTERS MFRS. &/OR DISTS. (P6400)	Achurch Signs, 112 Pyrmont Bridge Rd., Camperdown. 2050.	65036	1982	Premise Match	17m	North East
	SHEET METAL WORKERS. (S2595)	Achurch Signs, 112 Pyrmont Bridge Rd., Camperdown. 2050.	74215	1982	Premise Match	17m	North East
	SIGN MFRS. (S3360)	Achurch Signs, 112 Pyrmont Bridge Rd., Camperdown. 2050.	74811	1982	Premise Match	17m	North East
	SIGN MFRS.	Achurch Signs, 112 Pyrmont Bridge Rd., Camperdown. 2050	66239	1978	Premise Match	17m	North East
	PLASTIC SIGNS &/OR LETTERS MFRS.	Achurch Signs. 112 Pyrmont Bridge Rd., Camperdown. 2050	58023	1978	Premise Match	17m	North East
	PLASTIC SIGNS &/OR LETTERS MFRS.	Achurch Signs., 112 Pyrmont Bridge Rd., Camperdown. 2050	68282	1975	Premise Match	17m	North East
	SIGNWRITERS.	Achurch Signs., 112 Pyrmont Bridge Rd., Camperdown. 2050	77596	1975	Premise Match	17m	North East
	METAL PRESSERS/STAMPERS (M268)	Kerr, F. G. & Co. Ltd., 106 Pyrmont Bridge Rd., Camperdown	329961	1970	Premise Match	17m	North East
	GALVANISING & TINNING (G030)	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	310210	1970	Premise Match	17m	North East
	SHEET METAL WORKERS (S230)	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	360655	1970	Premise Match	17m	North East
	STAINLESS STEEL FABRICATORS(S483)	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	364069	1970	Premise Match	17m	North East
	WELDERS-ELECTRIC &/OR OXY	Kerr, F.G.& Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	373755	1970	Premise Match	17m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
11	Galvanising & Tining	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	94405	1965	Premise Match	17m	North East
	Sheet Metal Workers	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	143970	1965	Premise Match	17m	North East
	STAINLESS STEEL FABRICATORS	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	147034	1965	Premise Match	17m	North East
	Welders - Electric &/or Oxy	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	156577	1965	Premise Match	17m	North East
	Metal Pressers/Stampers	Kerr, F. G. & Co. Ltd., Cnr. Gordon St. & Pyrmont Bridge Rd., Camperdown	114453	1965	Premise Match	17m	North East
	METAL WORKERS—GENERAL	Kerr, F. G. & Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	338489	1961	Premise Match	17m	North East
	TINSMITHS	Kerr, F. G. & Co. Ltd., 112 Pyrmont Bridge Rd., Camperdown	257662	1961	Premise Match	17m	North East
	METAL PRESSERS/STAMPERS	Kerr, F. G. & Co. Ltd., Cnr. Gordon St. & Pyrmont Bridge Rd., Camperdown	338247	1961	Premise Match	17m	North East
	SHEET METAL WORKERS	Kerr, F. G. & Co. Ltd., Cnr. Gordon St. & Pyrmont Bridge Rd., Camperdown	249324	1961	Premise Match	17m	North East
	WELDERS-ELECTRIC &/OR OXY	Kerr, F. G. & Co. Ltd., Cnr. Gordon St. & Pyrmont Bridge Rd., Camperdown	262208	1961	Premise Match	17m	North East
	SHEET METAL WORKERS	Kerr, F. G. &. Co. Ltd., 106-120 Pyrmont Bridge Rd., Camperdown	249325	1961	Premise Match	17m	North East
	METAL WORKERS-GENERAL	Kerr, F. G. and Co. Ltd., 112 Pyrmont Bridge Rd., Camperdown	76148	1950	Premise Match	17m	North East
	SHEET METAL WORKERS	Kerr, F. G. and Co. Ltd., 112 Pyrmont Bridge Rd., Camperdown	101741	1950	Premise Match	17m	North East
	WELDERS-ELECTRIC &/OR OXY	Kerr, F. G. and Co. Ltd., 112 Pyrmont Bridge Rd., Camperdown	112881	1950	Premise Match	17m	North East
	CANISTER & DRUM MANUFACTURERS	Kerr, F. G. and Co. Ltd., Pyrmont Bridge Rd., Camperdown	17479	1950	Premise Match	17m	North East
	GALVANISING	Kerr, F. G. and Co. Ltd., Pyrmont Bridge Rd., Camperdown	53922	1950	Premise Match	17m	North East
	DAIRY MACHINERY MFRS. &/OR DEALERS	Kerr, F. G. and Co. Pty. Ltd., Pyrmont Bridge Rd., Camperdown	30129	1950	Premise Match	17m	North East
12	Motor Garages & Service Stations	Esso Service Centre, 200 Parramatta Rd., Camperdown 2050	53731	1991	Premise Match	20m	East
	MOTOR GARAGES & SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	64664	1986	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050.	56730	1982	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Servicenter, 200 Parramatta Rd., Camperdown.	50008	1978	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS.	Esso Servicenter 200 Parramatta Rd., Camperdown.	58839	1975	Premise Match	20m	East
	SANDWICH &/OR LUNCHEON SHOPS.	Parramatta Road, Gordon St. Milk & Sandwich Bar., 198 Parramatta Rd., Camperdown. 2050	75429	1975	Premise Match	20m	East
	MOTOR GARAGES & ENGINEERS(M6S6)	Esso Servicenter, Parramatta Rd. CAMPERDOWN	337771	1970	Premise Match	20m	East
	SANDWICH/LUNCHEON SHOPS (S065)	Parramatta Road-Gordon Street Milk & Sandwich Bar, 198 Parramatta Rd., Camperdown	358855	1970	Premise Match	20m	East
	Sandwich & Luncheon Shops	Parramatta Road-Gordon Street Milk & Sandwich Bar., 198 Parramatta Rd., Camperdown	142092	1965	Premise Match	20m	East
	FOUNDERS-NON-FERROUS	Watson and Crane Pty. Ltd. 194 Parramatta Rd., Camperdown	47951	1950	Premise Match	20m	East
	BRASS FINISHERS	Watson and Crane Pty. Ltd., 194 Parramatta Rd., Camperdown	11179	1950	Premise Match	20m	East
	DIE & PRESS TOOL MAKERS	Watson and Crane Pty. Ltd., 194 Parramatta Rd., Camperdown	32766	1950	Premise Match	20m	East
	METAL PRESSERS & STAMPERS	Watson and Crane Pty. Ltd., 194 Parramatta Rd., Camperdown	76054	1950	Premise Match	20m	East
13	TAILORS - MANUFACTURING. (T0100)	Angelo, V'Dal, 210 Parramatta Rd., Camperdown. 2050	78056	1982	Premise Match	26m	South West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
13	MERCERS - MENS &/OR BOYS OUTFITTERS. (M2120)	Angelo, V'Dal, 210 Parramatta Rd., Camperdown. 2050.	51063	1982	Premise Match	26m	South West
	MERCERS-MENS &/OR BOYS OUTFITTERS.	Angelos, 210 Parramatta Rd., Camperdown. 2050	44816	1978	Premise Match	26m	South West
	TAILORS-MANUFACTURING.	Angelos, 210 Parramatta Rd., Camperdown. 2050	69159	1978	Premise Match	26m	South West
14	TRADE UNIONS	Gas Industry Salaried Officers' Federation (N.S.W. Branch), 169 Parramatta Rd., Annandale	259015	1961	Premise Match	27m	South
	TRADE UNIONS	Gas Light Company's Salaried Officers' Association, The. Australian, 169 Parramatta Rd., Annandale	259016	1961	Premise Match	27m	South
15	CLOTHING - MENS & BOYS WEAR MFRS. &/OR W/SALERS. (C5657)	Flamar Sports Pty. Ltd., 212 Parramatta Rd., Camperdown. 2050	16903	1982	Premise Match	41m	South West
	CLOTHING - MENS & BOYS WEAR MFRS. &/OR W/SALERS.	Fiamar Sport Pty. Ltd., 212 Parramatta Rd., Camperdown. 2050	15157	1978	Premise Match	41m	South West
	MOTOR SPARE PARTS DEALERS-RETAIL (M728)	Harden & Johnston (Sales) Pty. Ltd., 212 Parramatta Rd., Camperdown	341850	1970	Premise Match	41m	South West
	MOTOR CAR/TRUCK DEALERS-NEW/USED (M520)	Harden & Johnston (Sales) Pty. Ltd., 212-220 Parramatta Rd., Camperdown	336002	1970	Premise Match	41m	South West
	MILLINERY - MANUFACTURERS &/OR WHOLESALERS	Morley, Jones Pty. Ltd., 212 Parramatta Rd., Camperdown.	331494	1970	Premise Match	41m	South West
	Millinery - Manufacturers &/or Wholesalers	Morley, Jones Pty. Ltd., 212 Parramatta Rd., Camperdown	116036	1965	Premise Match	41m	South West
	MOTOR CAR/TRUCK IMPORTERS/DISTRIBUTORS	Harden & Johnston (Sales) Pty Ltd 212-220 Parramatta Rd., Camperdown	345505	1961	Premise Match	41m	South West
	MOTOR SPARE PARTS DEALERS—RETAIL	Harden & Johnston Ltd., 212 Parramatta Rd., Camperdown	351543	1961	Premise Match	41m	South West
	MILLINERY— MANUFACTURERS &/OR WHOLESALERS	Morley, Jones Pty. Ltd., 212 Parramatta Rd., Camperdown.	339932	1961	Premise Match	41m	South West
	MOTOR BODY BUILDERS	Camperdown Motor Body Co., 214 Parramatta Rd., Camperdown	82044	1950	Premise Match	41m	South West
	MOTOR PAINTERS	Camperdown Motor Body Co., 214 Parramatta Rd., Camperdown	84740	1950	Premise Match	41m	South West
	MOTOR PANEL BEATERS	Camperdown Motor Body Co., 214 Parramatta Rd., Camperdown	85202	1950	Premise Match	41m	South West
	MOTOR TRIMMERS	Camperdown Motor Body Co., 214 Parramatta Rd., Camperdown	87011	1950	Premise Match	41m	South West
16	TRAVEL GOODS - WHOLESALE(T7550)	Franks, M. H, Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050.	82297	1982	Premise Match	46m	South West
	UPHOLSTERERS SUPPLIES. (U0650)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd, Camperdown. 2050.	82955	1982	Premise Match	46m	South West
	HANDBAG MFRS. &/OR W/SALERS. (H1300)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050.	38909	1982	Premise Match	46m	South West
	MOTOR TRIMMERS SUPPLIES. (M8280)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050.	59849	1982	Premise Match	46m	South West
	FURNITURE &/OR CABINET MAKERS SUPPLIES. (F7355)	Franks. M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050.	34386	1982	Premise Match	46m	South West
	MOTOR TRIMMERS SUPPLIES.	Franks, M H Pty Ltd, 187 Parramatta Rd, Camperdown 2050	53316	1978	Premise Match	46m	South West
	TRAVEL GOODS W/SALERS.	Franks, M. H. Pty. Ltd, 187 Parramatta Rd, Camperdown. 2050	72583	1978	Premise Match	46m	South West
	FURNITURE &/OR CABINATE MAKERS SUPPLIES	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	31248	1978	Premise Match	46m	South West
	HANDBAG MFRS. &/OR W/SALERS.	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	34800	1978	Premise Match	46m	South West
	UPHOLSTERERS SUPPLIES.	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown.2050	73189	1978	Premise Match	46m	South West
	FURNITURE &/OR CABINET MAKERS SUPPLIES.	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	36354	1975	Premise Match	46m	South West
	HANDBAG &/OR SUITCASE MFRS. SUPPLIES.	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	41043	1975	Premise Match	46m	South West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
16	UPHOLSTERERS SUPPLIES.	Franks. M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	85865	1975	Premise Match	46m	South West
	EXPORTERS.	Franks. M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050.	31019	1975	Premise Match	46m	South West
	MOTOR TRIMMERS SUPPLIES.	Franks. M. M. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	62852	1975	Premise Match	46m	South West
	IMPORTERS.	Franks.M., H. Pty. Ltd., 187 Parramatta Rd., Camperdown. 2050	43659	1975	Premise Match	46m	South West
	HANDBAG/SUITCASE MFRS.' SUPPLIES (H190)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown	314828	1970	Premise Match	46m	South West
	IMPORTERS (I200)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown	318308	1970	Premise Match	46m	South West
	MOTOR TRIMMERS' SUPPLIES (M752)	Franks, M. H. Pty. Ltd., 187 Parramatta Rd., Camperdown	342713	1970	Premise Match	46m	South West
	EXPORTERS (E835)	Franks, M.H. Pty. Ltd., 187 Parramatta Rd., Camperdown	301605	1970	Premise Match	46m	South West
	UPHOLSTERERS' SUPPLIES (U070)	Franks, M.H.Pty. Ltd, 187 Parramatta Rd, Camperdown	372170	1970	Premise Match	46m	South West
	FURNITURE/CABINET MAKERS' SUPPLIES	Franks, M.H.Pty. Ltd., 187-191 Parramatta Rd., Camperdown	308949	1970	Premise Match	46m	South West
	Exporters	Franks Trading Co. Pty. Ltd., 187 Parramatta Rd., Camperdown	84979	1965	Premise Match	46m	South West
	Motor Trimmers	Franks Trading Co. Pty. Ltd., 187 Parramatta Rd., Camperdown	127218	1965	Premise Match	46m	South West
	Plastic Manufacturers - Sheeting	Franks Trading Co. Pty. Ltd., 187 Parramatta Rd., Camperdown	134172	1965	Premise Match	46m	South West
	Upholsterers' Supplies	Franks Trading Co. Pty. Ltd., 187 Parramatta Rd., Camperdown	155047	1965	Premise Match	46m	South West
	Importers	Franks Trading Co. Pty. Ltd., 187- Parramatta Rd., Camperdown	102536	1965	Premise Match	46m	South West
	Motor Trimmers' Supplies	Franks Trading Co. Pty. Ltd., Cnr. Parramatta Rd. & Cardigan St., Camperdown	127319	1965	Premise Match	46m	South West
	TYRE RETREADERS & VULCAN ISERS	Aberlines Tyre House, 191 Parramatta Rd., Camperdown	110934	1950	Premise Match	46m	South West
	TYRE & TUBE DEALERS	Aberlines Tyre Shop, 191 Parramatta Rd., Camperdown	110782	1950	Premise Match	46m	South West
17	Brewers &/or Maltsters Machinery Mfrs &/or Imps &/or Dists	Hahn Brewing Co. Pty. Ltd., The., 101 Pyrmont Bridge Rd., Camperdown 2050	36585	1991	Premise Match	49m	East
	FURNITURE REPAIRERS &/OR REMODELLERS. (F8975)	Legend Furniture, 188 Parramatta Rd., Camperdown. 2050.	35522	1982	Premise Match	49m	East
	FURNITURE-GENERAL- MFRS.&/OR W/SALERS. (F7675)	Legend Furniture, 188 Parramatta Rd., Camperdown. 2050.	35052	1982	Premise Match	49m	East
	UPHOLSTERERS. (U0450)	Legend Furniture, 188 Parramatta Rd., Camperdown. 2050.	82868	1982	Premise Match	49m	East
	UPHOLSTERERS.	Legend Furniture, 188 Parramatta Rd., Camperdown. 2050	73113	1978	Premise Match	49m	East
	FURNITURE-GENERAL-MFRS. &/OR W/SALERS.	Legend Furniture. 188 Parramatta Rd., Camperdown. 2050	31631	1978	Premise Match	49m	East
	FOOD-FROZEN-MFRS &/OR IMPS &/OR DISTS.	Elite Food Distributing Co Pty. Ltd., 188 Parramatta Rd., Camperdown. 2050.	33411	1975	Premise Match	49m	East
	FOOD EXPORTERS.	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd, Camperdown. 2050.	33359	1975	Premise Match	49m	East
	FOOD IMPORTERS	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown. 2050	33477	1975	Premise Match	49m	East
	SPICE MERCHANTS.	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown. 2050	78901	1975	Premise Match	49m	East
	MANUFACTURERS AGENTS.	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown. 2050.	48710	1975	Premise Match	49m	East

ţ	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
	ELECTRIC LIGHT FITTINGS (SHADES, STANDARD BRACKETS, ETC) MFRS. &/OR DISTS.	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	293813	1970	Premise Match	49m	East
	ELECTRIC SIGN MANUFACTURERS &/OR INSTALLERS (E240)	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	294347	1970	Premise Match	49m	East
	FLUORESCENT LIGHTING SPEC. (F370)	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	304615	1970	Premise Match	49m	East
	PLASTIC MFRS. &/OR MOULDERS(P580)	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	349820	1970	Premise Match	49m	East
	PLASTIC SIGNS,LETTER MFRS. (P590)	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	350135	1970	Premise Match	49m	East
	SIGN MANUFACTURERS (S317)	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	361511	1970	Premise Match	49m	East
	PLASTIC FABRICATORS & VACUUM FORMERS	Bass Products., 188 Parramatta Rd., Camperdown	349520	1970	Premise Match	49m	East
	FOOD IMPORTERS (F405)	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	304826	1970	Premise Match	49m	East
	FOODS-FROZEN- SPECIALISTS(F439)	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	305154	1970	Premise Match	49m	East
	MANUFACTURERS' AGENTS (M112)	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	324845	1970	Premise Match	49m	East
	FOOD EXPORTERS (F400)	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown.	304761	1970	Premise Match	49m	East
	POWER TRANSMISSION EQUIP. MFRS. &/OR DISTRIRUTORS (P732)	Gardner Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	351435	1970	Premise Match	49m	East
	BELTING-LEATHER, RUBBER, PLASTIC,ETCMFRS. &/OR DISTS. (B325)	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	266955	1970	Premise Match	49m	East
	ENGINEERS' SUPPLIES (E770)	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	297160	1970	Premise Match	49m	East
	ENGINEERS-TRANSMISSION (E785)	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	301232	1970	Premise Match	49m	East
	BEARINGS & BUSHES-MFRS. &/OR DISTS. (B255)	R & M Bearings Aust (Pty.) Ltd., 101 Pyrmont Bridge Rd., Camperdown.	265448	1970	Premise Match	49m	East
	BALL & ROLLER BEARING MFRS., IMPS. &/OR DISTRIBUTORS	R & M Bearings Australia (Pty.) Ltd., 101 Pyrmont Bridge Rd., Camperdown	264661	1970	Premise Match	49m	East
	SMALLGOODS MANUFACTURERS &/OR WHOLESALERS	"Elite" Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	145185	1965	Premise Match	49m	East
	Electric Light Fittings (Shades, Standard Brackets, Etc.) Mfrs. &/or Dists.	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	77616	1965	Premise Match	49m	East
	Fluorescent Lighting Spec.	Bass Products Pty. Ltd., 188 Parramatta Rd., Camperdown	87994	1965	Premise Match	49m	East
	Plastic Fabricators & Vacuum Formers	Bass Products, 188 Parramatta Rd., Camperdown	133772	1965	Premise Match	49m	East
	Food - Frozen - Specialists	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	88527	1965	Premise Match	49m	East
	Food Distributors &/or W'salers	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	88139	1965	Premise Match	49m	East
	Food Exporters	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	88157	1965	Premise Match	49m	East
	Food Importers	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	88219	1965	Premise Match	49m	East
	Manufacturers' Agents	Elite Food Distributing Co. Pty. Ltd., 188 Parramatta Rd., Camperdown	109461	1965	Premise Match	49m	East
E	Power Transmission Equip. Mfrs. &/or Dist.	Gardner Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	135637	1965	Premise Match	49m	East
	Engineers - Transmission	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdnwn	84634	1965	Premise Match	49m	East
	Belting - Leather, Rubber, Etc. Mfrs. &/or Dists.	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	51478	1965	Premise Match	49m	East
	Chain Drive Specialists	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	63820	1965	Premise Match	49m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
17	Engineers' Supplies	Gardner, Waern & Co. Pty. Ltd., 101 Pyrmont Bridge Rd., Camperdown	84512	1965	Premise Match	49m	East
	Bearings & Bushes - Mfrs. &/or Dists.	R. & M. Bearings Aust. (Pty.) Ltd, 101 Pyrmont Bridge Rd., Camperdown	50282	1965	Premise Match	49m	East
	Ball & Roller Bearings - Imps. &/or Dists.	R. & M. Bearings Australia (Pty.) Ltd., 101 Pyrmont Bridge Rd., Camperdown	49432	1965	Premise Match	49m	East
	ELECTRIC LIGHTING PLANT MFRS. &/OR DISTS.	Ampilon (A/asia) Pty. Ltd, Ampilon Hse, 101 Pyrmont Bridge Rd, Camperdown	300752	1961	Premise Match	49m	East
	ELECTRIC LIGHT FITTINGS (SHADES, STANDARD BRACKETS, ETC) MFRS. &/OR DISTS.	Bass Products, 188 Parramatta Rd., Camperdown	300634	1961	Premise Match	49m	East
	FLUORESCENT LIGHTING SPEC.	Bass Products, 188 Parramatta Rd., Camperdown	312232	1961	Premise Match	49m	East
	PLASTIC FABRICATORS	Bass Products, 188 Parramatta Rd., Camperdown	359122	1961	Premise Match	49m	East
	TRANSPORT RECEIVING DEPOT	Bramble, W. E. & Sons (Transport) Coy. Ltd., 188 Parramatta Rd., Camperdown	259348	1961	Premise Match	49m	East
	MOTOR RADIATOR SPECIALISTS &/OR REPAIRERS	Oxweld Co., 188 Parramatta Rd., Camperdown	350226	1961	Premise Match	49m	East
	INSTRUMENTS—INDUSTRIAL —MFRS. &/OR DISTRIBUTORS	Sauter Industrial Controls, 188 Parramatta Rd., Camperdown	327345	1961	Premise Match	49m	East
	FACTORY INSTALLATION EXPERTS	Weiss, F., 188 Parramatta Rd., Camperdown	309519	1961	Premise Match	49m	East
	INSTRUMENTS—INDUSTRIAL —MFRS. &/OR DISTRIBUTORS	Weiss, F., 188 Parramatta Rd., Camperdown	327353	1961	Premise Match	49m	East
	PIPES/PIPE FITTINGS MFRS. &/OR DISTRIBUTORS	Weiss, F., 188 Parramatta Rd., Camperdown	358742	1961	Premise Match	49m	East
	CARRIERS & CARTAGE CONTRACTORS	Woolley, J. & T. & Sons Pty. Ltd., 188 Parramatta Rd., Camperdown	285542	1961	Premise Match	49m	East
	TRANSPORT RECEIVING DEPOT	Woolley, J. T. & Sons Pty. Ltd., 188 Parramatta Rd., Camperdown	259362	1961	Premise Match	49m	East
	ELECTRIC LIGHTING FITTINGS (SHADES, STANDARD BRACKETS, Etc.), MFRS. &/OR DISTRIBUTORS	Bass Products, 184 Parramatta Rd., Camperdown	36751	1950	Premise Match	49m	East
	FLUORESCENT LIGHTING SPECIALISTS	Bass Products, 184 Parramatta Rd., Camperdown	46366	1950	Premise Match	49m	East
	WEAVERS	Novelta Textiles Pty. Ltd., 184 Parramatta Rd., Camperdown	112557	1950	Premise Match	49m	East
	WOOLLENS & WORSTED MANUFACTURERS	Novelta Textiles Pty. Ltd., 184 Parramatta Rd., Camperdown	114598	1950	Premise Match	49m	East
	SAND BLASTING EQUIPMENT MANUFACTURERS	Oxweld Co. (The), 188 Parramatta Rd., Camperdown	100230	1950	Premise Match	49m	East
	MOTOR RADIATOR SPECIALISTS & REPAIRERS	Oxweld Co., 188 Parramatta Rd., Camperdown	85706	1950	Premise Match	49m	East
	WELDERS-ELECTRIC &/OR OXY	Oxweld Co., 188 Parramatta Rd., Camperdown	112980	1950	Premise Match	49m	East
18	Plastic Moulders	Bass Plastics, 3/4 Gehrig La., Camperdown. 2050	58015	1991	Premise Match	51m	North East
	Motor Engineers	Camperdown Smash & Auto Repairs, 86 Pyrmont Bridge Rd, Camperdown 2050	53058	1991	Premise Match	51m	North East
	Motor Panel Beaters &/or Spray Painters	Camperdown Smash & Auto Repairs, 86 Pyrmont Bridge Rd, Camperdown 2050	54246	1991	Premise Match	51m	North East
	Motor Racing Car &/or Equipment Mfrs &/or Designers	High-Tech Auto Tools Pty. Ltd, 96 Pyrmont Bridge Rd., Camperdown 2050	54935	1991	Premise Match	51m	North East
	Fireplace &/or Accessory Mfrs &/or Dists	Les Cheminees Phillippe Australia Pty Ltd, 92 Pyrmont Bridge Rd., Camperdown 2050	45801	1991	Premise Match	51m	North East
	Printers Lithographic (Offset)	Master Printers (Assurance) Pty. Ltd., 96A Pyrmont Bridge Rd., Camperdown. 2050	59224	1991	Premise Match	51m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
18	Metal Spinners	P.T. Metal Spinning & Pounding, 4/4 Gehrig La., Camperdown. 2050	51728	1991	Premise Match	51m	North East
	MOTOR ENGINEERS.	Straight-A-Way Auto Repairs, 86 Pyrmont Bridge Rd., Camperdown. 2050	63574	1986	Premise Match	51m	North East
	MOTOR PANEL BEATERS &/OR SPRAY PAINTERS.	Straight-A-Way Auto Repairs, 86 Pyrmont Bridge Rd., Camperdown. 2050	66791	1986	Premise Match	51m	North East
	MOTOR PANEL BEATERS &/OR SPRAY PAINTERS. (M7360)	Straight- A-Way Auto Repairs, 86 Pyrmont Bridge Rd., Camperdown. 2050.	58752	1982	Premise Match	51m	North East
	MOTOR PAINTERS.	Straight-A-Way Auto Repairs, 86 Pyrmont Bridge Rd., Camperdown. 2050	51698	1978	Premise Match	51m	North East
	MOTOR PANEL BEATERS	Straight-A-Way Auto Repairs, 86 Pyrmont Bridge Rd., Camperdown. 2050	52388	1978	Premise Match	51m	North East
	MOTOR PAINTERS.	Straight A-Way Auto Repairs., 86 Pyrmont Bridge Rd., Camperdown. 2050	60450	1975	Premise Match	51m	North East
	MOTOR PANEL BEATERS.	Straight-A-Way Auto Repairs., 86 Pyrmont Bridge Rd., Camperdown 2050	61144	1975	Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Camperdown Service Station, 92 Pyrmont Bridge Rd. CAMPERDOWN	350438	1961	Premise Match	51m	North East
	MOTOR GARAGES & ENGINEERS	Dawson, D., 92 Pyrmont Bridge Rd. CAMPERDOWN	347026	1961	Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Elliott, L. D., 92 Bridge St. CAMPERDOWN	350559	1961	Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Transport Workers' Co-op. Ltd., 92 Pyrmont Bridge Rd., CAMPERDOWN	351230	1961	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	83671	1950	Premise Match	51m	North East
	MOTOR ACCESSORIES- DEALER	Dawson, D., 92 Pyrmont Bridge Rd., Camperdown	81568	1950	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Dawson, D., 92 Pyrmont Bridge Rd., Camperdown	85917	1950	Premise Match	51m	North East
19	Tyre Dealers &/or Retreaders &/or Vulcanisers	Camperdown Tyre Service, 196 Parramatta Rd Camperdown 2050	65251	1991	Premise Match	51m	East
	Motor Engineers	Camperdown Tyre Service, 196 Parramatta Rd, Camperdown 2050	53059	1991	Premise Match	51m	East
	Recording Studios	Hyland Studio, 196 Parramatta Rd Camperdown 2050	60869	1991	Premise Match	51m	East
	CLOTHING - FROCKS & SUITS MFRS. &/OR W/SALERS.	Topmaker Clothing Manufacturers. 194 Parramatta Rd., Camperdown. 2050	14884	1978	Premise Match	51m	East
	CLOTHING - SPORTSWEAR MFRS. &/OR W/SALERS.	Topmaker Clothing Manufacturers. 194 Parramatta Rd., Camperdown. 2050	15452	1978	Premise Match	51m	East
	ELECTRICAL REPAIR SERVICES.	West, J., Electrical, 196 Parramatta Rd., Camperdown. 2050	22644	1978	Premise Match	51m	East
	CLOTHING - FROCKS & SUITS MFRS. &/OR W/SALERS.	Best Sally Pty. Ltd., 194 Parramatta Rd., Camperdown. 2050	16913	1975	Premise Match	51m	East
	CLOTHING-SPORTSWEAR LADIES MFRS.&/OR W/SALERS	Best Sally Pty. Ltd., 194 Parramatta Rd., Camperdown. 2050	17734	1975	Premise Match	51m	East
	CLOTHING-WATERPROOF MFRS.&/OR W/SALERS	Best Sally Pty. Ltd., 194 Parramatta Rd., Camperdown. 2050	18000	1975	Premise Match	51m	East
	CLOTHING MFRS. &/OR W/SALERS LADIES FROCKS &/OR SUITS.	Best, Sally Garment Mfrg Co., 196 Parramatta Rd., Camperdown	282864	1970	Premise Match	51m	East
	CLOTHING MFRS. &/OR W/SALERS SPORTSWEAR	Best, Sally Garment Mfrg Co., 196 Parramatta Rd., Camperdown	283568	1970	Premise Match	51m	East
	CLOTHING MFRS. &/OR W/SALERS WATERPROOF	Best, Sally Garment Mfrg Co., 196 Parramatta Rd., Camperdown	283875	1970	Premise Match	51m	East
	CLOTHING MFRS. &/OR W'SALERS - LADIES' COATS & COSTUMES	Best, Sally Garments Mfrg Co., 194- 196 Parramatta Rd., Camperdown	282729	1970	Premise Match	51m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
19	CARPET & FLOOR COVERING RETAILERS &/OR SPECIALISTS(C135)	Macquarie Floor Coverings Pty. Ltd., 196 Parramatta Rd., Camperdown	277780	1970	Premise Match	51m	East
	Clothing Mfrs. &/or W'salers - Sportswear	Best, Sally Garments Mfg. Co., 194- 196 Parramatta Rd., Camperdown	68268	1965	Premise Match	51m	East
	Clothing Mfrs. &/or W'salers - Waterproof	Best, Sally Garments Mfr. Co., 194- 196 Parramatta Rd., Camperdown	68606	1965	Premise Match	51m	East
	Clothing Mfrs. &/or W'salers - Ladies' Coats & Costumes	Best, Sally Garments Mfrg. Co., 194- 196 Parramatta Rd., Camperdown	67369	1965	Premise Match	51m	East
	Clothing Mfrs. &/or W'salers - Ladies' Dresses & Gowns	Best, Sally Garments Mfrg. Co., 194- 196 Parramatta Rd., Camperdown	67510	1965	Premise Match	51m	East
	Fluorescent Lighting Spec.	Livan Lightings Pty. Ltd., 194 Parramatta Rd., Camperdown	88017	1965	Premise Match	51m	East
	Electric Lighting Specialists - Installers &/or Designers	Liven Lightings Pty. Ltd., 194 Parramatta Rd., Camperdown	77780	1965	Premise Match	51m	East
	Engineers - Electrical	Liven Lightings Pty. Ltd., 194 Parramatta Rd., Camperdown	81506	1965	Premise Match	51m	East
	MOTOR GARAGES & ENGINEERS	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd. CAMPERDOWN	347882	1961	Premise Match	51m	East
	MOTOR ACCESSORIES/DEALERS	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd., Camperdown	343712	1961	Premise Match	51m	East
	MOTOR CYLINDER REBORES	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd., Camperdown	345896	1961	Premise Match	51m	East
	MOTOR ENGINE RECONDITIONERS	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd., Camperdown	346313	1961	Premise Match	51m	East
	MOTOR SPARE PARTS DEALERS—RETAIL	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd., Camperdown	351678	1961	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS	Pearce Bros Pty. Ltd., 190-192 Parramatta Rd., Camperdown	84198	1950	Premise Match	51m	East
	MOTOR ACCESSORIES- DEALER	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd., Camperdown	81731	1950	Premise Match	51m	East
	MOTOR SPARE PARTS DEALERS-RETAIL	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd., Camperdown	86756	1950	Premise Match	51m	East
	PLUMBERS' SUPPLIERS	Watson and Crane Pty. Ltd., 194 Parramatta Rd., Camperdown	93413	1950	Premise Match	51m	East
20	Plastic Moulders	Alba Engineering Co. Pty. Ltd., 2 Kilner La., Camperdown. 2050	58000	1991	Premise Match	58m	South
	Die & Press Tool Makers	Alba Plastics Pty. Ltd., 1/2 Kilner La., Camperdown 2050	41391	1991	Premise Match	58m	South
	Plastic Moulders	Alba Plastics Pty. Ltd., 1/2 Kilner La., Camperdown. 2050	58001	1991	Premise Match	58m	South
	Stationers Wholesale	Cobra Wholesale Pty Ltd, 2 Kilner La Camperdown 2050	97203	1991	Premise Match	58m	South
	Stationers Wholesale	Cobra Wholesale Pty Ltd, 2 Kilner Lane Camperdown 2050	63244	1991	Premise Match	58m	South
	Gift Shop Supplies Mfrs &/or W/salers	Cobra Wholesale., 2 Kilner La., Camperdown. 2050	47616	1991	Premise Match	58m	South
	Burglar Alarm &/or Protection Systems Mfrs &/or Dists &/or Installers	Laptonics International Pty. Ltd., 2/2 Kilner La., Camperdown 2050	37585	1991	Premise Match	58m	South
	Security Systems &/or Equipment Mfrs &/or Suppliers	Leptonics International Pty Ltd, 2/2 Kilner La Camperdown 2050	61938	1991	Premise Match	58m	South
21	Motor Car Dealers New &/or Used	City Ford, 141 Parramatta Rd, Camperdown 2050	52409	1991	Premise Match	60m	South East
	Motor Spare Parts Mfrs &/or Imps &/or W/salers	City Ford, 141 Parramatta Rd., Camperdown 2050	55061	1991	Premise Match	60m	South East
	Motor Car Dealers New &/or Used	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown 2050	96157	1991	Premise Match	60m	South East
	Motor Spare Parts Mfrs &/or Imps &/or W/salers	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown 2050	55086	1991	Premise Match	60m	South East
	Motor Engineers	Lanocks Service Department, 11 Australia St, Camperdown 2050	53278	1991	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS-NEW &/OR USED.	Grenville Motors, 143 Parramatta Rd., Camperdown. 2050	62099	1986	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS-NEW &/OR USED.	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050	62157	1986	Premise Match	60m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
21	MOTOR SPARE PARTS DEALERS RETAIL.	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050	67368	1986	Premise Match	60m	South East
	MOTOR PANEL BEATERS &/OR SPRAY PAINTERS.	Lanock Motors Pty Ltd., 11 Australia St., Camperdown. 2050	66476	1986	Premise Match	60m	South East
	MOTOR ENGINEERS.	Lanock Motors Pty. Ltd., 11 Australia St., Camperdown. 2050	63435	1986	Premise Match	60m	South East
	MOTOR ACCESSORIES &/OR SPARE PARTS - MFRS. &/OR W/SALERS. (M4780)	Ausfield Pty. Ltd., 3 Australia St., Camperdown. 2050.	54023	1982	Premise Match	60m	South East
	MOTOR SPARE PARTS MFRS. &/OR W/SALERS. (M7860)	Ausfield Pty. Ltd., 3 Australia St., Camperdown. 2050.	59336	1982	Premise Match	60m	South East
	MOTOR ENGINEERS. (M6660)	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050.	55761	1982	Premise Match	60m	South East
	MOTOR PANEL BEATERS &/OR SPRAY PAINTERS. (M7360)	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050.	58463	1982	Premise Match	60m	South East
	MOTOR SPARE PARTS DEALERS -RETAIL. (M7840)	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown 2050.	59171	1982	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS - NEW &/OR USED. (M5840)	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050.	54867	1982	Premise Match	60m	South East
	MOTOR SPARE PARTS MFRS.&/OR W/SALERS.	Ausfield Ltd, 3 Australia St, Camperdown 2050	52878	1978	Premise Match	60m	South East
	MOTOR ACCESSORY MFRS. &/OR WHOLESALERS.	Ausfield Ltd., 3 Australia St., Camperdown. 2050	47566	1978	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS-NEW &/OR USED.	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	48367	1978	Premise Match	60m	South East
	MOTOR PAINTERS.	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	51505	1978	Premise Match	60m	South East
	MOTOR PANEL BEATERS	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	52151	1978	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS-NEW &/OR USED.	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050	48368	1978	Premise Match	60m	South East
	MOTOR CYCLE SALES &/OR SERVICE.	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050	48837	1978	Premise Match	60m	South East
	MOTOR ACCESSORIES- W/SALE	Ausfield., 3 Australia St., Camperdown. 2050	56423	1975	Premise Match	60m	South East
	MOTOR SPARE PARTS MFRS. &/OR W/SALERS.	Ausfield., 3 Australia St., Camperdown. 2050	62393	1975	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Lanock Motors Ltd., 11 Australia St., Camperdown.	59142	1975	Premise Match	60m	South East
	MOTOR PAINTERS.	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	60242	1975	Premise Match	60m	South East
	MOTOR PANEL BEATERS.	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	60911	1975	Premise Match	60m	South East
	MOTOR CAR &/OR TRUCK DEALERS- NEW &/OR USED.	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050.	57248	1975	Premise Match	60m	South East
	MOTOR CYCLE SALES &/OR SERVICE	Lanock Motors Ltd., 141 Parramatta Rd., Camperdown. 2050.	57794	1975	Premise Match	60m	South East
	MOTOR SPARE PARTS MFRS. &/OR WHOLESALERS (M732)	Ausfield Limited., 3-11 Australia St., Camperdown	342088	1970	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS(M6S6)	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St. CAMPERDOWN	338142	1970	Premise Match	60m	South East
	MOTOR PAINTERS (M672)	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St., Camperdown	339431	1970	Premise Match	60m	South East
	MOTOR PANEL BEATERS (M680)	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St., Camperdown	340188	1970	Premise Match	60m	South East
	MOTOR SPARE PARTS MFRS. &/OR WHOLESALERS (M732)	MORRIS, M. G. WOLSELEY ARE AUSFIELD LIMITED., 3-11 AUSTRALIA St., CAMPERDOWN 2050	342185	1970	Premise Match	60m	South East
	Motor Spare Parts Mfrs. &/or Wholesalers	Ausfield Limited, 3-11 Australia St., Camperdown	126710	1965	Premise Match	60m	South East
	Motor Garages & Engineers	Lannock Motors Sales & Service Pty. Ltd., 11 Australia St. Camperdown	122350	1965	Premise Match	60m	South East
	Motor Painters	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St. Camperdown	124028	1965	Premise Match	60m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
21	Motor Panel Beaters	Lanock Motors Sores & Service Pty. Ltd., 11 Australia St., Camperdown	124783	1965	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Grenville Motors Ltd., 11 Australia St., Camperdown	347281	1961	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Lanock Motors Ltd., 11 Australia St., Camperdown	347544	1961	Premise Match	60m	South East
	MOTOR ACCESSORIES/DEALERS	Larke Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	343642	1961	Premise Match	60m	South East
	MOTOR ACCESSORIES—W'SALE	Larke Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	343992	1961	Premise Match	60m	South East
	MOTOR CAR/TRUCK DEALERS—NEW/USED	Larke Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	345159	1961	Premise Match	60m	South East
	MOTOR CARBURETTOR/TUNING SPECIALISTS	Larke Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	345598	1961	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd. CAMPERDOWN	347550	1961	Premise Match	60m	South East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd. CAMPERDOWN	350776	1961	Premise Match	60m	South East
	MOTOR CYLINDER REBORES	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	345890	1961	Premise Match	60m	South East
	MOTOR ENGINE RECONDITIONERS	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd., Camperdown	346275	1961	Premise Match	60m	South East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Larke, Hoskins Services Pty. Ltd., 12- 16 Denison St. CAMPERDOWN	350777	1961	Premise Match	60m	South East
	MOTOR CAR & TRUCK DEALERS-USED	Larke, Hoskins and Co. Ltd., 207 William St., 143 Parramatta Rd., Camperdown	82440	1950	Premise Match	60m	South East
	ENGINEERS-DIESEL	Larke, Neave and Carter Ltd., 11 Australia St., Camperdown	40182	1950	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS	Larke, Neave and Carter Ltd., 11 Australia St., Camperdown	83983	1950	Premise Match	60m	South East
	DIESEL ENGINE DISTRIBUTORS	Larke, Neave and Carter Ltd., 141 Parramatta Rd., Camperdown	32834	1950	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Larke, Neave and Carter Ltd., 141 Parramatta Rd., Camperdown	86128	1950	Premise Match	60m	South East
	STEEL FURNITURE MANUFACTURERS	Neave Productions Ltd., 133 Parramatta Rd., Camperdown	105193	1950	Premise Match	60m	South East
	SHEET METAL WORKERS	Neave Productions Ltd., Parramatta Rd., Camperdown	101784	1950	Premise Match	60m	South East
	COACH & HORSE DRAWN VEHICLE BUILDERS	Smith and Bassett Ltd., 9 Australia St., Camperdown	25494	1950	Premise Match	60m	South East
22	Screen Printers	Althouse & Geiger Pty. Ltd, 190 Parramatta Rd., Camperdown. 2050	61687	1991	Premise Match	63m	East
	DISPLAY FITTINGS & STANDS MFRS. &/OR DISTS. &/OR SUPPLIERS.	Althouse & Geiger Pty Ltd., 190 Parramatta Rd., Camperdown. 2050	24270	1986	Premise Match	63m	East
	PLASTIC SIGNS &/OR LETTERS MFRS. &/OR DISTS.	Althouse & Geiger Pty, Ltd., 190 Parramatta Rd., Camperdown. 2050	74828	1986	Premise Match	63m	East
	ELECTRIC SIGN MFRS. &/OR INSTALLERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	26699	1986	Premise Match	63m	East
	FLAG, PENNANT & BANNER MFRS. &/OR W/SALERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	33401	1986	Premise Match	63m	East
	PAINTERS, PAPERHANGERS &/OR DECORATORS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	71826	1986	Premise Match	63m	East
	SCREEN PROCESS PRINTERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	85163	1986	Premise Match	63m	East
	SIGN MFRS. &/OR DISTS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	86674	1986	Premise Match	63m	East
	SIGNWRITERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	86800	1986	Premise Match	63m	East
	PAINT - PLASTIC - MFRS. &/OR DISTS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	71668	1986	Premise Match	63m	East
	PAINT, ENAMEL, VARNISH, STAIN MFRS. &/OR DISTS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	71540	1986	Premise Match	63m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
22	SCREEN PROCESS PRINTERS.(S1650)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown 2050.	73711	1982	Premise Match	63m	East
	DISPLAY FITTINGS & STANDS MFRS. &/OR DISTS. &/OR SUPPLIERS. (D4260)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	21684	1982	Premise Match	63m	East
	ELECTRIC SIGN MFRS. &/OR INSTALLERS. (E2670)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	25137	1982	Premise Match	63m	East
	PAINTERS, PAPERHANGERS &/OR DECORATORS. (P0900)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	62650	1982	Premise Match	63m	East
	PLASTIC SIGNS &/OR LETTERS MFRS. &/OR DISTS. (P6400)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	65038	1982	Premise Match	63m	East
	SIGN MFRS. (S3360)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	74816	1982	Premise Match	63m	East
	SIGNWRITERS. (S3465)	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	74896	1982	Premise Match	63m	East
	FLAG MAKERS. (F3300)	Althouse & Gelger Pty. Ltd., 190 Parramatta Rd., Camperdown.2050.	31165	1982	Premise Match	63m	East
	PAINT -PLASTIC- MFRS. &/OR DISTS, (P0640)	Universal Paint Manufacturers Co. Pty, Ltd., 190 Parramatta Rd., Camperdown. 2050	62510	1982	Premise Match	63m	East
	PAINT, ENAMEL, VARNISH, STAIN MFRS.&/OR DISTS. (P0360)	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	62416	1982	Premise Match	63m	East
	DISPLAY FITTINGS & STANDS MFRS. &/OR DISTS. &/OR SUPPLIERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	19154	1978	Premise Match	63m	East
	ELECTRIC SIGN MFRS. &/OR INSTALLERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	22111	1978	Premise Match	63m	East
	FLAG MAKERS	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	28226	1978	Premise Match	63m	East
	PAINTERS, PAPERHANGERS &/OR DECORATORS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	55730	1978	Premise Match	63m	East
	PLASTIC SIGNS &/OR LETTERS MFRS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	58025	1978	Premise Match	63m	East
	SCREEN PROCESS PRINTERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	65223	1978	Premise Match	63m	East
	SIGN MFRS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	66243	1978	Premise Match	63m	East
	SIGNWRITERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	66319	1978	Premise Match	63m	East
	PAINT-PLASTIC MFRS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown 2050	55571	1978	Premise Match	63m	East
	PAINT, ENAMEL, VARNISH/STAIN MFRS. &/OR DISTS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	55438	1978	Premise Match	63m	East
	PAINTERS, PAPERHANGERS &/OR DECORATORS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown 2050	65675	1975	Premise Match	63m	East
	SCREEN PROCESS PRINTERS	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown.	76194	1975	Premise Match	63m	East
	DISPLAY FITTINGS & STANDS MFRS. &/OR DISTS. &/OR SUPPLIERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	22036	1975	Premise Match	63m	East
	PLASTIC SIGNS &/OR LETTERS MFRS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	68283	1975	Premise Match	63m	East
	SIGN MFRS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	77528	1975	Premise Match	63m	East
	SIGNWRITERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	77604	1975	Premise Match	63m	East
	ELECTRIC SIGN MFRS &/OR INSTALLERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	25561	1975	Premise Match	63m	East
	FLAG MAKERS.	Althouse & Geiger Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050.	32760	1975	Premise Match	63m	East
	PAINT, ENAMEL, VARNISH/STAIN MFRS. &/OR DISTS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	65337	1975	Premise Match	63m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
22	PAINT-PLASTIC MFRS.	Universal Paint Manufacturers Co. Pty. Ltd., 190 Parramatta Rd., Camperdown. 2050	65458	1975	Premise Match	63m	East
	WELDERS-ELECTRIC &/OR OXY	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	373868	1970	Premise Match	63m	East
	STEEL FABRICATORS (S673)	Oxweld Pty. Ltd., 190 Parramatta Rd., Camperdown	365327	1970	Premise Match	63m	East
	SAND BLASTING EQUIP. MFRS. (S059)	Oxweld Pty. Ltd., 190-192 Parramatta Rd., Camperdown	358556	1970	Premise Match	63m	East
	ABRASIVE MANUFACTURERS	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	43338	1965	Premise Match	63m	East
	Welders - Electric &/or Oxy	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	156704	1965	Premise Match	63m	East
	Engineers - Fabricating	Oxweld Pty. Limited., 190-192 Parramatta Rd., Camperdown	81838	1965	Premise Match	63m	East
	Sand Blasting Equipment Manufacturers	Oxweld Pty. Ltd., 190-192 Parramatta Rd., Camperdown	141796	1965	Premise Match	63m	East
	SAND BLASTING EQUIP. MFRS.	Oxweld Pty Ltd 190-192 Parramatta Rd., Camperdown	247364	1961	Premise Match	63m	East
	ABRASIVE MANUFACTURERS	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	264539	1961	Premise Match	63m	East
	ENGINEERS-FABRICATING	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	305857	1961	Premise Match	63m	East
	WELDERS-ELECTRIC &/OR OXY	Oxweld Pty. Limited, 190-192 Parramatta Rd., Camperdown	262346	1961	Premise Match	63m	East
	SAND BLASTING EQUIP. MFRS.	Oxweld Pty. Ltd., 190-192 Parramatta Rd., Camperdown	247365	1961	Premise Match	63m	East
23	CRANES-MOBILE- PROPRIETORS &/OR HIRERS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	16680	1978	Premise Match	75m	North East
	CUSTOMS AGENTS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	16895	1978	Premise Match	75m	North East
	FREIGHT FORWARDERS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	29928	1978	Premise Match	75m	North East
	HAULAGE CONTRACTORS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	35146	1978	Premise Match	75m	North East
	ROAD TRANSPORT SERVICES- NSW	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	63758	1978	Premise Match	75m	North East
	BOND &/OR FREE STORES.	McRae. H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	6645	1978	Premise Match	75m	North East
	CARRIERS &/OR CARTAGE CONTRACTORS - MASTER.	McRae. H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	12019	1978	Premise Match	75m	North East
	PARCEL DELIVERY SPECIALISTS.	McRae. H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	56142	1978	Premise Match	75m	North East
	HAULAGE CONTRACTORS.	McRae H & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	41570	1975	Premise Match	75m	North East
	ROAD TRANSPORT SERVICES-NSW.	McRae, H. & D. Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	74475	1975	Premise Match	75m	North East
	CARRIERS &/OR CARTAGE CONTRACTORS - MASTER.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd, Camperdown 2050	13876	1975	Premise Match	75m	North East
	BOND &/OR FREE STORES.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	7115	1975	Premise Match	75m	North East
	CUSTOMS AGENTS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	19527	1975	Premise Match	75m	North East
	PARCEL DELIVERY SPECIALISTS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	66126	1975	Premise Match	75m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
23	SHIPPING &/OR FORWARDING AGENTS.	McRae, H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	77169	1975	Premise Match	75m	North East
	CRANES-MOBILE- PROPRIETORS &/OR HIRERS.	McRae. H. & D., Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown. 2050	19314	1975	Premise Match	75m	North East
	CARRIERS & CARTAGE CONTRACTORS-MASTER (C147)	McRae, H & D Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown	278519	1970	Premise Match	75m	North East
	CARRIERS & CARTAGE CONTRACTORS (C150)	McRae, H & D Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown, 2050	278233	1970	Premise Match	75m	North East
	BOND & FREE STORES (B525)	McRae, H & D Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown.	268127	1970	Premise Match	75m	North East
	CRANESMOBILE- PROPRIETORS &/OR HIRERS (C737)	McRae, H. & D. Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown	286324	1970	Premise Match	75m	North East
	CUSTOMS AGENTS	McRae, H. & D. Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown	286547	1970	Premise Match	75m	North East
	HAULAGE CONTRACTORS (H323)	McRae, H. & D. Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown	315661	1970	Premise Match	75m	North East
	PARCEL DELIVERY SPECIALISTS (P166)	McRae, H. & D. Carriers Pty. Ltd., 96 Pyrmont Bridge Rd., Camperdown	347284	1970	Premise Match	75m	North East
	ROAD TRANSPORT SERVICES-N.S.W.(R385)	McRae, H. & D. Carriers. Pty, Ltd., 96 Pyrmont Bridge Rd., Camperdown	357636	1970	Premise Match	75m	North East
	Carriers & Cartage Contractors	McRae, H. & D., 96 Pyrmont Bridge Rd., Camperdown	63178	1965	Premise Match	75m	North East
	Cranes - Mobile - Proprietors & Hirers	McRae, H. & D., 96 Pyrmont Bridge Rd., Camperdown	71092	1965	Premise Match	75m	North East
	Road Transport Services - Interstate	McRae, H. & D., 96 Pyrmont Bridge Rd., Camperdown	140862	1965	Premise Match	75m	North East
	Road Transport Services - N.S.W.	McRae, H. & D., 96 Pyrmont Bridge Rd., Camperdown	140988	1965	Premise Match	75m	North East
	MOTOR GARAGES & ENGINEERS	McRae, H. & D., 96 Pyrmont Bridge Rd. CAMPERDOWN	347693	1961	Premise Match	75m	North East
	MOTOR ELECTRICIANS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	346105	1961	Premise Match	75m	North East
	MOTOR PANEL BEATERS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	349775	1961	Premise Match	75m	North East
	MOTOR ELECTRICIANS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	83162	1950	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	84076	1950	Premise Match	75m	North East
	MOTOR PANEL BEATERS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	85395	1950	Premise Match	75m	North East
	MOTOR RADIATOR SPECIALISTS & REPAIRERS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	85702	1950	Premise Match	75m	North East
24	FURNITURE &/OR FURNISHINGS-RETAIL.	Cooper, G L & Son Pty Ltd., 193 Parramatta Rd., Camperdown 2050	37122	1986	Premise Match	78m	South West
	DISPOSAL STORES.	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	24385	1986	Premise Match	78m	South West
	SECONDHAND DEALERS.	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	85382	1986	Premise Match	78m	South West
	DISPOSAL STORES. (D4450)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050.	21784	1982	Premise Match	78m	South West
	SECONDHAND DEALERS. (S1815)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050.	73880	1982	Premise Match	78m	South West
	FURNITURE &/OR FURNISHINGS-RETAIL. (F7625)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown.2050.	34641	1982	Premise Match	78m	South West
	DISPOSAL STORES.	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	19231	1978	Premise Match	78m	South West
	SECOND-HAND DEALERS.	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	65370	1978	Premise Match	78m	South West
	FURNITURE-HOUSEHOLD RETAIL	Cooper. G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	31735	1978	Premise Match	78m	South West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
24	DISPOSAL STORES.	Cooper, G.L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown. 2050	22146	1975	Premise Match	78m	South West
	DISPOSAL STORES (D380)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	289869	1970	Premise Match	78m	South West
	HARDWARE DEALERS/IRONMONGERS (H230)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., CAMPERDOWN	314982	1970	Premise Match	78m	South West
	SECOND-HAND DEALERS (S179)	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	360124	1970	Premise Match	78m	South West
	CAMPING EQUIPMENT MFRS. (C051)	Cooper, G.L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	277054	1970	Premise Match	78m	South West
	CANVAS GOODS MFRS. &/OR W/SALERS	Cooper, G.L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	277179	1970	Premise Match	78m	South West
	STEEL SHELVING/LOCKER MFRS- (S715)	Cooper, G.L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	365685	1970	Premise Match	78m	South West
	Hardware Dealers &/or Ironmongers	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd. Camperdown	99104	1965	Premise Match	78m	South West
	Canvas Goods Mfrs. &/or Wholesalers	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	61888	1965	Premise Match	78m	South West
	Disposal Stores	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	74515	1965	Premise Match	78m	South West
	Camping Equipment Mfrs.	Cooper, G. L. & Sons Pty. Ltd., 193 Parramatta Rd., Camperdown	61720	1965	Premise Match	78m	South West
	HARDWARE DEALERS/IRONMONGERS	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd. CAMPERDOWN	323139	1961	Premise Match	78m	South West
	CANVAS GOODS MFRS. &/OR W'SALERS	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	283648	1961	Premise Match	78m	South West
	DEMOLITION CONTRACTORS	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	295451	1961	Premise Match	78m	South West
	DISPOSAL STORES	Cooper, G. L. & Son Pty. Ltd., 193 Parramatta Rd., Camperdown	297271	1961	Premise Match	78m	South West
	DISPOSAL STORES	Cooper, G. L. and Son Pty. Ltd. 193 Parramatta Rd., Camperdown	33109	1950	Premise Match	78m	South West
	BUILDING DEMOLISHERS	Cooper, G. L. and Son Pty. Ltd., 193 Parramatta Rd., Camperdown	11956	1950	Premise Match	78m	South West
	DEMOLITION CONTRACTORS	Cooper, G. L. and Son Pty. Ltd., 193 Parramatta Rd., Camperdown	31443	1950	Premise Match	78m	South West
	HARDWARE DEALERS &/OR IRONMONGERS	Cooper, G. L. and Son Pty. Ltd., 193 Parramatta Rd., Camperdown	60949	1950	Premise Match	78m	South West
	SECONDHAND DEALERS	Cooper, G. L. and Son Pty. Ltd., 193 Parramatta Rd., Camperdown	101115	1950	Premise Match	78m	South West
25	Motor Brake Specialists	Camperdown Brake & Steering, 139 Parramatta Rd., Camperdown 2050	52246	1991	Premise Match	87m	South East
	Motor Steering Specialists	Camperdown Brake & Steering, 139 Parramatta Rd., Camperdown 2050	55154	1991	Premise Match	87m	South East
	MOTOR GEAR &/OR TRANSMISSION SPECIALISTS.	Maserati Motors., 2 Australia Street, Camperdown 2050	65838	1986	Premise Match	87m	South East
	SANDWICH/LUNCHEON SHOPS (S065)	Total Sandwich Shop, 139 Parramatta Rd., Camperdown	358978	1970	Premise Match	87m	South East
	SANDWICH/LUNCHEON SHOPS (S065)	Total Sandwich Shop, 139 Parramatta Rd., Camperdown	358977	1970	Premise Match	87m	South East
	Sandwich & Luncheon Shops	"Total" Sandwich Shop., 139 Parramatta Rd., Camperdown	142229	1965	Premise Match	87m	South East
	Motor Service Stations - Petrol, Oil, Etc.	Total Service Station, 137 Parramatta Rd. Camperdown	125540	1965	Premise Match	87m	South East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Broadway Service Station, 137 Parramatta Rd. CAMPERDOWN	350407	1961	Premise Match	87m	South East
	SANDWICH/LUNCHEON SHOPS	Heath, G., 139 Parramatta Rd., Camperdown	247513	1961	Premise Match	87m	South East
	ELECTRIC LIGHT GLOBE & ELEMENT MFRS. &/OR DISTS.	Nettiefold, T. S. & Sons Pty. Ltd, 137 Parramatta Rd, Camperdown	300740	1961	Premise Match	87m	South East
	ELECTRIC LIGHT GLOBE & ELEMENT MFRS. &/OR DISTS.	Nettlefold, T. S. & Sons Pty. Ltd., 137 Parramatta Rd., Camperdown	300741	1961	Premise Match	87m	South East
	MOTOR GARAGES & ENGINEERS	Total Service Station, 137 Parramatta Rd. CAMPERDOWN	348300	1961	Premise Match	87m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
25	MOTOR SERVICE STATIONS- PETROL, Etc.	Broadway Service Station, 137 Parramatta Rd., Camperdown	85825	1950	Premise Match	87m	South East
	DELICATESSENS & SMALLGOODS DEALERS	Faulkner, A. S., 139 Parramatta Rd., Camperdown	30472	1950	Premise Match	87m	South East
26	Computer Sales &/or Services	Celcom Pty Limited, 23 Nelson St, Annandale 2038	40172	1991	Premise Match	87m	North West
	MERCHANTS-GENERAL.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	58611	1986	Premise Match	87m	North West
	PAINT – INDUSTRIAL PROTECTIVE COATING.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	71602	1986	Premise Match	87m	North West
	PAINT - PLASTIC - MFRS. &/OR DISTS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	71664	1986	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH, STAIN MFRS. &/OR DISTS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	71526	1986	Premise Match	87m	North West
	PAINT, VARNISH, OILS &/OR COLOUR MERCHANTS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	71797	1986	Premise Match	87m	North West
	PAINTERS SUPPLIES &/OR REQUISITES.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	71935	1986	Premise Match	87m	North West
	PAINTERS SUPPLIES &/OR REQUISITES. (P0960)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	62740	1982	Premise Match	87m	North West
	PAINT - INDUSTRIAL PROTECTIVECOATING. (P0400)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038.	62455	1982	Premise Match	87m	North West
	PAINT -PLASTIC- MFRS. &/OR DISTS, (P0640)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038.	62504	1982	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH, STAIN MFRS.&/OR DISTS. (P0360)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038.	62403	1982	Premise Match	87m	North West
	PAINT, VARNISH, OILS &/OR COLOUR MERCHANTS. (P0800)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038.	62622	1982	Premise Match	87m	North West
	MERCHANTS - GENERAL (M2160)	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038.	51622	1982	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH/STAIN MFRS. &/OR DISTS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55428	1978	Premise Match	87m	North West
	PAINT-INDUSTRIAL PROTECTIVE COATING.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55479	1978	Premise Match	87m	North West
	PAINT-MARINE-MFRS. &/OR DISTS	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55548	1978	Premise Match	87m	North West
	PAINT-PLASTIC MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55567	1978	Premise Match	87m	North West
	MERCHANTS-GENERAL.	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	45341	1978	Premise Match	87m	North West
	PAINT VARNISH OILS &/OR COLOUR MERCHANTS.	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55686	1978	Premise Match	87m	North West
	PAINTERS SUPPLIES &/OR REQUISITES.	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	55832	1978	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH/STAIN MFRS. &/OR DISTS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	65328	1975	Premise Match	87m	North West
	PAINT-PLASTIC MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	65453	1975	Premise Match	87m	North West
	PAINT-MARINE-MFRS. &/OR DISTS.	Perry. E, A. Pty. Ltd., 23 Nelson St., Annandale. 2038	65433	1975	Premise Match	87m	North West
	MERCHANTS-GENERAL	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	52643	1975	Premise Match	87m	North West
	PAINTERS SUPPLIES &/OR REQUISITES.	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale. 2038	65798	1975	Premise Match	87m	North West
	MERCHANTS-GENERAL (M240)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	329591	1970	Premise Match	87m	North West
	PAINTERS' SUPPLIES/REQUISITES(P100)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	346565	1970	Premise Match	87m	North West
	PAINT-MARINE-MFRS. &/OR DISTRIBUTORS (P049)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	346876	1970	Premise Match	87m	North West
	PAINT-PLASTIC-MFRS. (P050)	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	346903	1970	Premise Match	87m	North West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
26	PAINT,ENAMEL,VARNISH/STAI N MANUFACTURERS (P024)	Perry. E. A. Pty. Ltd., 23 Nelson St., Annandale	345992	1970	Premise Match	87m	North West
	Merchants/Importers	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	113924	1965	Premise Match	87m	North West
	Paint - Plastic - Manufacturers	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	130614	1965	Premise Match	87m	North West
	Paint, Enamel, Varnish/Stain Manufacturers	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	130486	1965	Premise Match	87m	North West
	Painter' Supplies/Requisites	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	131404	1965	Premise Match	87m	North West
	PAINTERS' SUPPLIES/REQUISITES	Parry, E. A. Pty. Ltd., 23 Nelson St., Annandale	356563	1961	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH/STAIN MANUFACTURERS	Perry E A Pty Ltd 23 Nelson St., Annandale	355477	1961	Premise Match	87m	North West
	FURNITURE/CABINET MAKERS' HARDWARE MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	317210	1961	Premise Match	87m	North West
	FURNITURE/CABINET MAKERS' SUPPLIES	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	317245	1961	Premise Match	87m	North West
	MERCHANTS/IMPORTERS	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	337646	1961	Premise Match	87m	North West
	PAINT, ENAMEL, VARNISH/STAIN MANUFACTURERS	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	355478	1961	Premise Match	87m	North West
	PAINT, KALSOMINE & WATER PAINT MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	355510	1961	Premise Match	87m	North West
	PAINT—PLASTIC—MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	356655	1961	Premise Match	87m	North West
	UPHOLSTERERS' SUPPLIES	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	260594	1961	Premise Match	87m	North West
	PAINT, VARNISH & STAIN MANUFACTURERS	Perry, E. A. (Arc White Manufacturer), 23 Nelson St., Annandale	90656	1950	Premise Match	87m	North West
	FIBRE & FIBRE GOODS MANUFACTURERS S/OR DISTRIBUTORS	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	43831	1950	Premise Match	87m	North West
	MERCHANTS & IMPORTERS	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	75487	1950	Premise Match	87m	North West
	PAINT-KALSOMINE & WATER MFRS.	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	90925	1950	Premise Match	87m	North West
	UPHOLSTERERS' SUPPLIES	Perry, E. A. Pty. Ltd., 23 Nelson St., Annandale	111332	1950	Premise Match	87m	North West
27	Medical Equipment &/or Repairs	California Surgical Supplies, 8/21 Chester St., Camperdown 2050	51492	1991	Premise Match	88m	North
	Hospital Equipment &/or Supplies Mfrs &/or Imps &/or Dists	California Surgical Supplies, 8/21 Chester St., Camperdown. 2050	48606	1991	Premise Match	88m	North
	Dispensing Machine Mfrs &/or Dists	Carlton Trade Quality Control, 2/21 Chester St, Camperdown 2050	41468	1991	Premise Match	88m	North
	Hotel &/or Motel Equipment &/or Supplies	Carlton Trade Quality Control., 2/21 Chester St., Camperdown. 2050	48686	1991	Premise Match	88m	North
	Shop &/or Office Fitters	Fabmar Interior Design Services Pty Ltd, 3/21 Chester St Camperdown 2050	62341	1991	Premise Match	88m	North
	Hairdressers &/or Beauty Salon Supplies	Hair Health & Beauty Pty. Ltd., 3/21 Chester St., Camperdown. 2050	48102	1991	Premise Match	88m	North
	Importers	Hung Hing Trading Co. Pty. Ltd., 7/21 Chester St., Camperdown 2050	48971	1991	Premise Match	88m	North
	Hairdressers &/or Beauty Salon Supplies	Journia Australia., 9/21 Chester St., Camperdown. 2050	48106	1991	Premise Match	88m	North
	Printers Supplies & Services	Lasercharge Pty. Ltd. 12/21 Chester St Camperdown 2050	59438	1991	Premise Match	88m	North
	Fire Fighting Systems &/or Appliance Mfrs &/or Installers	M & H Plumbing Pty Ltd, 5/21 Chester St., Camperdown 2050	45771	1991	Premise Match	88m	North
	Plumbers &/or Gasfitters	M & H Plumbing Pty. Ltd., 5/21 Chester St., Camperdown. 2050	58171	1991	Premise Match	88m	North
	Publishers	Reckon Software Pty. Ltd., 6/21 Chester St, Camperdown 2050	59889	1991	Premise Match	88m	North

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
27	Quilt &/or Bedspread Mfrs &/or W/salers	Sleepmaster Pty, Ltd., 11/21 Chester St., Camperdown. 2050	60047	1991	Premise Match	88m	North
	Clothing Mfrs &/or W/salers General	White Cloud Trading, 1/21 Chester St. Camperdown 2050	39304	1991	Premise Match	88m	North
	Printers Supplies & Services	Wright Technologies Pty. Ltd 4/21 Chester St Camperdown 2050	59467	1991	Premise Match	88m	North
	MOTOR PANEL BEATERS &/OR SPRAY PAINTERS.	T.J.S. Autos, 21 Chester St., Camperdown. 2050	66817	1986	Premise Match	88m	North
	Motor Body Builders	Hastings Deering Service Ltd., Chester St., Camperdown	119974	1965	Premise Match	88m	North
	Motor Body Repairs/Converters	Hastings, Deering Service Limited, Chester St., Camperdown	120156	1965	Premise Match	88m	North
	MOTOR BODY REPAIRS/CONVERTERS	Hastings, Deering Service Limited, Chester St., Camperdown	344365	1961	Premise Match	88m	North
28	BATHROOM EQUIPMENT MFRS. &/OR DISTS.	European Bathrooms, 93 Pyrmont Bridge Rd., Camperdown. 2050	5397	1986	Premise Match	88m	East
	BATH, BASIN &/OR SINK MFRS. &/OR DISTS.	Fab-Glass N.S.W., 93 Pyrmont Bridge Rd., Camperdown. 2050	5453	1986	Premise Match	88m	East
	BATHROOM EQUIPMENT MFRS. &/OR DISTS.	Ideal Standard, 93 Pyrmont Bridge Rd., Camperdown. 2050	5408	1986	Premise Match	88m	East
	BATHROOM EQUIPMENT MFRS. &/OR DISTS.	Universal Bathroom Agencies, 93 Pyrmont Bridge Rd., Camperdown. 2050	5441	1986	Premise Match	88m	East
	PLUMBERS SUPPLIES.	Universal Bathroom Agencies, 93 Pyrmont Bridge Rd., Camperdown. 2050	75214	1986	Premise Match	88m	East
	SPA BATHS &/OR POOLS &/OR EQUIPMENT MFRS. &/OR DISTS.	Waterjet Pty. Ltd., 93 Pyrmont Bridge Rd., Camperdown. 2050	87302	1986	Premise Match	88m	East
	SWIMMING POOL &/OR EQUIPMENT MFRS. &/OR DISTS.	Waterjet Pty. Ltd., 93 Pyrmont Bridge Rd., Camperdown. 2050.	90189	1986	Premise Match	88m	East
	ELECTROPLATERS.	Burrows Plating Works Pty. Ltd. 93-99 Pyrmont Bridge Rd., Camperdown. 2050	26962	1975	Premise Match	88m	East
	ELECTROPLATERS.	Burrows Plating Works Pty. Ltd., 93 Pyrmont Bridge Rd. Camperdown. 2050.	26994	1975	Premise Match	88m	East
	RUSTPROOFING SPECIALISTS.	Burrows Plating Works Pty. Ltd., 93 Pyrmont Bridge Rd., Camperdown. 2050	75057	1975	Premise Match	88m	East
	RUSTPROOFING SPECIALISTS (R575)	Burrow's Plating Works Pty. Ltd., 93- 95 Pyrmont Bridge Rd., Camperdown	358333	1970	Premise Match	88m	East
	ELECTROPLATERS (E370)	Burrows Plating Works Pty. Ltd., 93-99 Pyrmont Bridge Rd., Camperdown	296581	1970	Premise Match	88m	East
	ANODISERS (A385)	Burrows Plating Works Pty. Ltd., 93-99 Pyrmont Bridge Rd., Camperdown, 2050	261645	1970	Premise Match	88m	East
	Rustproofing Specialists	Burrow's Plating Works Pty. Ltd., 93- 95 Pyrmont Bridge Rd., Camperdown	141614	1965	Premise Match	88m	East
	Anodisers	Burrows Plating Works Pty. Ltd., 93-95 Pyrmont Bridge Rd., Camperdown	46375	1965	Premise Match	88m	East
	Electroplaters	Burrows Plating Works Pty. Ltd., 93-95 Pyrmont Bridge Rd., Camperdown	80157	1965	Premise Match	88m	East
	RUSTPROOFING SPECIALISTS	Burrow's Plating Works Pty. Ltd., 93- 95 Pyrmont Bridge Rd., Camperdown	247163	1961	Premise Match	88m	East
	ANODISERS	Burrows Plating Works Pty. Ltd., 93-95 Pyrmont Bridge Rd., Camperdown	267912	1961	Premise Match	88m	East
	ELECTROPLATERS	Burrows Plating Works Pty. Ltd., 93-95 Pyrmont Bridge Rd., Camperdown	303850	1961	Premise Match	88m	East
	ANODISERS	Burrows Plating Works, 93 Bridge St., Camperdown	1786	1950	Premise Match	88m	East
29	GASKET MANUFACTURERS	Robertson, C. H., 186 Parramatta Rd., Camperdown	54144	1950	Premise Match	88m	East
	METAL PRESSERS & STAMPERS	Robertson, C. H., 186 Parramatta Rd., Camperdown	76033	1950	Premise Match	88m	East
30	Sheet Metal Workers	Planet Ventilation Pty Ltd, 3 Parramatta Rd Annandale 2038	62139	1991	Premise Match	89m	West

ld	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
30	SHEET METAL WORKERS.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	86119	1986	Premise Match	89m	West
	SHEET METAL WORKERS. (S2595)	Planet Ventilation Pty Ltd., 3 Parramatta Rd., Annandale. 2038.	74392	1982	Premise Match	89m	West
	ENGINEERS-HOTWATER HEATING &/OR VENTILATING. (E7230)	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038.	28562	1982	Premise Match	89m	West
	ENGINEERS-HOT WATER HEATING &/OR VENTILATING.	Planet Ventilation Pty. Ltd. 3 Parramatta Rd., Annandale. 2038	25626	1978	Premise Match	89m	West
	STEEL FABRICATORS.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	68168	1978	Premise Match	89m	West
	WELDERS-ELECTRIC &/OR OXY.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	74307	1978	Premise Match	89m	West
	VENTILATION EQUIPMENT MFRS. &/OR DISTS.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale.2038	73459	1978	Premise Match	89m	West
	STEEL FABRICATORS.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	80598	1975	Premise Match	89m	West
	VENTILATION EQUIPMENT MFRS. &/OR DISTS.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	86134	1975	Premise Match	89m	West
	WELDERS., Electric &/OR OXY.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038	87039	1975	Premise Match	89m	West
	ENGINEERS-HOT WATER- HEATING &/OR VENTILATING.	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale. 2038.	29609	1975	Premise Match	89m	West
	AIR CONDITIONING UNIT &/OR MACHINERY MFRS.	Planet Venetilation Pty. Ltd., 3-7 Parramatta Rd., Annandale	260831	1970	Premise Match	89m	West
	SHEET METAL WORKERS (\$230)	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Annandale	360726	1970	Premise Match	89m	West
	VENTILATING EQUIPMENT MFRS. &/OR DISTRIBUTORS	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Annandale, 2038	372549	1970	Premise Match	89m	West
	WELDERS-ELECTRIC &/OR OXY	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Annandale, 2038	373907	1970	Premise Match	89m	West
	ENGINEERS-HOT WATER, VENTILATING (E640)	Planet Ventilation Pty. Ltd., 3-7 Parramatta Rd., Andale.	299934	1970	Premise Match	89m	West
	STEEL FABRICATORS (S673)	Planet Ventilation Pty. Ltd., 3-7 Parramatta Rd., Annandale	365339	1970	Premise Match	89m	West
	Air Conditioning Units & Machinery Mfrs.	Planet Venetilation Pty. Ltd., 3-7 Parramatta Rd., Annandale	45703	1965	Premise Match	89m	West
	Sheet Metal Workers	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Andale	144039	1965	Premise Match	89m	West
	Ventilating Equipment Mfrs. &/or Distributors	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Andale	155371	1965	Premise Match	89m	West
	Engineers - Hot Water, Heating/Ventilating	Planet Ventilation Pty. Ltd., 3-7 Parramatta Rd., Andale.	83195	1965	Premise Match	89m	West
	STEEL FABRICATORS	Planet Ventilation Pty. Ltd., 3-7 Parramatta Rd., Annandale	148233	1965	Premise Match	89m	West
	ENGINEERS-HOT WATER, HEATING/VENTILATING	Planet Ventilation Pty. Ltd., 3 Parramatta Rd., Annandale	307397	1961	Premise Match	89m	West
	VENTILATING EQUIPMENT MFRS. &/OR DISTRIBUTORS	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Andale	260926	1961	Premise Match	89m	West
	WELDERS-ELECTRIC &/OR OXY	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Andale	262385	1961	Premise Match	89m	West
	SHEET METAL WORKERS	Planet Ventilation Pty. Ltd., 3-5 Parramatta Rd., Annandale	249391	1961	Premise Match	89m	West
	SHEET METAL WORKERS	Booth, L. and Son, 3-5 Parramatta Rd., Annandale	101655	1950	Premise Match	89m	West
	SHEET METAL WORKERS	Booton, L. & Son, 3-5 Parramatta Rd., Annandale	101654	1950	Premise Match	89m	West
	BOILERMAKERS	Booton, L. and Son, 3-5 Parramatta Rd., Annandale	9044	1950	Premise Match	89m	West
	LEAD BURNERS	Booton, L. and Son, 3-5 Parramatta Rd., Annandale	67894	1950	Premise Match	89m	West
5	SHEET METAL WORKERS	Booton, L. and Son, 3-5 Parramatta Rd., Annandale	101653	1950	Premise Match	89m	West
	STAINLESS STEEL-WORKERS	Booton, L. and Son, 3-5 Parramatta Rd., Annandale	104848	1950	Premise Match	89m	West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
30	WOODWARE MANUFACTURERS	Woodlines, Entrance Rear 1 Parramatta Rd., Annandale	114045	1950	Premise Match	89m	West
	CHAIR MANUFACTURERS	Woodlines, Rear 1 Parramatta Rd., Annandale	20838	1950	Premise Match	89m	West
	FURNITURE MANUFACTURERS & WHOLESALERS-GENERAL	Woodlines, Rear 1 Parramatta Rd., Annandale	52974	1950	Premise Match	89m	West
31	PAINT VARNISH OILS &/OR COLOUR MERCHANTS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	55658	1978	Premise Match	92m	North West
	ROOFING CONTRACTORS &/OR REPAIRSERS	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	63887	1978	Premise Match	92m	North West
	ROOFING MATERIAL MFRS.&/OR DISTS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	63929	1978	Premise Match	92m	North West
	PAINT-INDUSTRIAL PROTECTIVE COATING.	Lester. F. W. & Co., 15 Nelson St., Annandale. 2038	55475	1978	Premise Match	92m	North West
	PAINT-INDUSTRIAL PROTECTIVE COATING.	Lester, F W. & Co., 15 Nelson St., Annandale. 2038	65367	1975	Premise Match	92m	North West
	PLUMBERS, GASFITTERS &/OR DRAINLAYERS.	Lester, F W. & Co., 15 Nelson St., Annandale. 2038	68502	1975	Premise Match	92m	North West
	PAINT VARNISH OILS &/OR COLOUR MERCHANTS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	65568	1975	Premise Match	92m	North West
	PAINT VARNISH OILS &/OR COLOUR MERCHANTS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	65567	1975	Premise Match	92m	North West
	PUMP DEALERS., SECONDHAND.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	71184	1975	Premise Match	92m	North West
	ROOFING CONTRACTORS &/OR REPAIRERS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	74602	1975	Premise Match	92m	North West
	ROOFING MATERIAL MFRS &/OR DISTS.	Lester, F. W. & Co., 15 Nelson St., Annandale. 2038	74653	1975	Premise Match	92m	North West
	PAINT,ENAMEL,VARNISH/STAI N MANUFACTURERS (P024)	Lester, F. W. & Co., 15 Nelson St., Annandale	345982	1970	Premise Match	92m	North West
	PAINT-INDUSTRIAL PROTECTIVE COATINGS (P030)	Lester, F. W. & Co., 15 Nelson St., Annandale	346822	1970	Premise Match	92m	North West
	PAINT, VARNISH, OILS/COLOUR MERCHANTS (P074)	Lester, F. W. & Coy., 15 Nelson St., Annandale	346269	1970	Premise Match	92m	North West
	PLUMBERS,GASFITTERS/DRA INLAYERS(P608)	Lester, F. W. & Coy., 15 Nelson St., ANNANDALE	350638	1970	Premise Match	92m	North West
	ROOFING CONTRACTORS/REPAIRERS	Lester, F. W. & Coy., 15 Nelson St., Annandale	357814	1970	Premise Match	92m	North West
	ROOFING MATERIAL MFRS. &/OR DISTRIBUTORS (R415)	Lester, F. W. & Coy., 15 Nelson St., Annandale	357866	1970	Premise Match	92m	North West
	WATERPROOFING MATERIALS MFRS. &/OR DISTS.	Lester, F.W.& Coy, 15 Nelson St, Annandale	373304	1970	Premise Match	92m	North West
	Paint, Enamel, Varnish/Stain Manufacturers	Lester, F. W. & Co., 15 Nelson St., Annandale	130476	1965	Premise Match	92m	North West
	Paint, Varnish, Oils/Colour Merchants	Lester, F. W. & Coy., 15 Nelson St., Annandale	130929	1965	Premise Match	92m	North West
	Plumbers, Gasfitters/Drainlayers	Lester, F. W. & Coy., 15 Nelson St., Annandale	134372	1965	Premise Match	92m	North West
	Waterproofing Materials Mfrs.	Lester, F. W. & Coy., 15 Nelson St., Annandale	156059	1965	Premise Match	92m	North West
	Roofing Contractors/Repairers	Lester, F. W. & Coy, 15 Nelson St., Annandale	141108	1965	Premise Match	92m	North West
	Roofing Material Mfrs. &/or Distributors	Lester, F. W. & Coy, 15 Nelson St., Annandale	141155	1965	Premise Match	92m	North West
	WATERPROOFING MATERIALS MFRS.	Lester F W & Coy 15 Nelson St., Annandale	261669	1961	Premise Match	92m	North West
	PAINT, ENAMEL, VARNISH/STAIN MANUFACTURERS	Lester, F. W. & Co., 15 Nelson St., Annandale	355461	1961	Premise Match	92m	North West
	WATERPROOFING MATERIALS MFRS.	Lester, F. W. & Co., 15 Nelson St., Annandale	261670	1961	Premise Match	92m	North West
	PAINT, VARNISH, OILS/COLOUR MERCHANTS	Lester, F. W. & Coy., 15 Nelson St., Annandale	355689	1961	Premise Match	92m	North West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
31	PLUMBERS, GASFITTERS/DRAINLAYERS	Lester, F. W. & Coy., 15 Nelson St., Annandale	360580	1961	Premise Match	92m	North West
	ROOFING CONTRACTORS/REPAIRERS	Lester, F. W. & Coy., 15 Nelson St., Annandale	246637	1961	Premise Match	92m	North West
	ROOFING MATERIAL MFRS. &/OR DISTRIBUTORS	Lester, F. W. & Coy., 15 Nelson St., Annandale	246698	1961	Premise Match	92m	North West
	ROOFING MATERIAL MANUFACTURERS	Lester, F. W. & CO.,15 Nelson St., Annandale	99672	1950	Premise Match	92m	North West
	PAINT, VARNISH, OILS & COLOUR MERCHANTS	Lester, F. W. and Co., 15 Nelson St., Annandale	90788	1950	Premise Match	92m	North West
	ROOFING MATERIAL MANUFACTURERS	Lester, F. W. and Co., 15 Nelson St., Annandale	99673	1950	Premise Match	92m	North West
32	MOTOR ENGINEERS.	Sydney Automatics Pty. Ltd., 4 Australia St., Camperdown. 2050	63581	1986	Premise Match	94m	South East
	MOTOR TRANSMISSION SPECIALISTS.	Sydney Automatics Pty. Ltd., 4 Australia St., Camperdown. 2050	68170	1986	Premise Match	94m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Sydney Automatics Pty, Ltd., 4 Australia St., Camperdown. 2050.	57666	1982	Premise Match	94m	South East
	MOTOR BODY BUILDERS.	S.R. Series Restorations, 4 Australia St., Camperdown. 2050	47755	1978	Premise Match	94m	South East
33	CHEMICAL MFRS. &/OR IMPS. &/OR DISTS.	Drew Ameroid Australasia Pty. Ltd., 43 Nelson St., Annandale. 2038	13637	1986	Premise Match	99m	North West
	WELDING EQUIPMENT &/OR SUPPLIES MFRS. &/OR DISTS.	Drew Ameroid Australasia Pty. Ltd., 43 Nelson St., Annandale. 2038	98834	1986	Premise Match	99m	North West
	GASKET MFRS. &/OR SUPPLIERS.	Drew Amerold Australasia Pty. Ltd., 43 Nelson St., Annandale. 2038	38566	1986	Premise Match	99m	North West
	MUSIC SYSTEMS BACKGROUND.	Muzak, 51 Nelson St., Annandale. 2038	68895	1986	Premise Match	99m	North West
	MUSIC SYSTEMS BACKGROUND.	Planned Communications Australia Pty. Ltd., 51 Nelson St., Annandale. 2038	68897	1986	Premise Match	99m	North West
	PUBLIC ADDRESS SYSTEMS MFRS. &/OR DISTS.	Planned Communications Australia Pty. Ltd., 51 Nelson St., Annandale. 2038	78109	1986	Premise Match	99m	North West
	MUSIC SYSTEMS BACKGROUND.	Reditune Communications (Aust.), 51 Nelson St., Annandale. 2038	68898	1986	Premise Match	99m	North West
	PUBLIC ADDRESS SYSTEMS - HIRERS.	Touring Plant, 33 Nelson St., Annandale. 2038	78085	1986	Premise Match	99m	North West
	TELEVISION &/OR RADIO HIRERS.(T2080)	Canberra Television Services Pty. Ltd., 43 Nelson St, Annandale. 2038.	79476	1982	Premise Match	99m	North West
	TELEVISION &/OR RADIO HIRERS.	Canberra Television Services Pty. Ltd., 43 Nelson St., Annandale. 2038	70009	1978	Premise Match	99m	North West
	ELECTRIC FAN MANUFACTURERS &/OR DISTRIBUTORS (E105)	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	293585	1970	Premise Match	99m	North West
	ELECTRIC LIGHTING SPECIALISTS-INSTALLERS &/OR DESIGNERS(E180)	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	293961	1970	Premise Match	99m	North West
	&/OR WHOLESALERS (E210)	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	294213	1970	Premise Match	99m	North West
	FLUORESCENT LIGHTING EQUIPMENT MANUFACTURERS (F365)	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	304583	1970	Premise Match	99m	North West
	FLUORESCENT LIGHTING SPEC. (F370)	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	304632	1970	Premise Match	99m	North West
	ELECTRIC ELEMENT MFRS.&/OR DISTRIBUTORS (E100)	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St, Annandale	293547	1970	Premise Match	99m	North West
	BELTING IMPS. &/OR DISTS (B320)	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	266926	1970	Premise Match	99m	North West
	ELECTRIC LIGHT FITTINGS (SHADES, STANDARD BRACKETS, ETC) MFRS. &/OR DISTS.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	293841	1970	Premise Match	99m	North West
	ELECTRIC LIGHTING PLANT MFRS.&/OR DISTS.(E175)	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	293936	1970	Premise Match	99m	North West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
33	ELECTRICAL SUPPLIES/APPLIANCES- WHOLESALE	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	296021	1970	Premise Match	99m	North West
	ENGINEERS-ELECTRICAL (E570)	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	298171	1970	Premise Match	99m	North West
	BELTING-LEATHER, RUBBER, PLASTIC,ETCMFRS. &/OR DISTS. (B325)	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale.	266956	1970	Premise Match	99m	North West
	ELECTRIC CABLE,FLEX & WIRE MFRS.&/OR DISTS. (E055)	Greendate Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	293380	1970	Premise Match	99m	North West
	Room Heaters - Electric - Mfrs. &/or Dists.	Greendale Engineering & Cable Pty. Ltd., 43-51 Nelson St., Annandale	141197	1965	Premise Match	99m	North West
	Electric Cable, Flex & Wire Mfrs. &/or Dists.	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	77167	1965	Premise Match	99m	North West
	Electric Lighting Specialists - Installers &/or Designers	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	77771	1965	Premise Match	99m	North West
	Electric Motors - Dealers &/or Wholesalers	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	77993	1965	Premise Match	99m	North West
	Fluorescent Lighting Equipment Manufacturers	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	87962	1965	Premise Match	99m	North West
	Fluorescent Lighting Spec.	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	88009	1965	Premise Match	99m	North West
	Belting - Leather, Rubber, Etc. Mfrs. &/or Dists.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	51480	1965	Premise Match	99m	North West
	Belting Imps. &/Or Dists.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	51452	1965	Premise Match	99m	North West
	Electric Element Mfrs. &/or Distributors	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	77334	1965	Premise Match	99m	North West
	Electric Light Fittings (Shades, Standard Brackets, Etc.) Mfrs. &/or Dists.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	77644	1965	Premise Match	99m	North West
	Electric Lighting Plant Mfrs. &/or Dists.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	77739	1965	Premise Match	99m	North West
	Electrical Supplies/Appliances - Wholesale	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	79789	1965	Premise Match	99m	North West
	Electronic Equipment Mfrs. &/or Dists.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	80020	1965	Premise Match	99m	North West
	Engineers - Electrical	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	81463	1965	Premise Match	99m	North West
	Electric Fan Manufacturers &/or Distributors	Greendale Engineering & CaMes Pty. Ltd., 43 Nelson St., Annandale	77372	1965	Premise Match	99m	North West
	Flux Manufacturers	Multicore Solders (Ault.) Pty. Ltd., 43- 51 Nelson St., Andale	88053	1965	Premise Match	99m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Cook Confectionery Co. Pty. Ltd., 33 Nelson St., Annandale	292592	1961	Premise Match	99m	North West
	ELECTRIC LIGHTING PLANT MFRS. &/OR DISTS.	Greendale Engineering & Cables Pty. Ltd, 43-51 Nelson St, Annandale	300766	1961	Premise Match	99m	North West
	ELECTRIC CABLE, FLEX & WIRE MFRS. &/OR DISTS.	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	300144	1961	Premise Match	99m	North West
	ELECTRIC FAN MANUFACTURERS &/OR DISTRIBUTORS	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	300369	1961	Premise Match	99m	North West
	ELECTRIC LIGHTING SPECIALISTS-INSTALLERS &/OR DESIGNERS	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	300807	1961	Premise Match	99m	North West
	ELECTRIC MOTORS-DEALERS &/OR WHOLESALERS	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	301082	1961	Premise Match	99m	North West
	FLUORESCENT LIGHTING EQUIPMENT MANUFACTURERS	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	312198	1961	Premise Match	99m	North West
	FLUORESCENT LIGHTING SPEC.	Greendale Engineering & Cables Pty. Ltd., 43 Nelson St., Annandale	312254	1961	Premise Match	99m	North West
	BELTING IMPS. &/OR DISTS	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	273018	1961	Premise Match	99m	North West
	BELTING-LEATHER, RUBBER, ETC. MFRS. &/OR DISTS.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	273043	1961	Premise Match	99m	North West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
33	ELECTRIC ELEMENT MFRS. &/OR DISTRIBUTORS	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	300331	1961	Premise Match	99m	North West
	ELECTRIC TERMINAL MFRS.	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	301421	1961	Premise Match	99m	North West
	ELECTRONIC EQUIPMENT MFRS. &/OR DISTRIBUTORS	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	303736	1961	Premise Match	99m	North West
	ENGINEERS-ELECTRICAL	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	305476	1961	Premise Match	99m	North West
	SOLDER MANUFACTURERS &/OR DISTRIBUTORS	Greendale Engineering & Cables Pty. Ltd., 43-51 Nelson St., Annandale	251072	1961	Premise Match	99m	North West
	BOOT & SHOE REPAIRERS	Mottle, E., 53 Nelson St., Annandale	275058	1961	Premise Match	99m	North West
	SOLDER MANUFACTURERS &/OR DISTRIBUTORS	Multi-Core Solders (Australia) Pty. Ltd., 43-51 Nelson St., Annandale	251085	1961	Premise Match	99m	North West
	BOOT & SHOE REPAIRERS	Mottle, E., 53 Nelson St., Annandale	10482	1950	Premise Match	99m	North West
	ELECTRICAL SUPPLIES & APPLIANCES RETAILERS	Petcap Lock Co., 43-51 Nelson St., Annandale	38710	1950	Premise Match	99m	North West
	CARRIERS & CARTAGE CONTRACTORS	Stephens, R., 24 Susan St., Annandale	19853	1950	Premise Match	99m	North West
	TRANSPORT SERVICES- INTERSTATE	Stephens, R., 24 Susan St., Annandale	110313	1950	Premise Match	99m	North West
	CONFECTIONERS- MANUFACTURING &/OR WHOLESALE	Walcot Pty. Ltd., 33-41 Nelson St., Annandale	28669	1950	Premise Match	99m	North West
34	Confectioners - Manufacturing &/or Wholesale	Standard Brands Incorporated Pty. Ltd., 5 Albion St., Annandale	70090	1965	Premise Match	100m	North West

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

# **Business Directory Records 1950-1991 Road or Area Matches**

Universal Business Directory records from years 1991, 1986, 1982, 1978, 1975, 1970, 1965, 1961 & 1950, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
35	CLOTHING - UNDERWEAR MFRS.&/OR W/SALERS. (C5703)	Eastern Industries Pty. Ltd., Parramatta Rd., Camperdown. 2050.	17164	1982	Road Match	Om
	CLOTHING - UNDERWEAR MFRS. &/OR W/SALERS.	Eastern Industries Pty. Ltd., Parramatta Rd., Camperdown. 2050	15489	1978	Road Match	0m
	PUMP MFRS.&/OR DISTS.	S. & B. Machinery Pty. Ltd., Parramatta Rd., Camperdown. 2050	71296	1975	Road Match	0m
	FROCK & COAT SALONS	Sabu Frock Salon, 157 Parramatta Rd., Annandale.	314477	1961	Road Match	0m
	MOTOR CAR & TRUCK DEALERS-USED	Albion Motors (Overseas) Ltd., 180 Parramatta Rd., Camperdown	82267	1950	Road Match	0m
	MOTOR CAR &/OR TRUCK IMPORTERS &/OR DISTRIBUTORS	Albion Motors (Overseas) Ltd., 180 Parramatta Rd., Camperdown	82651	1950	Road Match	0m
	MOTOR BODY BUILDERS	Albion Motors Overseas Ltd., 180 Parramatta Rd., Camperdown	82001	1950	Road Match	0m
36	MOTOR ENGINEERS.	Johnston, M., Cahill St., Camperdown. 2050	58189	1975	Road Match	0m
37	WIRE PRODUCTS MFRS. (W330)	Australian Springs Pty. Ltd, Mathieson St, Camperdown	374820	1970	Road Match	0m
	SPRING MANUFACTURERS (S467)	Australian Springs Pty. Ltd., Mathieson St., Camperdown	363852	1970	Road Match	0m
	SPRING MFRSSPIRAL (S470)	Australian Springs Pty. Ltd., Mathieson St., Camperdown	363883	1970	Road Match	0m
	Furniture - Period - Mfrs. &/or Wholesalers	Fairweather, W. O. & Son., Mathieson St., Camperdown	94087	1965	Road Match	0m
	Toy Mfrs.	Model Engineering Products Pty., Mathieson St., Camperdown	153292	1965	Road Match	0m
	FRENCH POLISHERS	Fairweather, W. O., Mathieson St., Camperdown	313847	1961	Road Match	0m
	CABINETMAKERS	Fairweather, W. O., Mathiesons St., Camperdown	281742	1961	Road Match	0m
	ENGINEERS-GENERAL/MFRG./ MECHANICAL	Model Engineering Products Pty. Ltd., Mathieson St., Camperdown	306792	1961	Road Match	0m
	SHEET METAL WORKERS	Model Engineering Products Pty. Ltd., Mathieson St., Camperdown	249367	1961	Road Match	0m
	BATTERY MANUFACTURERS	Australian Dry Batteries Pty. Ltd., Matheson St., Camperdown	6517	1950	Road Match	0m
38	Dental Supplies &/or Equipment	Adec Australia, 51 Denison St., Camperdown 2050	41257	1991	Road Match	32m
	Motor Panel Beaters &/or Spray Painters	John Gallagher Panel Beating Co Pty Ltd, Denison St Camperdown 2050	54486	1991	Road Match	32m
	HOTEL &/OR MOTEL EQUIPMENT SUPPLIES. (H7100)	Computa Bar Pty. Ltd., 51 Denison St., Camperdown. 2050.	40503	1982	Road Match	32m
	BOOT & SHOE REPAIRERS	Long, W. J., Denison St., Camperdown	10388	1950	Road Match	32m
39	Screen Printers	Spectrum Screen Printers Pty Ltd, 1 Gordon St. Camperdown. 2050	61755	1991	Road Match	44m
40	Printers Lithographic (Offset)	Impressionists Pty. Ltd., Water St Camperdown 2050	59170	1991	Road Match	49m
41	UPHOLSTERERS.	El-Sid's Upholstery, Kilner La., Camperdown. 2050.	96582	1986	Road Match	52m
	VALUATORS-GENERAL	Australasian Auctioneers Pty. Ltd., Kilner Lane, Camperdown	372289	1970	Road Match	52m
	AUCTIONEERS-GENERAL (A620)	Australian Auctioneers Pty. Ltd., Kilner Lane., Camperdown	263613	1970	Road Match	52m

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
41	Furniture Removalists/Storage	Alpha Van Lines Pty. Ltd., Kilner Lane, Camperdown	94127	1965	Road Match	52m
	Valuators - Furniture &/or General	Australasian Auctioneers Pty Ltd., Kilner Lane, Camperdown	155131	1965	Road Match	52m
	Auctioneers - General	Australian Auctioneers Pty. Ltd., Kilner Lane, Camperdown	48329	1965	Road Match	52m
	Furniture Removalists/Storage	Kilners Pty. Ltd., Kilner Lane, Camperdown	94165	1965	Road Match	52m
	Carriers & Cartage Contractors - Master	Kilners Pty., Ltd., Kilner Lane, Camperdown	62727	1965	Road Match	52m
42	ENGINEERS-FURNACE & COMBUSTION	Universal Oil Burner Co., Albion St., Annandale	40349	1950	Road Match	57m
43	ROAD TRANSPORT SERVICES-N.S.W.	Sydney-Wollongong Transport Pty. Ltd., Cardigan St., Camperdown	246469	1961	Road Match	59m
44	BUTCHERS - WHOLESALE	Elvy, E. R. & Sons Pty. Ltd., 82 Cardigan La., Camperdown. 2050	11519	1975	Road Match	64m
	FOOD-FROZEN-MFRS &/OR IMPS &/OR DISTS.	Sumy Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown. 2050.	33450	1975	Road Match	64m
	POULTRY DEALERS- WHOLESALE.	Sunny Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown.	68992	1975	Road Match	64m
	FOOD PROCESSORS &/OR PACKERS.	Sunny Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown. 2050.	33620	1975	Road Match	64m
	BUTCHERS-WHOLESALE (B868)	Elvy, ER & Sons Pty. Ltd., 82 Cardigan Lane., Camperdown	274909	1970	Road Match	64m
	FOOD PROCESSORS/PACKERS (F430)	Sunny Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown	305007	1970	Road Match	64m
	FOODS-FROZEN-SPECIALISTS (F439)	Sunny Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown	305177	1970	Road Match	64m
	POULTRY DEALERS-W'SALE (P696)	Sunny Ridge Turkey Farm Pty. Ltd., 82 Cardigan La., Camperdown	351336	1970	Road Match	64m
	MANUFACTURERS' AGENTS	Barrett, B. N., 80 Cardigan Lane, Stanmore	70810	1950	Road Match	64m
	GROCERS-WHOLESALE	Barrett, B. N., 80 Cardigan Lane., Stanmore	58831		Road Match	64m
45	Brass Fittings &/or Brassware Mfrs &/or Suppliers	Decorative Brass Pty. Ltd., 2 Australia St. Camperdown 2050	36553		Road Match	75m
	Metal Polishers &/or Grinders	Decorative Brass Pty. Ltd., 2 Australia St., Camperdown. 2050	51641		Road Match	75m
	MOTOR GEAR &/OR TRANSMISSION SPECIALISTS.	Maserati Motors Performance, 2 Australia St., Camperdown. 2050	65824		Road Match	75m
	MOTOR ENGINEERS.	Maserati Motors Performance. 2 Australia St., Camperdown. 2050	63455	1986	Road Match	75m
	COURIER SERVICES.	Yellow Express Taxi Trucks, 13A Australia St., Camperdown. 2050	20663	1986	Road Match	75m
	TAXI TRUCK OPERATORS.	Yellow Express Taxi Trucks, 13A Australia St., Camperdown. 2050	92458	1986	Road Match	75m
	MOTOR ENGINEERS. (M6660)	Maserati Motors Performance, 2 Australia St., Camperdown. 2050.	55768	1982	Road Match	75m
	MOTOR GEAR &/OR TRANSMISSION SPECIALISTS. (M6920)	Maserati Motors Performance, 2 Australia St., Camperdown. 2050.	57921	1982	Road Match	75m
46	TYRE DEALERS &/OR RETREADERS &/OR VULCANISERS	Tyresoles (Aust) Pty. Ltd., Parramatta Rd., Annandale. 2038	72988	1978	Road Match	77m
	FISH MERCHANTS-RETAIL	Chris Sea Foods, Parramatta Rd., Annandale. 2038.	32323	1975	Road Match	77m
	TYRE DEALERS, RETREADERS &/OR VULCANIZERS,	Tyresoles (Aust.) Pty. Ltd., Parramatta Rd., Annandale. 2038	85649	1975	Road Match	77m
	TYRE DEALERS, RETREADERS & VULCANIZERS	Tyresoles (Aust.) Pty. Ltd., Parramatta Rd., Annandale	371766	1970	Road Match	77m
	Tyre Dealers, Retreaders & Vulcanizers	Tyresoles (Aust.) Pty. Ltd., Parramatta Rd., Annandale	154789	1965	Road Match	77m
	HOTELS—LICENSED	Empire Hotel, Parramatta Rd., Annandale	325302		Road Match	77m
	TYRE RETREAD./VULCANIZERS	Tyresoles (Aust.) Pty. Ltd., Parramatta Rd., Annandale	260124	1961	Road Match	77m


Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
46	BABY & CHILDREN'S WEAR- RETAIL	Delphine's, Parramatta Rd., Annandale	4505	1950	Road Match	77m
	TAILORS-LADIES &/OR GENT.'S	Savage, J., Parramatta Rd., Annandale	106705	1950	Road Match	77m
47	TYRE/TUBE DEALERS (T760)	Braham Bros. (Toyo Tyres), Parramatta Rd., Stanmore	371828	1970	Road Match	78m
	MOTOR CAR/TRUCK DEALERS—NEW/USED	Palmer, Sydney Pty. Ltd., Parramatta Rd., Stanmore	345283	1961	Road Match	78m
	PICTURE THEATRES- SUBURBAN	Olympia Cinema, Parramatta Rd., Stanmore	92861	1950	Road Match	78m

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

## **Dry Cleaners, Motor Garages & Service Stations**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





#### **Historical Business Directories**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Dry Cleaners, Motor Garages & Service Stations 1948-1993 Premise or Road Intersection Matches**

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a premise or road intersection, within the dataset buffer.

Note: The Universal Business Directories were published between 1948 and 1993. Dry Cleaners, Motor Garages & Service Stations have been extracted from all of these directories except the following years 1951, 1955, 1957, 1960, 1963, 1973, 1974, 1977, 1987.

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
1	DRY CLEANERS, PRESSERS &/OR DYERS.	Lawrence Dry Cleaners Pty. Ltd., 130 Pyrmont Bridge Rd., Camperdown 2050	3020	1972	Premise Match	0m	On-site
	DRY CLEANERS, PRESSERS &/OR DYERS	Lawrence Dry Cleaners Pty. Ltd., 130 Pyrmont Bridge Rd., Camperdown 2050	51154	1971	Premise Match	0m	On-site
	DRY CLEANERS, PRESSERS/DYERS	Lawrence Dry Cleaners., 130 Pyrmont Bridge Rd., Camperdown	10103	1959	Premise Match	0m	On-site
	DRY CLEANERS, PRESSERS & DYERS	Ranier Dry Cleaners., 130 Pyrmont Bridge Rd Camperdown	357	1958	Premise Match	0m	On-site
2	DRY CLEANERS, PRESSERS/DYERS.	Lawrence Dry Cleaners Pty. Ltd., 208 Parramatta Rd., Camperdown	24812	1962	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS / DYERS	Lawrence Dry Cleaners Pty. Ltd., 208 Parramatta Rd., Camperdown	299159	1961	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS/DYERS	Lawrence Dry Cleaners Pty Ltd., 208 Parramatta Rd, Camperdown	9948	1959	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS/DYERS	Lawrence Dry Cleaners Pty. Ltd., 208 Parramatta Rd Camperdown	10104	1959	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS	Lawrence Dry Cleaners., 208 Parramatta Rd Camperdown	290	1958	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS.	Lawrence Dry Cleaners., 212-214 Parramatta Rd Camperdown	44418	1954	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS.	Lawrence Dry Cleaners., 212-214 Parramatta Rd Camperdown	36238	1953	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS.	Lawrence Dry Cleaners., 212-214 Parramatta Rd., Camperdown	27134	1952	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS	Lawrence Dry Cleaners, 212 Parramatta Rd Camperdown	35398	1950	Premise Match	9m	South West
	DRY CLEANERS, PRESSERS & DYERS.	Lawrerce Dry Cleaners., 212 Parramatta Rd., Camperdown	17259	1948-49	Premise Match	9m	South West
3	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Car Club Co. Pty. Ltd., Parramatta Rd Camperdown	31028	1968	Road Intersection	14m	South
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Car Club Co. Pty. Ltd., Parramatta Rd Camperdown	15509	1967	Road Intersection	14m	South
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Car Club Co. Pty. Ltd., Parramatta Rd Camperdown	1085	1966	Road Intersection	14m	South
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Car Club Co. Pty. Limited., Cnr Parramatta & Pyrmont Rds Camperdown	37981	1962	Road Intersection	14m	South
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Camperdown Car Club Co. Pty. Limited, Cnr. Parramatta & Pyrmont Rds. CAMPERDOWN	350437	1961	Road Intersection	14m	South
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Atlantic Service Station., Cnr Parramatta & Pyrmont Rds., Camperdown	24041	1959	Road Intersection	14m	South

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
4	MOTOR GARAGES & SERVICE STATIONS.	Mobil Camperdown Service Centre, 200 Parramatta Rd., Camperdown. 2050	19125	1993	Premise Match	20m	East
	Motor Garages & Service Stations	Esso Service Centre, 200 Parramatta Rd., Camperdown 2050	53731	1991	Premise Match	20m	East
	MOTOR GARAGES & SERVICE STATIONS.	Esso Service Centre, 200 Parramatta Rd., Camperdown. 2050	11584	1990	Premise Match	20m	East
	MOTOR GARAGE & SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	65041	1989	Premise Match	20m	East
	MOTOR GARAGES & SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	59259	1988	Premise Match	20m	East
	MOTOR GARAGES & SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	64664	1986	Premise Match	20m	East
	MOTOR GARAGES & SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	39663	1985	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050	28241	1984	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Selfserve., 200 Parramatta Rd., Camperdown 2050	14666	1983	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Esso Selfserve, 200 Parramatta Rd., Camperdown. 2050.	56730	1982	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Camperdown Service Station., 200 Parramatta Rd., Camperdown. 2050	3236	1981	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Camperdown Service Station., 200 Parramatta Rd., Camperdown. 2050	52885	1980	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Servicenter., 200 Parramatta Rd., Camperdown. 2050.	41469	1979	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Servicenter, 200 Parramatta Rd., Camperdown.	50008	1978	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Esso Servicenter., 200 Parramatta Rd., Camperdown 2050	29967	1976	Premise Match	20m	East
	MOTOR GARAGES &/OR ENGINEERS.	Esso Servicenter 200 Parramatta Rd., Camperdown.	58839	1975	Premise Match	20m	East
	MOTOR GARAGES & ENGINEERS(M6S6)	Esso Servicenter, Parramatta Rd. CAMPERDOWN	337771	1970	Premise Match	20m	East
5	MOTOR GARAGES & ENGINEERS.	Harden & Johnston Limited, Parts Division., 212-220 Parramatta Rd Camperdown Sydney	7010	1967	Premise Match	41m	South West
6	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Service Station., 92 Pyrmont Bridge Rd Camperdown	51823	1964	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Service Station., 92 Pyrmont Bridge Rd Camperdown	37982	1962	Premise Match	51m	North East
	MOTOR GARAGES & ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	29046	1962	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Elliott L. D., 92 Bridge St Camperdown	37983	1962	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Transport Workers' Co-Op. Ltd., 92 Pyrmont Bridge Rd Camperdown	37986		Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Camperdown Service Station, 92 Pyrmont Bridge Rd. CAMPERDOWN	350438	1961	Premise Match	51m	North East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
6	MOTOR GARAGES & ENGINEERS	Dawson, D., 92 Pyrmont Bridge Rd. CAMPERDOWN	347026	1961	Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Elliott, L. D., 92 Bridge St. CAMPERDOWN	350559	1961	Premise Match	51m	North East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Transport Workers' Co-op. Ltd., 92 Pyrmont Bridge Rd., CAMPERDOWN	351230	1961	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Camperdown Service Station., 92 Pyrmont Bridge Rd Camperdown	24040	1959	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Camperdown Service Station., 92 Pyrmont Bridge Rd Camperdown	24043	1959	Premise Match	51m	North East
	MOTOR GARAGES & ENGINEERS	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	13762	1959	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Elliott L. D., 92 Bridge St Camperdown	24044	1959	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Transport Workers' Co-Op. Ltd., 92 Pyrmont Bridge Rd Camperdown	24047	1959	Premise Match	51m	North East
	MOTOR GARAGE/ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd Camperdown	946	1958	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Elliott L. D., 92 Bridge St., Camperdown	9507	1958	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Transport Workers Co-Operative Ltd., 92 Pyrmont Bridge Rd Camperdown	9885	1958	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	57538	1956	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Elliott L. D., 92 Bridge St Camperdown	61889	1956	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Transport Workers Co-Operative Ltd., 92 Pyrmont Bridge Rd Camperdown	84	1956	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd Camperdown	49157	1954	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Elliott L. D., 92 Bridge St., Camperdown	54456	1954	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Transport Workers Co-Operative Ltd., 92 Pyrmont Bridge Rd Camperdown	54708	1954	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	39904	1953	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Elliott, L. D., 92 Bridge St., Camperdown	44050	1953	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	31557	1952	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS	Dawson D., 92 Pyrmont Bridge Rd., Camperdown	83671	1950	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Dawson, D., 92 Pyrmont Bridge Rd., Camperdown	85917	1950	Premise Match	51m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Tulk Bros., 92 Pyrmont Bridge Rd Camperdown	22964	1948-49	Premise Match	51m	North East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Tulk Bros., 92 Pyrmont Bridge Rd., Camperdown	26840	1948-49	Premise Match	51m	North East
7	MOTOR GARAGES & ENGINEERS.	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd Camperdown	29059	1962	Premise Match	51m	East
	MOTOR GARAGES & ENGINEERS	Pearce Bros. Pty. Ltd., 194-196 Parramatta Rd. CAMPERDOWN	347882		Premise Match	51m	East
	MOTOR GARAGES & ENGINEERS	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	13773	1959	Premise Match	51m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
7	MOTOR GARAGE/ENGINEERS.	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	4733	1958	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	61271	1956	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	49833	1954	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	40494	1953	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pearce Bros. Pty. Ltd., 190-192 Parramatta Rd Camperdown	32068	1952	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS	Pearce Bros Pty. Ltd., 190-192 Parramatta Rd., Camperdown	84198	1950	Premise Match	51m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pearce Bros Pty. Ltd., 190-192 Parramatta Rd Camperdown	22728	1948-49	Premise Match	51m	East
8	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Lanock Motors Ltd., 11 Australia St., Camperdown 2050	3638	1981	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Lanock Motors Ltd., 11 Australia St., Camperdown. 2050	58371	1980	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Lanock Motors Ltd., 11 Australia St., Camperdown 2050	30364	1976	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Lanock Motors Ltd., 11 Australia St., Camperdown.	59142	1975	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	7727	1972	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	56487	1971	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS(M6S6)	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St. CAMPERDOWN	338142	1970	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Lanock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	41811	1969	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Lannock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	21176	1968	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Lannock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	6828	1967	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Lannock Motors Sales & Service Pty. Ltd., 11 Australia St Camperdown	55786	1966	Premise Match	60m	South East
	Motor Garages & Engineers	Lannock Motors Sales & Service Pty. Ltd., 11 Australia St. Camperdown	122350	1965	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Lanock Motors Ltd., 11 Australia St Camperdown	43549	1964	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Grenville Motors Ltd., 11 Australia St Camperdown	29050	1962	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Lanock Motors Ltd., 11 Australia St Camperdown	29054	1962	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS.	Larke Hoskins Pty. Ltd., 143 Parramatta Rd Camperdown	29055	1962	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Larke Hoskins Pty. Ltd., 143 Parramatta Rd Camperdown	37985	1962	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Larke Hoskins Services Pty. Ltd., 12-16 Denison St Camperdown	37984	1962	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Grenville Motors Ltd., 11 Australia St., Camperdown	347281		Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Lanock Motors Ltd., 11 Australia St., Camperdown	347544	1961	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd. CAMPERDOWN	347550	1961	Premise Match	60m	South East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Larke, Hoskins Pty. Ltd., 143 Parramatta Rd. CAMPERDOWN	350776	1961	Premise Match	60m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
8	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Larke, Hoskins Services Pty. Ltd., 12-16 Denison St. CAMPERDOWN	350777	1961	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Grenville Motors Ltd., 11 Australia St Camperdown	13766	1959	Premise Match	60m	South East
	MOTOR GARAGES & ENGINEERS	Larke Hoskins Pty. Ltd., 143 Parramatta Rd Camperdown	13769	1959	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Larke Hoskins Pty. Ltd., 143 Parramatta Rd Camperdown	24045	1959	Premise Match	60m	South East
	MOTOR GARAGE/ENGINEERS.	Grenville Motors Ltd., 11 Australia St Camperdown	4209	1958	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Grenville Motors Ltd., 11 Australia St Camperdown	57739	1956	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Grenville Motors Ltd., 11 Australia St Camperdown	49346	1954	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Larke Neave & Carter Ltd., 11 Australia St Camperdown	49558	1954	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Grenville Motors Ltd., 11 Australia St Camperdown	40072	1953	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Larke, Neave & Carter Ltd., 11 Australia St., Camperdown	65259	1953	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Larke Neave & Carter Ltd., 11 Australia St., Camperdown	31856	1952	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS	Larke, Neave and Carter Ltd., 11 Australia St., Camperdown	83983	1950	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Larke, Neave and Carter Ltd., 141 Parramatta Rd., Camperdown	86128	1950	Premise Match	60m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Larke Hoskins Pty. Ltd., 141 Parramatta Rd Camperdown	26573	1948-49	Premise Match	60m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Larke Neave And Carter Ltd., 11 Australia St Camperdown	22541	1948-49	Premise Match	60m	South East
9	MOTOR GARAGES & ENGINEERS.	Mcrae H. & D., 96 Pyrmont Bridge Rd Camperdown	29056	1962	Premise Match	75m	North East
	MOTOR GARAGES & ENGINEERS	McRae, H. & D., 96 Pyrmont Bridge Rd. CAMPERDOWN	347693	1961	Premise Match	75m	North East
	MOTOR GARAGES & ENGINEERS	Mcrae H. & D., 96 Pyrmont Bridge Rd Camperdown	13770	1959	Premise Match	75m	North East
	MOTOR GARAGE/ENGINEERS.	Mcrae H. And D., 96 Pyrmont Bridge Rd Camperdown	4526	1958	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Mcrae H. And D., 96 Pyrmont Bridge Rd Camperdown	58033	1956	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Mcrae H. And D., 96 Pyrmont Bridge Rd Camperdown	49642	1954	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS.	McRae H. And D., 96 Pyrmont Bridge Rd., Camperdown	40325	1953	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Mcrae H. And D., 96 Pyrmont Bridge Rd Camperdown	31919	1952	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS	McRae, H. and D., 96 Pyrmont Bridge Rd., Camperdown	84076	1950	Premise Match	75m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Mcrae H. And D., 96 Pyrmont Bridge Rd Camperdown	22596	1948-49	Premise Match	75m	North East
10	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Maserati Motors., 2 Australia St., Camperdown 2050	3723	1981	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Total Service Station., 137 Parramatta Rd Camperdown	1087	1966	Premise Match	87m	South East
	Motor Service Stations - Petrol, Oil, Etc.	Total Service Station, 137 Parramatta Rd. Camperdown	125540	1965	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Total Service Station., 137 Parramatta Rd Camperdown	51824	1964	Premise Match	87m	South East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
10	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	37980	1962	Premise Match	87m	South East
	MOTOR GARAGES & ENGINEERS.	Total Service Station., 137 Parramatta Rd., Camperdown	29062	1962	Premise Match	87m	South East
	MOTOR SERVICE STATIONS—PETROL, OIL, Etc.	Broadway Service Station, 137 Parramatta Rd. CAMPERDOWN	350407	1961	Premise Match	87m	South East
	MOTOR GARAGES & ENGINEERS	Total Service Station, 137 Parramatta Rd. CAMPERDOWN	348300	1961	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	24042	1959	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Total Service Station., 137 Parramatta Rd Camperdown	24046	1959	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	9417	1958	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	61816	1956	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	54408	1954	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station, 137 Parramatta Rd., Camperdown	44022	1953	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	35792	1952	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, Etc.	Broadway Service Station, 137 Parramatta Rd., Camperdown	85825	1950	Premise Match	87m	South East
	MOTOR SERVICE STATIONS-PETROL, ETC.	Broadway Service Station., 137 Parramatta Rd Camperdown	23150	1948-49	Premise Match	87m	South East
11	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Sydney Automatics Pty, Ltd., 4 Australia St., Camperdown. 2050.	57666	1982	Premise Match	94m	South East
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Sydney Automatics Pty. Ltd., 4 Australia St., Camperdown 2050	8256	1981	Premise Match	94m	South East
12	MOTOR GARAGE/ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	714	1958	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	57326	1956	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	48958	1954	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	36671	1953	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	27570	1952	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS	Broadway Ford Service. 4-8 Australia St., Camperdown	83502	1950	Premise Match	104m	South East
	MOTOR GARAGES &/OR ENGINEERS.	Broadway Ford Service., 4-8 Australia St Camperdown	17818	1948-49	Premise Match	104m	South East
13	MOTOR SERVICE STATIONS-PETROL,. OIL, ETC.	Hastings Deering Service Limited., 182 Parramatta Rd Camperdown	20161	1959	Premise Match	110m	East
14	DRY CLEANERS, PRESSERS & DYERS.	Bridge Laundry., 8 Australia St Newtown	44314	1954	Premise Match	116m	South East
	DRY CLEANERS, PRESSERS & DYERS.	Bridge Laundry., 8 Australia St Newtown	36122	1953	Premise Match	116m	South East
15	DRY CLEANERS, PRESSERS & DYERS.	Norman O. Carlson., 13 Parramatta Rd Annandale	27201	1952	Premise Match	128m	West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
16	MOTOR GARAGES &/OR ENGINEERS.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	7719	1972	Premise Match	133m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	56478	1971	Premise Match	133m	North East
	MOTOR GARAGES & ENGINEERS(M6S6)	Camperdown Auto Port, 74 Pyrmont Bridge Rd. CAMPERDOWN	337519	1970	Premise Match	133m	North East
	MOTOR GARAGES & ENGINEERS.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	37740	1969	Premise Match	133m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	47606	1969	Premise Match	133m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	31027	1968	Premise Match	133m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	15508	1967	Premise Match	133m	North East
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	1084	1966	Premise Match	133m	North East
	Motor Service Stations - Petrol, Oil, Etc.	Camperdown Auto Port, 74 Pyrmont Bridge Rd. Camperdown	125539	1965	Premise Match	133m	North East
	MOTOR GARAGES & ENGINEERS	Camperdown Auto Port., 74 Pyrmont Bridge Rd Camperdown	43540	1964	Premise Match	133m	North East
17	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Richardson & Brown., 1-29 Bridge Rd., Stanmore 2048	13085	1972	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Richardson & Brown., 1-29 Bridge Rd., Stanmore 2048	13088	1972	Premise Match	158m	South West
	MOTOR GARAGES & ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	33459	1962	Premise Match	158m	South West
	MOTOR GARAGES & ENGINEERS	Sonnerdale Pty. Ltd., 5-29 Bridge St. STANMORE	348163	1961	Premise Match	158m	South West
	MOTOR GARAGES & ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	19993	1959	Premise Match	158m	South West
	MOTOR GARAGE/ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	4990	1958	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	61512	1956	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	54127	1954	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St Stanmore	40703	1953	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Sonnerdale Pty. Ltd., 5-29 Bridge St., Stanmore	32259	1952	Premise Match	158m	South West
	MOTOR GARAGES &/OR ENGINEERS	Sonnerdale Pty. Ltd., 5-29 Bridge St., Stanmore	84391	1950	Premise Match	158m	South West
18	MOTOR GARAGES &/OR ENGINEERS.	Radecry L. Engineers Pty. Ltd., 1 Chester St., Camperdown 2050	7732	1972	Premise Match	164m	North
19	MOTOR GARAGES & ENGINEERS	Buchanan N. H. Motor Co. Pty. Ltd., 6 Nelson St Annandale	13443	1959	Premise Match	165m	West
	MOTOR GARAGE/ENGINEERS.	Buchanan N. H. Motor Co. Pty. Ltd., 6 Nelson St Annandale	736	1958	Premise Match	165m	West
	MOTOR GARAGE/ENGINEERS.	Pippen A., 6 Nelson St Annandale	4768	1958	Premise Match	165m	West
	MOTOR GARAGE/ENGINEERS.	Sporne C. And Sons., 6 Nelson St Annandale	5005	1958	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Pippen A., 6 Nelson St Annandale	61301	1956	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Sporne C. And Sons., 6 Nelson St., Annandale	61525	1956	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Pippen A., 6 Nelson St Annandale	49861	1954	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Sporne C. And Sons., 6 Nelson St., Annandale	54140	1954	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Pippen A., 6 Nelson St., Annandale	40516	1953	Premise Match	165m	West

Map Id	<b>Business Activity</b>	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
19	MOTOR GARAGES &/OR ENGINEERS.	Sporne C. And Sons., 6 Nelson St Annandale	40714	1953	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Pippen A., 6 Nelson St., Annandale	32090	1952	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Sporne C. And Sons., 6 Nelson St Annandale	32268	1952	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS	Pippen, A., 6 Nelson St., Annandale	84221	1950	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS	Sporne, C. and Sons, 6 Nelson St., Annandale	84400	1950	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Pippen A., 6 Nelson St Annandale	22748	1948-49	Premise Match	165m	West
	MOTOR GARAGES &/OR ENGINEERS.	Sporne C. And Sons., 6 Nelson St Annandale	22890	1948-49	Premise Match	165m	West
20	MOTOR GARAGES & SERVICE STATIONS.	Rebuilt Automatics (Stanmore) Pty. Ltd., 14 Parramatta Rd., Stanmore. 2048	45436	1985	Premise Match	169m	South West
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Rebuilt Automatics (Stanmore) Pty. Ltd., 14 Parramatta Rd., Stanmore. 2048	34003	1984	Premise Match	169m	South West
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS.	Rebuilt Automatics (Stanmore) Pty. Ltd., 14 Parramatta Rd., Stanmore 2048	21458	1983	Premise Match	169m	South West
	MOTOR GARAGES &/OR ENGINEERS &/OR SERVICE STATIONS. (M6860)	Rebuilt Automatics (Stanmore) Pty. Ltd., 14 Parramatta Rd., Stanmore. 2048.	57445	1982	Premise Match	169m	South West
21	Motor Garages & Engineers	Pryer J. T. & Son.,168 Parramatta Rd Camperdown	122353	1965	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Pryer T. & Son., 168 Parramatta Rd Camperdown	43552	1964	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	29049	1962	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS.	Industrial Controls Pty. Ltd., 172 Parramatta Rd Camperdown	29051	1962	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS.	Pryer J. T. & Son., 168 Parramatta Rd Camperdown	29060	1962	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Ferrier, Dickinson & Weir Drysdale Ltd., 142- 146 Parramatta Rd. CAMPERDOWN	347139	1961	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Industrial Controls Pty. Ltd., 172 Parramatta Rd. CAMPERDOWN	347429	1961	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Pryer, J. T., 140 Parramatta Rd. CAMPERDOWN	347950	1961	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	13765	1959	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Industrial Controls Pty. Ltd., 172 Parramatta Rd Camperdown	13767	1959	Premise Match	177m	East
	MOTOR GARAGES & ENGINEERS	Pryer J. T., 140 Parramatta Rd Camperdown	13774	1959	Premise Match	177m	East
	MOTOR GARAGE/ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	4098	1958	Premise Match	177m	East
	MOTOR GARAGE/ENGINEERS.	Industrial Controls Pty. Ltd., 172 Parramatta Rd Camperdown	4336	1958	Premise Match	177m	East
	MOTOR GARAGE/ENGINEERS.	Pryer J. T., 140 Parramatta Rd Camperdown	4794	1958	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	57642	1956	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pryer J. T., 140 Parramatta Rd Camperdown	61323	1956	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	49254	1954	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pryer J. T., 140 Parramatta Rd Camperdown	49884	1954	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	39987	1953	Premise Match	177m	East

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
21	MOTOR GARAGES &/OR ENGINEERS.	Pryer J T., 140 Parramatta Rd Camperdown	40534	1953	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ferrier Dickinson & Weir Drysdale Ltd., 142-146 Parramatta Rd Camperdown	31629	1952	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pryer J. T., 140 Parramatta Rd Camperdown	32109	1952	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS	Ferrier, Dickinson and Weir Drysdale Ltd., 142-146 Parramatta Rd., Camperdown	83743	1950	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS	Pryer, J. T., 140 Parramatta Rd., Camperdown	84239	1950	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Ferrier Dickinson And Weir Drysdale Ltd., 142- 146 Parramatta Rd Camperdown	18016	1948-49	Premise Match	177m	East
	MOTOR GARAGES &/OR ENGINEERS.	Pryer J. T., 140 Parramatta Rd Camperdown	22761	1948-49	Premise Match	177m	East
22	MOTOR GARAGES & ENGINEERS.	Demos J., 62 Pyrmont Bridge Rd., Camperdown	29047	1962	Premise Match	192m	North East
	MOTOR GARAGES & ENGINEERS	Demos, J., 62 Pyrmont Bridge Rd. CAMPERDOWN	347039	1961	Premise Match	192m	North East
	MOTOR GARAGES & ENGINEERS	Demos J., 62 Pyrmont Bridge Rd Camperdown	13763	1959	Premise Match	192m	North East
	MOTOR GARAGE/ENGINEERS.	Demos J., 62 Pyrmont Bridge Rd Camperdown	961	1958	Premise Match	192m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Demos J., 62 Pyrmont Bridge Rd Camperdown	57554	1956	Premise Match	192m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Demos J., 62 Pyrmont Bridge Rd Camperdown	49172	1954	Premise Match	192m	North East
	MOTOR GARAGES &/OR ENGINEERS.	Demos J., 62 Pyrmont Bridge Rd Camperdown	39918	1953	Premise Match	192m	North East
23	MOTOR GARAGES & ENGINEERS.	Auto Centre Co. Pty. Ltd., 22 Parramatta Rd Annandale	55515	1966	Premise Match	193m	South West
24	MOTOR GARAGE/ENGINEERS.	Zeidler R. L., 26-28 Parramatta Rd Stanmore	9340	1958	Premise Match	199m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Zeidler R. L., 26-28 Parramatta Rd Stanmore	61746	1956	Premise Match	199m	South West
25	MOTOR GARAGES & ENGINEERS	Coggins W. T. Pty. Ltd., 160-162 Parramatta Rd Camperdown	43541	1964	Premise Match	226m	East
	MOTOR GARAGES & ENGINEERS.	Coggins W. T. Pty. Ltd., 160-162 Parramatta Rd Camperdown	29043	1962	Premise Match	226m	East
	MOTOR GARAGES & ENGINEERS	Coggins, W. T. Pty. Ltd., 160-162 Parramatta Rd. CAMPERDOWN	346910	1961	Premise Match	226m	East
	MOTOR GARAGES & ENGINEERS	Coggins W. T. Pty. Ltd., 160-162 Parramatta Rd Camperdown	13760	1959	Premise Match	226m	East
	MOTOR GARAGES &/OR ENGINEERS.	Coggins W. T. Pty. Ltd., 160-162 Parramatta Rd., Camperdown	57455	1956	Premise Match	226m	East
	MOTOR GARAGES &/OR ENGINEERS.	Coggins W. T. Pty. Ltd., 160-162 Parramatta Rd., Camperdown	49082	1954	Premise Match	226m	East
26	MOTOR GARAGES & ENGINEERS.	Percy L. J., 42-44 Parramatta Rd Stanmore	33457	1962	Premise Match	243m	South West
	MOTOR GARAGES & ENGINEERS	Percy, L. J., 42-44 Parramatta Rd. STANMORE	347895	1961	Premise Match	243m	South West
	MOTOR GARAGES & ENGINEERS.	Percy L. J., 42-44 Parramatta Rd Stanmore	19991	1959	Premise Match	243m	South West
	MOTOR GARAGE/ENGINEERS.	Percy L. J., 42-44 Parramatta Rd Stanmore	4742	1958	Premise Match	243m	South West
	MOTOR GARAGE/ENGINEERS.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	4743	1958	Premise Match	243m	South West
	MOTOR GARAGE/ENGINEERS.	Waverton Wawns Service Station., 42-44 Parramatta Rd Stanmore	9265	1958	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy's L. J., 42-44 Parramatta Rd Stanmore	61277	1956	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	61278	1956	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Wawns Service Station., 42-44 Parramatta Rd Stanmore	61672	1956	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy L. J., 42-44 Parramatta Rd Stanmore	49838	1954	Premise Match	243m	South West

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Property Boundary or Road Intersection	Direction
26	MOTOR GARAGES &/OR ENGINEERS.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	49839	1954	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy, L. J., 42-44 Parramatta Rd., Stanmore	40497	1953	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy's Service Station, 42-44 Parramatta Rd., Stanmore	40498	1953	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy L. J., 42-44 Parramatta Rd Stanmore	32072	1952	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	32073	1952	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS	Percy, L. J., 42-44 Parramatta Rd., Stanmore	84202	1950	Premise Match	243m	South West
	MOTOR SERVICE STATIONS-PETROL, Etc.	Percy, L. S., 42-44 Parramatta Rd., Stanmore	86281	1950	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS	Percy's Service Station, 42-44 Parramatta Rd., Stanmore	84203	1950	Premise Match	243m	South West
	MOTOR SERVICE STATIONS-PETROL, Etc.	Percy's Service Station, 42-44 Parramatta Rd., Stanmore	86282	1950	Premise Match	243m	South West
	MOTOR GARAGES &/OR ENGINEERS.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	22731	1948-49	Premise Match	243m	South West
	MOTOR SERVICE STATIONS-PETROL, ETC.	Percy's Service Station., 42-44 Parramatta Rd Stanmore	26696	1948-49	Premise Match	243m	South West

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

# **Dry Cleaners, Motor Garages & Service Stations 1948-1993 Road or Area Matches**

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published.

Note: The Universal Business Directories were published between 1948 and 1993. Dry Cleaners, Motor Garages & Service Stations have been extracted from all of these directories except the following years 1951, 1955, 1957, 1960, 1963, 1973, 1974, 1977, 1987.

Map Id	Business Activity	Premise	Ref No.	Year	Location Confidence	Distance to Road Corridor or Area
27	MOTOR GARAGES &/OR ENGINEERS.	Esso Servicenter., Parramatta Rd, Camperdown	7722	1972	Road Match	0m
	MOTOR GARAGES &/OR ENGINEERS.	Esso Servicenter., Parramatta Rd Camperdown	56482	1971	Road Match	0m
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Esso Servicenter., Parramatta Rd Camperdown	47607	1969	Road Match	0m
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Esso Servicenter., Parramatta Rd Camperdown	31029	1968	Road Match	0m
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Esso Servicenter., Parramatta Rd Camperdown	15510	1967	Road Match	0m
	MOTOR SERVICE STATIONS-PETROL, OIL, ETC.	Esso Servicenter., Parramatta Rd Camperdown	1086	1966	Road Match	0m
28	DRY CLEANERS, PRESSERS & DYERS.	Beamish., Parramatta Rd., Annandale	26963	1952	Road Match	77m

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018





















Aerial Imagery 1991
122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038









Aerial Imagery 1982
122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038









Aerial Imagery 1970
122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038










Aerial Imagery 1961
122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038



























#### **Topographic Map 2015**






#### **Historical Map 1975**






#### **Historical Map 1956**






### Historical Map 1938-1950






#### Historical Map c.1936






#### **Historical Map c.1917**





#### **Topographic Features**





# **Topographic Features**

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Points of Interest**

What Points of Interest exist within the dataset buffer?

Map Id	Feature Type	Label	Distance	Direction
1702287	Special School	BRIDGE ROAD SCHOOL	143m	East
1702126	Park	DOUGLAS GRANT PARK	251m	North
1702198	Sports Court	BASKETBALL COURTS	254m	South East
1702306	Art Gallery	CHRISSIE COTTER GALLERY	260m	East
1702218	Sports Centre	SYDNEY CENTRE FOR TENNIS	267m	South East
1702322	Place Of Worship	BUDDHIST TEMPLE	273m	North West
1702100	Community Facility	CAMPERDOWN BOWLING AND RECREATION CLUB	275m	South East
1702238	Sports Field	BOWLING GREENS	304m	South East
1702298	Preschool	ANNANDALE PUBLIC SCHOOL PRESCHOOL	304m	North West
1702295	Primary School	ST BRENDAN'S CATHOLIC PRIMARY SCHOOL	340m	North West
1702196	Park	CAMPERDOWN PARK	356m	South East
1702188	Park	O'DEA RESERVE	373m	South
1702247	Place Of Worship	CATHOLIC CHURCH	376m	North West
1702284	Primary School	ANNANDALE PUBLIC SCHOOL	393m	West
1702329	Park	BADU PARK	397m	North
1702319	Child Care Centre	TOXTETH KINDERGARTEN	412m	North West
1747924	University	THE UNIVERSITY OF SYDNEY MALLETT ST CAMPUS	412m	South East
1747707	Community Facility	BOOLER COMMUNITY CENTRE	446m	East
1702251	Place Of Worship	UNITING CHURCH	452m	South
1702331	Nursing Home	OPAL ANNANDALE	486m	North West
1702370	Monument	VICTORY HALL ANNANDALE	505m	North West
1702119	Community Facility	ANNANDALE BACK HALL	506m	North West
1702093	Community Facility	ANNANDALE NEIGHBOURHOOD CENTRE	506m	North West
1702320	Place Of Worship	HUNTER BAILLIE MEMORIAL PRESBYTERIAN CHURCH	509m	North West
1702323	Historic Site	HUNTER BAILLIE MEMORIAL PRESBYTERIAN CHURCH	509m	North West
1702266	Park	PETER COTTER RESERVE	511m	South
1702340	Place Of Worship	UNITING CHURCH	519m	North West
1747803	Community Medical Centre	YOUTHBLOCK HEALTH AND RESOURCE BUILDING	538m	South East
1702242	Convent/Monastery	HOLY FAMILY CONVENT	554m	West
1747962	Child Care Centre	CAMPERDOWN CHILD CARE CENTRE	561m	East
1747891	Place Of Worship	CATHOLIC CHURCH	575m	East

Map Id	Feature Type	Label	Distance	Direction
1702264	Park	BAIN PLAYGROUND	599m	South West
1747994	Special School	ROYAL PRINCE ALFRED HOSPITAL SCHOOL	604m	South East
1747984	Park	CALDWELL PLAYGROUND	614m	North East
1702366	Park	PLAYGROUND	632m	North
1702059	Place Of Worship	ANGLICAN CHURCH	645m	North West
1702262	Park	WHITLEY RESERVE	650m	South West
1747762	Psychiatric Hospital	PROFESSOR MARIE BASHIR CENTRE	651m	East
1702344	Post Office	ANNANDALE POST OFFICE	669m	North West
1747989	Suburb	FOREST LODGE	683m	North East
1747807	Community Medical Centre	CAMPERDOWN EARLY CHILDHOOD HEALTH CENTRE	707m	South East
1747808	Community Medical Centre	CAMPERDOWN CHILD ADOLESCENT FAMILY HEALTH CENTRE	707m	South East
1747936	Embassy	CONSULATE-GENERAL OF THE REPUBLIC OF SLOVENIA	708m	East
1702237	Park	SPINDERS PARK	739m	North
1702328	Park	MAYES STREET RESERVE	756m	North West
1702275	Park	GEORGE SMITH PLAYGROUND	772m	South
1748030	Sports Field	ST JOHNS OVAL	776m	East
1702377	Park	STYLE STREET RESERVE	781m	North West
1702076	Park	STYLE STREET RESERVE	786m	North West
1747990	Suburb	CAMPERDOWN	787m	East
1748008	General Hospital	RPA INSTITUTE OF RHEUMATOLOGY AND ORTHOPAEDICS	791m	East
1747804	Community Medical Centre	ROYAL PRINCE ALFRED HOSPITAL KGV BUILDING	791m	East
1702372	Park	SMITH HOGAN PARK	804m	North
1747682	Community Facility	GLEBE PCYC	806m	North East
1748035	Park	LEWIS HOAD RESERVE	812m	North
1702325	Sports Court	HALF COURT	825m	North West
1702290	Post Office	WESTGATE POST OFFICE	837m	West
1748037	Park	MINOGUE RESERVE	839m	North East
1702261	Park	WEEKLEY PARK	842m	South West
1702260	Park	EVAN JONES PLAYGROUND	843m	North West
1747685	Community Facility	PAGE CHEST CLINIC	856m	South East
1747995	General Hospital	ROYAL PRINCE ALFRED HOSPITAL	863m	East
1702375	Park	HINSBY PARK	873m	North
1748009	General Hospital	LIFEHOUSE AUSTRALIA	878m	South East
1702359	Historic Site	15 JOHNSTON STREET SUBSTATION	881m	North
1702236	Park	PLAYGROUND	886m	North
1747935	Post Office	MISSENDEN ROAD POST OFFICE	890m	East
1702250	Place Of Worship	SEVENTH DAY ADVENTIST CHURCH	893m	West

Map Id	Feature Type	Label	Distance	Direction
1702349	Suburb	ANNANDALE	896m	North
1702365	Monument	ANNANDALE WAR MEMORIAL	898m	North
1702307	Place Of Worship	ST MICHAELS CATHOLIC CHURCH	902m	South West
1702367	Park	DOG OFF LEASH AREA	904m	North
1747832	Primary School	FOREST LODGE PUBLIC SCHOOL	907m	North East
1702189	Park	CAMPERDOWN MEMORIAL REST PARK	911m	South East
1702249	Place Of Worship	FOURSQUARE GOSPEL CHURCH	914m	South East
1747867	Community Facility	GLEBE MORGUE	923m	East
1702333	Combined Primary-Secondary School	THE ATHENA SCHOOL	929m	South
1747965	Court House	STATE CORONER'S COURT	931m	East
1702071	Park	ARGUIMBAU STREET PLAYGROUND	942m	North West
1702293	Primary School	ST MICHAEL'S CATHOLIC PRIMARY SCHOOL	947m	South West
1747923	University	THE UNIVERSITY OF SYDNEY CAMPERDOWN CAMPUS	957m	East
1747733	Helipad	Helipad	957m	East
1702314	Park	NORTON RUSSELL PLAYGROUND	959m	South
1702272	Park	FLEMING PLAYGROUND	970m	South
1747968	Place Of Worship	SALVATION ARMY CHURCH	986m	East
1702353	Primary School	ANNANDALE NORTH PUBLIC SCHOOL	995m	North

Topographic Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

### **Topographic Features**

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Tanks (Areas)**

What are the Tank Areas located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
	No records in buffer					

#### **Tanks (Points)**

What are the Tank Points located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

Map Id	Tank Type	Status	Name	Feature Currency	Distance	Direction
	No records in buffer					

Tanks Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

#### **Major Easements**

What Major Easements exist within the dataset buffer?

Note. Easements provided by LPI are not at the detail of local governments. They are limited to major easements such as Right of Carriageway, Electrical Lines (66kVa etc.), Easement to drain water & Significant subterranean pipelines (gas, water etc.).

Map Id	Easement Class	Easement Type	Easement Width	Distance	Direction
158250264	Primary	Right of way	3.5 Wide	123m	North
153878235	Primary	Right of way		224m	South East
179797360	Primary	Right of way	Var.	224m	West
179470178	Primary	Right of way	VAR	794m	North East
169330230	Primary	Right of way	3.05 Wide	981m	West

Easements Data Source: © Land and Property Information (2015)

 $\label{lem:commons} \textbf{Creative Commons 3.0 @ Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en} \\$ 

### **Topographic Features**

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **State Forest**

What State Forest exist within the dataset buffer?

State Forest Number	State Forest Name	Distance	Direction
N/A	No records in buffer		

State Forest Data Source: © NSW Department of Finance, Services & Innovation (2018)
Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

#### **National Parks and Wildlife Service Reserves**


What NPWS Reserves exist within the dataset buffer?

1	Reserve Number	Reserve Type	Reserve Name	<b>Gazetted Date</b>	Distance	Direction
1	N/A	No records in buffer				

NPWS Data Source: © NSW Department of Finance, Services & Innovation (2018) Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

#### **Elevation Contours (m AHD)**





### **Hydrogeology & Groundwater**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### Hydrogeology

Description of aquifers on-site:

Description	
Porous, extensive highly productive aquifers	

Description of aquifers within the dataset buffer:

Description		
Porous, extensive highly produ	ctive aquifers	

Hydrogeology Map of Australia : Commonwealth of Australia (Geoscience Australia)

Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

# **Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018**


Temporary water restrictions relating to the Botany Sands aquifer within the dataset buffer:

Prohibition Area No.	Prohibition	Distance	Direction
N/A	No records in buffer		

Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018 Data Source: NSW Department of Primary Industries

#### **Groundwater Boreholes**





## **Hydrogeology & Groundwater**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Groundwater Boreholes**

Boreholes within the dataset buffer:

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m bgl)		Elev (AHD)	Dist	Dir
GW103 258	10BL159 644	Bore	Local Govt	Monitoring Bore	Monitoring Bore		18/01/2000	7.00	7.00	795				375m	South
GW103 261	10BL159 644	Bore	Local Govt	Monitoring Bore	Monitoring Bore		20/01/2000	7.40	7.40	972				375m	South
GW103 260	10BL159 644	Bore	Local Govt	Monitoring Bore	Monitoring Bore		18/01/2000	10.70	10.70					375m	South
GW103 259	10BL159 644	Bore	Local Govt	Monitoring Bore	Monitoring Bore		11/12/2000	2.50	2.50					375m	South
GW110 496	10BL603 107	Well	Private	Monitoring Bore	Monitoring Bore		16/06/2009	4.00	4.00		1.75			678m	North West
GW109 231	10BL602 551	Bore	Private	Monitoring Bore	Monitoring Bore		18/08/2008	3.20						693m	East
GW110 497	10BL603 107	Well	Private	Monitoring Bore	Monitoring Bore		17/06/2009	4.00	4.00		2.40			701m	North West
GW109 230	10BL602 551	Bore	Private	Monitoring Bore	Monitoring Bore		18/08/2008	1.80						705m	East
GW110 498	10BL603 107	Well	Private	Monitoring Bore	Monitoring Bore		17/06/2009	4.00	4.00		2.30			708m	North West
GW111 408	10BL604 530	Bore	Private	Monitoring Bore	Monitoring Bore		05/02/2011	4.40	4.40		2.07			983m	East
GW111 350	10BL602 389	Well	Private	Monitoring Bore	Monitoring Bore		23/10/2007	7.50	7.50					1282m	South
GW111 351	10BL602 389	Well	Private	Monitoring Bore	Monitoring Bore		23/10/2007	9.00	9.00					1289m	South
GW111 352	10BL602 389	Well	Private	Monitoring Bore	Monitoring Bore		24/10/2007	8.00	8.00		7.70			1292m	South
GW111 353	10BL602 389	Well	Private	Monitoring Bore	Monitoring Bore		24/10/2007	7.00	7.00		2.50			1300m	South
GW105 317	10BL161 846	Bore		Monitoring Bore	Monitoring Bore		21/03/2003	6.50	6.50		1.70			1328m	South East
GW110 247	10BL603 148, 10WA10 9284	Bore	Private	Domestic	Domestic		16/07/2009	210.00	210.00	4400	31.0 0	0.130		1341m	East
GW111 089	10BL601 754	Bore	Private	Monitoring Bore	Monitoring Bore		03/05/2007	9.00	9.00					1367m	West
GW111 088	10BL601 754	Bore	Private	Monitoring Bore	Monitoring Bore		03/05/2007	9.00	9.00					1377m	West
GW111 087	10BL601 754	Bore	Private	Monitoring Bore	Monitoring Bore		03/05/2007	8.70	8.70					1390m	West
GW109 651	10BL602 525	Bore	Private	Monitoring Bore	Monitoring Bore		27/05/2008	2.50	2.55	690	0.42	0.500		1470m	North West
GW109 729	10BL162 346	Bore	Private	Monitoring Bore	Monitoring Bore		02/09/2003	6.00	6.00	1000	1.40			1555m	South East
GW109 731	10BL162 346	Bore	Private	Monitoring Bore	Monitoring Bore		28/08/2003	6.00	6.00	1000	1.10			1555m	South East
GW109 732	10BL162 346	Bore	Private	Monitoring Bore	Monitoring Bore		02/09/2003	4.30	4.30	1000	1.50			1562m	South East
GW109 733	10BL162 346	Bore	Private	Monitoring Bore	Monitoring Bore		05/09/2003	2.40	2.40	1000	1.40			1567m	South East
GW109 730	10BL162 346	Bore	Private	Monitoring Bore	Monitoring Bore		28/08/2003	6.50	6.50	1000	1.00			1570m	South East
GW110 371	10BL160 269	Well	Private	Monitoring Bore	Monitoring Bore		24/04/2001	4.00	4.00		0.70			1915m	North East

GW No.	Licence No	Work Type	Owner Type	Authorised Purpose	Intended Purpose	Name	Complete Date	Final Depth (m)	Drilled Depth (m)	Salinity (mg/L)	SWL (m bgl)	Yield (L/s)	Elev (AHD)	Dist	Dir
GW110 373	10BL160 269	Well	Private	Monitoring Bore	Monitoring Bore		24/04/2001	4.00	4.00		0.60			1916m	North East
GW110 370	10BL160 269	Well	Private	Monitoring Bore	Monitoring Bore		24/04/2001	4.00	4.00		0.60			1921m	North East
GW110 374	10BL160 269	Well	Private	Monitoring Bore	Monitoring Bore		24/04/2001	4.00	4.00					1924m	North East
GW110 372	10BL160 269	Well	Private	Monitoring Bore	Monitoring Bore		24/04/2001	4.00	4.00		0.60			1925m	North East

Borehole Data Source: NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corporation for all bores prefixed with GW. All other bores © Commonwealth of Australia (Bureau of Meteorology) 2015. Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

## **Hydrogeology & Groundwater**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Driller's Logs**

Drill log data relevant to the boreholes within the dataset buffer:


Groundwater No	Drillers Log	Distance	Direction
GW103258	0.00m-6.20m FILL 6.20m-7.00m SHALE	375m	South
GW103260	0.00m-8.70m FILL 8.70m-10.20m SHALE	375m	South
GW103261	0.00m-7.40m FILL	375m	South
GW110496	0.00m-0.15m CONCRETE 0.15m-0.90m FILL,SAND 0.90m-1.75m CLAY WITH SOME SILT 1.75m-4.00m BEDROCK WEATHERED,SANDSTONE,FINE GRAINED	678m	North West
GW110497	0.00m-0.10m CONCRETE 0.10m-0.35m FILL,SAND,FINE GRINED,L/BROWN 0.35m-1.50m FILL,COBBLY SAND,FINE TO COARSE GRAINED 1.50m-2.70m CLAY, LOW PLASTICITY 2.70m-4.00m WEATHERED BEDROCK,SANDSTONE GREY/BROWN	701m	North West
GW110498	0.00m-0.20m CONCRETE 0.20m-0.80m FILL,SAND,WITH COBBLES AND BRICKS 0.80m-1.70m FILL,CRUSHED SANDSTONE 1.70m-3.30m CLAY,L/PLASTICITY,BROWN AND GREY 3.30m-4.00m WEATHERED BEDROCK,SANDSTONE,GREY	708m	North West
GW111408	0.00m-0.22m CONCRETE SLAB 0.22m-0.50m GRAVEL ROADBASE 0.50m-1.10m FILLING,GREY BROWN AND GREY,SILTY CLAY 1.10m-4.40m CLAY,GREY,SILTY WITH TRACE OF IRONSTONE,GRAVEL,DAMP	983m	East
GW111350	0.00m-0.10m CONCRETE 0.10m-0.50m SAND FINE TO MEDIUM 0.50m-3.00m CLAY BROWN MOTTLED 3.00m-4.00m SHALE,WEATHERED,DRY,FIRM 4.00m-5.00m SHALE EXTREM.WEATHERED,GREY 5.00m-7.50m SHALE, WEATHERED,.GREY,RED COLOURED	1282m	South
GW111351	0.00m-0.10m CONCRETE 0.10m-3.50m CLAY MOTTLED WITH GREY,BRICK RED COLOURED 3.50m-7.50m SHALE GREY,LIGHT BROWN,SEMI WEATHERED 7.50m-9.00m SHALE,HIGHLY WEATHERED,CLAYEY,DARK BROWN	1289m	South
GW111352	0.00m-0.10m CONCRETE 0.10m-4.00m CLAY,BRICKS,GRAVELS,FINE SAND,SHALE 4.00m-8.00m SHALE,DARK BROWN,WEATHERED,MOIST	1292m	South
GW111353	0.00m-0.10m CONCRETE 0.10m-4.00m CLAY,BROWN,RED,GREY,HARD, MOIST 4.00m-7.00m SHALE,GREY ,DARK BROWN,WEATHERED,NO COLOUR	1300m	South
GW105317	0.00m-1.10m FILL,SILTY, SANDY CLAY 1.10m-6.50m SILTY CLAY,HIGH PLASTICITY	1328m	South East
GW110247	0.00m-2.00m CLAY BROWN 2.00m-4.50m CLAY GREY 4.50m-22.00m SHALE GREY 22.00m-23.00m SHALE SOFT 23.00m-33.00m SHALE HARD 33.00m-74.00m SANDSTONE GREY 74.00m-76.00m SANDSTONE AND QUARTZ FINE 76.00m-134.00m SANDSTONE GREY 134.00m-135.50m SANDSTONE QUARTZ FINE 135.50m-153.50m SANDSTONE GREY 153.50m-154.00m SANDSTONE QUARTZ FINE 154.00m-168.00m SANDSTONE QUARTZ FINE 154.00m-168.00m SANDSTONE GREY 168.00m-170.00m SANDSTONE SHALE BEDDING 170.00m-188.00m SANDSTONE GREY 188.00m-188.50m SANDSTONE QUARTZ 188.50m-210.00m SANDSTONE GREY	1341m	East

Groundwater No	Drillers Log	Distance	Direction
GW111089	0.00m-0.20m CONCRETE 0.20m-0.30m FILL,SANDY CLAY BROWN 0.30m-1.20m CLAY,DENSE,PLASTIC,ORANGE 1.20m-9.00m SILT CLAYEY,RED AND GREY,DRY,SILTSTONE FRAGS.	1367m	West
GW111088	0.00m-0.15m CONCRETE 0.15m-1.50m CLAY,DENSE,PLASTIC,TAN,ORANGE,RED,STIFF 1.50m-9.00m SILT CLAYEY,GREY AND RED,LOOSE,DRY,MOIST	1377m	West
GW111087	0.00m-0.15m CONCRETE 0.15m-1.50m CLAY, DENSE PLASTIC,TAN AND RED 1.50m-8.70m SILT,CLAYEY,GREY BROWN,MOIST,WET	1390m	West
GW109651	0.00m-1.00m FILL.YELLOW ORANGE,SANDSTONE 1.00m-1.70m CLAY,YELLOW,WEATHERED,MED.PLASTICITY 1.70m-2.20m SHALE,RED GREY,WEATHERED,DRY 2.20m-2.55m SANDSTONE L/GREY,HIGHLY WEATHERED	1470m	North West
GW109729	0.00m-0.20m PAVERS,CONCRETE 0.20m-0.70m FILL,CLAY,SILTY SOIL, BROWN,BLACK,HARD IN GROUND,DRY,NO ODOUR 0.70m-1.80m CLAY,TIGHT,LIGHT BROWN,HIGH PLASTICITY,DRY,NO ODOUR 1.80m-3.00m CLAY,RED COLOUR,NO ODOUR,DRY 3.00m-4.00m CLAY,NO ODOUR,DRY 4.00m-6.00m CLAY,VERY HOMOGENEOUS	1555m	South East
GW109731	0.00m-0.50m TOPSOIL,BROWN,DRY,HETEROGENOUS 0.50m-1.00m FILL.SLAG,BLACK,RESIDUAL WHITE CLAY. 1.00m-1.50m CLAY,BROWN,RED,STIFF,NON PLASTIC,DAMP 1.50m-2.00m CLAY, RED/BROWN,STIFF;;NON PLASTIC 2.00m-2.50m CLAY,RED/GREY,STIFF,PLASTIC, DAMP 2.50m-3.00m CLAY,RED/GREY,STIFF,NON PLASTIC 3.00m-4.00m CLAY,RED/GREY,STIFF,NON PLASTIC 4.00m-5.00m CLAY,RED/GREY,STIFF,NON PLASTIC 5.00m-5.50m CLAY,VERY STIFF,NON PLASTIC. 5.50m-6.00m CLAY,BROWN,LOOSE,SOFT,MOIST	1555m	South East
GW109732	0.00m-0.10m TOPSOIL,SILTY,BLACK,LOOSE,FINE GRAIN,DRY,NO ODOUR 0.10m-1.20m CLAY,LIGHT BROWN,STICKY,STIFF,HIGH PLASTICITY,NO ODOUR 1.20m-2.00m CLAY,RED,ORANGE,STIFF,MODERATE PLASTICITY,DRY,NO ODOUR 2.00m-3.30m CLAY BECOMING LESS PLASTIC,BRITTLE AND DRY WITH DEPTH 3.30m-4.30m CLAY,GREY,WITH IRONSTONE BANDS, SOFT, STIFF,HIGH PLASTICITY,GREY CLAY	1562m	South East
GW109733	0.00m-0.80m FILL,CLAY,SILTY SOIL,CEMENT,GRAVELS,HARD IN GROUND,DRY,NO ODOUR 0.80m-1.50m CLAY,BLACK/GREY SMEARING AND STAINING IN SOIL,HIGH PLASTICITY 1.50m-2.00m CLAY,NATURAL RED COLOURING BECOMING APPARAENT IN SOIL,DRY 2.00m-2.40m CLAY,RED SOIL COLOURING,NO ODOUR	1567m	South East
GW109730	0.00m-0.50m TOPSOIL 0.50m-1.00m CLAY ORANGE,MOIST,FIRM, MODERATE PLASTICITY 1.00m-1.50m CLAY,ORANGE/GREY,VERY STIFF,MODERATE PLASTICITY 1.50m-2.00m CLAY,ORANGE/GREY,VERY STIFF,MODERATE PLASTICITS 2.00m-3.00m CLAY,GREY,RED,VRY STIFF,NON PLASTIC,DAMP 3.00m-4.00m CLAY,GREY,RED,VRY STIFF,NON PLASTIC 4.00m-4.50m CLAY,GREY/RED,SOME GRAVEL,NON PLASTIC,DAMP 4.50m-5.00m CLAY,GRAEY/RED,SOME GRAVEL,NON PLASTIC,DAMP 5.00m-5.50m CLAY,GRAVELLY,GREY/RED,WET,NON PLASTIC,HETEROGENOUS,STIFF 5.50m-6.50m CLAY,BROWN,GREY,WET,HOMOGENOUS	1570m	South East
GW110371	0.00m-2.50m FILL,SANDY CLAY 2.50m-3.10m SILT,SATURATED BLACK 3.10m-4.00m SILTY SAND	1915m	North East
GW110373	0.00m-1.60m FILL,SANDY CLAY 1.60m-3.40m SILT,SATURATED BLACK 3.40m-3.70m SILTY SAND 3.70m-4.00m SANDY CLAY	1916m	North East
GW110370	0.00m-2.10m FILL,SANDY CLAY 2.10m-3.30m SILT,BLACK 3.30m-3.50m SAND CLAYEY 3.50m-4.00m CLAY SANDY	1921m	North East
GW110374	0.00m-0.80m SILTY SAND WITH MINOR CLAY 0.80m-2.80m CLAYEY SAND, WITH MINOR GRAVEL 2.80m-4.00m SANDY CLAY WITH MINOR SHELLS	1924m	North East
GW110372	0.00m-2.20m FILL,SILTY CLAY 2.20m-2.70m SANDY CLAY 2.70m-3.30m SILT,SOFT BLACK 3.30m-4.00m SILTY SAND	1925m	North East

Drill Log Data Source: NSW Department of Primary Industries - Office of Water / Water Administration Ministerial Corp Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

## Geology 1:100,000





## Geology

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Geological Units**

What are the Geological Units onsite?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
Rh	Medium to coarse grained quartz sandstone, very minor shale and laminate lenses				Triassic		Sydney	1:100,000

What are the Geological Units within the dataset buffer?

Symbol	Description	Unit Name	Group	Sub Group	Age	Dom Lith	Map Sheet	Dataset
mf/Qha	Man-made fill (dredged estuarine sand and mud, demolition rubble, industrial and household waste) overlying silty to peaty quartz sand, silt and clay with ferruginous & humic cementation in places and common shell layers				Quaternary		Sydney	1:100,000
Rh	Medium to coarse grained quartz sandstone, very minor shale and laminate lenses				Triassic		Sydney	1:100,000
Rwa	Black to dark grey shale and laminate	Ashfield Shale	Wianamatta Group		Triassic		Sydney	1:100,000

#### **Geological Structures**

What are the Geological Structures onsite?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

What are the Geological Structures within the dataset buffer?

Feature	Name	Description	Map Sheet	Dataset
No features				1:100,000

Geological Data Source : NSW Department of Industry, Resources & Energy © State of New South Wales through the NSW Department of Industry, Resources & Energy

## **Naturally Occurring Asbestos Potential**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Naturally Occurring Asbestos Potential**


Naturally Occurring Asbestos Potential within the dataset buffer:

Potential	Sym	Strat Name	Group	Formation	Scale	Min Age	Max Age	Rock Type	Dom Lith	Description	Dist	Dir
No records in buffer												

Mining Subsidence District Data Source: © State of New South Wales through NSW Department of Industry, Resources & Energy

#### **Atlas of Australian Soils**





#### Soils

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Atlas of Australian Soils**

Soil mapping units and Australian Soil Classification orders within the dataset buffer:


Map Unit Code	Soil Order	Map Unit Description	Distance
Pb12	Kurosol	Gently rolling to rounded hilly country with some steep slopes and broad valleys: chief soils are hard acidic red soils (Dr2.21) with hard neutral and acidic yellow mottled soils (Dy3.42 and Dy3.41) on lower slopes and in valleys. Associated are small areas of various soils including (Gn3.54) on some ridges, (Dr3.31) on some slopes; (Dr2.23) in saddles and some mid-slope positions, and some low- lying swampy areas of (Uf6) soils and (Uc1.2) soils with peaty surfaces. Small areas of other soils such as (Db1.2) are likely throughout.	Om
Tb35	Sodosol	Dissected plateau remnantsflat to undulating ridge tops with moderate to steep side slopes: chief soils are hard acidic yellow and yellow mottled soils (Dy3.41), (Dy2.21), and (Dy2.41) and hard acidic red soils (Dr2.21); many shallow profiles occur and profile thickness varies considerably over short distances. Associated are: (Gn3.54), (Gn3.14), and possibly other (Gn3) soils; (Db1.2) soils on some ridges; (Dy5.81) soils in areas transitional to unit Mb2; soils common to unit Mb2; and eroded lateritic remnants. Small areas of other soils are likely. Flat ferruginous shale or sandstone fragments are common on and/or in and/or below the soils of this unit.	614m

Atlas of Australian Soils Data Source: CSIRO

Creative Commons 4.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/4.0/au/deed.en

### **Soil Landscapes of Central and Eastern NSW**





#### Soils

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Soil Landscapes of Central and Eastern NSW**

What are the on-site Soil Landscapes?

Soil Code	Name
<u>9130gy</u>	Gymea


What are the Soil Landscapes within the dataset buffer?

Soil Code	Name
<u>9130bt</u>	Blacktown
<u>9130gy</u>	Gymea
<u>9130xx</u>	Disturbed Terrain

Soil Landscapes of Central and Eastern NSW: NSW Department of Planning, Industry and Environment Creative Commons 4.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/4.0/au/deed.en

#### **Acid Sulfate Soils**





#### **Acid Sulfate Soils**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Environmental Planning Instrument - Acid Sulfate Soils**

What is the on-site Acid Sulfate Soil Plan Class that presents the largest environmental risk?

Soil Class	Description	EPI Name
3	Works more than 1 metre below natural ground surface present an environmental risk; Works by which the watertable is likely to be lowered more than 1 metre below natural ground surface, present an environmental risk	Leichhardt Local Environmental Plan 2013


If the on-site Soil Class is 5, what other soil classes exist within 500m?

Soil Class	Description	EPI Name	Distance	Direction
N/A				

NSW Crown Copyright - Planning and Environment Creative Commons 4.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/4.0/

#### **Atlas of Australian Acid Sulfate Soils**





#### **Acid Sulfate Soils**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Atlas of Australian Acid Sulfate Soils**

Atlas of Australian Acid Sulfate Soil categories within the dataset buffer:

Class	Description	Distance
В	Low Probability of occurrence. 6-70% chance of occurrence.	0m
С	Extremely low probability of occurrence. 1-5% chance of occurrence with occurrences in small localised areas.	0m

Atlas of Australian Acid Sulfate Soils Data Source: CSIRO Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

### **Dryland Salinity**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Dryland Salinity - National Assessment**

Is there Dryland Salinity - National Assessment data onsite?

No

Is there Dryland Salinity - National Assessment data within the dataset buffer?

No

What Dryland Salinity assessments are given?

Assessment 2000	Assessment 2020	Assessment 2050	Distance	Direction
N/A	N/A	N/A	N/A	N/A

Dryland Salinity Data Source: National Land and Water Resources Audit

The Commonwealth and all suppliers of source data used to derive the maps of "Australia, Forecast Areas Containing Land of High Hazard or Risk of Dryland Salinity from 2000 to 2050" do not warrant the accuracy or completeness of information in this product. Any person using or relying upon such information does so on the basis that the Commonwealth and data suppliers shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information. Any persons using this information do so at their own risk.

In many cases where a high risk is indicated, less than 100% of the area will have a high hazard or risk.

### **Dryland Salinity Potential of Western Sydney**

Dryland Salinity Potential of Western Sydney within the dataset buffer?

Feature Id	Classification	Description	Distance	Direction
N/A	Outside Data Coverage			

Dryland Salinity Potential of Western Sydney Data Source: NSW Office of Environment and Heritage Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

## **Mining**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Mining Subsidence Districts**


Mining Subsidence Districts within the dataset buffer:

District	Distance	Direction
There are no Mining Subsidence Districts within the report buffer		

Mining Subsidence District Data Source: © Land and Property Information (2016)
Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

#### **Mining & Exploration Titles**





### **Mining**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Current Mining & Exploration Titles**

Current Mining & Exploration Titles within the dataset buffer:

Title Ref	Holder	<b>Grant Date</b>	Expiry Date	Last Renewed	Operation	Resource	Minerals	Dist (m)	Dir'
N/A	No Records in Buffer								

Current Mining & Exploration Titles Data Source: © State of New South Wales through NSW Department of Industry

#### **Current Mining & Exploration Title Applications**

Current Mining & Exploration Title Applications within the dataset buffer:

Application Ref	Applicant	Application Date	Operation	Resource	Minerals	Dist (m)	Dir'
N/A	No Records in Buffer						

Current Mining & Exploration Title Applications Data Source: © State of New South Wales through NSW Department of Industry

## **Mining**

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **Historical Mining & Exploration Titles**

Historical Mining & Exploration Titles within the dataset buffer:

Title Ref	Holder	Start Date	End Date	Resource	Minerals	Dist (m)	Dir'
EL0083	CONTINENTAL OIL CO OF AUSTRALIA LIMITED	01 Feb 1967	01 Feb 1968	MINERALS		0m	Onsite
PEL0013	AUSTRALIAN OIL AND GAS CORPORATION LTD			PETROLEUM	Petroleum	0m	Onsite
PEL0102	AUSTRALIAN OIL AND GAS CORPORATION LTD			PETROLEUM	Petroleum	0m	Onsite
PEL0198	JOHN STREVENS (TERRIGAL) NL			PETROLEUM	Petroleum	0m	Onsite
PEL0210	THE AUSTRALIAN GAS LIGHT COMPANY (AGL), NORTH BULLI COLLIERIES PTY LTD			PETROLEUM	Petroleum	0m	Onsite
PEL0260	NORTH BULLI COLLIERIES PTY LTD, AGL PETROLEUM OPERATIONS PTY LTD, THE AUSTRALIAN GAS LIGHT CO.	9/09/1981	8/03/1993	PETROLEUM	Petroleum	0m	Onsite
PEL0279	THE ELECTRICITY COMMISSION OF NSW (TRADING AS PACIFIC POWER)	17/04/1990	11/11/1993	PETROLEUM	Petroleum	0m	Onsite
PEL0463	DART ENERGY (APOLLO) PTY LTD	22/10/2008	6/03/2015	PETROLEUM	Petroleum	0m	Onsite
PEL463	DART ENERGY (APOLLO) PTY LTD			MINERALS		0m	Onsite
PEL5	AGL UPSTREAM INVESTMENTS PTY LIMITED			MINERALS		0m	Onsite
PSPAUTH17	MACQUARIE ENERGY PTY LTD	8/03/2007	7/03/2008	PETROLEUM	Petroleum	0m	Onsite

Historical Mining & Exploration Titles Data Source: © State of New South Wales through NSW Department of Industry

## **State Environmental Planning Policy**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

### **State Significant Precincts**


What SEPP State Significant Precincts exist within the dataset buffer?

Map Id	Precinct	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
N/A	No Records in Buffer							

State Environment Planning Policy Data Source: NSW Crown Copyright - Planning & Environment Creative Commons 4.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/4.0/

#### **EPI Planning Zones**





## **Environmental Planning Instrument**

#### 122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Land Zoning**

What EPI Land Zones exist within the dataset buffer?

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
IN2	Light Industrial		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		0m	Onsite
SP2	Infrastructure	Classified Road	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		0m	North West
B7	Business Park		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		9m	North West
SP2	Infrastructure	Classified Road	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	15m	West
IN2	Light Industrial		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		20m	East
B2	Local Centre		Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	27m	South
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		35m	North
R2	Low Density Residential		Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	52m	South West
IN2	Light Industrial		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		53m	South
R1	General Residential		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		57m	North
R4	High Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		58m	South
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		89m	West
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		97m	North West
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		97m	South East
SP2	Infrastructure	Educational Establishment	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		98m	South East
SP2	Infrastructure	Stormwater Management Systems	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	112m	South West
IN2	Light Industrial		Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	115m	South West
R2	Low Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		126m	South East
B4	Mixed Use		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		147m	South West
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		149m	West
B2	Local Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		167m	East
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		179m	South East
R4	High Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		225m	South West
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		244m	South West
B4	Mixed Use		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		254m	East
SP2	Infrastructure	Classified Road	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		255m	East
B4	Mixed Use		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		260m	East

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
SP2	Infrastructure	Classified Road	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		264m	North East
B4	Mixed Use		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		268m	South West
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		271m	North East
SP2	Infrastructure	Stormwater Management Systems	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		272m	South West
SP2	Infrastructure	Educational Establishment	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		283m	West
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		312m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		325m	South East
SP2	Infrastructure	Educational Establishment	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		325m	North West
R4	High Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		326m	South West
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		346m	North
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		346m	North East
SP2	Infrastructure	Educational Establishment	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		350m	South East
SP2	Infrastructure	Place of Public Worship	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		370m	North West
B5	Business Development		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		371m	South West
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		387m	North East
R3	Medium Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		395m	South
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		427m	South East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		430m	South
B5	Business Development		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		432m	South West
RE2	Private Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		433m	South
R1	General Residential		Leichhardt Local Environmental Plan 2013	24/10/2014	24/10/2014	17/02/2017	Amendment No 3	437m	North West
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		442m	South East
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		443m	North
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		443m	South
B1	Neighbourhood Centre		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		447m	East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		454m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		462m	South East
SP2	Infrastructure	Community Facilities	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		468m	North West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		472m	South East
B5	Business Development		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		478m	South West
SP2	Infrastructure	Place of Public Worship	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		481m	North West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		487m	South
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		488m	North
SP2	Infrastructure	Place of Public Worship	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		489m	North West

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		492m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		500m	South East
SP2	Infrastructure	Health Services Facilities	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		500m	East
R4	High Density Residential		Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	502m	South East
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		503m	West
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		503m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		504m	South East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		505m	South
B2	Local Centre		Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	Amendment No 4	511m	West
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	17/02/2017	17/02/2017	17/02/2017	Amendment No 9	514m	North East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		522m	South West
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		527m	North
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		533m	South
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		542m	North
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		543m	South East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		545m	West
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		547m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		549m	South
SP2	Infrastructure	Educational Establishment	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		569m	East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		571m	South
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		577m	South West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		581m	South West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		585m	South
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	17/02/2017	17/02/2017	17/02/2017	Amendment No 9	589m	North
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		608m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		613m	South
SP2	Infrastructure	Place of Public Worship	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		616m	North West
R3	Medium Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		623m	South West
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		629m	South West
B2	Local Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		653m	North West
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		657m	North East
B4	Mixed Use		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		668m	South East
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		682m	East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		686m	South West

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		711m	North
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		720m	South
R3	Medium Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		723m	South
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		737m	North West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		741m	South
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		754m	South
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		760m	East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		763m	South West
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		767m	South West
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		768m	North West
SP2	Infrastructure	Water Supply System	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		772m	North
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		774m	North West
B7	Business Park		Sydney Local Environmental Plan 2012	12/06/2015	12/06/2015	14/08/2020	Amendment No 17	776m	East
R3	Medium Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		776m	South
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		776m	North East
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		778m	North
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		790m	North East
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		798m	North West
R3	Medium Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		807m	South
IN2	Light Industrial		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		814m	North West
SP2	Infrastructure	Educational Establishment	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		827m	North East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		828m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		830m	South East
SP2	Infrastructure	Classified Road	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		832m	North
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		833m	South East
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		836m	North
B1	Neighbourhood Centre		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		840m	North East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		850m	South
R4	High Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		850m	South
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		851m	North West
B4	Mixed Use		Sydney Local Environmental Plan (Harold Park) 2011	16/12/2011	16/12/2011	16/12/2011		853m	North East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		863m	South
SP2	Infrastructure	Rail Infrastructure Facilities	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		868m	South West


Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		883m	South East
SP2	Infrastructure	Educational Establishment	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		884m	South West
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		890m	North East
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		897m	North West
SP2	Infrastructure	Educational Establishment	Marrickville Local Environmental Plan 2011	25/10/2013	25/10/2013	11/12/2020	Amendment No 1	899m	South
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		901m	North East
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		907m	North East
R2	Low Density Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		908m	South West
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		918m	North East
RE1	Public Recreation		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		920m	West
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		924m	South
SP1	Special Activities	Cemetery	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		925m	South East
SP2	Infrastructure	Educational Establishment	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		925m	North
SP2	Infrastructure	Classified Road	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		926m	East
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		941m	South
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		942m	South
B1	Neighbourhood Centre		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		942m	North East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		959m	South
RE1	Public Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		959m	South
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		961m	South
R1	General Residential		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		963m	North
R1	General Residential		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		964m	East
SP2	Infrastructure	Sewerage System	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		967m	North
SP2	Infrastructure	Sewerage System	Leichhardt Local Environmental Plan 2013	24/10/2014	24/10/2014	17/02/2017	Amendment No 3	971m	North
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		977m	South
SP2	Infrastructure	Classified Road	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		977m	North
B1	Neighbourhood Centre		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		978m	South
B1	Neighbourhood Centre		Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		981m	West
SP2	Infrastructure	Health Services Facilities	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		984m	South East
RE2	Private Recreation		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		986m	South East
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		988m	North
SP2	Infrastructure	Educational Establishment	Marrickville Local Environmental Plan 2011	25/10/2013	25/10/2013	11/12/2020	Amendment No 1	989m	South
RE1	Public Recreation		Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	14/08/2020		995m	South East
R1	General Residential		Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020		997m	South

Zone	Description	Purpose	EPI Name	Published Date	Commenced Date	Currency Date	Amendment	Distance	Direction
SP2	Infrastructure	Sewerage System	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017		998m	North

Environmental Planning Instrument Data Source: NSW Crown Copyright - Planning & Environment Creative Commons 4.0  $\odot$  Commonwealth of Australia https://creativecommons.org/licenses/by/4.0/

#### **Heritage Items**





### Heritage

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

#### **Commonwealth Heritage List**

What are the Commonwealth Heritage List Items located within the dataset buffer?

Place Id	Name	Address	Place File No	Class	Status	Register Date	Distance	Direction
105489	Annandale Post Office	115 Booth St, Annandale NSW	1/12/022/0055	Historic	Indicative Place		653m	North West

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch Creative Commons 3.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/3.0/au/deed.en

#### **National Heritage List**

What are the National Heritage List Items located within the dataset buffer? Note. Please click on Place Id to activate a hyperlink to online website.

Place Id	Name	Address	Place File No	Class	Status	Register Date	Distance	Direction
N/A	No records in buffer							

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch Creative Commons 3.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/3.0/au/deed.en

### **State Heritage Register - Curtilages**

What are the State Heritage Register Items located within the dataset buffer?

Map Id	Name	Address	LGA	Listing Date	Listing No	Plan No	Distance	Direction
5045210	Cranbrook Group	10, 14 Australia Street Camperdown	Marrickville	02/04/1999	00418	957	126m	South East
5051445	Sewage Pumping Station 3	Booth Street, Annandale	Leichhardt	18/11/1999	01343	2032	396m	North East
5045290	Hunter Baillie Memorial Presbyterian Church	Johnston Street, Annandale	Leichhardt	02/04/1999	00011	83	489m	North West
5045287	Goodman's Buildings	2-12 Johnston Street Annandale	Leichhardt	02/04/1999	00672	1720	503m	West
5056444	The University of Sydney, University Colleges and Victoria Park	Corner of Parramatta and City Roads, Camperdown	Sydney	24/08/2018	01974	2734	580m	East
5051426	Johnston's Creek Sewer Aqueduct	Taylor Street (Off), Hogan Park, Annandale	Leichhardt	18/11/1999	01325	2020	772m	North
5012306	Royal Prince Alfred Hospital - Victoria & Albert Pavilions	Missenden Road, Camperdown	Sydney	02/04/1999	00829	1981	807m	East
5012305	Royal Prince Alfred Hospital - Admission Block	Missenden Road, Camperdown	Sydney	02/04/1999	00830	1981	843m	East
5053874	Sewer Vent and Cottage	125 Corunna Road Stanmore	Marrickville	15/11/2002	01635	2000	843m	West

Map Id	Name	Address	LGA	Listing Date	Listing No	Plan No	Distance	Direction
5011948	Substation	182 Johnston Street Annandale	Leichhardt	02/04/1999	00941	3083	875m	North
5045479	St Stephen's Anglican Church and Cemetery	187 - 189 Church Street Newtown	Marrickville	02/04/1999	00462	1149	925m	South East
5051456	White's Creek Aqueduct	Piper Street, Lilyfield	Leichhardt	18/11/1999	01354	2243	966m	North West

Heritage Data Source: NSW Crown Copyright - Office of Environment & Heritage Creative Commons 4.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/4.0/

### **Environmental Planning Instrument - Heritage**

What are the EPI Heritage Items located within the dataset buffer?

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
l615	Former police station, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	26m	South West
A1	Kingston Fowler's Pottery Archaeological site	Item - Archaeological	Local	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	28m	South East
16	Federation, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	45m	South West
C1	Annandale Heritage Conservation Area	Conservation Area - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	57m	North
C8	Cardigan Street Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	67m	South
127	Bridge at Parramatta Road, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	69m	West
13	Australia Street industrial group, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	73m	South East
15	Bridge Road School (former Camperdown Public School), including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	98m	East
C10	Camperdown Park Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	123m	South East
12	Cranbrook Group, including interiors	Item - General	State	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	126m	South East
186	Former Beales Piano Factory, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	155m	North West
l613	Kerb and gutter	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	158m	North East
l616	Warehouse, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	172m	North East
I1	Camperdown Park	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	179m	South East
I236	Brick factory (former), including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	183m	South West
l614	Kerb and gutter	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	191m	North East

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
182	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	203m	West
l81	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	204m	West
185	House, 'Edwinville', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	213m	North West
l314	Electricty substation No 142 (whole site)	Item - General	Local	Marrickville Local Environmental Plan 2011	22/12/2017	22/12/2017	11/12/2020	227m	East
C6	Annandale Farm Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	244m	South West
187	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	255m	North West
12242	Former Grace Brothers Repository	Item - General	Local	Sydney Local Environmental Plan 2012	22/01/2016	22/01/2016	15/05/2020	264m	North East
13	Australia Street industrial group, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	281m	South East
134	Annandale Public School, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	283m	West
l91	Former Alexandra Hospital boundary landscaping	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	286m	North East
I58	Warehouse	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	303m	East
188	Former shop and residence, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	304m	North West
147	St Andrew's Greek Orthodox Church	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	318m	East
140	Former Alexandra Hospital palm trees	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	338m	North East
136	'Norton House', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	345m	North West
193	Housing development 'Alexandra Dwellings'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	345m	North East
149	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	348m	East
137	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	349m	North West
12243	Former Bonds Industries & Electricity Substation No. 181	Item - General	Local	Sydney Local Environmental Plan 2012	22/01/2016	22/01/2016	15/05/2020	350m	South East
138	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	352m	North West
139	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	354m	North West
148	Terrace group 'York Terrace'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	354m	East
150	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	358m	East
I91	Former Alexandra Hospital boundary landscaping	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	358m	North East

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
I16	St Brendan's Parish Home, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	360m	North West
l17	St Brendan's Convent, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	378m	North West
138	Orphan Creek Public Reserve	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	391m	North East
194	Former Alexandra Hospital Administration Building	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	391m	North East
12241	Sewage Pumping Station No. 3	Item - General	State	Sydney Local Environmental Plan 2012	22/01/2016	22/01/2016	15/05/2020	395m	North East
l13	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	397m	North West
144	St Brendan's Catholic Church, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	402m	North West
135	Annandale House gates	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	406m	West
166	Street trees-Brush Box	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	407m	West
166	Street trees-Brush Box	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	408m	North West
129	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	410m	West
128	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	411m	West
l14	Semi-detached house, 'Agincourt', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	411m	North West
I51	Former corner shop & residence	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	416m	East
1630	Johnstons Creek	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	419m	North
14	Sullivan RSPCA Memorial Horse trough, balustrade and 2 ficus trees	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	423m	South East
I31	Former commercial building 'Melocco Bros'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	423m	North East
192	Former Alexandra Hospital Venables House	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	427m	North East
143	House, 'Wallscourt', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	439m	West
142	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	446m	West
I41	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	449m	West
l61	Semi-detached house group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	449m	South East
140	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	451m	West

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
162	Terrace group 'Emaville' & 'Maryville'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	459m	South East
166	Street trees-Brush Box	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	461m	North West
l41	Terrace house	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	467m	East
145	Former Annandale Council Chambers, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	468m	North West
163	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	469m	South East
142	Terrace house	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	474m	East
164	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	479m	South East
143	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	480m	East
146	Uniting Church and hall, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	481m	North West
154	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	486m	South East
C5	Sydney University	Conservation Area - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	486m	East
147	Hunter Baillie Memorial Church, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	489m	North West
C5	Parramatta Road Commercial Precinct Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	492m	West
144	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	494m	East
17	Group of 2 Victorian semi- detached cottages, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	497m	South
155	Warehouse	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	502m	South East
133	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	503m	West
C7	Kingston West Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	503m	South West
132	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	506m	West
l31	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	509m	West
156	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	509m	South East
130	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	512m	West
C33	Hereford and Forest Lodge	Conservation Area - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	512m	North East
148	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	514m	North West

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
C11	North Kingston Estate Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	515m	South
167	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	515m	West
157	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	529m	South East
168	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	533m	West
165	Terrace house	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	534m	South East
I1	Substation	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	536m	West
169	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	539m	West
150	Shop and residence -The Colonnade-, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	545m	North West
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	548m	West
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	549m	North West
151	Shop and residence 'The Colonnade', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	549m	North West
166	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	550m	South East
170	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	550m	West
l71	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	556m	West
152	Shop and residence 'The Colonnade', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	556m	North West
172	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	562m	West
173	Goodman's Building, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	568m	West
C9	Hopetoun-Roberts- Federation Streets Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	577m	South East
1639	House	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	579m	North East
1253	Olympia Milk Bar, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	582m	West
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	591m	North West
1638	House	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	596m	North East
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	604m	West

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
A18	Annandale House Archaeological site	Item - Archaeological	Local	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	608m	South West
l15	Former police station, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	614m	North West
170	Alfred Hotel	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	617m	East
169	Shop & residence	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	618m	East
C34	Toxteth	Conservation Area - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	621m	North East
193	Former shop and residence, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	627m	West
166	Street trees-Brush Box	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	631m	North
167	St John's College, University of Sydney	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	632m	East
l12	Annandale Post Office, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	651m	North West
1246	Former gatehouse to Annandale Farm (located off Corunna Lane), including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	660m	West
125	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	700m	West
123	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	701m	West
124	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	701m	West
122	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	701m	West
l21	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	703m	West
l18	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	704m	West
l19	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	704m	West
120	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	704m	West
153	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	713m	North
195	Terrace house	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	718m	East
154	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	721m	North
196	Terrace house	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	724m	East
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	734m	North West
C2	Parramatta Road Heritage Conservation Area	Conservation Area - General	Local	Leichhardt Local Environmental Plan 2013	30/01/2015	30/01/2015	17/02/2017	743m	West

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
1635	Bridge Hotel & terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	745m	North East
168	Royal Prince Alfred Hospital group	Item - General	State	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	751m	East
l634	Terrace group 'Magnolia Terrace'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	760m	North East
1254	Weekley Park and pergolas and dwarf boundary wall	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	767m	South West
C43	O'Connell Town Estate	Conservation Area - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	771m	South East
1642	MSW&DB aqueduct	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	772m	North
175	Johnston's Creek sewer aqueduct	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	777m	North
C12	Scarvell Estate Heritage Conservation Area	Conservation Area - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	780m	West
12	House, 'Haledon', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	786m	North
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	790m	North West
1637	House	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	791m	North East
168	Royal Prince Alfred Hospital group	Item - General	State	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	795m	East
172	Site landscaping, University of Sydney	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	795m	East
1261	Group of Federation cottagesWilga, Eddington, Irene, Otago, Kiora, Killara, Dorothy and Etham, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	804m	South
l175	Group of Victorian italianate and Federation period transitional style terraces, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	808m	South
1640	House 'Penharwood'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	811m	North East
1646	House	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	814m	East
1636	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	816m	North East
1633	Former house 'Briarbank'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	827m	North East
1262	Victorian villaDundoos, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	829m	South West
176	Hinsby Reserve	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	836m	North
1247	Brick sewer vent and Edwardian cottage, including interiors	Item - General	State	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	843m	West

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
1645	Former Rehoboth Primitive Methodist Church & Hall	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	846m	North East
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	855m	North
l174	Victorian italianate and Federation period transitional style semi- detached pair of houses, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	862m	South
1632	Forest Lodge Public School	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	870m	North East
13	Former shop and residence, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	872m	North West
155	Substation, including interiors	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	875m	North
I166	St Josephs Girls School and St Bedes Convent and Presbytery, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	879m	South
146	St Andrew's College, University of Sydney	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	891m	East
177	War memorial	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	893m	North
1363	Railway underbridge	Item - General	Local	Marrickville Local Environmental Plan 2011	22/12/2017	22/12/2017	11/12/2020	900m	South
C38	Bligh & Camperdown Terrace	Conservation Area - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	901m	South East
C17	Kingston South Heritage Conservation Area	Conservation Area - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	917m	South West
I56	House, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	919m	North
l1025	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	921m	South East
l143	St Stephen's Church of England and Cemetery, including interiors	Item - General	State	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	925m	South East
A9	St Stephen's Cemetery Archaeological site	Item - Archaeological	Local	Marrickville Local Environmental Plan 2011	11/12/2020	11/12/2020	11/12/2020	925m	South East
157	North Annandale Public School, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	925m	North
19	Street trees	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	926m	North
189	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	926m	North
1643	Bowstring Bridge	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	931m	North
166	Street trees-Brush Box	Item - Landscape	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	932m	North
190	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	932m	North

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
l131	Victorian villa, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	934m	South
1982	Terrace group	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	935m	South East
l141	Corner shop, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	942m	South
l132	Victorian villa, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	943m	South
1981	Cottage	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	943m	South East
I663	House group 'Killara', 'Morocco', 'Hillston' & 'Strathmore'	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	943m	North East
173	JD Stewart Building, University of Sydney	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	948m	East
12249	Electricity Substation No. 267	Item - General	Local	Sydney Local Environmental Plan 2012	22/01/2016	22/01/2016	15/05/2020	951m	North East
1255	Federation Filigree style corner shop, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	961m	South West
1809	Shop & residence group (204-206 St Johns Road)	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	961m	North East
l142	Group of Victorian style terraces, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	962m	South
174	Whites Creek Aqueduct	Item - General	State	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	965m	North West
l91	Former house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	966m	North
l130	Victorian Georgian house and stables, including interiors	Item - General	State	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	967m	South
l130	Victorian Georgian house and stables, including interiors	Item - General	State	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	974m	South
I1	Former Rozelle Tram Depot and Curtilage Number 1753, 1995, 1923 and Café Tram 2050 and Water Tank	Item - General	Local	Sydney Local Environmental Plan (Harold Park) 2011	16/12/2011	16/12/2011	16/12/2011	977m	North
l165	Victorian terrace, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	977m	South
1653	Corner shop and residence, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	979m	North West
1629	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	981m	West
1630	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	984m	West
l631	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	987m	West
1631	Street trees	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	989m	East
I136	Australia Street Infants School, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	989m	South

Map Id	Name	Classification	Significance	EPI Name	Published Date	Commenced Date	Currency Date	Distance	Direction
1632	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	990m	West
1634	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	990m	West
1358	Electricity substation No 1508 (whole site)	Item - General	Local	Marrickville Local Environmental Plan 2011	22/12/2017	22/12/2017	11/12/2020	991m	South
1647	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	991m	West
1633	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	993m	West
1635	'Thorby Buildings', including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	993m	West
1823	MWS&DB vent stack	Item - General	Local	Sydney Local Environmental Plan 2012	14/12/2012	14/12/2012	15/05/2020	995m	North East
1648	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	996m	West
1652	Semi-detached house, including interiors	Item - General	Local	Leichhardt Local Environmental Plan 2013	23/12/2013	03/02/2014	17/02/2017	996m	West
148	Retail group and pedestrian tunnel, including interiors	Item - General	Local	Marrickville Local Environmental Plan 2011	12/12/2011	12/12/2011	11/12/2020	996m	South

Heritage Data Source: NSW Crown Copyright - Planning & Environment Creative Commons 4.0 © Commonwealth of Australia https://creativecommons.org/licenses/by/4.0/

## **Natural Hazards**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Bush Fire Prone Land**

What are the nearest Bush Fire Prone Land Categories that exist within the dataset buffer?

Bush Fire Prone Land Category	Distance	Direction
No records within buffer		

NSW Bush Fire Prone Land - © NSW Rural Fire Service under Creative Commons 4.0 International Licence

# **Ecological Constraints - Native Vegetation & RAMSAR Wetlands**

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038





122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

# **Native Vegetation**

What native vegetation exists within the dataset buffer?

Map ID	Map Unit Name	Threatened Ecological Community NSW	Threatened Ecological Community EPBC Act	Understorey	Disturbance	Disturbance Index	Dominant Species	Dist	Direction
Urban_E/N	Urban_E/N: Urban Exotic/Native			00: Not assessed	00: Not assessed	0: Not assessed	Urban Exotic/Native	48m	North West

Native Vegetation of the Sydney Metropolitan Area: NSW Office of Environment and Heritage Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

### **Ramsar Wetlands**

What Ramsar Wetland areas exist within the dataset buffer?

Map Id	Ramsar Name	Wetland Name	<b>Designation Date</b>	Source	Distance	Direction
N/A	No records in buffer					

Ramsar Wetlands Data Source: © Commonwealth of Australia - Department of Environment

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Groundwater Dependent Ecosystems Atlas**

Туре	GDE Potential	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
N/A	No records within buffer				

Groundwater Dependent Ecosystems Atlas Data Source: The Bureau of Meteorology Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **Inflow Dependent Ecosystems Likelihood**

Туре	IDE Likelihood	Geomorphology	Ecosystem Type	Aquifer Geology	Distance
N/A	No records within buffer				

Inflow Dependent Ecosystems Likelihood Data Source: The Bureau of Meteorology Creative Commons 3.0 © Commonwealth of Australia http://creativecommons.org/licenses/by/3.0/au/deed.en

122-128 & 130 Pyrmont Bridge Road, Annandale, NSW 2038

## **NSW BioNet Atlas**

Species on the NSW BioNet Atlas that have a NSW or federal conservation status, a NSW sensitivity status, or are listed under a migratory species agreement, and are within 10km of the site?

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Amphibia	Crinia tinnula	Wallum Froglet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Amphibia	Litoria aurea	Green and Golden Bell Frog	Endangered	Not Sensitive	Vulnerable	
Animalia	Amphibia	Pseudophryne australis	Red-crowned Toadlet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Actitis hypoleucos	Common Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Anseranas semipalmata	Magpie Goose	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Anthochaera phrygia	Regent Honeyeater	Critically Endangered	Not Sensitive	Critically Endangered	
Animalia	Aves	Apus pacificus	Fork-tailed Swift	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Ardenna grisea	Sooty Shearwater	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Ardenna pacifica	Wedge-tailed Shearwater	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Ardenna tenuirostris	Short-tailed Shearwater	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Arenaria interpres	Ruddy Turnstone	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Artamus cyanopterus cyanopterus	Dusky Woodswallow	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Botaurus poiciloptilus	Australasian Bittern	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Burhinus grallarius	Bush Stone- curlew	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Calidris acuminata	Sharp-tailed Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris alba	Sanderling	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris canutus	Red Knot	Not Listed	Not Sensitive	Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris ferruginea	Curlew Sandpiper	Endangered	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris melanotos	Pectoral Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Calidris ruficollis	Red-necked Stint	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calidris tenuirostris	Great Knot	Vulnerable	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Calyptorhynchus banksii banksii	Red-tailed Black- Cockatoo (coastal subspecies)		Category 2	Not Listed	
Animalia	Aves	Calyptorhynchus banksii samueli	Red-tailed Black- Cockatoo (inland subspecies)	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Calyptorhynchus lathami	Glossy Black- Cockatoo	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Certhionyx variegatus	Pied Honeyeater	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Charadrius leschenaultii	Greater Sand- plover	Vulnerable	Not Sensitive	Vulnerable	ROKAMBA;CAMBA; JAMBA

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	Charadrius mongolus	Lesser Sand- plover	Vulnerable	Not Sensitive	Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Charadrius veredus	Oriental Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Chlidonias leucopterus	White-winged Black Tern	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Daphoenositta chrysoptera	Varied Sittella	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Diomedea exulans	Wandering Albatross	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Epthianura albifrons	White-fronted Chat	Endangered Population, Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Erythrotriorchis radiatus	Red Goshawk	Critically Endangered	Category 2	Vulnerable	
Animalia	Aves	Falco subniger	Black Falcon	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Gallinago hardwickii	Latham's Snipe	Not Listed	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Glossopsitta pusilla	Little Lorikeet	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus fuliginosus	Sooty Oystercatcher	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Haematopus longirostris	Pied Oystercatcher	Endangered	Not Sensitive	Not Listed	
Animalia	Aves	Haliaeetus leucogaster	White-bellied Sea-Eagle	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Hieraaetus morphnoides	Little Eagle	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Hirundapus caudacutus	White-throated Needletail	Not Listed	Not Sensitive	Vulnerable	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Hydroprogne caspia	Caspian Tern	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Ixobrychus flavicollis	Black Bittern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Lathamus discolor	Swift Parrot	Endangered	Category 3	Critically Endangered	
Animalia	Aves	Limicola falcinellus	Broad-billed Sandpiper	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Limosa lapponica	Bar-tailed Godwit	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Limosa limosa	Black-tailed Godwit	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Lophochroa leadbeateri	Major Mitchell's Cockatoo	Vulnerable	Category 2	Not Listed	
Animalia	Aves	Lophoictinia isura	Square-tailed Kite	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Macronectes giganteus	Southern Giant Petrel	Endangered	Not Sensitive	Endangered	
Animalia	Aves	Manorina melanotis	Black-eared Miner	Critically Endangered	Not Sensitive	Endangered	
Animalia	Aves	Neophema pulchella	Turquoise Parrot	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Ninox connivens	Barking Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Ninox strenua	Powerful Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Numenius madagascariensi s	Eastern Curlew	Not Listed	Not Sensitive	Critically Endangered	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Numenius minutus	Little Curlew	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Numenius phaeopus	Whimbrel	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Onychoprion fuscata	Sooty Tern	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Pandion cristatus	Eastern Osprey	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Petroica boodang	Scarlet Robin	Vulnerable	Not Sensitive	Not Listed	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Aves	Petroica phoenicea	Flame Robin	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Phaethon lepturus	White-tailed Tropicbird	Not Listed	Not Sensitive	Not Listed	CAMBA;JAMBA
Animalia	Aves	Philomachus pugnax	Ruff	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Pluvialis fulva	Pacific Golden Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Pluvialis squatarola	Grey Plover	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Polytelis anthopeplus monarchoides	Regent Parrot (eastern subspecies)	Endangered	Category 3	Vulnerable	
Animalia	Aves	Polytelis swainsonii	Superb Parrot	Vulnerable	Category 3	Vulnerable	
Animalia	Aves	Pterodroma leucoptera leucoptera	Gould's Petrel	Vulnerable	Not Sensitive	Endangered	
Animalia	Aves	Pterodroma solandri	Providence Petrel	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Ptilinopus regina	Rose-crowned Fruit-Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Ptilinopus superbus	Superb Fruit- Dove	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Stagonopleura guttata	Diamond Firetail	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Stercorarius parasiticus	Arctic Jaeger	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Stercorarius pomarinus	Pomarine Jaeger	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Sterna hirundo	Common Tern	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Sternula albifrons	Little Tern	Endangered	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Stictonetta naevosa	Freckled Duck	Vulnerable	Not Sensitive	Not Listed	
Animalia	Aves	Sula dactylatra	Masked Booby	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;JAMBA
Animalia	Aves	Thalassarche chrysostoma	Grey-headed Albatross	Not Listed	Not Sensitive	Endangered	
Animalia	Aves	Thalassarche melanophris	Black-browed Albatross	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Aves	Thalasseus bergii	Crested Tern	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Thinornis rubricollis	Hooded Plover	Critically Endangered	Not Sensitive	Vulnerable	
Animalia	Aves	Tringa brevipes	Grey-tailed Tattler	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Tringa glareola	Wood Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Tringa incana	Wandering Tattler	Not Listed	Not Sensitive	Not Listed	JAMBA
Animalia	Aves	Tringa nebularia	Common Greenshank	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Tringa stagnatilis	Marsh Sandpiper	Not Listed	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Aves	Tyto novaehollandiae	Masked Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Tyto tenebricosa	Sooty Owl	Vulnerable	Category 3	Not Listed	
Animalia	Aves	Xenus cinereus	Terek Sandpiper	Vulnerable	Not Sensitive	Not Listed	ROKAMBA;CAMBA; JAMBA
Animalia	Insecta	Petalura gigantea	Giant Dragonfly	Endangered	Not Sensitive	Not Listed	
Animalia	Mammalia	Aepyprymnus rufescens	Rufous Bettong	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Arctocephalus forsteri	New Zealand Furseal	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Arctocephalus pusillus doriferus	Australian Fur- seal	Vulnerable	Not Sensitive	Not Listed	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Animalia	Mammalia	Cercartetus nanus	Eastern Pygmy- possum	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Chalinolobus dwyeri	Large-eared Pied Bat	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Dasyurus maculatus	Spotted-tailed Quoll	Vulnerable	Not Sensitive	Endangered	
Animalia	Mammalia	Dasyurus viverrinus	Eastern Quoll	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	Dugong dugon	Dugong	Endangered	Not Sensitive	Not Listed	
Animalia	Mammalia	Eubalaena australis	Southern Right Whale	Endangered	Not Sensitive	Endangered	
Animalia	Mammalia	Megaptera novaeangliae	Humpback Whale	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Micronomus norfolkensis	Eastern Coastal Free-tailed Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Miniopterus australis	Little Bent-winged Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Miniopterus orianae oceanensis	Large Bent- winged Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Myotis macropus	Southern Myotis	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Perameles nasuta	Long-nosed Bandicoot	Endangered Population	Not Sensitive	Not Listed	
Animalia	Mammalia	Petaurus norfolcensis	Squirrel Glider	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Phascolarctos cinereus	Koala	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Pseudomys gracilicaudatus	Eastern Chestnut Mouse	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Pteropus poliocephalus	Grey-headed Flying-fox	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Mammalia	Saccolaimus flaviventris	Yellow-bellied Sheathtail-bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Mammalia	Scoteanax rueppellii	Greater Broad- nosed Bat	Vulnerable	Not Sensitive	Not Listed	
Animalia	Reptilia	Aspidites ramsayi	Woma	Vulnerable	Not Sensitive	Not Listed	
Animalia	Reptilia	Caretta caretta	Loggerhead Turtle	Endangered	Not Sensitive	Endangered	
Animalia	Reptilia	Chelonia mydas	Green Turtle	Vulnerable	Not Sensitive	Vulnerable	
Animalia	Reptilia	Dermochelys coriacea	Leatherback Turtle	Endangered	Not Sensitive	Endangered	
Animalia	Reptilia	Eulamprus leuraensis	Blue Mountains Water Skink	Endangered	Not Sensitive	Endangered	
Animalia	Reptilia	Tiliqua occipitalis	Western Blue- tongued Lizard	Vulnerable	Not Sensitive	Not Listed	
Fungi	Flora	Camarophyllopsis kearneyi		Endangered	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe anomala var. ianthinomarginata		Vulnerable	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe aurantipes		Vulnerable	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe austropratensis		Endangered	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe collucera		Endangered	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe griseoramosa		Endangered	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe lanecovensis		Endangered	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe reesiae		Vulnerable	Not Sensitive	Not Listed	
Fungi	Flora	Hygrocybe rubronivea		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Acacia bynoeana	Bynoe's Wattle	Endangered	Not Sensitive	Vulnerable	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Plantae	Flora	Acacia gordonii		Endangered	Not Sensitive	Endangered	
Plantae	Flora	Acacia pubescens	Downy Wattle	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Acacia terminalis subsp. terminalis	Sunshine Wattle	Endangered	Not Sensitive	Endangered	
Plantae	Flora	Allocasuarina portuensis	Nielsen Park She- oak	Endangered	Category 3	Endangered	
Plantae	Flora	Amperea xiphoclada var. pedicellata		Presumed Extinct	Not Sensitive	Extinct	
Plantae	Flora	Asterolasia buxifolia		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	Caladenia tessellata	Thick Lip Spider Orchid	Endangered	Category 2	Vulnerable	
Plantae	Flora	Callistemon linearifolius	Netted Bottle Brush	Vulnerable	Category 3	Not Listed	
Plantae	Flora	Darwinia biflora		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Dichanthium setosum	Bluegrass	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Diuris arenaria	Sand Doubletail	Endangered	Category 2	Not Listed	
Plantae	Flora	Doryanthes palmeri	Giant Spear Lily	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Epacris purpurascens var. purpurascens		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Eucalyptus camfieldii	Camfield's Stringybark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Eucalyptus fracta	Broken Back Ironbark	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Eucalyptus leucoxylon subsp. pruinosa	Yellow Gum	Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Eucalyptus nicholii	Narrow-leaved Black Peppermint	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Eucalyptus pulverulenta	Silver-leafed Gum	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Eucalyptus scoparia	Wallangarra White Gum	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	Genoplesium baueri	Bauer's Midge Orchid	Endangered	Category 2	Endangered	
Plantae	Flora	Grammitis stenophylla	Narrow-leaf Finger Fern	Endangered	Category 3	Not Listed	
Plantae	Flora	Grevillea caleyi	Caley's Grevillea	Critically Endangered	Category 3	Critically Endangered	
Plantae	Flora	Hibbertia puberula		Endangered	Not Sensitive	Not Listed	
Plantae	Flora	Leptospermum deanei		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Macadamia integrifolia	Macadamia Nut	Not Listed	Not Sensitive	Vulnerable	
Plantae	Flora	Macadamia tetraphylla	Rough-shelled Bush Nut	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Melaleuca biconvexa	Biconvex Paperbark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Melaleuca deanei	Deane's Paperbark	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Persoonia hirsuta	Hairy Geebung	Endangered	Category 3	Endangered	
Plantae	Flora	Pimelea curviflora var. curviflora		Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Pomaderris prunifolia	Plum-leaf Pomaderris	Endangered Population	Not Sensitive	Not Listed	
Plantae	Flora	Prasophyllum fuscum	Slaty Leek Orchid	Critically Endangered	Category 2	Vulnerable	
Plantae	Flora	Prostanthera marifolia	Seaforth Mintbush	Critically Endangered	Category 3	Critically Endangered	

Kingdom	Class	Scientific	Common	NSW Conservation Status	NSW Sensitivity Class	Federal Conservation Status	Migratory Species Agreements
Plantae	Flora	Rhodamnia rubescens	Scrub Turpentine	Critically Endangered	Not Sensitive	Not Listed	
Plantae	Flora	Senecio spathulatus	Coast Groundsel	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	Senna acclinis	Rainforest Cassia	Endangered	Not Sensitive	Not Listed	
Plantae	Flora	Syzygium paniculatum	Magenta Lilly Pilly	Endangered	Not Sensitive	Vulnerable	
Plantae	Flora	Tetratheca glandulosa		Vulnerable	Not Sensitive	Not Listed	
Plantae	Flora	Tetratheca juncea	Black-eyed Susan	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Thesium australe	Austral Toadflax	Vulnerable	Not Sensitive	Vulnerable	
Plantae	Flora	Triplarina imbricata	Creek Triplarina	Endangered	Not Sensitive	Endangered	
Plantae	Flora	Wahlenbergia multicaulis	Tadgell's Bluebell	Endangered Population	Not Sensitive	Not Listed	
Plantae	Flora	Wilsonia backhousei	Narrow-leafed Wilsonia	Vulnerable	Not Sensitive	Not Listed	

Data does not include NSW category 1 sensitive species. NSW BioNet: c State of NSW and Office of Environment and Heritage

## **Location Confidences**

Where Lotsearch has had to georeference features from supplied addresses, a location confidence has been assigned to the data record. This indicates a confidence to the positional accuracy of the feature. Where applicable, a code is given under the field heading "LC" or "LocConf". These codes lookup to the following location confidences:

LC Code	Location Confidence
Premise match	Georeferenced to the site location / premise or part of site
General area or suburb match	Georeferenced with the confidence of the general/approximate area
Road match	Georeferenced to the road or rail
Road intersection	Georeferenced to the road intersection
Feature is a buffered point	Feature is a buffered point
Land adjacent to geocoded site	Land adjacent to Georeferenced Site
Network of features	Georeferenced to a network of features

#### **USE OF REPORT - APPLICABLE TERMS**

The following terms apply to any person (End User) who is given the Report by the person who purchased the Report from Lotsearch Pty Ltd (ABN: 89 600 168 018) (Lotsearch) or who otherwise has access to the Report (Terms). The contract terms that apply between Lotsearch and the purchaser of the Report are specified in the order form pursuant to which the Report was ordered and the terms set out below are of no effect as between Lotsearch and the purchaser of the Report.

- End User acknowledges and agrees that:
  - (a) the Report is compiled from or using content (Third Party Content) which is comprised of:
    - content provided to Lotsearch by third party content suppliers with whom Lotsearch
      has contractual arrangements or content which is freely available or methodologies
      licensed to Lotsearch by third parties with whom Lotsearch has contractual
      arrangements (Third Party Content Suppliers); and
    - (ii) content which is derived from content described in paragraph (i);
  - (b) Neither Lotsearch nor Third Party Content Suppliers takes any responsibility for or give any warranty in relation to the accuracy or completeness of any Third Party Content included in the Report including any contaminated land assessment or other assessment included as part of a Report:
  - (c) the Third Party Content Suppliers do not constitute an exhaustive set of all repositories or sources of information available in relation to the property which is the subject of the Report (**Property**) and accordingly neither Lotsearch nor Third Party Content Suppliers gives any warranty in relation to the accuracy or completeness of the Third Party Content incorporated into the report including any contaminated land assessment or other assessment included as part of a Report;
  - (d) Reports are generated at a point in time (as specified by the date/time stamp appearing on the Report) and accordingly the Report is based on the information available at that point in time and Lotsearch is not obliged to undertake any additional reporting to take into consideration any information that may become available between the point in time specified by the date/time stamp and the date on which the Report was provided by Lotsearch to the purchaser of the Report;
  - (e) Reports must be used or reproduced in their entirety and End User must not reproduce or make available to other persons only parts of the Report;
  - (f) Lotsearch has not undertaken any physical inspection of the property;
  - (g) neither Lotsearch nor Third Party Content Suppliers warrants that all land uses or features whether past or current are identified in the Report;
  - (h) the Report does not include any information relating to the actual state or condition of the Property;
  - (i) the Report should not be used or taken to indicate or exclude actual fitness or unfitness of Land or Property for any particular purpose
  - (j) the Report should not be relied upon for determining saleability or value or making any other decisions in relation to the Property and in particular should not be taken to be a rating or assessment of the desirability or market value of the property or its features; and
  - (k) the End User should undertake its own inspections of the Land or Property to satisfy itself that there are no defects or failures
- 2. The End User may not make the Report or any copies or extracts of the report or any part of it available to any other person. If End User wishes to provide the Report to any other person or make extracts or copies of the Report, it must contact the purchaser of the Report before doing so to ensure the proposed use is consistent with the contract terms between Lotsearch and the purchaser.
- 3. Neither Lotsearch (nor any of its officers, employees or agents) nor any of its Third Party Content Suppliers will have any liability to End User or any person to whom End User provides the Report and End User must not represent that Lotsearch or any of its Third Party Content Suppliers accepts liability to any such person or make any other representation to any such person on behalf of Lotsearch or any Third Party Content Supplier.
- 4. The End User hereby to the maximum extent permitted by law:
  - (a) acknowledges that the Lotsearch (nor any of its officers, employees or agents), nor any

- of its Third Party Content Supplier have any liability to it under or in connection with the Report or these Terms;
- (b) waives any right it may have to claim against Third Party Content Supplier in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms; and
- releases each Third Party Content Supplier from any claim it may have otherwise had in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms.
- 5. The End User acknowledges that any Third Party Supplier shall be entitled to plead the benefits conferred on it under clause 4, despite not being a party to these terms.
- 6. End User must not remove any copyright notices, trade marks, digital rights management information, other embedded information, disclaimers or limitations from the Report or authorise any person to do so.
- 7. End User acknowledges and agrees that Lotsearch and Third Party Content Suppliers retain ownership of all copyright, patent, design right (registered or unregistered), trade marks (registered or unregistered), database right or other data right, moral right or know how or any other intellectual property right in any Report or any other item, information or data included in or provided as part of a Report.
- 8. To the extent permitted by law and subject to paragraph 9, all implied terms, representations and warranties whether statutory or otherwise relating to the subject matter of these Terms other than as expressly set out in these Terms are excluded.
- 9. Subject to paragraph 6, Lotsearch excludes liability to End User for loss or damage of any kind, however caused, due to Lotsearch's negligence, breach of contract, breach of any law, in equity, under indemnities or otherwise, arising out of all acts, omissions and events whenever occurring.
- 10. Lotsearch acknowledges that if, under applicable State, Territory or Commonwealth law, End User is a consumer certain rights may be conferred on End User which cannot be excluded, restricted or modified. If so, and if that law applies to Lotsearch, then, Lotsearch's liability is limited to the greater of an amount equal to the cost of resupplying the Report and the maximum extent permitted under applicable laws.
- 11. Subject to paragraph 9, neither Lotsearch nor the End User is liable to the other for:
  - (a) any indirect, incidental, consequential, special or exemplary damages arising out of or in relation to the Report or these Terms; or
  - (b) any loss of profit, loss of revenue, loss of interest, loss of data, loss of goodwill or loss of business opportunities, business interruption arising directly or indirectly out of or in relation to the Report or these Terms,

irrespective of how that liability arises including in contract or tort, liability under indemnity or for any other common law, equitable or statutory cause of action or otherwise.

12. These Terms are subject to New South Wales law.



**Historical Land Title Records** 



Level 14, 135 King Street, Sydney Sydney 2000 GPO Box 4103 Sydney NSW 2001 DX 967 Sydney

#### **Summary of Owners Report**

Address: - 122-128 & 130 Pyrmont Bridge Road, Annandale NSW

Description: - Lot 3-6 & 12 Section 1 in D.P.976387, Lot 100 in D.P.1101482 and Lot 1 in D.P.539271

As regards to Lots 3, 4 & 12, Section 1 in D.P. 976387

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
16.04.1913 (1913 to 1938)	John Cahill & Co. Limited Now John Cahill & Co. Pty Limited	Vol 1184 Fol 220
03.02.1938 (1938 to 1958)	Ernest Clissold Pearce (Manager)	Vol 1184 Fol 220
10.11.1958 (1958 to 1973)	Pearce Bros. Holdings Pty. Limited	Vol 1184 Fol 220
10.05.1973 (1973 to 1976)	Robert Fischer (Company Director) Jack James (Company Director)	Vol 1184 Fol 220 Now Vol 12165 Fol 11
21.05.1976 (1976 to 1978)	Eica Pty. Limited	Vol 12165 Fol 11
30.10.1978 (1978 to 1990)	Hobike Pty. Limited	Vol 12165 Fol 11
20.07.1990 (1990 to 2007)	Angela Biviano Guiseppe Biviano	Vol 12165 Fol 11 Now Auto Consol 12165-11
05.04.2007 (2007 to date)	# Zak One Pty Limited	Auto Consol 12165-11

#### # Denotes current registered proprietor

#### Leases: -

- Various leases were found from 19.03.1964. Refer to attached titles for details.
- Lease to Aust Fine Chain Pty Ltd (AI323221) expires 30.09.2018, option of renewal: 5 years

### Easements: - NIL



Level 14, 135 King Street, Sydney Sydney 2000 GPO Box 4103 Sydney NSW 2001 DX 967 Sydney

### As regards to Lots 5 & 6, Section 1 in D.P. 976387

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
18.12.1909 (1909 to 1951)	John Davis Beale (and his deceased estate)	Book 896 No 814
04.06.1951 (1951 to 1969)	James Sydney Pearce (Accountant) John Clissold Pearce (Motor Mechanic)	Book 2181 No 112 Now Vol 7445 Fol 72 Vol 7445 Fol 73
02.06.1969 (1969 to 1969)	Pearce Bros. Holdings Pty. Limited	Vol 7445 Fol 72 Vol 7445 Fol 73 Now Vol 11084 Fol 79
08.07.1969 (1969 to 1973)	Developmental Franchises Pty Ltd	Vol 11084 Fol 79
10.05.1973 (1973 to 1976)	Robert Fischer (Company Director) Jack James (Company Director)	Vol 11084 Fol 79
21.05.1976 (1976 to 1978)	Eica Pty. Limited	Vol 11084 Fol 79
30.10.1978 (1978 to 1990)	Hobike Pty. Limited	Vol 11084 Fol 79
20.07.1990 (1990 to 2007)	Angela Biviano Guiseppe Biviano	Vol 11084 Fol 79 Now Auto Consol 11084-79
05.04.2007 (2007 to date)	# Zak One Pty Limited	Auto Consol 11084-79

#### # Denotes current registered proprietor

#### Leases: -

- Various leases were found from 19.03.1964. Refer to attached titles for details.
- Lease to Aust Fine Chain Pty Ltd (AI323221) expires 30.09.2018, option of renewal: 5 years

#### Easements: - NIL



As regards to Lot 100 in D.P. 1101482

Level 14, 135 King Street, Sydney Sydney 2000 GPO Box 4103 Sydney NSW 2001 DX 967 Sydney

As regards to the part formerly known as Book 3688 No 590

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
18.10.1888 (1888 to 1918)	Alexander Brown (Grazier) (and his deceased estate)	Book 400 No 181
24.01.1918 (1918 to 1957)	James Brown (Grazier) (Devisee under the Will of Alexander Brown)	Recitals in Transmission Application A361598
02.07.1957 (1957 to 1965)	Lawrence Dry Cleaners Pty. Limited	Book 2434 No 221 (Intervening years 1888 to 1957 not investigated)
23.02.1965 (1965 to 1965)	John Edward Hilton (House Furnisher)	Book 2734 No 916
08.03.1965 (1965 to 1986)	Jayandem Pty. Limited	Book 2820 No 102
24.10.1963 (1936 to 1986)	Bexoka Pty. Limited	Book 3688 No 590

#### As regards to the part formerly known as Vol 7621 Fol 119

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
07.02.1918	James Brown (Grazier)	Vol 847 Fol 140
(1918 to 1957)	(Tranmission application not investigated)	Vol 904 Fol 143
02.12.1957 (1957 to 1965)	Lawrence Dry Cleaners Pty. Limited	Vol 847 Fol 140 Vol 904 Fol 143 Now Vol 7621 Fol 119
23.02.1965 (1965 to 1965)	John Edward Hilton (House Furnisher)	Vol 7621 Fol 119
08.03.1965 (1965 to 1987)	Jayandem Pty. Limited	Vol 7621 Fol 119
06.01.1987 (1987 to 1995)	Bexoka Pty. Limited	Vol 7621 Fol 119

As to the whole of the land see page 4



Level 14, 135 King Street, Sydney Sydney 2000 GPO Box 4103 Sydney NSW 2001 DX 967 Sydney

### As regards to the whole of Lot 100 in D.P. 1101482

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
28.08.1995 (1995 to 2005)	John Frank Falcon Anita Renee Odile Falcon	Vol 7621 Fol 119 Book 4342 No 83 Now 1/120389 1/1042386
20.04.2005 (2005 to date)	#130 PBR Pty Limited	1/120389 1/1042386 Now 100/1101482

#### # Denotes current registered proprietor

#### Leases: -

- Various leases were found from 10.02.1920. Refer to attached titles for details.
- Lease to Aust Fine Chain Pty Ltd (AI323221) expires 30.09.2018, option of renewal: 5 years

#### Easements: - NIL



Level 14, 135 King Street, Sydney Sydney 2000 GPO Box 4103 Sydney NSW 2001 DX 967 Sydney

#### As regards to Lot 1 in D.P. 539271

Date of Acquisition and term held	Registered Proprietor(s) & Occupations where available	Reference to Title at Acquisition and sale
10.11.1913 (1913 to 1934)	Robert McDonald (General Broker) (and his deceased estate)	Book 1021 No 63
06.03.1934 (1934 to 1955)	Agnes McDonald (Widow) (Devisee under the Will of Robert McDonald)	Book 1685 No 286
20.04.1955 (1955 to 1969)	Lawrence Dry Cleaners Pty. Limited	Book 2331 No 884
05.08.1969 (1969 to 1984)	Movitex & Movigraph Systems Pty. Limited	Book 2937 No 654 Now Vol 11405 Fol 212
29.10.1984 (1984 to 1998)	Anthony Erling McDonough Mardee Ann McDonough	Vol 11405 Fol 212 Now 1/539271
14.12.1998 (1998 to 2016)	The Mexican Hammock Company Pty Limited	1/539271
01.02.2016 (2016 to date)	#Camperdown Administration Pty Ltd	1/539271

### # Denotes current registered proprietor

#### Leases: -

• Various leases were found from 05.12.1990. Refer to attached titles for details.

#### Easements: - NIL

Yours Sincerely Ashleigh Taylor-Reeve (Checked by Mark Groll) 19 January 2021 ICATE OF TITLE

WARNING: THIS DOCUMENT MUST NOT BE REMOVED FROM THE LAND TITLES OFFICE

PROPERTY ACT, 1900

Appln No. 9668

Prior Title Vol. 1184 Fol. 220



vot 12165 Fol.

Edition issued 17-7-1973

N259229

CANCELLED


I certify that the person described in the First Schedule is the registered proprietor of the undermentioned estate in the land within described subject nevertheless to such exceptions encumbrances and interests as are shown in the Second Schedule.

SEE AUTO FOHO Registrar General.



#### PLAN SHOWING LOCATION OF LAND

LENGTHS ARE IN METRES



AREA 531.1 m2

RATIO 1:500 REDUCTION




Estate in Fee Simple in Lots 3, 4 and 12 of Section 1 in Deposited Plan 976387 at Camperdown in the Municipality of Leichhardt Parish of Petersham and County of Cumberland being part of 97.13 hectares granted to William Bligh on 10-8-1806.

ROBERT-FISCHER of Fredington, Company Director Tenants in Common in equal shares.

#### SECOND SCHEDULE

1. Reservations and conditions, if any, contained in the Crown Grant above referred to. Frenchises Pty. Limited. Entered 18-2-1971. Expired 21-5-1976 2. Lease No. - M147121 to Dovelopmental

Registrar General



	atolijans k		SECOND SCHEDULE (continued)						7 1/28
NATURE	INSTRUMENT NUMBER		PARTICULARS	ENTERED	Signature of Registrar General	CANCELLATION		- 1986 - 1986 - 1989	
Mortgage	N259230	10.5.1973.	to Allied Credital Pty. Limited	12.9.1973.	Santataon	Discharged	N662359	Jandathour	
Mortgage	_N662360	28-12-1973	to Allied Gredits Pty. Limited	24-1-1974	Jagiston _	Cancelled	P690507	Sandature	-   ୡ୩૬
Caveat	<u> </u>			12-8-1975	James Towns	Withdrawn	P690505	January.	9173
Mortgage	<del>P690508</del>		to Lensworth Finance Stated	21-5-1976	Jantier	Discharged	Q925705	Ben	0925
	P764131			17-6-1976	Januaran	Withdrawn	P865806	January .	] =
Mortgage Cavest	P866416		to Allied Gredits Pty Sugnited	2-7-1976	Lawatern	Discharged	Q925706	1 km	1 -
				17-9-1976	10	Withdrawn	Q925704	se	_
Mortgage	<del>- P</del> 82803 <del>5</del> -		to Glebe Investments Pty. Limited (with consent of caveator						
<b>0</b>	0055740		under-Caveat P866416)	<del>17-11-1976</del>	Januarian!	Discharged	Q925707	De-	1869
-Caveat	995742		by Robert Fischers	15=3=1977	6	Withdrawn	Q173446	Ben	178
- Mortgage	<del>0925709</del>	1 34 1 4.	to Commonwealth Treding Bank of Australia (G)	30-10-1976	leccio	Discharged Withdrawn	T879930 X396956		XZI
	1 2 4 5 7 5 4 4 4 W 1 No. 1		r_lon Lower pristered 112-1983 Corporation Registered 21-2-1984		Remin	MT CHALGMA		CONTRACTOR OF THE PARTY OF THE	X39
T869942 Gave	· · · · · · · · · · · · · · · · · · ·	Caveators c			Barrie	forgelled.	~ 1080/2		
X213817 Lease			xpires: 29.9.1988. With an Option of Renewal for 3 years		phonic	William Con	X 396756		Y4394
Regi	tered 7.3.49					**************************************	V430405		216
р	TANTEX		1,11,12,12				Y439403		-
Regist	ered 11-8-198	yesoments_Pty 89.	-Limited Expires 29-9-1991 with an option of renewal for	years.	(A)				All of the Style
	e linkingen et							<u>al vales roadên lêt</u> Gilland ve dê riv	1

NESA

P365583/2

P690505WX9

- 506 EX/ " - 507T(1, 1) -508 24 P164131 PEX CIT 9.6.76

Signature of Registrar General

-

NOTE: ENTRIES RULED THROUGH AND AUTHENTICATED BY THE SEAL OF THE REGISTRAR GENERAL ARE CANCELLED

Page 2 of 2 pages)



# Historical Title



NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

13/1/2021 9:28AM

FOLIO: AUTO CONSOL 12165-11

-----

Recorded	Number	Type of Instrument	C.T. Issue
18/10/1991		CONSOL HISTORY RECORD CREATED FOR AUTO CONSOL 12165-11	
		PARCELS IN CONSOL ARE: 3-4/1/976387, 12/1/976387.	
1/2/1993	I83110	CAVEAT	
12/11/1993	1689523	LEASE	EDITION 1
3/2/1999	5564958	WITHDRAWAL OF CAVEAT	
14/7/2003	9721926	CAVEAT	
21/8/2003 21/8/2003	9899519 9899520	WITHDRAWAL OF CAVEAT MORTGAGE	EDITION 2
27/11/2003	AA200355	VARIATION OF MORTGAGE	EDITION 3
	AA851182 AA851197	VARIATION OF MORTGAGE MORTGAGE	EDITION 4
21/2/2005	AB303037	VARIATION OF MORTGAGE	EDITION 5
15/7/2005	AB624309	VARIATION OF MORTGAGE	EDITION 6
· · ·	AB908663 AB908664 AB908665	DISCHARGE OF MORTGAGE DISCHARGE OF MORTGAGE MORTGAGE	EDITION 7
5/4/2007 5/4/2007 5/4/2007	AD38612 AD38613 AD38614	DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 8
13/4/2007	AD49090	MORTGAGE	EDITION 9
30/1/2008	AD729843	LEASE	EDITION 10
18/2/2008	AD773908	DISCHARGE OF MORTGAGE	EDITION 11
7/3/2008	AD814118	MORTGAGE OF LEASE	

END OF PAGE 1 - CONTINUED OVER

Pyrmont Bridge

PRINTED ON 13/1/2021

## NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

#### SEARCH DATE

-----

13/1/2021 9:28AM

FOLIO: AUTO	PAGE	2		
Recorded	Number	Type of Instrument	C.T. Issue	
14/9/2009	AE973850	DISCHARGE OF MORTGAGE		
11/11/2009	AF108319	TRANSFER OF LEASE		
19/11/2009	AF126372	MORTGAGE OF LEASE		
2/4/2012	AG902373	TRANSFER OF MORTGAGE		
22/1/2014 22/1/2014		DISCHARGE OF MORTGAGE LEASE	EDITION 12	
5/4/2016	AK332092	CAVEAT		
27/6/2018	AN452746	CAVEAT		
27/7/2018	AN460539	APPLICATION FOR PREPARATION OF LAPSING NOTICE		
31/12/2019	AP696237	APPLICATION FOR PREPARATION OF LAPSING NOTICE		
23/7/2020	AQ261685	CAVEAT		

\*\*\* END OF SEARCH \*\*\*

Pyrmont Bridge

PRINTED ON 13/1/2021



NEW SOUTH WALES LAND REGISTRY SERVICES - TITLE SEARCH

FOLIO: AUTO CONSOL 12165-11

-----

LAND

----

LAND DESCRIBED IN SCHEDULE OF PARCELS

AT CAMPERDOWN

LOCAL GOVERNMENT AREA INNER WEST

PARISH OF PETERSHAM COUNTY OF CUMBERLAND

TITLE DIAGRAM DP976387

FIRST SCHEDULE

\_\_\_\_\_

ZAK ONE PTY LIMITED

(T AD38613)

SECOND SCHEDULE (3 NOTIFICATIONS)

\_\_\_\_\_

- 1 RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- 2 AI323221 LEASE TO AUST FINE CHINA PTY LTD EXPIRES: 30/9/2018.
  OPTION OF RENEWAL: 5 YEARS.
- \* 3 AQ261685 CAVEAT BY MHA PBR ANNANDALE PTY LIMITED

NOTATIONS

-----

UNREGISTERED DEALINGS: NIL

SCHEDULE OF PARCELS

-----

LOTS 3-4 SEC. 1 IN DP976387 LOT 12 SEC. 1 IN DP976387.

\*\*\* END OF SEARCH \*\*\*

Pyrmont Bridge

PRINTED ON 13/1/2021

<sup>\*</sup> Any entries preceded by an asterisk do not appear on the current edition of the Certificate of Title. Warning: the information appearing under notations has not been formally recorded in the Register. InfoTrack an approved NSW Information Broker hereby certifies that the information contained in this document has been provided electronically by the Registrar General in accordance with Section 96B(2) of the Real Property Act 1900.

REAL PROPERTY ACT, 1900, as amende

11084079

Appln. No.39904

0

Prior Titles Vol.7445 Fols. 72 and 73

AS Edition issued 2-7-1969

L449992

I certify that the person described in the First Schedule is the registered proprietor of the undermentioned estate in the land within described subject nevertheless to such exceptions encumbrances and interests as are shown in the Second Schedule.


Witness B. Hinchey

Registrar General.



#### PLAN SHOWING LOCATION OF LAND

SEE AUTO POLIC 11084 Auto Gasol



THE LAND WITHIN **DESCRIBED IS** 

*Area: 16¶e per:* 

L449992 off P.I.

PERSONS ARE CAUTIONED AGAINST ALTERING OR ADDING TO THIS CERTIFICATE OR ANY NOTHICATION HENEON

Scale: 40 feet to one inch

#### ESTATE AND LAND REFERRED TO

Estate in Fee Simple in the land shown in plan lodged with Primary Application No.39904 (Filed as F.P.89904) at Camperdown in the City of Sydney Parish of Petersham and County of Cumberland being Lots 5 and 6 of Section 1 of M.J. Caraher's Subdivision and being part of 240 acres granted to William Bligh on 10-8-1806.

FIRST SCHEDULE

#### SECOND SCHEDULE

1. Reservations and conditions, if any, contained in the Crown Grant above referred to.

Registrar General

NOTE: ENTRIES RULED THROUGH AND AUTHENTICATED

Z/Diction &

000 (1000)

(Page 3 of 4 page 3)	.084-079 CT /Rev:16-Dec-2010 /NSW rar-General /Src:INFOTRACK /Ref:pages)		1084 <sub>Fol.</sub> 79	••••••••••••••••••••••••••••••
	FIRST	SCHEDULE (continued)		
	REGISTERED PROPR			Registrar Gener
				Togasta delle
	CANCELL	ED		
	THE AUTO POLI			
	- SECONI	SCHEDULE (continued)		
P	PARTICULARS		Registrar General	CANCELLATIO
0.11.000	ABE TO NICHOLS GLOBAL EN SCARIN'S ROCHA PTY LIMI FARS WITH A FURTHER P	バアドル、 モメアノアドミ バシーターノロタコー	10 P77 0A3 =	
C	OMPUTER FOLIO NO FURT EALINGS TO BE REGISTERED.	THER		
,				
	•			
	NOTATIONS AN	ND UNREGISTERED DEALINGS		





NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

13/1/2021 10:50AM

FOLIO: AUTO CONSOL 11084-79

----

Recorded ----- 24/3/1995

Number

Type of Instrument

CONSOL HISTORY RECORD CREATED FOR AUTO CONSOL 11084-79

PARCELS IN CONSOL ARE: 5-6/1/976387.

C.T. Issue

10/7/2006	AC443471	APPLICATION FOR REPLACEMENT CERTIFICATE OF TITLE	EDITION 1
3/8/2006	AC501979	MORTGAGE	EDITION 2
6/10/2006	AC647667	CAVEAT	
5/4/2007 5/4/2007 5/4/2007 5/4/2007	AD38610 AD38611 AD38613 AD38614	WITHDRAWAL OF CAVEAT DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 3
3/1/2007	ADJUUT	MONTGAGE	EDITION
13/4/2007	AD49090	MORTGAGE	EDITION 4
30/1/2008	AD729843	LEASE	EDITION 5
18/2/2008	AD773908	DISCHARGE OF MORTGAGE	EDITION 6
7/3/2008	AD814118	MORTGAGE OF LEASE	
14/9/2009	AE973850	DISCHARGE OF MORTGAGE	
11/11/2009	AF108319	TRANSFER OF LEASE	
19/11/2009	AF126372	MORTGAGE OF LEASE	
17/11/2010	AF884666	DEPARTMENTAL DEALING	
2/4/2012	AG902373	TRANSFER OF MORTGAGE	
22/1/2014 22/1/2014	AI323220 AI323221	DISCHARGE OF MORTGAGE LEASE	EDITION 7
5/4/2016	AK332092	CAVEAT	

END OF PAGE 1 - CONTINUED OVER

Pyrmont Bridge PRINTED ON 13/1/2021

## NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

#### SEARCH DATE

\_\_\_\_\_

13/1/2021 10:50AM

FOLIO: AUTO CONSOL 11084-79 PAGE 2

-----

Recorded	Number	Type of Instrument	C.T. Issue
27/6/2018	AN452746	CAVEAT	
27/7/2018	AN460539	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
7/1/2020	AP736364	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
23/7/2020	AQ261685	CAVEAT	

\*\*\* END OF SEARCH \*\*\*

Pyrmont Bridge

PRINTED ON 13/1/2021

InfoTrack an approved NSW Information Broker hereby certifies that the information contained in this document has been provided electronically by the Registrar General in accordance with Section 96B(2) of the Real Property Act 1900.



NEW SOUTH WALES LAND REGISTRY SERVICES - TITLE SEARCH

FOLIO: AUTO CONSOL 11084-79

-----

 SEARCH DATE
 TIME
 EDITION NO
 DATE

 ----- ---- ---- 

 13/1/2021
 10:47 AM
 7
 22/1/2014

LAND

----

LAND DESCRIBED IN SCHEDULE OF PARCELS

LOCAL GOVERNMENT AREA INNER WEST

PARISH OF PETERSHAM COUNTY OF CUMBERLAND

TITLE DIAGRAM DP89904

FIRST SCHEDULE

ZAK ONE PTY LIMITED

(T AD38613)

SECOND SCHEDULE (3 NOTIFICATIONS)

-----

- 1 RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- 2 AI323221 LEASE TO AUST FINE CHINA PTY LTD EXPIRES: 30/9/2018.
  OPTION OF RENEWAL: 5 YEARS.
- 3 AQ261685 CAVEAT BY MHA PBR ANNANDALE PTY LIMITED

NOTATIONS

\_\_\_\_\_

DISPOSAL OF ANY LOT IN THIS TITLE MAY REQUIRE REGISTRATION OF A DEPOSITED PLAN OF SURVEY PURSUANT TO SEC 114 REAL PROPERTY ACT 1900.

UNREGISTERED DEALINGS: NIL

SCHEDULE OF PARCELS

-----

LOTS 5-6 SEC. 1 IN DP976387.

\*\*\* END OF SEARCH \*\*\*

Pyrmont Bridge

<sup>\*</sup> Any entries preceded by an asterisk do not appear on the current edition of the Certificate of Title. Warning: the information appearing under notations has not been formally recorded in the Register. InfoTrack an approved NSW Information Broker hereby certifies that the information contained in this document has been provided electronically by the Registrar General in accordance with Section 96B(2) of the Real Property Act 1900.

Form	ECO -7.FEB.1918	3 2.59 PM 86 A 235	This Propagation	Corty was included RAR GENE 13 Assers. Classical Control of the C
Registd.		APPLICATION TO BE RI	THE STATE OF THE S	TE REAL PROPERTY AC
-	Christian and Surnamin full, with residence	. I, JAMES BROWN of "Gle	n "L <b>3</b> a" Currabubula	in the State of New
(Duto)	7	South Wales Grazier	)	
(Cashier),	6018			
1 14-6	b' Rales Estate, alter to		eribed in the Certificate of T	yself to be entitled for an Esta Fitle held by ALEXANDER BROW
	e desert kers, in Sain date toma parthadicand an	Reg. Vol. Fol.		Land Carlotte Comments
	addikingal by alfface. There were if try fine.	12309 V	<b>/</b> *	
Folio		_1264  = 125	× 62 /	
<b>Ā</b>		904 143	**	
		847		
. 9		<u> </u>	***	
V ol.				
屋母	d Executor, Trustes, Devisee, or as the case may be,—with any required information or particulars.	the Will of Elizabeth D	empster Brown to who	the state of the s
		devised by the said Ale	xander Brown	
issne			•	
Certificate of Title issued				
J 3				
ificat				
Cert				
. 47	e Present value, inclusive of all improvements.	in further verification whereof,		ments enumerated in the Schedu
		hereto. I also declare that the hundred and twenty five		e of Five thousand sight
		pounds sterling, also that no other		owledge entitled to any Estate
	f State particulars of any mortgage, lease, &c. it none, strike out the		t as follows—]' Alexande	er Stant as Trustee fo
	words in brackets.	Isabella Dempster Allan	under Conveyance fr	om the said Alexander
	C.		nder Stewart dated 1	6th. April 1915
	An Z	Brown to the said Alexa	the contract of the contract o	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
	Sn. L	Brown to the said Alexa Registered NO. 87 Book Certificate of Title Vo and I make this solemn declara	1058 as regards part	A Stander as descess of land in Cartification of Between 1917 and a Capement

Only dominents additional to these	CHEDULE OF DOCUMENTS DEPOSITED.*	<b>66</b> 5129
enumerated on the letter page should be set fut the common and the	4. Walntong Declaration of James 1	Howard Carlo
died intestate, Vetters of Administration If the claim be b Dovinee, original office copy or probate of the will. If made under settles, Vetters  The settles are the settles of the settles are the settles of the sett	Office Copy Will of Alexander & Elizabeth Den	mon died.
should be deposited. (41) Jeffr. 15	. Glial Ewilly	
A AFEB 1018		

[Rule up all blanks before signature.]

1918.

DATED at disease are

the twenty fourth

Made and subscribed by the abovenamed

JAMES BROWN

the 24.

day of Jacob or

1918, in the presence of

James Button (Signature of Applicant.)

The Certiffey of correctness in the back also requires signature.

The Declaration must be attested by the Registrar General, or Deputy, or by a Notary Fublic, or by a Justice of the Peace, or by a Commissioner for taking Affidavita.

VIn no case can any alteration, however triffing, be allowed to be made after the application has been once declared, unless all the parties re-sign and re-declare the same. If it is discovered that any alterations are necessary, the applicant may make a statutory declaration setting out in what manner he desires the application to be altered, which declaration will then (unless the Registrar General considers that a fresh application ought to be made) be read as one with the application.

Jaged 36,600 (\$ 20.1,1918 That deeler of Sexander Rewart of Jakes Stewart 24.7.1918 That deeler of James Grown with anne cures It & B

hq pəbpoq

CAUTION. Constity of LEO. Sec. 717 of R.P.A., 1900.

andioilos sidas

( 'juvoilddh. to ornbonfi'?)

the purposes of the Real Property Act, 1900.

do hereby certify that the within application is correct for

I, the within-named and undersigned,

Applicant.

Late 5 felo last dat 25 of the bamperdoun Stady bland & State of the bamperdoun Stady of 3474. It 18/4 / lete fast stady Sec: 0 9 1 3474. It show and sole 1.27 3 Sec: 0 9. 1 3474. Illust stady lete sole 21.22 723 Sec 39 2. 1907. Illust 53/4 Selo Soute of Lot 26 of the Judgery Survey Cohete

involle amel.

S. acon, 2001, ent in the

AVELICATVES ENLERED IN REGISLER BOOK

SECTOR V

10-0530

# **DEEDS INDEX**



CA NUMBER SILLY PARTICULARS BK 4342 NO (A) Delivery Box Name, Address/DX C70 245 Telephone no. Reference 409779- TE94 **(B)** Nature of Instrument Date of Instrument 11 08/95 CONVEYANCE Leave blank where instrument does not affect old system land Locality of the land LINK CONVEYANCE-for old system land PRINCIPAL DEED Book Number Whole/Part 590 CAMPERDOUN 3648 WHOLE LOCAL GOVT, AREA **PARISH** COUNTY LBICHHARDT PETERSHAM CUMBERLAND **NOTING** Office use only **(D)** Entry **FAMILY NAME GIVEN NAMES/COMPANY NAME** BEXOKA PTY LIMITED ACN 002 986 129 JOHN FRANK FALCON FALCONS ANITA RENEE ODILE **(E)** I Danien Heffron of Level 1, 16-24 Elsie Street, Burwood NSU certify that for the purposes of section 184D(3) of the Conveyancing Act 1919 that: 1. the registration copy is a true copy of the original and 2. the above index particulars of the original instrument [and on the annexure(s)] are complete and correct.

Entered

THIS DEED made the 11 the day of August One Thousand Nine Hundred and Ninety Five.

## **BETWEEN**



BEXOKA PTY LIMITED (A.C.N. 002 986 129) a Company duly incorporated of 130 Pyrmont Bridge Road, Camperdown in the State of New South Wales (hereinafter called "the Vendor") of the one part,

## **AND**


JOHN FRANK FALCON and ANITA RENEE ODILE FALCON both of 65 Buvelot Street, Weston in the State of Australian Capital Territory (hereinafter called "the Purchaser") of the other part WITNESSETH that in consideration of the sum of Five Hundred and Sixty Five Thousand Dollars (\$565,000.00) paid to the Vendor the Purchaser (the receipt whereof is hereby acknowledged) being the same sum as is expressed to be paid in Memorandum of Transfer of the whole of the land comprised in Certificate of Title Folio Identifier 1/120389 of even date herewith and made between the same parties as are parties hereto, the Vendor as beneficial dwner DOTH HEREBY CONVEY unto the Purchaser in Fee Simple ALL THAT prece of land containing nineteen perches being part of the Fitzroy Terrace Estate and peing the land comprised in Conveyance Book 400 Number 181 and Conveyance Number 482 Book 366 situated at Camperdown in the City of Sydney Parish of Petersham County of Cumberland and State of New South Wales COMMENCING at a point on the North Western side of Pyrmont Bridge Road being the Easternmost point of land in Certificate of Title Volume 904 Folio 143 and bounded on part of the South West by the North Eastern boundary of land in that Certificate of Title being a line bearing 335 degrees 00 minutes for 56 feet 7 inches bounded thence on part of the South East by the North Western boundaries of land in Certificate of Title Volume 904 Folio 143 and Volume 847 Folio 140 being a line bearing 259 degrees 27 minutes 50 seconds for 25 feet 0 inches bounded thence on the remainder of the South West by a line which passes for most of its length along the South Western face of a brick wall

PAFENIE

bearing 335 degrees 00 minutes for 112 feet 1 1/4 inches to the South Eastern side of Cahill Street and bounded on the North West by part of that side of that street being a line bearing 69 degrees 27 minutes 50 seconds for 40 feet 0 inches bounded thence on the North East by a line which passes along the North Eastern face of a brick wall bearing 155 degrees 05 minutes 30 seconds for 157 feet 10 1/2 inches to the Northern Western side of Pyrmont Bridge Road aforesaid and bounded thence on the remainder of the South East by part of that side of that Road being a line bearing 211 degrees 42 minutes for 17 feet 7 inches to the point of <u>COMMENCEMENT</u> be the said area and several dimensions all a little more or less.

IN WITNESS WHEREOF the Vendor has hereunto subscribed its name and affixed its seal the day and year first hereinbefore written.

THE COMMON SEAL of BEXOKA PTY LIMITED was hereunto affixed by authority of the Board of Directors in the presence of:-	) ) )	THE COURT OF
PARenas		
Secretary	Director	95901579







NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

14/1/2021 1:24PM

FOLIO: 1/1042386

-----

First Title(s): OLD SYSTEM
Prior Title(s): BK 4342 NO 83

Recorded	Number	Type of Instrument	C.T. Issue
14/6/2002	DP1042386	DEPOSITED PLAN	FOLIO CREATED EDITION 1
14/6/2002	CA86114	CONVERSION ACTION	
20/4/2005 20/4/2005 20/4/2005	AB423694 AB423696 AB423697	DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 2
13/7/2006	AC452274	APPLICATION FOR REPLACEMENT CERTIFICATE OF TITLE	EDITION 3
27/2/2007 27/2/2007	DP1101482 PA82159	DEPOSITED PLAN PRIMARY APPLICATION	FOLIO CANCELLED

\*\*\* END OF SEARCH \*\*\*

pyrmont bridge





NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

14/1/2021 1:24PM

FOLIO: 1/120389

-----

First Title(s): OLD SYSTEM

Prior Title(s): VOL 7621 FOL 119

Recorded	Number	Type of Instrument	C.T. Issue
11/5/1989		CONVERTED TO COMPUTER FOLIO	FOLIO CREATED CT NOT ISSUED
24/6/1994	U383800	DEPARTMENTAL DEALING	
28/8/1995 28/8/1995 28/8/1995	O488928 O488929 O488930	DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 1
20/4/2005 20/4/2005 20/4/2005	AB423695 AB423696 AB423697	DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 2
27/2/2007	DP1101482	DEPOSITED PLAN	FOLIO CANCELLED

\*\*\* END OF SEARCH \*\*\*

pyrmont bridge

	of the Registra				ANSFER Property Act, 1900	488929
			%-24• √	∓⊔व ना	Office of S 10/262928100	itate Revenue use only  +0 +054 S6802()  N
(A)	LAND TRANSFE. Show no more than 2 If appropriate, specif	20 References to lit	le. ed.	FOLIO IDE	ENTIFIER 1/12	20389
(B)	LODGED BY	DUTY ( ASTA REVEN TO TAKE ASU		245	120 P. PHON	EALTH BANK OF AUSTRALIA ITT ST SYDNEY NSW E: 312 2195 DX 434 Facters): 409779 -7594
(C)	TRANSFEROR	STAMP \$2-	ВЕХ	OKA PTY I	IMITED (A.C.	N. 002 968 129)
(D) (E)	acknowledges red and as regards the subject to the foll	ceipt of the ons	above transf		feree an estate in fee si	imple 3.
(F) (G)	TRANSFEREE	T	JOHN F	RANK FALC		RENEE ODILE FALCON
	PA	sence by the Tra SEAL of BEX fixed by At Significant Williams (BLO)	nsferor who KOKA PIY othority. https: the pres	is personally kn LIMITED was of the	own to me.    )	ATED 18199
	Secretary Signed in my pres	Address of Wience by the Tra	nsferee who	is personally kno	Director  own to  Service  Ser	EDICA COM MOR
					El J	
•	Name	of Witness (BLOC	K LETTERS)			





NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

14/1/2021 1:23PM

FOLIO: 100/1101482

-----

First Title(s): OLD SYSTEM
Prior Title(s): 1/120389

1/1042386

Recorded	Number	Type of Instrument	C.T. Issue
	DP1101482		FOLIO CREATED EDITION 1
30/1/2008	AD729866	LEASE	EDITION 2
7/3/2008	AD814117	MORTGAGE OF LEASE	
14/9/2009	AE973849	DISCHARGE OF MORTGAGE	
11/11/2009	AF108367	TRANSFER OF LEASE	
19/11/2009	AF126362	MORTGAGE OF LEASE	
31/5/2010	AF524245	DISCHARGE OF MORTGAGE	EDITION 3
2/4/2012	AG902396	TRANSFER OF MORTGAGE	
22/1/2014	AI323231	LEASE	EDITION 4
5/4/2016	AK332091	CAVEAT	
27/6/2018	AN452745	CAVEAT	
26/7/2018	AN460487	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
31/12/2019	AP696209	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
23/7/2020	AQ261688	CAVEAT	

\*\*\* END OF SEARCH \*\*\*

pyrmont bridge



NEW SOUTH WALES LAND REGISTRY SERVICES - TITLE SEARCH

FOLIO: 100/1101482

-----

LAND

----

LOT 100 IN DEPOSITED PLAN 1101482

AT ANNANDALE

LOCAL GOVERNMENT AREA INNER WEST

PARISH OF PETERSHAM COUNTY OF CUMBERLAND

TITLE DIAGRAM DP1101482

FIRST SCHEDULE

\_\_\_\_\_

130 PBR PTY LIMITED

SECOND SCHEDULE (3 NOTIFICATIONS)

\_\_\_\_\_

- 1 RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- 2 AI323231 LEASE TO AUST FINE CHINA PTY LTD OF 130 PYRMONT BRIDGE ROAD, CAMPERDOWN. EXPIRES: 30/9/2018. OPTION OF RENEWAL: 5 YEARS.
- \* 3 AQ261688 CAVEAT BY MHA PBR ANNANDALE PTY LIMITED

NOTATIONS

\_\_\_\_\_

UNREGISTERED DEALINGS: NIL

\*\*\* END OF SEARCH \*\*\*

Pyrmont bridge

777

03 5 5

age I) Vol.

Persons are cautioned against altering or adding to this certificate or any notification hereon

 $\leq$ 

GRY

NEW SOUTH WALES

Appln. No. 47208

vol. 11405 Fol. 212

Edition issued 10-9-1970

WARNING: THIS DOCUMENT MUST NOT BE REMOVED FROM THE LAND TITLES OFFICE

.

I certify that the person described in the First Schedule is the registered proprietor of the undermentioned estate in the land within described subject nevertheless to such exceptions encumbrances and interests as are shown in the Second Schedule.

Witness


Barnes

GANCELLED

Registrar General.

SEE AUTO FOLIO

#### PLAN SHOWING LOCATION OF LAND



Estate in Fee Simple in Lot 1 in Deposited Plan 539271 at Camperdown in the Municipality of Leichhardt Parish of Petersham and County of Cumberland being part of 240 acres granted to William Bligh on 10-8-1806.

FIRST SCHEDULE

-MOVITEX & MOVIGRAPH ISYSTEMS PTY LIMITED.

SECOND SCHEDULE

1. Reservations and conditions, if any, contained in the Crown Grant above referred to.

Jawarson

Registrar General.

Į NO

			PIRAT ARIPMILITY	1				·
	т.		FIRST SCHEDULE (continued	1)		****		
			REGISTERED PROPRIETOR	NATURE	INSTRUMENT NUMBER	DATE	ENTERED	Signature of Registrar-General
			nn McDonough as joint tenants by Transfer V404199. Re	istered 29-10-198	34			Commence
Anthony Erlin	ng McDonough a	ing Margee Ar	an McDonough as Joint tendings by Hanstel 1404155. To	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u></u>			
		,, ,, .,						
								A CONTRACTOR OF THE CONTRACTOR
	Annual and the VA	N41					<b></b>	
								- 02 62A
							ANCE	ILEU -
							11110 0 10:	
							management and the second seco	p p sp sq ded skipped death scalled the same and an extra transfer over
							A TOTAL STATE OF THE PARTY OF T	40110
AN ADDRESS OF THE PARTY OF THE	100						SEE AUTO	<b>FULIU</b>
made hash at extent for the opposite the decision	k - Albania Addressa - appropriate propriate part y particularia dalla P. P. P.	N						
		, ,				4		
		•						1
		•						
			SECOND SCHEDULE (continu					
	INSTRUMENT		- Charles - Company - Comp		Signature of		CANCELLATION	
NATURE	INSTRUMENT NUMBER	DATE	PARTICULARS	red)	Signature of Registrar-General		ÇANCELLATION	16
	NUMBER		particulars To . The Commercial Bank of aux this	ed)	Januar 1	Discharged	Q308592	le
Mortgage	NUMBER		particulars To the Commercial Bank of aux Canal Line To Commonwealth Development Bank of Aux	ed)	1	Discharged	Q308592 Q308591	bin
	NUMBER L900471	18-6-1990	particulars To . The Commercial Bank of aux this	entered	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-4-1910	Januar 1	Discharged	Q308592 Q308591	bin
Mortgage	1900471 L65832	18-6-1990	particulars  To the Commercial Bank of Musteria Line To Communicality Sevelopment Barge of Augus	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei
Mortgage Mortgage Mortgage	NUMBER  L100471  L05832  Q308593	18-6-1990	particulars  To the Commercial Bank of auxiliate Lim  To Communicate Development Bank of auxiliated	entered  Led 10-9-19710  Lia 10-9-1977  2-8-1977	Januar 1	Discharged Discharged	9308592 9308591 \$809924	Bei

NOTE: ENTRIES RULED THROUGH AND AUTHENTICATED BY THE SEAL OF THE REGISTRAR-GENERAL ARE CANCELLED

of 2

(Page 2





NEW SOUTH WALES LAND REGISTRY SERVICES - HISTORICAL SEARCH

SEARCH DATE

-----14/1/2021 1:29PM

FOLIO: 1/539271

First Title(s): SEE PRIOR TITLE(S)
Prior Title(s): VOL 11405 FOL 212

Recorded	Number	Type of Instrument	C.T. Issue
28/3/1988		TITLE AUTOMATION PROJECT	LOT RECORDED FOLIO NOT CREATED
15/7/1988		CONVERTED TO COMPUTER FOLIO	FOLIO CREATED CT NOT ISSUED
7/10/1988	X883216	MORTGAGE	EDITION 1
5/12/1990	Z325074	LEASE	EDITION 2
9/2/1995	06396	LEASE	EDITION 3
24/1/1997	2788070	LEASE	EDITION 4
30/9/1997	3455084	MORTGAGE	EDITION 5
14/12/1998 14/12/1998 14/12/1998 14/12/1998	5460239 5460240 5460241 5460242	DISCHARGE OF MORTGAGE DISCHARGE OF MORTGAGE TRANSFER MORTGAGE	EDITION 6
10/8/2009 10/8/2009	AE890269 AE890270	CHANGE OF NAME LEASE	EDITION 7
1/2/2016 1/2/2016 1/2/2016	AK182564 AK182565 AK182566	DISCHARGE OF MORTGAGE SURRENDER OF LEASE TRANSFER	EDITION 8
5/4/2016	AK332093	CAVEAT	
27/6/2018	AN452744	CAVEAT	
26/7/2018	AN460554	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
31/12/2019	AP696124	APPLICATION FOR PREPARATION OF LAPSING NOTICE	
23/7/2020	AQ261709	CAVEAT	

\*\*\* END OF SEARCH \*\*\*

pyrmont bridge

PRINTED ON 14/1/2021

InfoTrack an approved NSW Information Broker hereby certifies that the information contained in this document has been provided electronically by the Registrar General in accordance with Section 96B(2) of the Real Property Act 1900.

		/Rev:15-Dec-1998 /NSW eneral /Src:INFOTRACK /		:14-Jan-2021 13:29 /Seq:1 of 1 e
`	Form: 97-011 Licence: AUS/0634/96	TRA	NSFER	5460241F
•	License: 103/0054/90	Nev	v South Wales Property Act 1900	
	Instructions for filling out this form are available	Office of State Revenue use		
	from the Land Titles Office			
		00	 YTUQ 9	110298 1927 04 201440365/03
(A)	LAND TRANSFERRED If appropriate, specify the share or part transferred.	Folio Identifier	1/539271	
(B)	LODGED BY	LTO Box Name, Add	dress or DX and Teleph	one
		2 3 Reference	15 character maximum	):MEXICAN HADAM /SRGI
		Testerenee	15 onaracter maximum	130 M MAN / 300 F
(C)	TRANSFEROR ANTHONY	Y. ERLING MCDONOUGH and	d.MARDEE.ANN.MCD	ONOUGH
(D)				•••••
Œ		ed above transfers to the transf		
(E)	Encumbrances (if applicable)	i i	2	3
(F)	TRANSFEREE T TS (\$713 LGA) TW		OCK COMPANY PTY	LIMITED (ACN 079 312 324)
(G)	(Sheriff)	-REMINIEY:		
(H)	Signed in my presence by the	<i>i</i>	nown to me.	1 /
	Name of Witness (B			il ha Down
	SEUZABET Address of	Witness	To	Signature of Transferor
	Signed in my presence by the	e transferee who is personally	known to me.	$\alpha$
	Signature of	Witness	(	$\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}_{\mathcal{L}}}}}}$
	Name of Witness (BL	OCK LETTERS)	Solicitor for	
	Address of	Witness	If signed on the conveyancer, s	T M MOORE ne transferee's behalf by a solicitor or licensed how the signatory's full name in block letters.
		Page 1 of		Checked by (LTO use)



NEW SOUTH WALES LAND REGISTRY SERVICES - TITLE SEARCH

FOLIO: 1/539271

-----

LAND

----

LOT 1 IN DEPOSITED PLAN 539271

AT CAMPERDOWN

LOCAL GOVERNMENT AREA INNER WEST

PARISH OF PETERSHAM COUNTY OF CUMBERLAND

TITLE DIAGRAM DP539271

FIRST SCHEDULE

\_\_\_\_\_

CAMPERDOWN ADMINISTRATION PTY LTD

(T AK182566)

SECOND SCHEDULE (2 NOTIFICATIONS)

\_\_\_\_\_

- 1 RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- \* 2 AQ261709 CAVEAT BY MHA PBR ANNANDALE PTY LIMITED

NOTATIONS

-----

UNREGISTERED DEALINGS: NIL

\*\*\* END OF SEARCH \*\*\*

pyrmont bridge

<sup>\*</sup> Any entries preceded by an asterisk do not appear on the current edition of the Certificate of Title. Warning: the information appearing under notations has not been formally recorded in the Register. InfoTrack an approved NSW Information Broker hereby certifies that the information contained in this document has been provided electronically by the Registrar General in accordance with Section 96B(2) of the Real Property Act 1900.



**Appendix C: Laboratory Results Summary Tables** 



#### **ABBREVIATIONS AND EXPLANATIONS**

#### Abbreviations used in the Tables:

ABC: **Ambient Background Concentration** PCBs: Polychlorinated Biphenyls

ACM: **Asbestos Containing Material** PCE: Perchloroethylene (Tetrachloroethylene or Teterachloroethene)

ADWG: Australian Drinking Water Guidelines pH<sub>KCL</sub>: pH of filtered 1:20, 1M KCL extract, shaken overnight AF: pH<sub>ox</sub>: pH of filtered 1:20 1M KCl after peroxide digestion Asbestos Fines

ANZG

Australian and New Zealand Guidelines PQL: **Practical Quantitation Limit** 

B(a)P: Benzo(a)pyrene RS: Rinsate Sample

CEC: **Cation Exchange Capacity** RSL: **Regional Screening Levels** CRC: RSW: **Restricted Solid Waste** Cooperative Research Centre SAC: CT: Contaminant Threshold Site Assessment Criteria

EILs: **Ecological Investigation Levels** SCC: **Specific Contaminant Concentration** 

ESLs: **Ecological Screening Levels** S<sub>cr</sub>: Chromium reducible sulfur FA: Fibrous Asbestos  $S_{POS}$ : Peroxide oxidisable Sulfur GIL: **Groundwater Investigation Levels** SSA: Site Specific Assessment

GSW: General Solid Waste SSHSLs: Site Specific Health Screening Levels

HILs: **Health Investigation Levels** TAA: Total Actual Acidity in 1M KCL extract titrated to pH6.5

TCA:

1,1,1 Trichloroethane (methyl chloroform)

HSLs: TB: Trip Blank

**Health Screening Levels** 

kg/L kilograms per litre TCE: Trichloroethylene (Trichloroethene) NA: Not Analysed **TCLP:** Toxicity Characteristics Leaching Procedure

NC: Not Calculated TPA: Total Potential Acidity, 1M KCL peroxide digest NEPM: National Environmental Protection Measure TS: Trip Spike

NHMRC: National Health and Medical Research Council TRH: Total Recoverable Hydrocarbons **Not Limiting** TSA: Total Sulfide Acidity (TPA-TAA)

NL: NSL: No Set Limit Upper Level Confidence Limit on Mean Value

OCP: Organochlorine Pesticides **USEPA** United States Environmental Protection Agency OPP: **VOCC:** Volatile Organic Chlorinated Compounds Organophosphorus Pesticides

PAHs: Polycyclic Aromatic Hydrocarbons WHO: World Health Organisation

%w/w: weight per weight ppm: Parts per million

**HSL-SSA:** Health Screening Level-SiteSpecific Assessment

### **Table Specific Explanations:**

#### **HIL Tables:**

- The chromium results are for Total Chromium which includes Chromium III and VI. For initial screening purposes, we have assumed that the samples contain only Chromium VI unless demonstrated otherwise by additional analysis.
- Carcinogenic PAHs is a toxicity weighted sum of analyte concentrations for a specific list of PAH compounds relative to B(a)P. It is also referred to as the B(a)P Toxic Equivalence Quotient (TEQ).
- Statistical calculations are undertaken using ProUCL (USEPA). Statistical calculation is usually undertaken using data from fill samples.

#### **EIL/ESL Table:**

ABC Values for selected metals have been adopted from the published background concentrations presented in Olszowy et. al., (1995), Trace Element Concentrations in Soils from Rural and Urban New South Wales (the 25th percentile values for old suburbs with high traffic have been quoted).

#### **Waste Classification and TCLP Table:**

- Data assessed using the NSW EPA Waste Classification Guidelines, Part 1: Classifying Waste (2014).
- The assessment of Total Moderately Harmful pesticides includes: Dichlorovos, Dimethoate, Fenitrothion, Ethion, Malathion
- Assessment of Total Scheduled pesticides include: HBC, alpha-BHC, gamma-BHC, beta-BHC, Heptachlor, Aldrin,  $Heptachlor \ Epoxide, \ gamma-Chlordane, \ alpha-chlordane, \ pp-DDE, \ Dieldrin, \ Endrin, \ pp-DDD, \ pp-DDT, \ Endrin \ Aldehyde.$

#### QA/QC Table:

- Field blank, Inter and Intra laboratory duplicate results are reported in mg/kg.
- Trip spike results are reported as percentage recovery.
- Field rinsate results are reported in μg/L.



SOIL LABORATORY RESULTS COMPARED TO NEPM 2013.

HIL-B: 'Residential with minimal opportunities for soil access; including dwellings with fully/permanently paved yards like high-rise buildings'

						HEAVY N	METALS					PAHs			ORGANOCHL	ORINE PESTI	CIDES (OCPs)			OP PESTICIDES (OPPs)			
All data in mg/kg u	nless stated ot	herwise	Arsenic	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Zinc	Total PAHs	Carcinogenic PAHs	НСВ	Endosulfan	Methoxychlor	Aldrin & Dieldrin	Chlordane	DDT, DDD & DDE	Heptachlor	Chlorpyrifos	TOTAL PHENOLICS	TOTAL PCBs	ASBESTOS FIBRES
PQL - Envirolab Ser	vices		4	0.4	1	1	1	0.1	1	1	-	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5	0.1	100
Site Assessment Cr	iteria (SAC)		500	150	500	30000	1200	120	1200	60000	400	4	15	400	500	10	90	600	10	340	45000	1	Detected/Not Detected
Sample Reference	Sample Depth	Sample Description																					
BH1	0.15-0.25	F: Silty Sand	<4	<0.4	16	<1	10	<0.1	<1	<1	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	<4	<0.4	11	<1	9	<0.1	<1	<1	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	NA
BH1	0.6-0.85	Sandstone	<4	<0.4	1	<1	7	<0.1	<1	<1	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2	0.2-0.3	F: Silty Gravelley Sand	<4	<0.4	8	25	4	<0.1	22	19	0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH2	0.45-0.55	Silty Clay	6	<0.4	45	4	10	<0.1	<1	8	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
вн3	0.2-0.3	F: Silty Gravelley Sand	5	0.6	14	76	340	0.7	8	280	12	1.8	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Detected
BH3	0.6-0.7	Sandstone	6	<0.4	26	6	64	0.1	<1	22	1.6	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4	0.15-0.25	F: Silty Gravelley Sand	5	0.8	22	210	120	0.1	41	350	10	1.5	<0.1	<0.1	<0.1	6.8	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Detected
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	<0.1	7.2	<0.1	<0.1	<0.1	NA	NA	NA	NA
BH4	0.45-0.55	F: Silty Gravelley Sand	<4	0.5	14	56	48	<0.1	17	390	2.3	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.15-0.2	F: Sand	<4	<0.4	13	8	5	<0.1	2	38	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	<4	<0.4	14	10	5	<0.1	2	8	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	NA	<0.1	NA
BH5 - [TRIPLICATE]	0.15-0.2	F: Sand	<4	<0.4	12	10	6	<0.1	2	9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.25-0.35	F: Silty Gravelley Sand	<4	<0.4	15	64	19	<0.1	63	50	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SDUP1	-	Field Duplicate	5	<0.4	17	45	230	0.8	7	190	20	2.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Number of	Samples		14	14	14	14	14	14	14	14	13	13	8	8	8	8	8	8	8	7	6	7	5
Maximum Value			6	0.8	45	210	340	0.8	63	390	20	2.6	<pql< td=""><td><pql< td=""><td><pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	7.2	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<>	<pql< td=""><td>Detected</td></pql<>	Detected

Concentration above the SAC Concentration above the PQL

VALUE Bold



SOIL LABORATORY RESULTS COMPARED TO HSLs

All data in mg/kg unless stated otherwise

					C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Field PID Measurement
PQL - Envirolab Serv	rices				25	50	0.2	0.5	1	1	1	ppm
NEPM 2013 HSL Lar	d Use Catego	ory					HSL-A/B: LC	W/HIGH DENSITY	RESIDENTIAL			
Sample Reference	Sample Depth	Sample Description	Depth Category	Soil Category								
BH1	0.15-0.25	F: Silty Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	-
BH1	0.6-0.85	Sandstone	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH2	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH2	0.45-0.55	Silty Clay	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH3	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.1
BH3	0.6-0.7	Sandstone	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.1
BH4	0.15-0.25	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.2
BH4	0.45-0.55	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH5	0.15-0.2	F: Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	-
BH5	0.25-0.35	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
SDUP1	-	Field Duplicate			<25	<50	<0.2	<0.5	<1	<3	<1	-
Total Number of	Samples				13	13	13	13	13	13	13	10
Maximum Value					<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<>	<pql< td=""><td>0.2</td></pql<>	0.2

Concentration above the SAC

VALUE Bold

Concentration above the PQL

The guideline corresponding to the concentration above the SAC is highlighted in grey in the Site Assessment Criteria Table below

#### HSL SOIL ASSESSMENT CRITERIA

Sample Reference	Sample Depth	Sample Description	Depth Category	Soil Category	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene
BH1	0.15-0.25	F: Silty Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH1	0.6-0.85	Sandstone	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH2	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH2	0.45-0.55	Silty Clay	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH3	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH3	0.6-0.7	Sandstone	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH4	0.15-0.25	F: Silty Gravelley Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH4	0.45-0.55	F: Silty Gravelley Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH5	0.15-0.2	F: Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
BH5	0.25-0.35	F: Silty Gravelley Sand	0m to <1m	Sand	45	110	0.5	160	55	40	3
SDUP1	-	Field Duplicate									



# TABLE S3 SOIL LABORATORY RESULTS COMPARED TO MANAGEMENT LIMITS All data in mg/kg unless stated otherwise

			C <sub>6</sub> -C <sub>10</sub> (F1) plus	>C <sub>10</sub> -C <sub>16</sub> (F2) plus	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)
			BTEX	napthalene	>C <sub>16</sub> -C <sub>34</sub> (13)	>C <sub>34</sub> -C <sub>40</sub> (14)
PQL - Envirolab Ser	vices		25	50	100	100
NEPM 2013 Land U	se Category		RE	SIDENTIAL, PARKLAND	& PUBLIC OPEN SPA	ACE
Sample Reference	Sample Depth	Soil Texture				
BH1	0.15-0.25	Coarse	<25	<50	<100	<100
BH1 - [LAB_DUP]	0.15-0.25	Coarse	<25	<50	<100	<100
BH1	0.6-0.85	Coarse	<25	<50	<100	<100
BH2	0.2-0.3	Coarse	<25	<50	610	1300
BH2	0.45-0.55	Coarse	<25	<50	<100	<100
BH3	0.2-0.3	Coarse	<25	<50	<100	<100
BH3	0.6-0.7	Coarse	<25	<50	<100	140
BH4	0.15-0.25	Coarse	<25	<50	380	200
BH4	0.45-0.55	Coarse	<25	<50	<100	<100
BH5	0.15-0.2	Coarse	<25	<50	<100	<100
BH5 - [LAB_DUP]	0.15-0.2	Coarse	<25	<50	<100	<100
BH5	0.25-0.35	Coarse	<25	<50	110	340
SDUP1	-		<25	<50	<100	<100
Total Number of Sa	amples		13	13	13	13
Maximum Value			<pql< td=""><td><pql< td=""><td>610</td><td>1300</td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td></pql<>	610	1300

Concentration above the SAC Concentration above the PQL

VALUE

Bold

### MANAGEMENT LIMIT ASSESSMENT CRITERIA

Sample Reference	Sample Depth	Soil Texture	C <sub>6</sub> -C <sub>10</sub> (F1) plus BTEX	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)
BH1	0.15-0.25	Coarse	700	1000	2500	10000
BH1 - [LAB_DUP]	0.15-0.25	Coarse	700	1000	2500	10000
BH1	0.6-0.85	Coarse	700	1000	2500	10000
BH2	0.2-0.3	Coarse	700	1000	2500	10000
BH2	0.45-0.55	Coarse	700	1000	2500	10000
BH3	0.2-0.3	Coarse	700	1000	2500	10000
BH3	0.6-0.7	Coarse	700	1000	2500	10000
BH4	0.15-0.25	Coarse	700	1000	2500	10000
BH4	0.45-0.55	Coarse	700	1000	2500	10000
BH5	0.15-0.2	Coarse	700	1000	2500	10000
BH5 - [LAB_DUP]	0.15-0.2	Coarse	700	1000	2500	10000
BH5	0.25-0.35	Coarse	700	1000	2500	10000
SDUP1	-		700	1000	2500	10000



TABLE 54
SOIL LABORATORY RESULTS COMPARED TO DIRECT CONTACT CRITERIA
All data in mg/kg unless stated otherwise

Analyte		C <sub>6</sub> -C <sub>10</sub>	>C <sub>10</sub> -C <sub>16</sub>	>C <sub>16</sub> -C <sub>34</sub>	>C <sub>34</sub> -C <sub>40</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	PID
PQL - Envirolab Services		25	50	100	100	0.2	0.5	1	1	1	
CRC 2011 -Direct contac	ct Criteria	5,600	4,200	5,800	8,100	140	21,000	5,900	17,000	2,200	
Site Use				HI	GH DENSITY RE	SIDENTIAL - DIRI	ECT SOIL CONT	ACT			
Sample Reference	Sample Depth										
BH1	0.15-0.25	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH1 - [LAB_DUP]	0.15-0.25	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
BH1	0.6-0.85	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH2	0.2-0.3	<25	<50	610	1300	<0.2	<0.5	<1	<3	<1	0
BH2	0.45-0.55	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH3	0.2-0.3	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0.1
BH3	0.6-0.7	<25	<50	<100	140	<0.2	<0.5	<1	<3	<1	0.1
BH4	0.15-0.25	<25	<50	380	200	<0.2	<0.5	<1	<3	<1	0.2
BH4	0.45-0.55	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH5	0.15-0.2	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH5 - [LAB_DUP]	0.15-0.2	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
BH5	0.25-0.35	<25	<50	110	340	<0.2	<0.5	<1	<3	<1	0
SDUP1	-	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
Total Number of Sampl	es	13	13	13	13	13	13	13	13	13	10
Maximum Value		<pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	610	1300	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<>	<pql< td=""><td>0.2</td></pql<>	0.2

Concentration above the SAC Concentration above the PQL

VALUE Bold



SOIL LABORATORY RESULTS COMPARED TO NEPM 2013 EILS AND ESLS

VALUE Bold

The guideline corresponding to the elevated value is highlighted in grey in the EIL and ESL Assessment Criteria Table below

All data in mg/kg unless stated otherwise

Concentration above the SAC

Concentration above the PQL

Land Use Category												URBAN RESIDE	NTIAL AND PUB	LIC OPEN SPA	CE								
									AGED HEAV	Y METALS-EILs			EI	ILs					ESLs				
				pН	CEC (cmolc/kg)	Clay Content (% clay)	Arsenic	Chromium	Copper	Lead	Nickel	Zinc	Naphthalene	DDT	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)	Benzene	Toluene	Ethylbenzene	Total Xylenes	B(a)P
PQL - Envirolab Services	S			-	1	-	4	1	1	1	1	1	1	0.1	25	50	100	100	0.2	0.5	1	1	0.05
Ambient Background Co	oncentration (A	BC)		-	-	-	NSL	13	28	163	5	122	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL
Sample Reference	Sample Depth	Sample Description	Soil Texture																				
BH1	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	<4	16	<1	10	<1	<1	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	<4	11	<1	9	<1	<1	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH1	0.6-0.85	Sandstone	Coarse	NA	NA	NA	<4	1	<1	7	<1	<1	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	< 0.05
BH2	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	8	25	4	22	19	<1	<0.1	<25	<50	610	1300	<0.2	<0.5	<1	<3	<0.05
BH2	0.45-0.55	Silty Clay	Coarse	NA	NA	NA	6	45	4	10	<1	8	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	< 0.05
BH3	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	5	14	76	340	8	280	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	1.2
BH3	0.6-0.7	Sandstone	Coarse	NA	NA	NA	6	26	6	64	<1	22	<1	NA	<25	<50	<100	140	<0.2	<0.5	<1	<3	0.2
BH4	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	5	22	210	120	41	350	<1	<0.1	<25	<50	380	200	<0.2	<0.5	<1	<3	1
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4	0.45-0.55	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	14	56	48	17	390	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	0.2
BH5	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	13	8	5	2	38	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	14	10	5	2	8	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH5 - [TRIPLICATE]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	12	10	6	2	9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.25-0.35	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	15	64	19	63	50	<1	NA	<25	<50	110	340	<0.2	<0.5	<1	<3	<0.05
SDUP1	-	Field Duplicate		NA	NA	NA	5	17	45	230	7	190	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	1.7
Total Number of Samp	les			0	0	0	14	14	14	14	14	14	13	8	13	13	13	13	13	13	13	13	13
Maximum Value				NA	NA	NA	6	45	210	340	63	390	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	610	1300	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<>	<pql< td=""><td>1.7</td></pql<>	1.7

EIL AND ESL ASSESSMENT CRITERIA

Sample Reference	Sample Depth	Sample Description	Soil Texture	рН	CEC (cmolc/kg)	Clay Content (% clay)	Arsenic	Chromium	Copper	Lead	Nickel	Zinc	Naphthalene	DDT	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)	Benzene	Toluene	Ethylbenzene	Total Xylenes	B(a)P
BH1	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH1	0.6-0.85	Sandstone	Coarse	NA	NA	NA	100	200	90	1300	35	190	170		180	120	300	2800	50	85	70	105	20
BH2	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH2	0.45-0.55	Silty Clay	Coarse	NA	NA	NA	100	200	90	1300	35	190	170		180	120	300	2800	50	85	70	105	20
BH3	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH3	0.6-0.7	Sandstone	Coarse	NA	NA	NA	100	200	90	1300	35	190	170		180	120	300	2800	50	85	70	105	20
BH4	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA								180									
BH4	0.45-0.55	F: Silty Gravelley Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170		180	120	300	2800	50	85	70	105	20
BH5	0.15-0.2	F: Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170	180	180	120	300	2800	50	85	70	105	20
BH5 - [TRIPLICATE]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190											
BH5	0.25-0.35	F: Silty Gravelley Sand	Coarse	NA	NA	NA	100	200	90	1300	35	190	170		180	120	300	2800	50	85	70	105	20
SDUP1	-	Field Duplicate		NA	NA	NA	100	200	90	1300	35	190	170		180	120							20



SOIL LABORATORY RESULTS COMPARED TO NEPM 2013.

HIL-D: 'Commercial/Industrial'

						HEAVY N	METALS					PAHs			ORGANOCHL	ORINE PESTI	CIDES (OCPs)			OP PESTICIDES (OPPs)			
All data in mg/kg	unless stated o	therwise	Arsenic	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Zinc	Total PAHs	Carcinogenic PAHs	НСВ	Endosulfan	Methoxychlor	Aldrin & Dieldrin	Chlordane	DDT, DDD & DDE	Heptachlor	Chlorpyrifos	TOTAL PHENOLICS	TOTAL PCBs	ASBESTOS FIBRES
PQL - Envirolab Se	rvices		4	0.4	1	1	1	0.1	1	1	-	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	5	0.1	100
Site Assessment C	riteria (SAC)		3000	900	3600	240000	1500	730	6000	400000	4000	40	80	2000	2500	45	530	3600	50	2000	240000	1	Detected/Not Detected
Sample Reference	Sample Depth	Sample Description																					
BH1	0.15-0.25	F: Silty Sand	<4	<0.4	16	<1	10	<0.1	<1	<1	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	<4	<0.4	11	<1	9	<0.1	<1	<1	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	NA
BH1	0.6-0.85	Sandstone	<4	<0.4	1	<1	7	<0.1	<1	<1	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH2	0.2-0.3	F: Silty Gravelley Sand	<4	<0.4	8	25	4	<0.1	22	19	0.1	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH2	0.45-0.55	Silty Clay	6	<0.4	45	4	10	<0.1	<1	8	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
вн3	0.2-0.3	F: Silty Gravelley Sand	5	0.6	14	76	340	0.7	8	280	12	1.8	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Detected
вн3	0.6-0.7	Sandstone	6	<0.4	26	6	64	0.1	<1	22	1.6	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4	0.15-0.25	F: Silty Gravelley Sand	5	0.8	22	210	120	0.1	41	350	10	1.5	<0.1	<0.1	<0.1	6.8	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Detected
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	<0.1	7.2	<0.1	<0.1	<0.1	NA	NA	NA	NA
BH4	0.45-0.55	F: Silty Gravelley Sand	<4	0.5	14	56	48	<0.1	17	390	2.3	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.15-0.2	F: Sand	<4	<0.4	13	8	5	<0.1	2	38	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<5	<0.1	Not Detected
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	<4	<0.4	14	10	5	<0.1	2	8	<0.05	<0.5	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	NA	<0.1	NA
BH5 - [TRIPLICATE	0.15-0.2	F: Sand	<4	<0.4	12	10	6	<0.1	2	9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.25-0.35	F: Silty Gravelley Sand	<4	<0.4	15	64	19	<0.1	63	50	<0.05	<0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SDUP1	-	Field Duplicate	5	<0.4	17	45	230	0.8	7	190	20	2.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Total Number of	•		14	14	14	14	14	14	14	14	13	13	8	8	8	8	8	8	8	7	6	7	5
Maximum Value	!		6	0.8	45	210	340	0.8	63	390	20	2.6	<pql< td=""><td><pql< td=""><td><pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>7.2</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	7.2	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>Detected</td></pql<></td></pql<>	<pql< td=""><td>Detected</td></pql<>	Detected

VALUE Bold



SOIL LABORATORY RESULTS COMPARED TO HSLs

All data in mg/kg unless stated otherwise

					C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	Field PID Measurement
PQL - Envirolab Serv	ices				25	50	0.2	0.5	1	1	1	ppm
NEPM 2013 HSL Lan	d Use Catego	ory					HSL-D:	COMMERCIAL/IND	USTRIAL			
Sample Reference	Sample Depth	Sample Description	Depth Category	Soil Category								
BH1	0.15-0.25	F: Silty Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	-
BH1	0.6-0.85	Sandstone	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH2	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH2	0.45-0.55	Silty Clay	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH3	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.1
BH3	0.6-0.7	Sandstone	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.1
BH4	0.15-0.25	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0.2
BH4	0.45-0.55	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH5	0.15-0.2	F: Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	-
BH5	0.25-0.35	F: Silty Gravelley Sand	0m to <1m	Sand	<25	<50	<0.2	<0.5	<1	<3	<1	0
SDUP1	-	Field Duplicate			<25	<50	<0.2	<0.5	<1	<3	<1	-
Total Number of S	Samnles				13	13	13	13	13	13	13	10
Maximum Value	ampies .				<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<>	<pql< td=""><td>0.2</td></pql<>	0.2

Concentration above the SAC

VALUE Bold

Concentration above the PQL

The guideline corresponding to the concentration above the SAC is highlighted in grey in the Site Assessment Criteria Table below

#### HSL SOIL ASSESSMENT CRITERIA

Sample Reference	Sample Depth	Sample Description	Depth Category	Soil Category	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2)	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene
BH1	0.15-0.25	F: Silty Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH1	0.6-0.85	Sandstone	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH2	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH2	0.45-0.55	Silty Clay	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH3	0.2-0.3	F: Silty Gravelley Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH3	0.6-0.7	Sandstone	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH4	0.15-0.25	F: Silty Gravelley Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH4	0.45-0.55	F: Silty Gravelley Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH5	0.15-0.2	F: Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
BH5	0.25-0.35	F: Silty Gravelley Sand	0m to <1m	Sand	260	NL	3	NL	NL	230	NL
SDUP1	-	Field Duplicate				NL		NL	NL		NL



# TABLE S8 SOIL LABORATORY RESULTS COMPARED TO MANAGEMENT LIMITS All data in mg/kg unless stated otherwise

			C <sub>6</sub> -C <sub>10</sub> (F1) plus	>C <sub>10</sub> -C <sub>16</sub> (F2) plus	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)
			BTEX	napthalene		2C <sub>34</sub> -C <sub>40</sub> (14)
PQL - Envirolab Ser	vices		25	50	100	100
NEPM 2013 Land U	se Category			COMMERCIAL	/INDUSTRIAL	
Sample Reference	Sample Depth	Soil Texture				
BH1	0.15-0.25	Coarse	<25	<50	<100	<100
BH1 - [LAB_DUP]	0.15-0.25	Coarse	<25	<50	<100	<100
BH1	0.6-0.85	Coarse	<25	<50	<100	<100
BH2	0.2-0.3	Coarse	<25	<50	610	1300
BH2	0.45-0.55	Coarse	<25	<50	<100	<100
BH3	0.2-0.3	Coarse	<25	<50	<100	<100
BH3	0.6-0.7	Coarse	<25	<50	<100	140
BH4	0.15-0.25	Coarse	<25	<50	380	200
BH4	0.45-0.55	Coarse	<25	<50	<100	<100
BH5	0.15-0.2	Coarse	<25	<50	<100	<100
BH5 - [LAB_DUP]	0.15-0.2	Coarse	<25	<50	<100	<100
BH5	0.25-0.35	Coarse	<25	<50	110	340
SDUP1	-		<25	<50	<100	<100
Total Number of Sa	amples		13	13	13	13
Maximum Value			<pql< td=""><td><pql< td=""><td>610</td><td>1300</td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td></pql<>	610	1300

Concentration above the SAC Concentration above the PQL VALUE

Bold

## MANAGEMENT LIMIT ASSESSMENT CRITERIA

Sample Reference	Sample Depth	Soil Texture	C <sub>6</sub> -C <sub>10</sub> (F1) plus BTEX	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)
BH1	0.15-0.25	Coarse	700	1000	3500	10000
BH1 - [LAB_DUP]	0.15-0.25	Coarse	700	1000	3500	10000
BH1	0.6-0.85	Coarse	700	1000	3500	10000
BH2	0.2-0.3	Coarse	700	1000	3500	10000
BH2	0.45-0.55	Coarse	700	1000	3500	10000
BH3	0.2-0.3	Coarse	700	1000	3500	10000
BH3	0.6-0.7	Coarse	700	1000	3500	10000
BH4	0.15-0.25	Coarse	700	1000	3500	10000
BH4	0.45-0.55	Coarse	700	1000	3500	10000
BH5	0.15-0.2	Coarse	700	1000	3500	10000
BH5 - [LAB_DUP]	0.15-0.2	Coarse	700	1000	3500	10000
BH5	0.25-0.35	Coarse	700	1000	3500	10000
SDUP1	-		700	1000	3500	10000



TABLE S9
SOIL LABORATORY RESULTS COMPARED TO DIRECT CONTACT CRITERIA
All data in mg/kg unless stated otherwise

Analyte		C <sub>6</sub> -C <sub>10</sub>	>C <sub>10</sub> -C <sub>16</sub>	>C <sub>16</sub> -C <sub>34</sub>	>C <sub>34</sub> -C <sub>40</sub>	Benzene	Toluene	Ethylbenzene	Xylenes	Naphthalene	PID
PQL - Envirolab Services		25	50	100	100	0.2	0.5	1	1	1	
CRC 2011 -Direct contac	t Criteria	26,000	20,000	27,000	38,000	430	99,000	27,000	81,000	11,000	
Site Use				cc	MMERCIAL/IN	DUSTRIAL - DIRE	CT SOIL CONTA	ACT			
Sample Reference	Sample Depth										
BH1	0.15-0.25	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH1 - [LAB_DUP]	0.15-0.25	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
BH1	0.6-0.85	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH2	0.2-0.3	<25	<50	610	1300	<0.2	<0.5	<1	<3	<1	0
BH2	0.45-0.55	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH3	0.2-0.3	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0.1
BH3	0.6-0.7	<25	<50	<100	140	<0.2	<0.5	<1	<3	<1	0.1
BH4	0.15-0.25	<25	<50	380	200	<0.2	<0.5	<1	<3	<1	0.2
BH4	0.45-0.55	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH5	0.15-0.2	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	0
BH5 - [LAB_DUP]	0.15-0.2	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
BH5	0.25-0.35	<25	<50	110	340	<0.2	<0.5	<1	<3	<1	0
SDUP1	-	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<1	-
Total Number of Sampl	es	13	13	13	13	13	13	13	13	13	10
Maximum Value		<pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	610	1300	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>0.2</td></pql<></td></pql<>	<pql< td=""><td>0.2</td></pql<>	0.2

Concentration above the SAC Concentration above the PQL

VALUE Bold



TABLE S10
SOIL LABORATORY RESULTS COMPARED TO NEPM 2013 EILs AND ESLS

All data in mg/kg unless stated otherwise

Land Use Category												CON	MERCIAL/INDUS	TRIAL									
									AGED HEAV	Y METALS-EILs			EII	Ls					ESLs				
				pН	CEC (cmolc/kg)	Clay Content (% clay)	Arsenic	Chromium	Copper	Lead	Nickel	Zinc	Naphthalene	DDT	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)	Benzene	Toluene	Ethylbenzene	Total Xylenes	B(a)P
PQL - Envirolab Service	S			-	1	-	4	1	1	1	1	1	1	0.1	25	50	100	100	0.2	0.5	1	1	0.05
Ambient Background C	oncentration (	ABC)		-	-	-	NSL	13	28	163	5	122	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL	NSL
Sample Reference	Sample Depth	Sample Description	Soil Texture																				
BH1	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	<4	16	<1	10	<1	<1	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	<4	11	<1	9	<1	<1	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH1	0.6-0.85	Sandstone	Coarse	NA	NA	NA	<4	1	<1	7	<1	<1	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH2	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	8	25	4	22	19	<1	<0.1	<25	<50	610	1300	<0.2	<0.5	<1	<3	<0.05
BH2	0.45-0.55	Silty Clay	Coarse	NA	NA	NA	6	45	4	10	<1	8	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH3	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	5	14	76	340	8	280	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	1.2
BH3	0.6-0.7	Sandstone	Coarse	NA	NA	NA	6	26	6	64	<1	22	<1	NA	<25	<50	<100	140	<0.2	<0.5	<1	<3	0.2
BH4	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	5	22	210	120	41	350	<1	<0.1	<25	<50	380	200	<0.2	<0.5	<1	<3	1
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH4	0.45-0.55	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	14	56	48	17	390	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	0.2
BH5	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	13	8	5	2	38	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	14	10	5	2	8	<1	<0.1	<25	<50	<100	<100	<0.2	<0.5	<1	<3	<0.05
BH5 - [TRIPLICATE]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	<4	12	10	6	2	9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
BH5	0.25-0.35	F: Silty Gravelley Sand	Coarse	NA	NA	NA	<4	15	64	19	63	50	<1	NA	<25	<50	110	340	<0.2	<0.5	<1	<3	<0.05
SDUP1	-	Field Duplicate		NA	NA	NA	5	17	45	230	7	190	<1	NA	<25	<50	<100	<100	<0.2	<0.5	<1	<3	1.7
Total Number of Samp	les			0	0	0	14	14	14	14	14	14	13	8	13	13	13	13	13	13	13	13	13
Maximum Value				NA	NA	NA	6	45	210	340	63	390	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td>610</td><td>1300</td><td><pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<></td></pql<>	610	1300	<pql< td=""><td><pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<></td></pql<>	<pql< td=""><td><pql< td=""><td>1.7</td></pql<></td></pql<>	<pql< td=""><td>1.7</td></pql<>	1.7

Concentration above the SAC

Concentration above the PQL

VALUE Bold The guideline corresponding to the elevated value is highlighted in grey in the EIL and ESL Assessment Criteria Table below

### EIL AND ESL ASSESSMENT CRITERIA


Sample Reference	Sample Depth	Sample Description	Soil Texture	pН	CEC (cmolc/kg)	Clay Content (% clay)	Arsenic	Chromium	Copper	Lead	Nickel	Zinc	Naphthalene	DDT	C <sub>6</sub> -C <sub>10</sub> (F1)	>C <sub>10</sub> -C <sub>16</sub> (F2) plus napthalene	>C <sub>16</sub> -C <sub>34</sub> (F3)	>C <sub>34</sub> -C <sub>40</sub> (F4)	Benzene	Toluene	Ethylbenzene	Total Xylenes	B(a)P
BH1	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH1 - [LAB_DUP]	0.15-0.25	F: Silty Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH1	0.6-0.85	Sandstone	Coarse	NA	NA	NA	160	320	110	2000	60	230	370		215	170	1700	3300	75	135	165	180	72
BH2	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH2	0.45-0.55	Silty Clay	Coarse	NA	NA	NA	160	320	110	2000	60	230	370		215	170	1700	3300	75	135	165	180	72
BH3	0.2-0.3	F: Silty Gravelley Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH3	0.6-0.7	Sandstone	Coarse	NA	NA	NA	160	320	110	2000	60	230	370		215	170	1700	3300	75	135	165	180	72
BH4	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH4 - [LAB_DUP]	0.15-0.25	F: Silty Gravelley Sand	Coarse	NA	NA	NA								640									/
BH4	0.45-0.55	F: Silty Gravelley Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370		215	170	1700	3300	75	135	165	180	72
BH5	0.15-0.2	F: Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH5 - [LAB_DUP]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370	640	215	170	1700	3300	75	135	165	180	72
BH5 - [TRIPLICATE]	0.15-0.2	F: Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230											1
BH5	0.25-0.35	F: Silty Gravelley Sand	Coarse	NA	NA	NA	160	320	110	2000	60	230	370		215	170	1700	3300	75	135	165	180	72
SDUP1	-	Field Duplicate		NA	NA	NA	160	320	110	2000	60	230	370		215	170							72

Limited Environmental And Hazardous Materials Assessment 122-128 & 130 Pyrmont Bridge Road and 206 Parramatta Road, Annandale, NSW E33770PA



TABLE S1 SOIL QA/	11 /QC SUMMARY																																																													
			TRH C6 - C10	TRH >C10-C16	TRH >C16-C34	TRH >C34-C40	Benzene Toluene	Ethylbenzene	m+p-xylene	o-Xylene	Naphthalene	Acenaphthylene	Acenaph-thene	Fluorene	Phenanthrene	Anthracene	Fluoranthene	Pyrene	Benzo(a)anthracene	Chrysene	Benzo(b.)+k/nuoranmene Benzo(a)bvrene	Indeno(1,2,3-c,d)pyrene	Dibenzo(a,h)anthra-cene	Benzo(g,h,i)perylene	НСВ	alpha- BHC	gamma- BHC	beta- BHC	Heptachlor	delta- BHC	Aldrin	Heptachlor Epoxide	Gamma- Chlordane	alpha- chlordane Endosulfan I	- DDE	Dieldrin	Endrin	DDD -dd	Endosulfan II	pp-DDT	Endrin Aldehyde	Endosulfan Sulphate	Methoxychior	Romophos-ethyl	Chlorpyriphos	Chlorpyriphos-methyl	Diazinon	Dichlorvos	Dimethoate	Ethion	Fenitrothion	Malathion	Parathion	Total PCRS	Argonio	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Zinc
	PQL Envirola	ab SYD	25	50	100	100 (	0.2 0.5	5 1	2	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	0.1 0.	.2 0.0	5 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	0.1 0	1 0.:	1 0.1	0.1	0.1	0.1	0.1	0.1 (	0.1 0.	.1 0.	1 0.:	1 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	.1 0.	1 4	1 0.4	1 1	1	1	0.1	1	1
	PQL Envirola		25	50	100	100	0.2 0.5	5 1.0	2.0	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	0.1 0.	.2 0.:	1 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	0.1 0	1 0.:	1 0.1	0.1	0.1	0.1	0.1	0.1 (	0.1 0.	.1 0.	1 0.:	1 0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 0	.1 0.	1 4.	.0 0.4	1 1.0	1.0	1.0	0.1	1.0	1.0
ntra	внз	0.2-0.3	<25	<50	<100	<100 <	0.2 <0.	.5 <1	<2	<1	< 0.1	0.2	<0.1	<0.1	1	0.2	2.2	1.7	1.4	0.8	2 1.	2 0.5	0.1	0.6	<0.1	<0.1	<0.1	< 0.1	<0.1	<0.1	<0.1	<0.1	<0.1 <	0.1 <0	.1 <0	.1 <0.1	<0.1	<0.1	<0.1	<0.1 <	<0.1 <	:0.1 <0	0.1 <0	0.1 <0.	.1 <0.1	1 <0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1 <	0.1 <0	).1 5	5 0.0	5 14	76	340	0.7	8	280
aboratory		-	<25	<50	<100	<100 <	0.2 <0.	5 <1	<2	<1	<0.1	0.3	<0.1	0.2	2.5	0.6	2.9	3.6	2.6	0.9 2	.5 1.	7 0.7	0.3	0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA N	NA N	A N	A NA	NA	NA	NA	NA	NA I	NA N	NA N	IA N	A NA	NA.	NA	NA	NA	NA	NA	NA	NA N	IA N	Α 5	5 <0.	4 17	45	230	0.8	7	190
duplicate	MEAN		nc	nc	nc	nc	nc no	nc	nc	nc	nc	0.25	nc	0.125	1.75	0.4	2.55	2.65	2 0	.85 2.	25 1.4	5 0.6	0.2	0.7	nc	nc	nc	nc	nc	nc	nc	nc	nc i	nc n	c n	c nc	nc	nc	nc	nc	nc	nc n	nc n	ic no	nc	nc	nc	nc	nc	nc	nc	nc	nc r	ic n	ic 5	5 0.4	4 15.5	60.5	285	0.75	7.5	235
	RPD %		nc	nc	nc	nc	nc no	nc	nc	nc	nc	40%	nc	120%	86%	100%	27%	72%	60% 1	2% 22	2% 34	% 33%	6 1009	6 29%	nc	nc	nc	nc	nc	nc	nc	nc	nc i	nc n	c n	c nc	nc	nc	nc	nc	nc	nc n	nc n	ic no	nc	nc	nc	nc	nc	nc	nc	nc	nc r	ic n	c 0	% 100	% 19%	51%	39%	13%	13%	38%
ield	TBS1	-	<25	NA	NA	NA <	0.2 <0.	5 <1	<2	<1	NA	NA	NA	NA	NA	NA	NA	NA	NA N	NA N	IA N	NA NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA N	NA N	A N	A NA	NA	NA	NA	NA	NA I	NA N	NA N	IA N	A NA	NA.	NA	NA	NA	NA	NA	NA	NA N	IA N	A N	IA NA	NA NA	NA	NA	NA	NA	NA
Blank	12/01/21																								1																																					
																									1																																					$\overline{}$
Frip	TSS1		-	-	-	- 8	9% 879	% 94%	88%	80%	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-	-	-	-	-	-	-			-	-	-	-	-	-			-   -	-	-	-	-	-	-	-	-	-				-	-	-	-	-	_
Spike	12/01/21																								1																																					
							_	_	_		•		_	_	_							_	_	_		_						_			_									_		_	-		_						_	_	_	_	-		$\overline{}$	$\overline{}$

Result outside of QA/QC acceptance criteria





#### **ABBREVIATIONS AND EXPLANATIONS**

#### **Abbreviations used in the Tables:**

ADWG: AustralianDrinking Water Guidelines

ANZG Australian and New Zealand Guidelines PCE: Perchloroethylene (Tetrachloroethylene or Tetrachloroethene)

PQL:

RS:

RSL:

SAC:

B(a)P: Benzo(a)pyrene

CRC: Cooperative Research Centre
ESLs: Ecological Screening Levels
GIL: Groundwater Investigation Levels
HILs: Health Investigation Levels
HSLs: Health Screening Levels

**HSLs:** Health Screening Levels **HSL-SSA:** Health Screening Level-SiteSpecific Assessment **HSL-SSA:** Trip Blank

NA: Not Analysed NC: Not Calculated

**NEPM:** National Environmental Protection Measure **NHMRC:** National Health and Medical Research Council

NL: Not Limiting NSL: No Set Limit

OCP: Organochlorine Pesticides
OPP: Organophosphorus Pesticides
PAHs: Polycyclic Aromatic Hydrocarbons

ppm: Parts per million

**SSA:** Site Specific Assessment **SSHSLs**: Site Specific Health Screening Levels

**Practical Quantitation Limit** 

**Regional Screening Levels** 

Site Assessment Criteria

**PCBs:** Polychlorinated Biphenyls

Rinsate Sample

TB: Trip Blank
TCA: 1,1,1 Trichloroethane (methyl chloroform)

TCE: Trichloroethylene (Trichloroethene)TS: Trip Spike

TRH: Total Recoverable Hydrocarbons

UCL: Upper Level Confidence Limit on Mean ValueUSEPA United States Environmental Protection AgencyVOCC: Volatile Organic Chlorinated Compounds

WHO: World Health Organisation



TABLE G1
SUMMARY OF GROUNDWATER LABORATORY RESULTS COMPARED TO ECOLOGICAL GILS SAC
All results in μg/L unless stated otherwise.

	PQL	ANZG	<b>—</b>		AMPLES (LAB BUR)	1
	Envirolab	2018	MW2	MW3	MW3 - [LAB_DUP]	WDUP1
Incorporate Commonands and Dovernators	Services	Fresh Waters				
Inorganic Compounds and Parameters pH		6.5 - 8.5	6.5	6.7	NA	NA
Electrical Conductivity (µS/cm)	1	NSL	600	590	NA	NA
Turbidity (NTU)		NSL	NA	NA	NA	NA
Metals and Metalloids		T	1			
Arsenic (As III)	1	24	<1	<1	NA NA	<1
Cadmium Chromium (SAC for Cr III adopted)	0.1	0.2 3.3	<b>0.3</b> <1	0.1 16	NA NA	<b>0.3</b> <1
Copper	1	1.4	<1	3	NA	<1
Lead	1	3.4	<1	<1	NA	<1
Total Mercury (inorganic)	0.05	0.06	<0.05	<0.05	NA	<0.05
Nickel	1	11 8	2	2	NA NA	2 15
Zinc  Monocyclic Aromatic Hydrocarbons (BTEX Co		8	16	520	NA	15
Benzene	1	950	<1	1	1	<1
Toluene	1	180	<1	1	1	<1
Ethylbenzene	1	80	<1	<1	<1	<1
m+p-xylene o-xylene	1	75 350	<2 <1	<2 <b>2</b>	<2 <b>2</b>	<2 <1
Total xylenes	2	NSL	<2	2	2	<2
Volatile Organic Compounds (VOCs), includir	_	•			_	12
Dichlorodifluoromethane	10	NSL	<10	<10	<10	NA
Chloromethane	10	NSL	<10	<10	<10	NA
Vinyl Chloride	10	100	<10	<10	<10	NA
Bromomethane	10	NSL	<10	<10	<10	NA
Chloroethane Trichlorofluoromethane	10	NSL NSL	<10 <10	<10 <10	<10 <10	NA NA
1,1-Dichloroethene	10	700	<10	<10	<10	NA NA
Trans-1,2-dichloroethene	1	NSL	<1	<1	<1	NA
1,1-dichloroethane	1	90	<1	<1	<1	NA
Cis-1,2-dichloroethene	1	NSL	<1	4	4	NA
Bromochloromethane	1	NSL 370	<1	<1	<1	NA NA
Chloroform 2.2-dichloropropage	1	370 NSL	<1 <1	4 <1	4 <1	NA NA
2,2-dichloropropane 1,2-dichloroethane	1	1900	<1	<1	<1	NA NA
1,1,1-trichloroethane	1	270	<1	<1	<1	NA
1,1-dichloropropene	1	NSL	<1	<1	<1	NA
Cyclohexane	1	NSL	<1	<1	<1	NA
Carbon tetrachloride	1	240	<1	<1	<1	NA
Benzene Dikromomothono	1	950 NSL	<1 <1	1 <1	1 <1	NA NA
Dibromomethane L,2-dichloropropane	1	900	<1	<1	<1	NA NA
Frichloroethene	1	330	<1	2	2	NA
Bromodichloromethane	1	NSL	<1	<1	<1	NA
trans-1,3-dichloropropene	1	NSL	<1	<1	<1	NA
cis-1,3-dichloropropene	1	NSL	<1	<1	<1	NA
1,1,2-trichloroethane Toluene	1	6500 180	<1 <1	<1 1	<1 1	NA NA
1,3-dichloropropane	1	1100	<1	<1	<1	NA
Dibromochloromethane	1	NSL	<1	<1	<1	NA
1,2-dibromoethane	1	NSL	<1	<1	<1	NA
Tetrachloroethene	1	70	<1	4	5	NA
1,1,1,2-tetrachloroethane	1	NSL	<1	<1	<1	NA
Chlorobenzene Ethylbenzene	1	55 80	<1 <1	<1	<1 <1	NA NA
Bromoform	1	NSL	<1	<1	<1	NA
m+p-xylene	2	75	<2	<2	<2	NA
Styrene	1	NSL	<1	<1	<1	NA
1,1,2,2-tetrachloroethane	1	400	<1	<1	<1	NA
o-xylene	1	350	<1	2	2	NA
1,2,3-trichloropropane sopropylbenzene	1	NSL 30	<1 <1	<1	<1 <1	NA NA
Bromobenzene	1	NSL	<1	<1	<1	NA NA
n-propyl benzene	1	NSL	<1	<1	<1	NA
2-chlorotoluene	1	NSL	<1	<1	<1	NA
4-chlorotoluene	1	NSL	<1	<1	<1	NA
1,3,5-trimethyl benzene	1	NSL	<1	<1	<1	NA NA
Tert-butyl benzene 1,2,4-trimethyl benzene	1	NSL NSL	<1 <1	<1 <1	<1 <1	NA NA
1,2,4-trimethyi benzene 1,3-dichlorobenzene	1	260	<1	<1	<1	NA NA
Sec-butyl benzene	1	NSL	<1	<1	<1	NA
1,4-dichlorobenzene	1	60	<1	<1	<1	NA
4-isopropyl toluene	1	NSL	<1	<1	<1	NA
1,2-dichlorobenzene	1	160 NSI	<1	<1	<1	NA NA
n-butyl benzene 1,2-dibromo-3-chloropropane	1	NSL NSL	<1 <1	<1 <1	<1 <1	NA NA
1,2,4-trichlorobenzene	1	NSL 85	<1	<1	<1	NA NA
Hexachlorobutadiene	1	NSL	<1	<1	<1	NA
1,2,3-trichlorobenzene	1	3	<1	<1	<1	NA
Polycyclic Aromatic Hydrocarbons (PAHs)			1			
Naphthalene	0.2	16 NSI	<0.2	<0.2	NA NA	<0.2
Acenaphthylene Acenaphthene	0.1	NSL NSL	<0.1 <0.1	<0.1	NA NA	<0.1
Roenaphthene	0.1	NSL	<0.1	<0.1	NA NA	<0.1
Phenanthrene	0.1	0.6	<0.1	<0.1	NA NA	<0.1
Anthracene	0.1	0.01	<0.1	<0.1	NA	<0.1
luoranthene	0.1	1	<0.1	<0.1	NA	<0.1
Pyrene	0.1	NSL	<0.1	<0.1	NA NA	<0.1
Benzo(a)anthracene	0.1	NSL	<0.1	<0.1	NA NA	<0.1
Chrysene Benzo(b,j+k)fluoranthene	0.1	NSL NSL	<0.1 <0.2	<0.1	NA NA	<0.1
Benzo(a)pyrene	0.2	0.1	<0.1	<0.2	NA NA	<0.2
Indeno(1,2,3-c,d)pyrene	0.1	NSL	<0.1	<0.1	NA	<0.1
		1				-0.4
Dibenzo(a,h)anthracene Benzo(g,h,i)perylene	0.1	NSL	<0.1	<0.1	NA	<0.1

Concentration above the SAC Concentration above the PQL

Bold Red



TABLE G2 GROUNDWATER LABORATORY RESULTS COMPARED TO SITE SPECIFIC HSLs - RISK ASSESSMENT All results in  $\mu$ g/L unless stated otherwise.

	PQL	NHMRC	WHO 2008	USEPA RSL			SAMPLES	
	Envirolab	ADWG 2011		Tapwater	MW2	MW3	MW3 - [LAB_DUP]	WDUP1
	Services	(v3.5 2018)		2017				
Total Recoverable Hydrocarbons (TRH)	•				•			
C <sub>6</sub> -C <sub>9</sub> Aliphatics (assessed using F1)	10	-	15000	-	<10	<10	<10	<10
>C <sub>9</sub> -C <sub>14</sub> Aliphatics (assessed using F2)	50	-	100	-	160	270	NA	140
Monocyclic Aromatic Hydrocarbons (BTEX Compounds)								
Benzene	1	1	-	-	<1	1	1	<1
Toluene	1	800	-	-	<1	1	1	<1
Ethylbenzene	1	300	-	-	<1	<1	<1	<1
Total xylenes	2	600	-	-	<2	2	2	<2
Polycyclic Aromatic Hydrocarbons (PAHs)					•			
Naphthalene	1	-	-	6.1	NA	NA	NA	NA
Volatile Organic Compounds (VOCs), including chlorinat	ed VOCs				•			
Dichlorodifluoromethane	10	-	-	-	<10	<10	<10	NA
Chloromethane	10	-	-	-	<10	<10	<10	NA
Vinyl Chloride	10	0.3	-	-	<10	<10	<10	NA
Bromomethane	10	-	-	-	<10	<10	<10	NA
Chloroethane	10	-	-	_	<10	<10	<10	NA
Trichlorofluoromethane	10	-	-	-	<10	<10	<10	NA
1,1-Dichloroethene	1	30	-		<1	<1	<1	NA
Trans-1,2-dichloroethene	1	60	-	_	<1	<1	<1	NA
1,1-dichloroethane	1	-	_		<1	<1	<1	NA NA
Cis-1,2-dichloroethene	1	60	_		<1	4	4	NA NA
Bromochloromethane	1		-		<1	<1	<1	NA NA
Chloroform	1	250				4	4	
	1	_	-	-	<1		<b>4</b> <1	NA NA
2,2-dichloropropane				-	<1	<1		NA
1,2-dichloroethane	1	3	-	-	<1	<1	<1	NA
1,1,1-trichloroethane	1	-	-	-	<1	<1	<1	NA
1,1-dichloropropene	1	-	-	-	<1	<1	<1	NA
Cyclohexane	1	-	-	-	<1	<1	<1	NA
Carbon tetrachloride	1	3	-	-	<1	<1	<1	NA
Benzene	1	1	-	-	<1	1	1	NA
Dibromomethane	1	-	-	-	<1	<1	<1	NA
1,2-dichloropropane	1	-	-	-	<1	<1	<1	NA
Trichloroethene	1	-	-	-	<1	2	2	NA
Bromodichloromethane	1	-	-	-	<1	<1	<1	NA
trans-1,3-dichloropropene	1	100	-	-	<1	<1	<1	NA
cis-1,3-dichloropropene	1	100	-	-	<1	<1	<1	NA
1,1,2-trichloroethane	1	-	-	-	<1	<1	<1	NA
Toluene	1	800	-	-	<1	1	1	NA
1,3-dichloropropane	1	-	-	-	<1	<1	<1	NA
Dibromochloromethane	1	-	-	-	<1	<1	<1	NA
1,2-dibromoethane	1	-	-	-	<1	<1	<1	NA
Tetrachloroethene	1	50	-	-	<1	4	5	NA
1,1,1,2-tetrachloroethane	1	-	-	-	<1	<1	<1	NA
Chlorobenzene	1	300	-	-	<1	<1	<1	NA
Ethylbenzene	1	300	-	-	<1	<1	<1	NA
Bromoform	1	-	-	-	<1	<1	<1	NA
m+p-xylene	2	-	-	-	<2	<2	<2	NA
Styrene	1	30	-	-	<1	<1	<1	NA
1,1,2,2-tetrachloroethane	1	-	-	-	<1	<1	<1	NA
o-xylene	1	-	-	-	<1	2	2	NA
1,2,3-trichloropropane	1	-	-	-	<1	<1	<1	NA
Isopropylbenzene	1	-	-	-	<1	<1	<1	NA
Bromobenzene	1	-	-	-	<1	<1	<1	NA
n-propyl benzene	1	-	-	-	<1	<1	<1	NA
2-chlorotoluene	1	-	-	-	<1	<1	<1	NA
4-chlorotoluene	1	-	-	-	<1	<1	<1	NA
1,3,5-trimethyl benzene	1	-	-	_	<1	<1	<1	NA
Tert-butyl benzene	1	-	-	_	<1	<1	<1	NA
1,2,4-trimethyl benzene	1	_	-	_	<1	<1	<1	NA
1,3-dichlorobenzene	1	20	_		<1	<1	<1	NA NA
Sec-butyl benzene	1	-	_		<1	<1	<1	NA NA
1,4-dichlorobenzene	1	40	-	-	<1	<1	<1	NA NA
4-isopropyl toluene	1	- 40	-		<1	<1	<1	NA NA
1,2-dichlorobenzene	1	1500	-	-	<1	<1	<1	NA NA
n-butyl benzene	1	-	-	-	<1	<1	<1	NA
1,2-dibromo-3-chloropropane	1	-	-	-	<1	<1	<1	NA
1,2,4-trichlorobenzene	1	30	-	-	<1	<1	<1	NA
1,2,3-trichlorobenzene	1		-	-	<1	<1	<1	NA NA
Hexachlorobutadiene	1	7	-	-	<1	<1	<1	NA

Concentration above the SAC Concentration above the PQL GIL >PQL

VALUE Bold Red



TABLE G3 GROUNDWATER QA/QC SUMMARY TRH C6 - C10 PQL Envirolab SYD PQL Envirolab VIC 10 50 10 50 100 100 0.1 0.1 0.1 0.1 0.1 0.1 MW2 WDUP1 MEAN RPD % <10 160 <100 <100 <10 140 <100 <100 nc 150 nc nc nc 13% nc nc <1 <1 <1 <1 nc nc nc nc 
 <0.2</td>
 <0.1</td>
 <0.1</td>
 <0.1</td>

 <0.2</td>
 <0.1</td>
 <0.1</td>
 <0.1</td>

 nc
 nc
 nc
 nc

 nc
 nc
 nc
 nc
 <0.1 <0.1 <0.1 <0.1 nc nc nc nc <0.1 <0.1 <0.1 <0.1 <0.1 <0.1 nc nc nc nc nc nc nc <0.1 <0.2 <0.1 <0.2 nc nc nc 
 <0.1</td>
 <0.1</td>
 <0.1</td>
 <0.1</td>

 <0.1</td>
 <0.1</td>
 <0.1</td>
 <0.1</td>

 nc
 nc
 nc
 nc

 nc
 nc
 nc
 nc

 <1</td>
 0.3
 <1</td>
 <1</td>
 <1</td>
 <0.05</td>

 <1</td>
 0.3
 <1</td>
 <1</td>
 <1</td>
 <0.05</td>

 nc
 0.3
 nc
 nc
 nc
 nc

 nc
 0%
 nc
 nc
 nc
 nc
 2 16 2 15 2 15.5 0% 6% <2 <2 nc nc <1 <1 nc <1 <1 nc Intra laboratory duplicate nc <10 - - <1 <1 <1 <2 <1 Field TBW1 15/01/2021 - - - 100% 103% 97% 91% 95% TSW1 15/01/2021 Result outside of QA/QC acceptance criteria Value



**Appendix D: Borehole Logs** 

# **JK**Environments ENVIRONMENTAL LOG



Environmental logs are not to be used for geotechnical purposes

Client: MHA PBR Pty Ltd

Project: DUE DILIGENCE

Location: 122-128 & 130 PYRMONT BRIDGE ROAD; 206 PARRAMATTA ROAD, ANNANDALE, NSW

Job No.:E33770PAMethod:SPIRAL AUGERR.L. Surface:≈ 16.0m

Date: 12/1/21 Datum: ASSUMED

<b>Date:</b> 12/1/21		Datum: ASSUMED					
Plant Type: J	IK205	Log	ged/Checked by: A.V.B./B.P.				
Groundwater Record ES ASS ASS SAL DB	Field Tests Depth (m)	Graphic Log Unified Classification	DESCRIPTION	Moisture Condition/ Weathering	Strength/ Rel. Density	Hand Penetrometer Readings (kPa.)	Remarks
DRY ON	0		CONCRETE: 145mm.t				_
	N > 27 15,27/ 100mm - EFUSAL 1 —	-	FILL: Silty sand, fine to medium grained, with fine to coarse grained igneous and sandstone gravel, and clay nodules.  SANDSTONE: fine to coarse grained, light grey. as above, but light grey and red brown.	M DW			- HAWKESBURY SANDSTONE -
	-						-
	2 3		END OF BOREHOLE AT 1.8m				'TC' BIT REFUSAL

DPYRIGHT

# **JK**Environments ENVIRONMENTAL LOG



Environmental logs are not to be used for geotechnical purposes

Client: MHA PBR Pty Ltd

Project: DUE DILIGENCE

Location: 122-128 & 130 PYRMONT BRIDGE ROAD; 206 PARRAMATTA ROAD, ANNANDALE, NSW

Job No.: E33770PA Method: SPIRAL AUGER R.L. Surface: ≈ 15.0m

l		33770PA	١		weth	IOO: SPIRAL AUGER				ace: ≈ 15.0m
	e: 12/1/				•	1/Ob1 - 1		ט	atum: /	ASSUMED
Plar	it Type:	JK205			Logo	ged/Checked by: A.V.B./B.P.	T 1			
Groundwater Record	ASS SAMPLES	DB Field Tests	Depth (m)	Graphic Log	Unified Classification	DESCRIPTION	Moisture Condition/ Weathering	Strength/ Rel. Density	Hand Penetrometer Readings (kPa.)	Remarks
			0 _		-	CONCRETE: 160mm.t  FILL: Gravelly silty sand, fine to	М			-
		N > 17 4,9, 8/60mm REFUSAL	- - 1 —		SC -	medium grained, grey brown, fine to coarse grained igneous and sandstone gravel.  Silty sandy CLAY: medium plasticity, red brown and grey, fine to medium grained sand, with fine to medium	w>PL			RESIDUAL  HAWKESBURY SANDSTONE
3 HRS AFTER COMPLE ION	2	REFUSAL	1			grained sand, with fine to medium grained ironstone gravel.  SANDSTONE: fine to medium grained, light grey, orange brown and red brown.				GROUNDWATER MONITORING WELL INSTALLED TO 5.36m. CLASS 18 MACHINE SLOTTED 50mm DIA. PVC
			- 6 — - - - 7 —			END OF BOREHOLE AT 5.5m				50mm DIA. PVC STANDPIPE 5.36m TO 2.5m. CASING 2.5m TO 0m. 2mm SAND FILTER PACK 5.36m TO 2.0m. BENTONITE SEAL 2.0m TO 0.1m. COMPLETED WITH A CONCRETED GATIC COVER.

# **JK**Environments **ENVIRONMENTAL LOG**

Log No. BH/MW3 SDUP1: 0.2-0.3m

Environmental logs are not to be used for geotechnical purposes

Client: MHA PBR Pty Ltd

Project: **DUE DILIGENCE** 

Location: 122-128 & 130 PYRMONT BRIDGE ROAD; 206 PARRAMATTA ROAD, ANNANDALE, NSW

**Job No.**: E33770PA Method: SPIRAL AUGER R.L. Surface: N/A

Data: 12/1/21

Date:	12/1	/21			Datum: -					
Plant	Туре	: JK205			Logged/Checked by: A.V.B./B.P.					
	ASS ASB ASB SAL SAL	DB   Field Tests	Depth (m)	Graphic Log	Unified Classification	DESCRIPTION	Moisture Condition/ Weathering	Strength/ Rel. Density	Hand Penetrometer Readings (kPa.)	Remarks
DRY ON COMPLE-			0	A A A		CONCRETE: 155mm.t				DOUBLE CONCRETE SLAB
TION		N > 7	-		-	FILL: Gravelly silty sand, fine to medium grained, dark grey brown, fine to coarse grained igneous and				
		6,1/10mm REFUSAL	1— 2— 3—		-	sandstone gravel, trace of clay nodules.  SANDSTONE: fine to medium grained, grey orange and red brown.	DW			HAWKESBURY SANDSTONE
						END OF BOREHOLE AT 3.6m				GROUNDWATER MONITORING WELL INSTALLED TO 3.37m. CLASS 18 MACHINE SLOTTED 50mm DIA. PVC STANDPIPE 3.37m TO 1.0m. CASING 1.0m TO 0m. 2mm SAND FILTER PACK 3.37m TO 0.6m. BENTONITE SEAL 0.6m TO 0.1m. COMPLETED WITH A CONCRETED GATIC COVER.

# **JK**Environments ENVIRONMENTAL LOG



Environmental logs are not to be used for geotechnical purposes

Client: MHA PBR Pty Ltd

Project: DUE DILIGENCE

Location: 122-128 & 130 PYRMONT BRIDGE ROAD; 206 PARRAMATTA ROAD, ANNANDALE, NSW

Job No.: E33770PA Method: SPIRAL AUGER R.L. Surface: ≈ 14.0m

Date: 12/1/21 Datum: ASSUMED						
Plant Type: JK205	Logged/Checked by: A.V.B./B.P.					
Groundwater Record ES ASB SAMPLES SAL Depth (m) Graphic Log	Unified Classification OCIASSIFICATION NOITING	Moisture Condition/ Weathering Strength/ Rel. Density	Hand Penetrometer Readings (kPa.) sylvames			
DRY ON 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CONCRETE: 110mm.t  FILL: Gravelly silty sand, fine to	М	_			
TION	medium grained, grey brown, fine to medium grained igneous and		_			
N = SPT - 3/50mm	- \sandstone gravel. / SANDSTONE: fine to medium	DW	HAWKESBURY SANDSTONE			
REFUSAL 1-	grained, grey orange and red brown.  END OF BOREHOLE AT 0.7m		LONIDOTONE			
	END OF BOREHOLE AT 0.7111		_			
			_			
			-			
			-			
			_			
-			-			
3-			_			
			-			
			-			
			-			
			-			
			_			
			-			
			-			
			-			
5-			_			
			_			
			-			
			-			
6-						
			-			
			-			
			-			
	ı		<u>L</u>			

DPYRIGHT

# **JK**Environments ENVIRONMENTAL LOG



Environmental logs are not to be used for geotechnical purposes

**DUE DILIGENCE** 

Client: MHA PBR Pty Ltd

Project:

Location: 122-128 & 130 PYRMONT BRIDGE ROAD; 206 PARRAMATTA ROAD, ANNANDALE, NSW

Job No.:E33770PAMethod:SPIRAL AUGERR.L. Surface:≈ 15.0m

Date: 12/1/21 Datum: ASSUMED										
Plant <sup>-</sup>	Type:	JK205			Logg	ged/Checked by: A.V.B./B.P.				
Groundwater Record FS	ASS ASB SAL DR	Field Tests	Depth (m)	Graphic Log	Unified Classification	DESCRIPTION	Moisture Condition/ Weathering	Strength/ Rel. Density	Hand Penetrometer Readings (kPa.)	Remarks
DRY ON COMPLE-		4 4	0		٠	CONCRETE: 120mm.t	M	<b>О</b> , ш		_
TION		N > 10	-			orange, trace of sandstone gravel, and concrete fragments.  FILL: Gravelly silty sand, fine to	5			-
		3,9, <u>∖ 1/0mm</u> REFUSAL	-			medium grained, dark grey brown, fine to medium grained igneous and sandstone gravel.	DW			HAWKESBURY - SANDSTONE
		REFUSAL	· -			SANDSTONE: fine to medium grained, light grey orange and red brown.				-
			-			END OF BOREHOLE AT 1.0m				-
			2 -							_ -
			-							-
			3 -							-
			-							-
			-							-
			4 -							-
			-							-
			5 -							-
			-							-
			-							
			6 -							-
			-							
			7_							



## **ENVIRONMENTAL LOGS EXPLANATION NOTES**

#### INTRODUCTION

These notes have been provided to amplify the environmental report in regard to classification methods, field procedures and certain matters relating to the logging of soil and rock. Not all notes are necessarily relevant to all reports.

Where geotechnical borehole logs are utilised for environmental purpose, reference should also be made to the explanatory notes included in the geotechnical report. Environmental logs are not suitable for geotechnical purposes.

The ground is a product of continuing natural and man-made processes and therefore exhibits a variety of characteristics and properties which vary from place to place and can change with time. Environmental studies include gathering and assimilating limited facts about these characteristics and properties in order to understand or predict the behaviour of the ground on a particular site under certain conditions. This report may contain such facts obtained by inspection, excavation, probing, sampling, testing or other means of investigation. If so, they are directly relevant only to the ground at the place where and time when the investigation was carried out.

#### **DESCRIPTION AND CLASSIFICATION METHODS**

The methods of description and classification of soils and rocks used in this report are based on Australian Standard 1726:2017 *'Geotechnical Site Investigations'*. In general, descriptions cover the following properties—soil or rock type, colour, structure, strength or density, and inclusions. Identification and classification of soil and rock involves judgement and the Company infers accuracy only to the extent that is common in current geoenvironmental practice.

Soil types are described according to the predominating particle size and behaviour as set out in the attached soil classification table qualified by the grading of other particles present (eg. sandy clay) as set out below:

Soil Classification	Particle Size
Clay	< 0.002mm
Silt	0.002 to 0.075mm
Sand	0.075 to 2.36mm
Gravel	2.36 to 63mm
Cobbles	63 to 200mm
Boulders	> 200mm
	Clay Silt Sand Gravel Cobbles

Non-cohesive soils are classified on the basis of relative density, generally from the results of Standard Penetration Test (SPT) as below:

Relative Density	SPT 'N' Value (blows/300mm)
Very loose (VL)	<4
Loose (L)	4 to 10
Medium dense (MD)	10 to 30
Dense (D)	30 to 50
Very Dense (VD)	>50

Cohesive soils are classified on the basis of strength (consistency) either by use of a hand penetrometer, vane shear, laboratory testing and/or tactile engineering examination. The strength terms are defined as follows.

Classification	Unconfined Compressive Strength (kPa)	Indicative Undrained Shear Strength (kPa)
Very Soft (VS)	≤25	≤ 12
Soft (S)	> 25 and ≤ 50	> 12 and ≤ 25
Firm (F)	> 50 and ≤ 100	> 25 and ≤ 50
Stiff (St)	> 100 and ≤ 200	> 50 and ≤ 100
Very Stiff (VSt)	> 200 and ≤ 400	> 100 and ≤ 200
Hard (Hd)	> 400	> 200
Friable (Fr)	Strength not attainable	– soil crumbles

Rock types are classified by their geological names, together with descriptive terms regarding weathering, strength, defects, etc. Where relevant, further information regarding rock classification is given in the text of the report. In the Sydney Basin, 'shale' is used to describe fissile mudstone, with a weakness parallel to bedding. Rocks with alternating inter-laminations of different grain size (eg. siltstone/claystone and siltstone/fine grained sandstone) are referred to as 'laminite'.

#### **INVESTIGATION METHODS**

1

The following is a brief summary of investigation methods currently adopted by the Company and some comments on their use and application. All methods except test pits, hand auger drilling and portable Dynamic Cone Penetrometers require the use of a mechanical rig which is commonly mounted on a truck chassis or track base.

**Test Pits:** These are normally excavated with a backhoe or a tracked excavator, allowing close examination of the insitu soils and 'weaker' bedrock if it is safe to descend into the pit. The depth of penetration is limited to about 3m for a backhoe and up to 6m for a large excavator. Limitations of test pits are the problems associated with disturbance and difficulty of reinstatement and the consequent effects on close-by structures. Care must be taken if construction is to be carried out near test pit locations to either properly recompact the backfill during construction or to design and construct the



structure so as not to be adversely affected by poorly compacted backfill at the test pit location.

**Hand Auger Drilling:** A borehole of 50mm to 100mm diameter is advanced by manually operated equipment. Refusal of the hand auger can occur on a variety of materials such as obstructions within any fill, tree roots, hard clay, gravel or ironstone, cobbles and boulders, and does not necessarily indicate rock level.

Continuous Spiral Flight Augers: The borehole is advanced using 75mm to 115mm diameter continuous spiral flight augers, which are withdrawn at intervals to allow sampling and insitu testing. This is a relatively economical means of drilling in clays and in sands above the water table. Samples are returned to the surface by the flights or may be collected after withdrawal of the auger flights, but they can be very disturbed and layers may become mixed. Information from the auger sampling (as distinct from specific sampling by SPTs or undisturbed samples) is of limited reliability due to mixing or softening of samples by groundwater, or uncertainties as to the original depth of the samples. Augering below the groundwater table is of even lesser reliability than augering above the water table.

**Rock Augering:** Use can be made of a Tungsten Carbide (TC) bit for auger drilling into rock to indicate rock quality and continuity by variation in drilling resistance and from examination of recovered rock cuttings. This method of investigation is quick and relatively inexpensive but provides only an indication of the likely rock strength and predicted values may be in error by a strength order. Where rock strengths may have a significant impact on construction feasibility or costs, then further investigation by means of cored boreholes may be warranted.

**Wash Boring:** The borehole is usually advanced by a rotary bit, with water being pumped down the drill rods and returned up the annulus, carrying the drill cuttings. Only major changes in stratification can be assessed from the cuttings, together with some information from "feel" and rate of penetration.

**Mud Stabilised Drilling:** Either Wash Boring or Continuous Core Drilling can use drilling mud as a circulating fluid to stabilise the borehole. The term 'mud' encompasses a range of products ranging from bentonite to polymers. The mud tends to mask the cuttings and reliable identification is only possible from intermittent intact sampling (eg. from SPT and U50 samples) or from rock coring, etc.

**Continuous Core Drilling:** A continuous core sample is obtained using a diamond tipped core barrel. Provided full core recovery is achieved (which is not always possible in very low strength rocks and granular soils), this technique provides a very reliable (but relatively expensive) method of investigation. In rocks, NMLC or HQ triple tube core barrels, which give a core of about 50mm and 61mm diameter, respectively, is usually used with water flush. The length of core recovered is compared to the length drilled and any length not recovered is shown as NO CORE. The location of NO CORE recovery is determined on site by the supervising engineer; where the location is uncertain, the loss is placed at the bottom of the drill run.

**Standard Penetration Tests:** Standard Penetration Tests (SPT) are used mainly in non-cohesive soils, but can also be used in cohesive soils, as a means of indicating density or strength and also of obtaining a relatively undisturbed sample. The test procedure is

described in Australian Standard 1289.6.3.1–2004 (R2016) 'Methods of Testing Soils for Engineering Purposes, Soil Strength and Consolidation Tests – Determination of the Penetration Resistance of a Soil – Standard Penetration Test (SPT)'.

The test is carried out in a borehole by driving a 50mm diameter split sample tube with a tapered shoe, under the impact of a 63.5kg hammer with a free fall of 760mm. It is normal for the tube to be driven in three successive 150mm increments and the 'N' value is taken as the number of blows for the last 300mm. In dense sands, very hard clays or weak rock, the full 450mm penetration may not be practicable and the test is discontinued.

The test results are reported in the following form:

 In the case where full penetration is obtained with successive blow counts for each 150mm of, say, 4, 6 and 7 blows, as

> N = 13 4, 6, 7

 In a case where the test is discontinued short of full penetration, say after 15 blows for the first 150mm and 30 blows for the next 40mm, as

> N > 30 15, 30/40mm

The results of the test can be related empirically to the engineering properties of the soil.

A modification to the SPT is where the same driving system is used with a solid  $60^{\circ}$  tipped steel cone of the same diameter as the SPT hollow sampler. The solid cone can be continuously driven for some distance in soft clays or loose sands, or may be used where damage would otherwise occur to the SPT. The results of this Solid Cone Penetration Test (SCPT) are shown as 'Nc' on the borehole logs, together with the number of blows per 150mm penetration.

#### LOGS

The borehole or test pit logs presented herein are an interpretation of the subsurface conditions, and their reliability will depend to some extent on the frequency of sampling and the method of drilling or excavation. Ideally, continuous undisturbed sampling or core drilling will enable the most reliable assessment, but is not always practicable or possible to justify on economic grounds. In any case, the boreholes or test pits represent only a very small sample of the total subsurface conditions.

The terms and symbols used in preparation of the logs are defined in the following pages.

Interpretation of the information shown on the logs, and its application to design and construction, should therefore take into account the spacing of boreholes or test pits, the method of drilling or excavation, the frequency of sampling and testing and the possibility of other than 'straight line' variations between the boreholes or test pits. Subsurface conditions between boreholes or test pits may vary significantly from conditions encountered at the borehole or test pit locations.





#### **GROUNDWATER**

Where groundwater levels are measured in boreholes, there are several potential problems:

- Although groundwater may be present, in low permeability soils it may enter the hole slowly or perhaps not at all during the time it is left open.
- A localised perched water table may lead to an erroneous indication of the true water table.
- Water table levels will vary from time to time with seasons or recent weather changes and may not be the same at the time of construction.
- The use of water or mud as a drilling fluid will mask any groundwater inflow. Water has to be blown out of the hole and drilling mud must be washed out of the hole or 'reverted' chemically if reliable water observations are to be made.

More reliable measurements can be made by installing standpipes which are read after the groundwater level has stabilised at intervals ranging from several days to perhaps weeks for low permeability soils. Piezometers, sealed in a particular stratum, may be advisable in low permeability soils or where there may be interference from perched water tables or surface water.

#### FILL

The presence of fill materials can often be determined only by the inclusion of foreign objects (eg. bricks, steel, etc) or by distinctly unusual colour, texture or fabric. Identification of the extent of fill materials will also depend on investigation methods and frequency. Where natural soils similar to those at the site are used for fill, it may be difficult with limited testing and sampling to reliably assess the extent of the fill.

The presence of fill materials is usually regarded with caution as the possible variation in density and material type is much greater than with natural soil deposits. Consequently, there is an increased risk of adverse environmental characteristics or behaviour. If the volume and nature of fill is of importance to a project, then frequent test pit excavations are preferable to boreholes.

#### LABORATORY TESTING

3

Laboratory testing has not been undertaken to confirm the soil classification and rock strengths indicated on the environmental logs unless noted in the report.







# **SYMBOL LEGENDS**

SOIL	ROCK
FILL	CONGLOMERATE
TOPSOIL	SANDSTONE
CLAY (CL, CI, CH)	SHALE/MUDSTONE
SILT (ML, MH)	SILTSTONE
SAND (SP, SW)	CLAYSTONE
GRAVEL (GP, GW)	COAL
SANDY CLAY (CL, CI, CH)	LAMINITE
SILTY CLAY (CL, CI, CH)	LIMESTONE
CLAYEY SAND (SC)	PHYLLITE, SCHIST
SILTY SAND (SM)	TUFF
GRAVELLY CLAY (CL, CI, CH)	GRANITE, GABBRO
CLAYEY GRAVEL (GC)	DOLERITE, DIORITE
SANDY SILT (ML, MH)	BASALT, ANDESITE
발생선 발발설 발생선 PEAT AND HIGHLY ORGANIC SOILS (Pt)	QUARTZITE

# **OTHER MATERIALS**





ASPHALTIC CONCRETE



#### **CLASSIFICATION OF COARSE AND FINE GRAINED SOILS**

М	ajor Divisions	Group Symbol	Typical Names	Field Classification of Sand and Gravel	Laboratory Cl	assification
ionis	GRAVEL (more than half	GW	Gravel and gravel-sand mixtures, little or no fines	Wide range in grain size and substantial amounts of all intermediate sizes, not enough fines to bind coarse grains, no dry strength	≤ 5% fines	$C_u > 4$ 1 < $C_c < 3$
Carse grained soil (more than 65% of soil excluding oversize fraction is greater than 0,075mm)	of coarse fraction is larger than 2.36mm	GP	Gravel and gravel-sand mixtures, little or no fines, uniform gravels	Predominantly one size or range of sizes with some intermediate sizes missing, not enough fines to bind coarse grains, no dry strength	≤ 5% fines	Fails to comply with above
uding ove		GM	Gravel-silt mixtures and gravel- sand-silt mixtures	'Dirty' materials with excess of non-plastic fines, zero to medium dry strength	≥ 12% fines, fines are silty	Fines behave as silt
ofsailexdu		GC	Gravel-clay mixtures and gravel- sand-clay mixtures	'Dirty' materials with excess of plastic fines, medium to high dry strength	≥ 12% fines, fines are clayey	Fines behave as clay
rethan 65%c greaterthan	SAND (more than half	SW	Sand and gravel-sand mixtures, little or no fines	Wide range in grain size and substantial amounts of all intermediate sizes, not enough fines to bind coarse grains, no dry strength	≤ 5% fines	$C_u > 6$ 1 < $C_c < 3$
oil (more:	of coarse fraction is smaller than	SP	Sand and gravel-sand mixtures, little or no fines	Predominantly one size or range of sizes with some intermediate sizes missing, not enough fines to bind coarse grains, no dry strength	≤ 5% fines	Fails to comply with above
graineds	2.36mm)	SM	Sand-silt mixtures	'Dirty' materials with excess of non-plastic fines, zero to medium dry strength	≥ 12% fines, fines are silty	
Coarse		SC	Sand-clay mixtures	'Dirty' materials with excess of plastic fines, medium to high dry strength	≥ 12% fines, fines are clayey	N/A

		Group			Laboratory Classification		
Majo	or Divisions	Symbol	Typical Names	Dry Strength	Dilatancy	Toughness	% < 0.075mm
Supr	SILT and CLAY (low to medium	ML	Inorganic silt and very fine sand, rock flour, silty or clayey fine sand or silt with low plasticity	None to low	Slow to rapid	Low	Below A line
ainedsoils (more than 35% of soil excl. oversize fraction is less than 0.075mm)	plasticity)	CL, CI	Inorganic clay of low to medium plasticity, gravelly clay, sandy clay	Medium to high	None to slow	Medium	Above A line
an 35% ssthan		OL	Organic silt	Low to medium	Slow	Low	Below A line
on is le	SILT and CLAY	МН	Inorganic silt	Low to medium	None to slow	Low to medium	Below A line
soils (m e fracti	(high plasticity)	СН	Inorganic clay of high plasticity	High to very high	None	High	Above A line
inegrainedsoils (more than 35% of soil excluding oversize fraction is less than 0.075mm)		OH	Organic clay of medium to high plasticity, organic silt	Medium to high	None to very slow	Low to medium	Below A line
.=	Highly organic soil	Pt	Peat, highly organic soil	-	-	-	-

#### **Laboratory Classification Criteria**

A well graded coarse grained soil is one for which the coefficient of uniformity Cu > 4 and the coefficient of curvature  $1 < C_c < 3$ . Otherwise, the soil is poorly graded. These coefficients are given by:


$$C_U = \frac{D_{60}}{D_{10}}$$
 and  $C_C = \frac{(D_{30})^2}{D_{10} D_{60}}$ 

Where  $D_{10}$ ,  $D_{30}$  and  $D_{60}$  are those grain sizes for which 10%, 30% and 60% of the soil grains, respectively, are smaller.

#### NOTES

- 1 For a coarse grained soil with a fines content between 5% and 12%, the soil is given a dual classification comprising the two group symbols separated by a dash; for example, for a poorly graded gravel with between 5% and 12% silt fines, the classification is GP-GM.
- Where the grading is determined from laboratory tests, it is defined by coefficients of curvature (C<sub>c</sub>) and uniformity (C<sub>u</sub>) derived from the particle size distribution curve.
- 3 Clay soils with liquid limits > 35% and ≤ 50% may be classified as being of medium plasticity.
- The U line on the Modified Casagrande Chart is an approximate upper bound for most natural soils.

# Modified Casagrande Chart for Classifying Silts and Clays according to their Behaviour





# **LOG SYMBOLS**

Log Column	Sym	nbol	Definition							
Groundwater Record		<b>V</b>	Standing water level.	Time delay following comple	etion of drilling/excavation may be shown.					
	l	<b>c</b> —	Extent of borehole/te	est pit collapse shortly after c	rilling/excavation.					
	<b>—</b>		Groundwater seepage into borehole or test pit noted during drilling or excavation.							
Samples	U! D C A:	ES 50 DB DS SB SS AL	Undisturbed 50mm d Bulk disturbed sample Small disturbed bag s Soil sample taken ove Soil sample taken ove	epth indicated, for environmiameter tube sample taken of taken over depth indicated ample taken over depth indicated, for asbester depth indicated, for acid ster depth indicated, for saliniter depth indicated, for saliniter depth indicated, for saliniter depth indicated, for saliniter	over depth indicated. l. cated. tos analysis. ulfate soil analysis.					
Field Tests		= 17 7, 10	figures show blows pe		ween depths indicated by lines. Individual sal' refers to apparent hammer refusal within					
	N <sub>c</sub> =	5 7 3R	figures show blows pe	er 150mm penetration for 60	etween depths indicated by lines. Individual o° solid cone driven by SPT hammer. 'R' refers ading 150mm depth increment.					
	_	= 25 = 100	_	Vane shear reading in kPa of undrained shear strength.  Photoionisation detector reading in ppm (soil sample headspace test).						
Moisture Condition (Fine Grained Soils)	w ≈ w < w ≈	> PL × PL < PL × LL > LL	Moisture content estimated to be greater than plastic limit.  Moisture content estimated to be approximately equal to plastic limit.  Moisture content estimated to be less than plastic limit.  Moisture content estimated to be near liquid limit.  Moisture content estimated to be wet of liquid limit.							
(Coarse Grained Soils)	Ņ	О М W	<ul> <li>DRY – runs freely through fingers.</li> <li>MOIST – does not run freely but no free water visible on soil surface.</li> <li>WET – free water visible on soil surface.</li> </ul>							
Strength (Consistency) Cohesive Soils		/S S F St St Id Fr	SOFT - und FIRM - und STIFF - und VERY STIFF - und HARD - und FRIABLE - stre	confined compressive streng confined compressive streng confined compressive streng confined compressive streng confined compressive streng confined compressive streng confined compressive streng ength not attainable, soil cru dicates estimated consister	th > 25kPa and $\leq$ 50kPa. th > 50kPa and $\leq$ 100kPa. th > 100kPa and $\leq$ 200kPa. th > 200kPa and $\leq$ 400kPa. th > 400kPa.					
Density Index/ Relative Density				Density Index (I <sub>D</sub> ) Range (%)	SPT 'N' Value Range (Blows/300mm)					
(Cohesionless Soils)		/L	VERY LOOSE	≤15	0-4					
		L 1D	LOOSE	> 15 and ≤ 35	4-10					
		ם כו	MEDIUM DENSE	> 35 and ≤ 65	10 – 30 30 – 50					
		D	DENSE VERY DENSE	> 65 and ≤ 85						
		)	VERY DENSE  Bracketed symbol ind	> 85 licates estimated density bas	> 50 sed on ease of drilling or other assessment.					
Hand Penetrometer Readings	30	00 50	Measures reading in I	•	ive strength. Numbers indicate individual					



Log Column	Symbol	Definition						
Remarks	'V' bit	Hardened steel "	Hardened steel 'V' shaped bit.					
	'TC' bit	Twin pronged tu	ngsten carbide bit.					
	<b>T</b> <sub>60</sub>	Penetration of au without rotation	uger string in mm under static load of rig applied by drill head hydraulics of augers.					
	Soil Origin	The geological or	rigin of the soil can generally be described as:					
		RESIDUAL	<ul> <li>soil formed directly from insitu weathering of the underlying rock.</li> <li>No visible structure or fabric of the parent rock.</li> </ul>					
		EXTREMELY WEATHERED	<ul> <li>soil formed directly from insitu weathering of the underlying rock.</li> <li>Material is of soil strength but retains the structure and/or fabric of the parent rock.</li> </ul>					
		ALLUVIAL	– soil deposited by creeks and rivers.					
		ESTUARINE	<ul> <li>soil deposited in coastal estuaries, including sediments caused by inflowing creeks and rivers, and tidal currents.</li> </ul>					
		MARINE	– soil deposited in a marine environment.					
		AEOLIAN	<ul> <li>soil carried and deposited by wind.</li> </ul>					
		COLLUVIAL	<ul> <li>soil and rock debris transported downslope by gravity, with or without the assistance of flowing water. Colluvium is usually a thick deposit formed from a landslide. The description 'slopewash' is used for thinner surficial deposits.</li> </ul>					
		LITTORAL	– beach deposited soil.					



# **Classification of Material Weathering**

Term		Abbre	viation	Definition		
Residual Soil		RS		Material is weathered to such an extent that it has soil properties. Mass structure and material texture and fabric of original rock are no longer visible, but the soil has not been significantly transported.		
Extremely Weathered		xw		Material is weathered to such an extent that it has soil properties. Mass structure and material texture and fabric of original rock are still visible.		
Highly Weathered	Distinctly Weathered	HW	DW	The whole of the rock material is discoloured, usually by iron staining or bleaching to the extent that the colour of the original rock is not recognisable. Rock strength is significantly changed by weathering. Some primary minerals have weathered to clay minerals. Porosity may be increased by leaching, or may be decreased due to deposition of weathering products in pores.		
Moderately Weathered	(Note 1)	MW		The whole of the rock material is discoloured, usually by iron staining or bleaching to the extent that the colour of the original rock is not recognisable, but shows little or no change of strength from fresh rock.		
Slightly Weathered SW		W	Rock is partially discoloured with staining or bleaching along joints but shows little or no change of strength from fresh rock.			
Fresh		F	R	Rock shows no sign of decomposition of individual minerals or colour changes.		

**NOTE 1:** The term 'Distinctly Weathered' is used where it is not practicable to distinguish between 'Highly Weathered' and 'Moderately Weathered' rock. 'Distinctly Weathered' is defined as follows: 'Rock strength usually changed by weathering. The rock may be highly discoloured, usually by iron staining. Porosity may be increased by leaching, or may be decreased due to deposition of weathering products in pores'. There is some change in rock strength.

# **Rock Material Strength Classification**

			Guide to Strength				
Term	Abbreviation	Uniaxial Compressive Strength (MPa)	Point Load Strength Index Is <sub>(50)</sub> (MPa)	Field Assessment			
Very Low Strength	VL	0.6 to 2	0.03 to 0.1	Material crumbles under firm blows with sharp end of pick; can be peeled with knife; too hard to cut a triaxial sample by hand. Pieces up to 30mm thick can be broken by finger pressure.			
Low Strength	L	2 to 6	0.1 to 0.3	Easily scored with a knife; indentations 1mm to 3mm show in the specimen with firm blows of the pick point; has dull sound under hammer. A piece of core 150mm long by 50mm diameter may be broken by hand. Sharp edges of core may be friable and break during handling.			
Medium Strength	М	6 to 20	0.3 to 1	Scored with a knife; a piece of core 150mm long by 50mm diameter can be broken by hand with difficulty.			
High Strength	н	20 to 60	1 to 3	A piece of core 150mm long by 50mm diameter cannot be broken by hand but can be broken by a pick with a single firm blow; rock rings under hammer.			
Very High Strength	VH	60 to 200	3 to 10	Hand specimen breaks with pick after more than one blow; rock rings under hammer.			
Extremely High Strength	ЕН	> 200	> 10	Specimen requires many blows with geological pick to break through intact material; rock rings under hammer.			



**Appendix E: Laboratory Reports & COC Documents** 



Envirolab Services Pty Ltd

ABN 37 112 535 645 12 Ashley St Chatswood NSW 2067 ph 02 9910 6200 fax 02 9910 6201 customerservice@envirolab.com.au www.envirolab.com.au

#### **CERTIFICATE OF ANALYSIS 259409**

Client Details	
Client	JK Environments
Attention	Anthony Barkway
Address	PO Box 976, North Ryde BC, NSW, 1670

Sample Details	
Your Reference	E33770PA, Annandale
Number of Samples	22 Soil
Date samples received	13/01/2021
Date completed instructions received	13/01/2021

### **Analysis Details**

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.

Please refer to the last page of this report for any comments relating to the results.

Report Details	
Date results requested by	20/01/2021
Date of Issue	18/01/2021
NATA Accreditation Number 2901. This	document shall not be reproduced except in full.
Accredited for compliance with ISO/IEC	17025 - Testing. Tests not covered by NATA are denoted with *

#### **Asbestos Approved By**

Analysed by Asbestos Approved Identifier: Nyovan Moonean Authorised by Asbestos Approved Signatory: Lucy Zhu

#### **Results Approved By**

Diego Bigolin, Team Leader, Inorganics Dragana Tomas, Senior Chemist Jaimie Loa-Kum-Cheung, Metals Supervisor Lucy Zhu, Asbestos Supervisor Manju Dewendrage, Chemist <u>Authorised By</u>

Nancy Zhang, Laboratory Manager

vTRH(C6-C10)/BTEXN in Soil						
Our Reference		259409-1	259409-2	259409-4	259409-5	259409-7
Your Reference	UNITS	BH1	BH1	BH2	BH2	ВН3
Depth		0.15-0.25	0.6-0.85	0.2-0.3	0.45-0.55	0.2-0.3
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	15/01/2021	15/01/2021	15/01/2021	15/01/2021	15/01/2021
TRH C <sub>6</sub> - C <sub>9</sub>	mg/kg	<25	<25	<25	<25	<25
TRH C <sub>6</sub> - C <sub>10</sub>	mg/kg	<25	<25	<25	<25	<25
vTPH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	mg/kg	<25	<25	<25	<25	<25
Benzene	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	mg/kg	<1	<1	<1	<1	<1
m+p-xylene	mg/kg	<2	<2	<2	<2	<2
o-Xylene	mg/kg	<1	<1	<1	<1	<1
naphthalene	mg/kg	<1	<1	<1	<1	<1
Total +ve Xylenes	mg/kg	<3	<3	<3	<3	<3
Surrogate aaa-Trifluorotoluene	%	89	96	89	103	89

vTRH(C6-C10)/BTEXN in Soil						
Our Reference		259409-8	259409-12	259409-13	259409-15	259409-16
Your Reference	UNITS	BH3	BH4	BH4	BH5	BH5
Depth		0.6-0.7	0.15-0.25	0.45-0.55	0.15-0.2	0.25-0.35
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	15/01/2021	15/01/2021	15/01/2021	15/01/2021	15/01/2021
TRH C <sub>6</sub> - C <sub>9</sub>	mg/kg	<25	<25	<25	<25	<25
TRH C <sub>6</sub> - C <sub>10</sub>	mg/kg	<25	<25	<25	<25	<25
vTPH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	mg/kg	<25	<25	<25	<25	<25
Benzene	mg/kg	<0.2	<0.2	<0.2	<0.2	<0.2
Toluene	mg/kg	<0.5	<0.5	<0.5	<0.5	<0.5
Ethylbenzene	mg/kg	<1	<1	<1	<1	<1
m+p-xylene	mg/kg	<2	<2	<2	<2	<2
o-Xylene	mg/kg	<1	<1	<1	<1	<1
naphthalene	mg/kg	<1	<1	<1	<1	<1
Total +ve Xylenes	mg/kg	<3	<3	<3	<3	<3
Surrogate aaa-Trifluorotoluene	%	93	99	95	95	97

vTRH(C6-C10)/BTEXN in Soil				
Our Reference		259409-19	259409-21	259409-22
Your Reference	UNITS	SDUP1	TBS1	TSS1
Depth		-	-	-
Date Sampled		12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	15/01/2021	15/01/2021	15/01/2021
TRH C <sub>6</sub> - C <sub>9</sub>	mg/kg	<25	<25	[NA]
TRH C <sub>6</sub> - C <sub>10</sub>	mg/kg	<25	<25	[NA]
vTPH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	mg/kg	<25	<25	[NA]
Benzene	mg/kg	<0.2	<0.2	89%
Toluene	mg/kg	<0.5	<0.5	87%
Ethylbenzene	mg/kg	<1	<1	94%
m+p-xylene	mg/kg	<2	<2	88%
o-Xylene	mg/kg	<1	<1	80%
naphthalene	mg/kg	<1	<1	[NA]
Total +ve Xylenes	mg/kg	<3	<3	[NT]
Surrogate aaa-Trifluorotoluene	%	84	97	81%

svTRH (C10-C40) in Soil						
Our Reference		259409-1	259409-2	259409-4	259409-5	259409-7
Your Reference	UNITS	BH1	BH1	BH2	BH2	ВН3
Depth		0.15-0.25	0.6-0.85	0.2-0.3	0.45-0.55	0.2-0.3
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	13/01/2021	13/01/2021	13/01/2021	13/01/2021	13/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
TRH C <sub>10</sub> - C <sub>14</sub>	mg/kg	<50	<50	<50	<50	<50
TRH C <sub>15</sub> - C <sub>28</sub>	mg/kg	<100	<100	160	<100	<100
TRH C <sub>29</sub> - C <sub>36</sub>	mg/kg	<100	<100	780	<100	<100
TRH >C10 -C16	mg/kg	<50	<50	<50	<50	<50
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	mg/kg	<50	<50	<50	<50	<50
TRH >C <sub>16</sub> -C <sub>34</sub>	mg/kg	<100	<100	610	<100	<100
TRH >C <sub>34</sub> -C <sub>40</sub>	mg/kg	<100	<100	1,300	<100	<100
Total +ve TRH (>C10-C40)	mg/kg	<50	<50	1,900	<50	<50
Surrogate o-Terphenyl	%	82	81	88	81	80

svTRH (C10-C40) in Soil						
Our Reference		259409-8	259409-12	259409-13	259409-15	259409-16
Your Reference	UNITS	BH3	BH4	BH4	BH5	BH5
Depth		0.6-0.7	0.15-0.25	0.45-0.55	0.15-0.2	0.25-0.35
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	13/01/2021	13/01/2021	13/01/2021	13/01/2021	13/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
TRH C <sub>10</sub> - C <sub>14</sub>	mg/kg	<50	<50	<50	<50	<50
TRH C <sub>15</sub> - C <sub>28</sub>	mg/kg	<100	220	<100	<100	<100
TRH C <sub>29</sub> - C <sub>36</sub>	mg/kg	<100	240	<100	<100	180
TRH >C <sub>10</sub> -C <sub>16</sub>	mg/kg	<50	<50	<50	<50	<50
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	mg/kg	<50	<50	<50	<50	<50
TRH >C <sub>16</sub> -C <sub>34</sub>	mg/kg	<100	380	<100	<100	110
TRH >C <sub>34</sub> -C <sub>40</sub>	mg/kg	140	200	<100	<100	340
Total +ve TRH (>C10-C40)	mg/kg	140	590	<50	<50	450
Surrogate o-Terphenyl	%	80	91	76	79	77

svTRH (C10-C40) in Soil		
Our Reference		259409-19
Your Reference	UNITS	SDUP1
Depth		-
Date Sampled		12/01/2021
Type of sample		Soil
Date extracted	-	13/01/2021
Date analysed	-	14/01/2021
TRH C <sub>10</sub> - C <sub>14</sub>	mg/kg	<50
TRH C <sub>15</sub> - C <sub>28</sub>	mg/kg	<100
TRH C <sub>29</sub> - C <sub>36</sub>	mg/kg	<100
TRH >C <sub>10</sub> -C <sub>16</sub>	mg/kg	<50
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	mg/kg	<50
TRH >C <sub>16</sub> -C <sub>34</sub>	mg/kg	<100
TRH >C <sub>34</sub> -C <sub>40</sub>	mg/kg	<100
Total +ve TRH (>C10-C40)	mg/kg	<50
Surrogate o-Terphenyl	%	76

PAHs in Soil						
Our Reference		259409-1	259409-2	259409-4	259409-5	259409-7
Your Reference	UNITS	BH1	BH1	BH2	BH2	ВН3
Depth		0.15-0.25	0.6-0.85	0.2-0.3	0.45-0.55	0.2-0.3
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Naphthalene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthylene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.2
Acenaphthene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Fluorene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Phenanthrene	mg/kg	<0.1	<0.1	0.1	<0.1	1
Anthracene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.2
Fluoranthene	mg/kg	<0.1	<0.1	<0.1	<0.1	2.2
Pyrene	mg/kg	<0.1	<0.1	<0.1	<0.1	1.7
Benzo(a)anthracene	mg/kg	<0.1	<0.1	<0.1	<0.1	1.4
Chrysene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.8
Benzo(b,j+k)fluoranthene	mg/kg	<0.2	<0.2	<0.2	<0.2	2
Benzo(a)pyrene	mg/kg	<0.05	<0.05	<0.05	<0.05	1.2
Indeno(1,2,3-c,d)pyrene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.5
Dibenzo(a,h)anthracene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.1
Benzo(g,h,i)perylene	mg/kg	<0.1	<0.1	<0.1	<0.1	0.6
Total +ve PAH's	mg/kg	<0.05	<0.05	0.1	<0.05	12
Benzo(a)pyrene TEQ calc (zero)	mg/kg	<0.5	<0.5	<0.5	<0.5	1.8
Benzo(a)pyrene TEQ calc(half)	mg/kg	<0.5	<0.5	<0.5	<0.5	1.8
Benzo(a)pyrene TEQ calc(PQL)	mg/kg	<0.5	<0.5	<0.5	<0.5	1.8
Surrogate p-Terphenyl-d14	%	95	65	80	89	70

Envirolab Reference: 259409

PAHs in Soil						
Our Reference		259409-8	259409-12	259409-13	259409-15	259409-16
Your Reference	UNITS	BH3	BH4	BH4	BH5	BH5
Depth		0.6-0.7	0.15-0.25	0.45-0.55	0.15-0.2	0.25-0.35
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Naphthalene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthylene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Acenaphthene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Fluorene	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Phenanthrene	mg/kg	0.2	0.7	0.2	<0.1	<0.1
Anthracene	mg/kg	<0.1	0.3	<0.1	<0.1	<0.1
Fluoranthene	mg/kg	0.4	2.0	0.4	<0.1	<0.1
Pyrene	mg/kg	0.2	1.5	0.4	<0.1	<0.1
Benzo(a)anthracene	mg/kg	0.2	1.4	0.3	<0.1	<0.1
Chrysene	mg/kg	0.1	0.6	0.2	<0.1	<0.1
Benzo(b,j+k)fluoranthene	mg/kg	0.2	2	0.4	<0.2	<0.2
Benzo(a)pyrene	mg/kg	0.2	1.0	0.2	<0.05	<0.05
Indeno(1,2,3-c,d)pyrene	mg/kg	<0.1	0.4	0.1	<0.1	<0.1
Dibenzo(a,h)anthracene	mg/kg	<0.1	0.1	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	mg/kg	0.1	0.5	0.2	<0.1	<0.1
Total +ve PAH's	mg/kg	1.6	10	2.3	<0.05	<0.05
Benzo(a)pyrene TEQ calc (zero)	mg/kg	<0.5	1.5	<0.5	<0.5	<0.5
Benzo(a)pyrene TEQ calc(half)	mg/kg	<0.5	1.5	<0.5	<0.5	<0.5
Benzo(a)pyrene TEQ calc(PQL)	mg/kg	<0.5	1.5	<0.5	<0.5	<0.5
Surrogate p-Terphenyl-d14	%	68	67	72	66	73

Envirolab Reference: 259409

PAHs in Soil		
Our Reference		259409-19
Your Reference	UNITS	SDUP1
Depth		-
Date Sampled		12/01/2021
Type of sample		Soil
Date extracted	-	14/01/2021
Date analysed	-	14/01/2021
Naphthalene	mg/kg	<0.1
Acenaphthylene	mg/kg	0.3
Acenaphthene	mg/kg	<0.1
Fluorene	mg/kg	0.2
Phenanthrene	mg/kg	2.5
Anthracene	mg/kg	0.6
Fluoranthene	mg/kg	2.9
Pyrene	mg/kg	3.6
Benzo(a)anthracene	mg/kg	2.6
Chrysene	mg/kg	0.9
Benzo(b,j+k)fluoranthene	mg/kg	2.5
Benzo(a)pyrene	mg/kg	1.7
Indeno(1,2,3-c,d)pyrene	mg/kg	0.7
Dibenzo(a,h)anthracene	mg/kg	0.3
Benzo(g,h,i)perylene	mg/kg	0.8
Total +ve PAH's	mg/kg	20
Benzo(a)pyrene TEQ calc (zero)	mg/kg	2.6
Benzo(a)pyrene TEQ calc(half)	mg/kg	2.6
Benzo(a)pyrene TEQ calc(PQL)	mg/kg	2.6
Surrogate p-Terphenyl-d14	%	88

Envirolab Reference: 259409

Organochlorine Pesticides in soil						
Our Reference		259409-1	259409-4	259409-7	259409-12	259409-15
Your Reference	UNITS	BH1	BH2	ВН3	BH4	BH5
Depth		0.15-0.25	0.2-0.3	0.2-0.3	0.15-0.25	0.15-0.2
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
alpha-BHC	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
нсв	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
beta-BHC	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
gamma-BHC	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Heptachlor	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
delta-BHC	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aldrin	mg/kg	<0.1	<0.1	<0.1	4.9	<0.1
Heptachlor Epoxide	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
gamma-Chlordane	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
alpha-chlordane	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Endosulfan I	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
pp-DDE	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Dieldrin	mg/kg	<0.1	<0.1	<0.1	1.9	<0.1
Endrin	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Endosulfan II	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
pp-DDD	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Endrin Aldehyde	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
pp-DDT	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Endosulfan Sulphate	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Methoxychlor	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Total +ve DDT+DDD+DDE	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Surrogate TCMX	%	103	99	102	101	101

Organophosphorus Pesticides in Soil						
Our Reference		259409-1	259409-4	259409-7	259409-12	259409-15
Your Reference	UNITS	BH1	BH2	ВН3	BH4	BH5
Depth		0.15-0.25	0.2-0.3	0.2-0.3	0.15-0.25	0.15-0.2
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Dichlorvos	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Dimethoate	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Diazinon	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Chlorpyriphos-methyl	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Ronnel	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Fenitrothion	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Malathion	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Chlorpyriphos	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Parathion	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Bromophos-ethyl	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Ethion	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Azinphos-methyl (Guthion)	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Surrogate TCMX	%	103	99	102	101	101

Envirolab Reference: 259409

PCBs in Soil						
Our Reference		259409-1	259409-4	259409-7	259409-12	259409-15
Your Reference	UNITS	BH1	BH2	вн3	BH4	BH5
Depth		0.15-0.25	0.2-0.3	0.2-0.3	0.15-0.25	0.15-0.2
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date extracted	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Aroclor 1016	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1221	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1232	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1242	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1248	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1254	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Aroclor 1260	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Total +ve PCBs (1016-1260)	mg/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Surrogate TCMX	%	103	99	102	101	101

Acid Extractable metals in soil						
Our Reference		259409-1	259409-2	259409-4	259409-5	259409-7
Your Reference	UNITS	BH1	BH1	BH2	BH2	ВН3
Depth		0.15-0.25	0.6-0.85	0.2-0.3	0.45-0.55	0.2-0.3
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date prepared	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Arsenic	mg/kg	<4	<4	<4	6	5
Cadmium	mg/kg	<0.4	<0.4	<0.4	<0.4	0.6
Chromium	mg/kg	16	1	8	45	14
Copper	mg/kg	<1	<1	25	4	76
Lead	mg/kg	10	7	4	10	340
Mercury	mg/kg	<0.1	<0.1	<0.1	<0.1	0.7
Nickel	mg/kg	<1	<1	22	<1	8
Zinc	mg/kg	<1	<1	19	8	280

Acid Extractable metals in soil						
Our Reference		259409-8	259409-12	259409-13	259409-15	259409-16
Your Reference	UNITS	ВН3	BH4	BH4	BH5	BH5
Depth		0.6-0.7	0.15-0.25	0.45-0.55	0.15-0.2	0.25-0.35
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date prepared	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Arsenic	mg/kg	6	5	<4	<4	<4
Cadmium	mg/kg	<0.4	0.8	0.5	<0.4	<0.4
Chromium	mg/kg	26	22	14	13	15
Copper	mg/kg	6	210	56	8	64
Lead	mg/kg	64	120	48	5	19
Mercury	mg/kg	0.1	0.1	<0.1	<0.1	<0.1
Nickel	mg/kg	<1	41	17	2	63
Zinc	mg/kg	22	350	390	38	50

Acid Extractable metals in soil			
Our Reference		259409-19	259409-23
Your Reference	UNITS	SDUP1	BH5 - [TRIPLICATE]
Depth		-	0.15-0.2
Date Sampled		12/01/2021	12/01/2021
Type of sample		Soil	Soil
Date prepared	-	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021
Arsenic	mg/kg	5	<4
Cadmium	mg/kg	<0.4	<0.4
Chromium	mg/kg	17	12
Copper	mg/kg	45	10
Lead	mg/kg	230	6
Mercury	mg/kg	0.8	<0.1
Nickel	mg/kg	7	2
Zinc	mg/kg	190	9

Misc Soil - Inorg						
Our Reference		259409-1	259409-4	259409-7	259409-12	259409-15
Your Reference	UNITS	BH1	BH2	ВН3	BH4	BH5
Depth		0.15-0.25	0.2-0.3	0.2-0.3	0.15-0.25	0.15-0.2
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date prepared	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Total Phenolics (as Phenol)	mg/kg	<5	<5	<5	<5	<5

Moisture						
Our Reference		259409-1	259409-2	259409-4	259409-5	259409-7
Your Reference	UNITS	BH1	BH1	BH2	BH2	ВН3
Depth		0.15-0.25	0.6-0.85	0.2-0.3	0.45-0.55	0.2-0.3
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date prepared	-	13/01/2021	13/01/2021	13/01/2021	13/01/2021	13/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Moisture	%	7.4	5.9	6.9	5.7	14

Moisture						
Our Reference		259409-8	259409-12	259409-13	259409-15	259409-16
Your Reference	UNITS	ВН3	BH4	BH4	BH5	BH5
Depth		0.6-0.7	0.15-0.25	0.45-0.55	0.15-0.2	0.25-0.35
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date prepared	-	13/01/2021	13/01/2021	13/01/2021	13/01/2021	13/01/2021
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Moisture	%	14	12	11	16	10

Moisture		
Our Reference		259409-19
Your Reference	UNITS	SDUP1
Depth		-
Date Sampled		12/01/2021
Type of sample		Soil
Date prepared	-	13/01/2021
Date analysed	-	14/01/2021
Moisture	%	14

Asbestos ID - soils NEPM - ASB-001						
Our Reference		259409-1	259409-4	259409-7	259409-12	259409-15
Your Reference	UNITS	BH1	BH2	ВН3	BH4	BH5
Depth		0.15-0.25	0.2-0.3	0.2-0.3	0.15-0.25	0.15-0.2
Date Sampled		12/01/2021	12/01/2021	12/01/2021	12/01/2021	12/01/2021
Type of sample		Soil	Soil	Soil	Soil	Soil
Date analysed	-	14/01/2021	14/01/2021	14/01/2021	14/01/2021	14/01/2021
Sample mass tested	g	767.44	723.65	416.14	805.64	540.41
Sample Description	-	Pink coarse- grained soil & rocks	Grey fine-grained soil & rocks	Brown coarse- grained soil & rocks	Brown coarse- grained soil & rocks	Tan sandy soil
Asbestos ID in soil (AS4964) >0.1g/kg	-	No asbestos detected at reporting limit of 0.1g/kg				
		Organic fibres detected				
Trace Analysis	-	No asbestos detected				
Total Asbestos <sup>#1</sup>	g/kg	<0.1	<0.1	<0.1	<0.1	<0.1
Asbestos ID in soil <0.1g/kg*	-	No visible asbestos detected	No visible asbestos detected	Chrysotile	Chrysotile	No visible asbestos detected
ACM >7mm Estimation*	g	_	_	-	0.0341	-
FA and AF Estimation*	g	_	_	0.0014	-	_
ACM >7mm Estimation*	%(w/w)	<0.01	<0.01	<0.01	<0.01	<0.01
FA and AF Estimation*#2	%(w/w)	<0.001	<0.001	<0.001	<0.001	<0.001

Envirolab Reference: 259409

Method ID	Methodology Summary
ASB-001	Asbestos ID - Qualitative identification of asbestos in bulk samples using Polarised Light Microscopy and Dispersion Staining Techniques including Synthetic Mineral Fibre and Organic Fibre as per Australian Standard 4964-2004.
ASB-001	Asbestos ID - Identification of asbestos in soil samples using Polarised Light Microscopy and Dispersion Staining Techniques. Minimum 500mL soil sample was analysed as recommended by "National Environment Protection (Assessment of site contamination) Measure, Schedule B1 and "The Guidelines from the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia - May 2009" with a reporting limit of 0.1g/kg (0.01% w/w) as per Australian Standard AS4964-2004.  Results reported denoted with * are outside our scope of NATA accreditation.
	<b>NOTE</b> <sup>#1</sup> Total Asbestos g/kg was analysed and reported as per Australian Standard AS4964 (This is the sum of ACM >7mm, <7mm and FA/AF)
	<b>NOTE</b> #2 The screening level of 0.001% w/w asbestos in soil for FA and AF only applies where the FA and AF are able to be quantified by gravimetric procedures. This screening level is not applicable to free fibres.
	Estimation = Estimated asbestos weight
	Results reported with "" is equivalent to no visible asbestos identified using Polarised Light microscopy and Dispersion Staining Techniques.
Inorg-008	Moisture content determined by heating at 105+/-5 °C for a minimum of 12 hours.
Inorg-031	Total Phenolics by segmented flow analyser (in line distillation with colourimetric finish). Solids are extracted in a caustic media prior to analysis.
Metals-020	Determination of various metals by ICP-AES.
Metals-021	Determination of Mercury by Cold Vapour AAS.
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID. F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.

Method ID	Methodology Summary
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID.
	F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.
	Note, the Total +ve TRH PQL is reflective of the lowest individual PQL and is therefore "Total +ve TRH" is simply a sum of the positive individual TRH fractions (>C10-C40).
Org-021	Soil samples are extracted with dichloromethane/acetone and waters with dichloromethane and analysed by GC-ECD.
Org-021	Soil samples are extracted with dichloromethane/acetone and waters with dichloromethane and analysed by GC-ECD.  Note, the Total +ve PCBs PQL is reflective of the lowest individual PQL and is therefore" Total +ve PCBs" is simply a sum of the positive individual PCBs.
Org-022	Determination of VOCs sampled onto coconut shell charcoal sorbent tubes, that can be desorbed using carbon disulphide, and analysed by GC-MS.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS.
Org-022/025	Soil samples are extracted with dichloromethane/acetone and waters with dichloromethane and analysed by GC-MS/GC-MSMS.
	Note, the Total +ve reported DDD+DDE+DDT PQL is reflective of the lowest individual PQL and is therefore simply a sum of the positive individually report DDD+DDE+DDT.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS and/or GC-MS/MS. Benzo(a)pyrene TEQ as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater - 2013. For soil results:-  1. 'EQ PQL'values are assuming all contributing PAHs reported as <pql "total="" 'eq="" +ve="" 2.="" 3.="" <pql="" a="" above.="" actually="" all="" and="" approach="" approaches="" are="" as="" assuming="" at="" be="" below="" between="" but="" calculation="" can="" conservative="" contribute="" contributing="" false="" give="" given="" half="" hence="" individual="" is="" least="" lowest="" may="" mid-point="" more="" most="" negative="" not="" note,="" of="" pahs="" pahs"="" pahs.<="" positive="" pql="" pql'values="" pql.="" present="" present.="" reflective="" reported="" simply="" stipulated="" sum="" susceptible="" td="" teq="" teqs="" that="" the="" therefore="" this="" to="" total="" when="" zero'values="" zero.=""></pql>
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.  Note, the Total +ve Xylene PQL is reflective of the lowest individual PQL and is therefore "Total +ve Xylenes" is simply a sum of the positive individual Xylenes.

Envirolab Reference: 259409

QUALITY CONTROL: vTRH(C6-C10)/BTEXN in Soil						Duplicate Spike R				
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			15/01/2021	1	15/01/2021	15/01/2021		15/01/2021	15/01/2021
TRH C <sub>6</sub> - C <sub>9</sub>	mg/kg	25	Org-023	<25	1	<25	<25	0	93	102
TRH C <sub>6</sub> - C <sub>10</sub>	mg/kg	25	Org-023	<25	1	<25	<25	0	93	102
Benzene	mg/kg	0.2	Org-023	<0.2	1	<0.2	<0.2	0	81	93
Toluene	mg/kg	0.5	Org-023	<0.5	1	<0.5	<0.5	0	93	101
Ethylbenzene	mg/kg	1	Org-023	<1	1	<1	<1	0	97	105
m+p-xylene	mg/kg	2	Org-023	<2	1	<2	<2	0	98	105
o-Xylene	mg/kg	1	Org-023	<1	1	<1	<1	0	95	103
naphthalene	mg/kg	1	Org-023	<1	1	<1	<1	0	[NT]	[NT]
Surrogate aaa-Trifluorotoluene	%		Org-023	87	1	89	94	5	83	96

QUALITY CONTROL: vTRH(C6-C10)/BTEXN in Soil					Duplicate				Spike Recovery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	15/01/2021	15/01/2021			[NT]
TRH C <sub>6</sub> - C <sub>9</sub>	mg/kg	25	Org-023	[NT]	15	<25	<25	0		[NT]
TRH C <sub>6</sub> - C <sub>10</sub>	mg/kg	25	Org-023	[NT]	15	<25	<25	0		[NT]
Benzene	mg/kg	0.2	Org-023	[NT]	15	<0.2	<0.2	0		[NT]
Toluene	mg/kg	0.5	Org-023	[NT]	15	<0.5	<0.5	0		[NT]
Ethylbenzene	mg/kg	1	Org-023	[NT]	15	<1	<1	0		[NT]
m+p-xylene	mg/kg	2	Org-023	[NT]	15	<2	<2	0		[NT]
o-Xylene	mg/kg	1	Org-023	[NT]	15	<1	<1	0		[NT]
naphthalene	mg/kg	1	Org-023	[NT]	15	<1	<1	0		[NT]
Surrogate aaa-Trifluorotoluene	%		Org-023	[NT]	15	95	83	13		[NT]

Envirolab Reference: 259409

QUALITY CO	NTROL: svT	RH (C10	-C40) in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	13/01/2021	13/01/2021		14/01/2021	13/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
TRH C <sub>10</sub> - C <sub>14</sub>	mg/kg	50	Org-020	<50	1	<50	<50	0	80	87
TRH C <sub>15</sub> - C <sub>28</sub>	mg/kg	100	Org-020	<100	1	<100	<100	0	76	115
TRH C <sub>29</sub> - C <sub>36</sub>	mg/kg	100	Org-020	<100	1	<100	<100	0	134	#
TRH >C <sub>10</sub> -C <sub>16</sub>	mg/kg	50	Org-020	<50	1	<50	<50	0	80	87
TRH >C <sub>16</sub> -C <sub>34</sub>	mg/kg	100	Org-020	<100	1	<100	<100	0	76	115
TRH >C <sub>34</sub> -C <sub>40</sub>	mg/kg	100	Org-020	<100	1	<100	<100	0	134	#
Surrogate o-Terphenyl	%		Org-020	84	1	82	79	4	99	94

QUALITY CO	NTROL: svT	RH (C10	-C40) in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	13/01/2021	13/01/2021			
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			
TRH C <sub>10</sub> - C <sub>14</sub>	mg/kg	50	Org-020	[NT]	15	<50	<50	0		
TRH C <sub>15</sub> - C <sub>28</sub>	mg/kg	100	Org-020	[NT]	15	<100	<100	0		
TRH C <sub>29</sub> - C <sub>36</sub>	mg/kg	100	Org-020	[NT]	15	<100	<100	0		
TRH >C <sub>10</sub> -C <sub>16</sub>	mg/kg	50	Org-020	[NT]	15	<50	<50	0		
TRH >C <sub>16</sub> -C <sub>34</sub>	mg/kg	100	Org-020	[NT]	15	<100	<100	0		
TRH >C <sub>34</sub> -C <sub>40</sub>	mg/kg	100	Org-020	[NT]	15	<100	<100	0		
Surrogate o-Terphenyl	%		Org-020	[NT]	15	79	80	1	[NT]	[NT]

QUALIT	Y CONTRO	L: PAHs	in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Naphthalene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	90	102
Acenaphthylene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Acenaphthene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	84	114
Fluorene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	102	122
Phenanthrene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	113	110
Anthracene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Fluoranthene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	114	124
Pyrene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	114	124
Benzo(a)anthracene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Chrysene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	62	110
Benzo(b,j+k)fluoranthene	mg/kg	0.2	Org-022/025	<0.2	1	<0.2	<0.2	0	[NT]	[NT]
Benzo(a)pyrene	mg/kg	0.05	Org-022/025	<0.05	1	<0.05	<0.05	0	110	136
Indeno(1,2,3-c,d)pyrene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Dibenzo(a,h)anthracene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Benzo(g,h,i)perylene	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Surrogate p-Terphenyl-d14	%		Org-022/025	88	1	95	78	20	94	100

QUALI	TY CONTRO	L: PAHs	in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Naphthalene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Acenaphthylene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Acenaphthene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Fluorene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Phenanthrene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Anthracene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Fluoranthene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Pyrene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Benzo(a)anthracene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Chrysene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Benzo(b,j+k)fluoranthene	mg/kg	0.2	Org-022/025	[NT]	15	<0.2	<0.2	0		[NT]
Benzo(a)pyrene	mg/kg	0.05	Org-022/025	[NT]	15	<0.05	<0.05	0		[NT]
Indeno(1,2,3-c,d)pyrene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Dibenzo(a,h)anthracene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Benzo(g,h,i)perylene	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Surrogate p-Terphenyl-d14	%		Org-022/025	[NT]	15	66	73	10		[NT]

QUALITY C	ONTROL: Organo	chlorine F	Pesticides in soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/202
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
alpha-BHC	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	90	130
НСВ	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
beta-BHC	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	104	118
gamma-BHC	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Heptachlor	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	91	114
delta-BHC	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aldrin	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	117	126
Heptachlor Epoxide	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	101	124
gamma-Chlordane	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
alpha-chlordane	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Endosulfan I	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
pp-DDE	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	99	126
Dieldrin	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	129	112
Endrin	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	89	140
Endosulfan II	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
pp-DDD	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	108	140
Endrin Aldehyde	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
pp-DDT	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Endosulfan Sulphate	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	124	109
Methoxychlor	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Surrogate TCMX	%		Org-022/025	97	1	103	94	9	93	94

QUALITY C	ONTROL: Organo	chlorine F	esticides in soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	12	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	12	14/01/2021	14/01/2021			[NT]
alpha-BHC	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
HCB	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
beta-BHC	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
gamma-BHC	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Heptachlor	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
delta-BHC	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Aldrin	mg/kg	0.1	Org-022/025	[NT]	12	4.9	5.7	15		[NT]
Heptachlor Epoxide	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
gamma-Chlordane	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
alpha-chlordane	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Endosulfan I	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
pp-DDE	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Dieldrin	mg/kg	0.1	Org-022/025	[NT]	12	1.9	1.5	24		[NT]
Endrin	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Endosulfan II	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
pp-DDD	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Endrin Aldehyde	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
pp-DDT	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Endosulfan Sulphate	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Methoxychlor	mg/kg	0.1	Org-022/025	[NT]	12	<0.1	<0.1	0		[NT]
Surrogate TCMX	%		Org-022/025	[NT]	12	101	120	17		[NT]

QUALITY CO	ONTROL: Organo	chlorine F	Pesticides in soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			[NT]
alpha-BHC	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
НСВ	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
beta-BHC	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
gamma-BHC	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Heptachlor	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
delta-BHC	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Aldrin	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Heptachlor Epoxide	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
gamma-Chlordane	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
alpha-chlordane	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Endosulfan I	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
pp-DDE	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Dieldrin	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Endrin	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Endosulfan II	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
pp-DDD	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Endrin Aldehyde	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
pp-DDT	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Endosulfan Sulphate	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Methoxychlor	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Surrogate TCMX	%		Org-022/025	[NT]	15	101	107	6		[NT]

QUALITY CONTRO	L: Organoph	osphorus	Pesticides in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Dichlorvos	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	92	76
Dimethoate	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0		[NT]
Diazinon	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0		[NT]
Chlorpyriphos-methyl	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0		[NT]
Ronnel	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	118	122
Fenitrothion	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	123	100
Malathion	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	129	124
Chlorpyriphos	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	128	114
Parathion	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	90	118
Bromophos-ethyl	mg/kg	0.1	Org-022	<0.1	1	<0.1	<0.1	0		[NT]
Ethion	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0	111	136
Azinphos-methyl (Guthion)	mg/kg	0.1	Org-022/025	<0.1	1	<0.1	<0.1	0		[NT]
Surrogate TCMX	%		Org-022/025	97	1	103	94	9	93	94

QUALITY CONTRO	L: Organoph	nosphorus	s Pesticides in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Dichlorvos	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Dimethoate	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Diazinon	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Chlorpyriphos-methyl	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Ronnel	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Fenitrothion	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Malathion	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Chlorpyriphos	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Parathion	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Bromophos-ethyl	mg/kg	0.1	Org-022	[NT]	15	<0.1	<0.1	0		[NT]
Ethion	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Azinphos-methyl (Guthion)	mg/kg	0.1	Org-022/025	[NT]	15	<0.1	<0.1	0		[NT]
Surrogate TCMX	%		Org-022/025	[NT]	15	101	107	6		[NT]

QUALIT	Y CONTRO	L: PCBs	in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date extracted	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Aroclor 1016	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aroclor 1221	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aroclor 1232	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aroclor 1242	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aroclor 1248	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Aroclor 1254	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	120	120
Aroclor 1260	mg/kg	0.1	Org-021	<0.1	1	<0.1	<0.1	0	[NT]	[NT]
Surrogate TCMX	%		Org-021	97	1	103	94	9	93	94

QUA	LITY CONTRO	L: PCBs	in Soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date extracted	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Aroclor 1016	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1221	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1232	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1242	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1248	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1254	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Aroclor 1260	mg/kg	0.1	Org-021	[NT]	15	<0.1	<0.1	0		[NT]
Surrogate TCMX	%		Org-021	[NT]	15	101	107	6		[NT]

QUALITY CONT	ROL: Acid E	xtractabl	e metals in soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date prepared	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Arsenic	mg/kg	4	Metals-020	<4	1	<4	<4	0	107	81
Cadmium	mg/kg	0.4	Metals-020	<0.4	1	<0.4	<0.4	0	104	77
Chromium	mg/kg	1	Metals-020	<1	1	16	11	37	103	85
Copper	mg/kg	1	Metals-020	<1	1	<1	<1	0	104	113
Lead	mg/kg	1	Metals-020	<1	1	10	9	11	103	80
Mercury	mg/kg	0.1	Metals-021	<0.1	1	<0.1	<0.1	0	113	104
Nickel	mg/kg	1	Metals-020	<1	1	<1	<1	0	104	88
Zinc	mg/kg	1	Metals-020	<1	1	<1	<1	0	104	82

QUALITY CONT	ROL: Acid E	xtractable	e metals in soil			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	[NT]	[NT]
Date prepared	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Date analysed	-			[NT]	15	14/01/2021	14/01/2021			[NT]
Arsenic	mg/kg	4	Metals-020	[NT]	15	<4	<4	0		[NT]
Cadmium	mg/kg	0.4	Metals-020	[NT]	15	<0.4	<0.4	0		[NT]
Chromium	mg/kg	1	Metals-020	[NT]	15	13	14	7		[NT]
Copper	mg/kg	1	Metals-020	[NT]	15	8	10	22		[NT]
Lead	mg/kg	1	Metals-020	[NT]	15	5	5	0		[NT]
Mercury	mg/kg	0.1	Metals-021	[NT]	15	<0.1	<0.1	0		[NT]
Nickel	mg/kg	1	Metals-020	[NT]	15	2	2	0		[NT]
Zinc	mg/kg	1	Metals-020	[NT]	15	38	8	130		[NT]

QUALITY CONTROL: Misc Soil - Inorg					Duplicate				Spike Recovery %	
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-1	259409-4
Date prepared	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Date analysed	-			14/01/2021	1	14/01/2021	14/01/2021		14/01/2021	14/01/2021
Total Phenolics (as Phenol)	mg/kg	5	Inorg-031	<5	1	<b>&lt;</b> 5	<5	0	101	101

Envirolab Reference: 259409

Revision No: R00

Result Definiti	ons
NT	Not tested
NA	Test not required
INS	Insufficient sample for this test
PQL	Practical Quantitation Limit
<	Less than
>	Greater than
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
NS	Not specified
NEPM	National Environmental Protection Measure
NR	Not Reported

Envirolab Reference: 259409

Revision No: R00

<b>Quality Contro</b>	ol Definitions
Blank	This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.
Duplicate	This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.
Matrix Spike	A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.
LCS (Laboratory Control Sample)	This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.
Surrogate Spike	Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Australian Drinking Water Guidelines recommend that Thermotolerant Coliform, Faecal Enterococci, & E.Coli levels are less than 1cfu/100mL. The recommended maximums are taken from "Australian Drinking Water Guidelines", published by NHMRC & ARMC 2011.

The recommended maximums for analytes in urine are taken from "2018 TLVs and BEIs", as published by ACGIH (where available). Limit provided for Nickel is a precautionary guideline as per Position Paper prepared by AIOH Exposure Standards Committee, 2016.

Guideline limits for Rinse Water Quality reported as per analytical requirements and specifications of AS 4187, Amdt 2 2019, Table 7.2

#### **Laboratory Acceptance Criteria**

Revision No:

R00

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: >10xPQL - RPD acceptance criteria will vary depending on the analytes and the analytical techniques but is typically in the range 20%-50% – see ELN-P05 QA/QC tables for details; <10xPQL - RPD are higher as the results approach PQL and the estimated measurement uncertainty will statistically increase.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals (not SPOCAS); 60-140% for organics/SPOCAS (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Measurement Uncertainty estimates are available for most tests upon request.

Analysis of aqueous samples typically involves the extraction/digestion and/or analysis of the liquid phase only (i.e. NOT any settled sediment phase but inclusive of suspended particles if present), unless stipulated on the Envirolab COC and/or by correspondence. Notable exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, total recoverable metals and PFAS where solids are included by default.

Samples for Microbiological analysis (not Amoeba forms) received outside of the 2-8°C temperature range do not meet the ideal cooling conditions as stated in AS2031-2012.

Envirolab Reference: 259409 Page | 30 of 31

#### **Report Comments**

TRH Soil C10-C40 NEPM - # Percent recovery for the matrix spike is not possible to report as the high concentration of analytes in sample 259409-4 has caused interference.

Acid Extractable Metals in Soil: The laboratory RPD acceptance criteria has been exceeded for 259409-15 for Zn. Therefore a triplicate result has been issued as laboratory sample number 259409-23.

Asbestos-ID in soil: NEPM

This report is consistent with the reporting recommendations in the National Environment Protection (Assessment of Site Contamination) Measure, Schedule B1, May 2013. This is reported outside our scope of NATA accreditation.

Factual description of asbestos identified in the soil samples: NEPM Sample 259409-7; Chrysotile asbestos identified in 0.0014g of loose fibre bundles

Sample 259409-12; Chrysotile asbestos identified in 0.2271g of fibre cement material >7mm

Envirolab Reference: 259409 Page | 31 of 31 Revision No: R00



Envirolab Services Pty Ltd
ABN 37 112 535 645
12 Ashley St Chatswood NSW 2067
ph 02 9910 6200 fax 02 9910 6201
customerservice@envirolab.com.au
www.envirolab.com.au

#### **SAMPLE RECEIPT ADVICE**

Client Details	
Client	JK Environments
Attention	Anthony Barkway

Sample Login Details	
Your reference	E33770PA, Annandale
Envirolab Reference	259409
Date Sample Received	13/01/2021
Date Instructions Received	13/01/2021
Date Results Expected to be Reported	20/01/2021

Sample Condition	
Samples received in appropriate condition for analysis	Yes
No. of Samples Provided	22 Soil
Turnaround Time Requested	Standard
Temperature on Receipt (°C)	9.1
Cooling Method	Ice Pack
Sampling Date Provided	YES

Comments	
Nil	

#### Please direct any queries to:

Aileen Hie	Jacinta Hurst
Phone: 02 9910 6200	Phone: 02 9910 6200
Fax: 02 9910 6201	Fax: 02 9910 6201
Email: ahie@envirolab.com.au	Email: jhurst@envirolab.com.au

Analysis Underway, details on the following page:



Envirolab Services Pty Ltd
ABN 37 112 535 645
12 Ashley St Chatswood NSW 2067
ph 02 9910 6200 fax 02 9910 6201
customerservice@envirolab.com.au

www.envirolab.com.au

Sample ID	vTRH(C6-C10)/BTEXN in Soil	svTRH (C10-C40) in Soil	PAHs in Soil	Organochlorine Pesticides in soil	Organophosphorus Pesticides in Soil	PCBsin Soil	Acid Extractable metalsin soil	Misc Soil - Inorg	Asbestos ID - soils NEPM - ASB- 001	On Hold
BH1-0.15-0.25	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BH1-0.6-0.85	✓	✓	✓				✓			
BH1-1-1.1										✓
BH2-0.2-0.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BH2-0.45-0.55	✓	✓	✓				✓			
BH2-1.1-1.2										✓
BH3-0.2-0.3	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BH3-0.6-0.7	✓	✓	✓				✓			
BH3-1.1-1.2										✓
BH3-1.8-1.9										✓
BH3-3-3.1										✓
BH4-0.15-0.25	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BH4-0.45-0.55	✓	✓	✓				✓			
BH4-0.6-0.7										✓
BH5-0.15-0.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BH5-0.25-0.35	✓	✓	✓				✓			
BH5-0.6-0.8										✓
BH5-0.8-0.9										✓
SDUP1	✓	✓	✓				✓			
SDUP2										✓
TBS1	✓									
TSS1	✓									

The '√' indicates the testing you have requested. THIS IS NOT A REPORT OF THE RESULTS.

#### **Additional Info**

Sample storage - Waters are routinely disposed of approximately 1 month and soils approximately 2 months from receipt.

Requests for longer term sample storage must be received in writing.

Please contact the laboratory immediately if observed settled sediment present in water samples is to be included in the extraction and/or analysis (exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, Total Recoverable metals and PFAS analysis where solids are included by default.

TAT for Micro is dependent on incubation. This varies from 3 to 6 days.

# 259409 (updated.

Х

Х

Х

х

Х

X

SAMPLE AND CHAIN OF CUSTODY FORM <u>TO:</u> FROM: E33770PA **ENVIROLAB SERVICES PTY LTD** JKE Job 12 ASHLEY STREET Number: **JK**Environments CHATSWOOD NSW 2067 P: (02) 99106200 Date Results STANDARD REAR OF 115 WICKS ROAD F: (02) 99106201 MACQUARIE PARK, NSW 2113 Required: P: 02-9888 5000 F: 02-9888 5001 Attention: Aileen 1 of 1 Attention: Page: Abarkaway@jkenvironments.com.au Sample Preserved in Esky on Ice Location: Annandale Tests Required AVB Sampler: Asbestos WA Sample Container Combo 3 Combo 8 Method HOLD Date Lab Sample BTEX Depth (m) PID Sampled Ref: Number F: Silty Sand Х х 12.1.21 BH1 0.15-0.25 G 0 Sandstone Х 1 12.1.21 BH1 0.6-0.85 3 G 0 Sandstone Х вн1 1-1.1 12.1.21 G, A 0 F: Silty Gravelley Sand 12.1.21 вн2 0.2-0.3 G 0 Silty Clay х 12.1.21 вн2 0.45-0.55 6 G 0 Sandstone x 1.1-1.2 12.1.21 BH2 G, A 0.1 F: Silty Gravelley Sand Χ Χ внз 0.2-0.3 12.1.21 G 0.1 Sandstone х 12.1.21 внз 0.6-0.7 9 G 0.1 х Sandstone внз 12.1.21 1.1-1.2 10 G 1.2 Sandstone Х 1.8-1.9 вна 12.1.21 0 Sandstone х 11 12.1.21 внз 3-3.1 12 G, A 0.2 F: Silty Gravelley Sand х Х вн4 0.15-0.25 12.1.21 G 0 F: Silty Gravelley Sand Х 12.1.21 вн4 0.45-0.55 14 BH4 G 0 Sandstone Х 0.6-0.7 12.1.21 G, A 0 F: Sand Х 0.15-0.2 12.1.21 ВН5 16 G, A 0 F: Silty Gravelley Sand Х 12.1.21 вн5 0.25-0.35

Remarks (comments/detection limits required): Sample Containers: G - 250mg Glass Jar A - Ziplock Asbestos Bag P - Plastic Bag Date: 13.01.2021 Relinquished By: Anthony Barkway Time: Received Av Date:

Sandstone

Sandstone

18

10

21 TBS1 12 TSS1

BH5 12 BHS

SDUP1

10 SDUP2

12.1.21

12.1.21

12.1.21

12.1.21

G

G

0.6-0.8

0.8-0.9

0

0.2



**Envirolab Services Pty Ltd** 

ABN 37 112 535 645 12 Ashley St Chatswood NSW 2067 ph 02 9910 6200 fax 02 9910 6201 customerservice@envirolab.com.au www.envirolab.com.au

#### **CERTIFICATE OF ANALYSIS 259572**

Client Details	
Client	JK Environments
Attention	Anthony Barkway
Address	PO Box 976, North Ryde BC, NSW, 1670

Sample Details	
Your Reference	E33770PA, Annandale
Number of Samples	5 WATER
Date samples received	15/01/2021
Date completed instructions received	15/01/2021

#### **Analysis Details**

Please refer to the following pages for results, methodology summary and quality control data.

Samples were analysed as received from the client. Results relate specifically to the samples as received.

Results are reported on a dry weight basis for solids and on an as received basis for other matrices.

Report Details	
Date results requested by	22/01/2021
Date of Issue	21/01/2021
NATA Accreditation Number 2901	. This document shall not be reproduced except in full.
Accredited for compliance with IS	D/IEC 17025 - Testing. Tests not covered by NATA are denoted with *

**Results Approved By** 

Dragana Tomas, Senior Chemist Jaimie Loa-Kum-Cheung, Metals Supervisor Josh Williams, Senior Chemist Priya Samarawickrama, Senior Chemist Authorised By

Nancy Zhang, Laboratory Manager



VOCs in water			
Our Reference		259572-1	259572-2
Your Reference	UNITS	MW2	MW3
Date Sampled		15/01/2021	15/01/2021
Type of sample		WATER	WATER
Date extracted	-	18/01/2021	18/01/2021
Date analysed	-	19/01/2021	19/01/2021
Dichlorodifluoromethane	μg/L	<10	<10
Chloromethane	μg/L	<10	<10
Vinyl Chloride	μg/L	<10	<10
Bromomethane	μg/L	<10	<10
Chloroethane	μg/L	<10	<10
Trichlorofluoromethane	μg/L	<10	<10
1,1-Dichloroethene	μg/L	<1	<1
Trans-1,2-dichloroethene	μg/L	<1	<1
1,1-dichloroethane	μg/L	<1	<1
Cis-1,2-dichloroethene	μg/L	<1	4
Bromochloromethane	μg/L	<1	<1
Chloroform	μg/L	<1	4
2,2-dichloropropane	μg/L	<1	<1
1,2-dichloroethane	μg/L	<1	<1
1,1,1-trichloroethane	μg/L	<1	<1
1,1-dichloropropene	μg/L	<1	<1
Cyclohexane	μg/L	<1	<1
Carbon tetrachloride	μg/L	<1	<1
Benzene	μg/L	<1	1
Dibromomethane	μg/L	<1	<1
1,2-dichloropropane	μg/L	<1	<1
Trichloroethene	μg/L	<1	2
Bromodichloromethane	μg/L	<1	<1
trans-1,3-dichloropropene	μg/L	<1	<1
cis-1,3-dichloropropene	μg/L	<1	<1
1,1,2-trichloroethane	μg/L	<1	<1
Toluene	μg/L	<1	1
1,3-dichloropropane	μg/L	<1	<1
Dibromochloromethane	μg/L	<1	<1
1,2-dibromoethane	μg/L	<1	<1
Tetrachloroethene	μg/L	<1	4
1,1,1,2-tetrachloroethane	μg/L	<1	<1
Chlorobenzene	μg/L	<1	<1
Ethylbenzene	μg/L	<1	<1

VOCs in water			
Our Reference		259572-1	259572-2
Your Reference	UNITS	MW2	MW3
Date Sampled		15/01/2021	15/01/2021
Type of sample		WATER	WATER
Bromoform	μg/L	<1	<1
m+p-xylene	μg/L	<2	<2
Styrene	μg/L	<1	<1
1,1,2,2-tetrachloroethane	μg/L	<1	<1
o-xylene	μg/L	<1	2
1,2,3-trichloropropane	μg/L	<1	<1
Isopropylbenzene	μg/L	<1	<1
Bromobenzene	μg/L	<1	<1
n-propyl benzene	μg/L	<1	<1
2-chlorotoluene	μg/L	<1	<1
4-chlorotoluene	μg/L	<1	<1
1,3,5-trimethyl benzene	μg/L	<1	<1
Tert-butyl benzene	μg/L	<1	<1
1,2,4-trimethyl benzene	μg/L	<1	<1
1,3-dichlorobenzene	μg/L	<1	<1
Sec-butyl benzene	μg/L	<1	<1
1,4-dichlorobenzene	μg/L	<1	<1
4-isopropyl toluene	μg/L	<1	<1
1,2-dichlorobenzene	μg/L	<1	<1
n-butyl benzene	μg/L	<1	<1
1,2-dibromo-3-chloropropane	μg/L	<1	<1
1,2,4-trichlorobenzene	μg/L	<1	<1
Hexachlorobutadiene	μg/L	<1	<1
1,2,3-trichlorobenzene	μg/L	<1	<1
Surrogate Dibromofluoromethane	%	103	102
Surrogate toluene-d8	%	99	101
Surrogate 4-BFB	%	99	102

vTRH(C6-C10)/BTEXN in Water						
Our Reference		259572-1	259572-2	259572-3	259572-4	259572-5
Your Reference	UNITS	MW2	MW3	WDUP1	TBW1	TSW1
Date Sampled		15/01/2021	15/01/2021	15/01/2021	15/01/2021	15/01/2021
Type of sample		WATER	WATER	WATER	WATER	WATER
Date extracted	-	18/01/2021	18/01/2021	18/01/2021	18/01/2021	18/01/2021
Date analysed	-	19/01/2021	19/01/2021	19/01/2021	19/01/2021	19/01/2021
TRH C <sub>6</sub> - C <sub>9</sub>	μg/L	<10	<10	<10	<10	[NA]
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	<10	<10	<10	<10	[NA]
TRH C <sub>6</sub> - C <sub>10</sub> less BTEX (F1)	μg/L	<10	<10	<10	<10	[NA]
Benzene	μg/L	<1	1	<1	<1	100%
Toluene	μg/L	<1	1	<1	<1	103%
Ethylbenzene	μg/L	<1	<1	<1	<1	97%
m+p-xylene	μg/L	<2	<2	<2	<2	91%
o-xylene	μg/L	<1	2	<1	<1	95%
Naphthalene	μg/L	<1	<1	<1	<1	[NA]
Surrogate Dibromofluoromethane	%	103	102	99	104	90
Surrogate toluene-d8	%	99	101	98	100	86
Surrogate 4-BFB	%	99	102	100	100	81

svTRH (C10-C40) in Water				
Our Reference		259572-1	259572-2	259572-3
Your Reference	UNITS	MW2	MW3	WDUP1
Date Sampled		15/01/2021	15/01/2021	15/01/2021
Type of sample		WATER	WATER	WATER
Date extracted	-	18/01/2021	18/01/2021	18/01/2021
Date analysed	-	19/01/2021	19/01/2021	19/01/2021
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	68	150	57
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	160	190	140
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	<100	<100	<100
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	160	270	140
TRH >C <sub>10</sub> - C <sub>16</sub> less Naphthalene (F2)	μg/L	160	270	140
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	<100	<100	<100
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	<100	<100	<100
Surrogate o-Terphenyl	%	89	74	80

PAHs in Water - Low Level				
Our Reference		259572-1	259572-2	259572-3
Your Reference	UNITS	MW2	MW3	WDUP1
Date Sampled		15/01/2021	15/01/2021	15/01/2021
Type of sample		WATER	WATER	WATER
Date extracted	-	18/01/2021	18/01/2021	18/01/2021
Date analysed	-	18/01/2021	18/01/2021	18/01/2021
Naphthalene	μg/L	<0.2	<0.2	<0.2
Acenaphthylene	μg/L	<0.1	<0.1	<0.1
Acenaphthene	μg/L	<0.1	<0.1	<0.1
Fluorene	μg/L	<0.1	<0.1	<0.1
Phenanthrene	μg/L	<0.1	<0.1	<0.1
Anthracene	μg/L	<0.1	<0.1	<0.1
Fluoranthene	μg/L	<0.1	<0.1	<0.1
Pyrene	μg/L	<0.1	<0.1	<0.1
Benzo(a)anthracene	μg/L	<0.1	<0.1	<0.1
Chrysene	μg/L	<0.1	<0.1	<0.1
Benzo(b,j+k)fluoranthene	μg/L	<0.2	<0.2	<0.2
Benzo(a)pyrene	μg/L	<0.1	<0.1	<0.1
Indeno(1,2,3-c,d)pyrene	μg/L	<0.1	<0.1	<0.1
Dibenzo(a,h)anthracene	μg/L	<0.1	<0.1	<0.1
Benzo(g,h,i)perylene	μg/L	<0.1	<0.1	<0.1
Benzo(a)pyrene TEQ	μg/L	<0.5	<0.5	<0.5
Total +ve PAH's	μg/L	<0.1	<0.1	<0.1
Surrogate p-Terphenyl-d14	%	90	78	90

HM in water - dissolved				
Our Reference		259572-1	259572-2	259572-3
Your Reference	UNITS	MW2	MW3	WDUP1
Date Sampled		15/01/2021	15/01/2021	15/01/2021
Type of sample		WATER	WATER	WATER
Date prepared	-	18/01/2021	18/01/2021	18/01/2021
Date analysed	-	18/01/2021	18/01/2021	18/01/2021
Arsenic-Dissolved	μg/L	<1	<1	<1
Cadmium-Dissolved	μg/L	0.3	0.1	0.3
Chromium-Dissolved	μg/L	<1	16	<1
Copper-Dissolved	μg/L	<1	3	<1
Lead-Dissolved	μg/L	<1	<1	<1
Mercury-Dissolved	μg/L	<0.05	<0.05	<0.05
Nickel-Dissolved	μg/L	2	2	2
Zinc-Dissolved	μg/L	16	520	15

Miscellaneous Inorganics			
Our Reference		259572-1	259572-2
Your Reference	UNITS	MW2	MW3
Date Sampled		15/01/2021	15/01/2021
Type of sample		WATER	WATER
Date prepared	-	15/01/2021	15/01/2021
Date analysed	-	15/01/2021	15/01/2021
рН	pH Units	6.5	6.7
Electrical Conductivity	μS/cm	600	590

Method ID	Methodology Summary
Inorg-001	pH - Measured using pH meter and electrode in accordance with APHA latest edition, 4500-H+. Please note that the results for water analyses are indicative only, as analysis outside of the APHA storage times.
Inorg-002	Conductivity and Salinity - measured using a conductivity cell at 25°C in accordance with APHA latest edition 2510 and Rayment & Lyons.
Metals-021	Determination of Mercury by Cold Vapour AAS.
Metals-022	Determination of various metals by ICP-MS.
Org-020	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-FID. F2 = (>C10-C16)-Naphthalene as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater (HSLs Tables 1A (3, 4)). Note Naphthalene is determined from the VOC analysis.
Org-022/025	Soil samples are extracted with Dichloromethane/Acetone and waters with Dichloromethane and analysed by GC-MS/GC-MSMS. Benzo(a)pyrene TEQ as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater - 2013.
Org-023	Water samples are analysed directly by purge and trap GC-MS.
Org-023	Soil samples are extracted with methanol and spiked into water prior to analysing by purge and trap GC-MS. Water samples are analysed directly by purge and trap GC-MS. F1 = (C6-C10)-BTEX as per NEPM B1 Guideline on Investigation Levels for Soil and Groundwater.

QUAL	ITY CONTROI	.: VOCs i	n water			Du	ıplicate		Spike Red	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W3	[NT]
Date extracted	-			18/01/2021	2	18/01/2021	19/01/2021		18/01/2021	
Date analysed	-			19/01/2021	2	19/01/2021	19/01/2021		19/01/2021	
Dichlorodifluoromethane	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
Chloromethane	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
Vinyl Chloride	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
Bromomethane	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
Chloroethane	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
Trichlorofluoromethane	μg/L	10	Org-023	<10	2	<10	<10	0	[NT]	
1,1-Dichloroethene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Trans-1,2-dichloroethene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,1-dichloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	116	
Cis-1,2-dichloroethene	μg/L	1	Org-023	<1	2	4	4	0	[NT]	
Bromochloromethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Chloroform	μg/L	1	Org-023	<1	2	4	4	0	107	
2,2-dichloropropane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2-dichloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	109	
1,1,1-trichloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	108	
1,1-dichloropropene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Cyclohexane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Carbon tetrachloride	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Benzene	μg/L	1	Org-023	<1	2	1	1	0	[NT]	
Dibromomethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2-dichloropropane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Trichloroethene	μg/L	1	Org-023	<1	2	2	2	0	115	
Bromodichloromethane	μg/L	1	Org-023	<1	2	<1	<1	0	118	
trans-1,3-dichloropropene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
cis-1,3-dichloropropene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,1,2-trichloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Toluene	μg/L	1	Org-023	<1	2	1	1	0	[NT]	
1,3-dichloropropane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Dibromochloromethane	μg/L	1	Org-023	<1	2	<1	<1	0	121	
1,2-dibromoethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Tetrachloroethene	μg/L	1	Org-023	<1	2	4	5	22	117	
1,1,1,2-tetrachloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Chlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Ethylbenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Bromoform	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
m+p-xylene	μg/L	2	Org-023	<2	2	<2	<2	0	[NT]	
Styrene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,1,2,2-tetrachloroethane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	

QUALITY CONTROL: VOCs in water						Dı		Spike Recovery %		
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W3	[NT]
o-xylene	μg/L	1	Org-023	<1	2	2	2	0	[NT]	
1,2,3-trichloropropane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Isopropylbenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Bromobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
n-propyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
2-chlorotoluene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
4-chlorotoluene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,3,5-trimethyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Tert-butyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2,4-trimethyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,3-dichlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Sec-butyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,4-dichlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
4-isopropyl toluene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2-dichlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
n-butyl benzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2-dibromo-3-chloropropane	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2,4-trichlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Hexachlorobutadiene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
1,2,3-trichlorobenzene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Surrogate Dibromofluoromethane	%		Org-023	102	2	102	102	0	99	
Surrogate toluene-d8	%		Org-023	102	2	101	101	0	95	
Surrogate 4-BFB	%		Org-023	102	2	102	96	6	73	

Envirolab Reference: 259572

Revision No: R00

QUALITY CONT	ROL: vTRH(	C6-C10)/E	BTEXN in Water			Du	plicate		Spike Re	covery %
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W3	[NT]
Date extracted	-			18/01/2021	2	18/01/2021	19/01/2021		18/01/2021	
Date analysed	-			19/01/2021	2	19/01/2021	19/01/2021		19/01/2021	
TRH C <sub>6</sub> - C <sub>9</sub>	μg/L	10	Org-023	<10	2	<10	<10	0	100	
TRH C <sub>6</sub> - C <sub>10</sub>	μg/L	10	Org-023	<10	2	<10	<10	0	100	
Benzene	μg/L	1	Org-023	<1	2	1	1	0	115	
Toluene	μg/L	1	Org-023	<1	2	1	1	0	117	
Ethylbenzene	μg/L	1	Org-023	<1	2	<1	<1	0	89	
m+p-xylene	μg/L	2	Org-023	<2	2	<2	<2	0	90	
o-xylene	μg/L	1	Org-023	<1	2	2	2	0	90	
Naphthalene	μg/L	1	Org-023	<1	2	<1	<1	0	[NT]	
Surrogate Dibromofluoromethane	%		Org-023	102	2	102	102	0	99	
Surrogate toluene-d8	%		Org-023	102	2	101	101	0	95	
Surrogate 4-BFB	%		Org-023	102	2	102	96	6	73	

Envirolab Reference: 259572

Revision No: R00

QUALITY CONTROL: svTRH (C10-C40) in Water				Du	plicate		Spike Recovery %			
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			18/01/2021	[NT]		[NT]	[NT]	18/01/2021	
Date analysed	-			19/01/2021	[NT]		[NT]	[NT]	19/01/2021	
TRH C <sub>10</sub> - C <sub>14</sub>	μg/L	50	Org-020	<50	[NT]		[NT]	[NT]	84	
TRH C <sub>15</sub> - C <sub>28</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	81	
TRH C <sub>29</sub> - C <sub>36</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	87	
TRH >C <sub>10</sub> - C <sub>16</sub>	μg/L	50	Org-020	<50	[NT]		[NT]	[NT]	84	
TRH >C <sub>16</sub> - C <sub>34</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	81	
TRH >C <sub>34</sub> - C <sub>40</sub>	μg/L	100	Org-020	<100	[NT]		[NT]	[NT]	87	
Surrogate o-Terphenyl	%		Org-020	83	[NT]		[NT]	[NT]	124	

QUALITY C	ONTROL: PAH	PAHs in Water - Low Level Duplicate Spike Recovery				overy <u></u> %				
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W2	[NT]
Date extracted	-			18/01/2021	[NT]		[NT]	[NT]	18/01/2021	
Date analysed	-			18/01/2021	[NT]		[NT]	[NT]	18/01/2021	
Naphthalene	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	80	
Acenaphthylene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Acenaphthene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	78	
Fluorene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	86	
Phenanthrene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	94	
Anthracene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Fluoranthene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	83	
Pyrene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	86	
Benzo(a)anthracene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Chrysene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	86	
Benzo(b,j+k)fluoranthene	μg/L	0.2	Org-022/025	<0.2	[NT]		[NT]	[NT]	[NT]	
Benzo(a)pyrene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	83	
Indeno(1,2,3-c,d)pyrene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Dibenzo(a,h)anthracene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Benzo(g,h,i)perylene	μg/L	0.1	Org-022/025	<0.1	[NT]		[NT]	[NT]	[NT]	
Surrogate p-Terphenyl-d14	%		Org-022/025	92	[NT]		[NT]	[NT]	83	

Envirolab Reference: 259572

Revision No: R00

QUALITY CONTROL: HM in water - dissolved					Du		Spike Recovery %			
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date prepared	-			18/01/2021	[NT]		[NT]	[NT]	18/01/2021	
Date analysed	-			18/01/2021	[NT]		[NT]	[NT]	18/01/2021	
Arsenic-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	99	
Cadmium-Dissolved	μg/L	0.1	Metals-022	<0.1	[NT]		[NT]	[NT]	100	
Chromium-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	96	
Copper-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	97	
Lead-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	95	
Mercury-Dissolved	μg/L	0.05	Metals-021	<0.05	[NT]		[NT]	[NT]	111	
Nickel-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	98	
Zinc-Dissolved	μg/L	1	Metals-022	<1	[NT]		[NT]	[NT]	100	

QUALITY CONTROL: Miscellaneous Inorganics					Du	plicate	Spike Recovery %			
Test Description	Units	PQL	Method	Blank	#	Base	Dup.	RPD	LCS-W1	[NT]
Date prepared	-			15/01/2021	[NT]		[NT]	[NT]	15/01/2021	
Date analysed	-			15/01/2021	[NT]		[NT]	[NT]	15/01/2021	
рН	pH Units		Inorg-001	[NT]	[NT]		[NT]	[NT]	103	
Electrical Conductivity	μS/cm	1	Inorg-002	<1	[NT]		[NT]	[NT]	103	

Result Definiti	ons
NT	Not tested
NA	Test not required
INS	Insufficient sample for this test
PQL	Practical Quantitation Limit
<	Less than
>	Greater than
RPD	Relative Percent Difference
LCS	Laboratory Control Sample
NS	Not specified
NEPM	National Environmental Protection Measure
NR	Not Reported

Envirolab Reference: 259572

Revision No: R00

<b>Quality Contro</b>	ol Definitions
Blank	This is the component of the analytical signal which is not derived from the sample but from reagents, glassware etc, can be determined by processing solvents and reagents in exactly the same manner as for samples.
Duplicate	This is the complete duplicate analysis of a sample from the process batch. If possible, the sample selected should be one where the analyte concentration is easily measurable.
Matrix Spike	A portion of the sample is spiked with a known concentration of target analyte. The purpose of the matrix spike is to monitor the performance of the analytical method used and to determine whether matrix interferences exist.
LCS (Laboratory Control Sample)	This comprises either a standard reference material or a control matrix (such as a blank sand or water) fortified with analytes representative of the analyte class. It is simply a check sample.
Surrogate Spike	Surrogates are known additions to each sample, blank, matrix spike and LCS in a batch, of compounds which are similar to the analyte of interest, however are not expected to be found in real samples.

Australian Drinking Water Guidelines recommend that Thermotolerant Coliform, Faecal Enterococci, & E.Coli levels are less than 1cfu/100mL. The recommended maximums are taken from "Australian Drinking Water Guidelines", published by NHMRC & ARMC 2011.

The recommended maximums for analytes in urine are taken from "2018 TLVs and BEIs", as published by ACGIH (where available). Limit provided for Nickel is a precautionary guideline as per Position Paper prepared by AIOH Exposure Standards Committee, 2016.

Guideline limits for Rinse Water Quality reported as per analytical requirements and specifications of AS 4187, Amdt 2 2019, Table 7.2

#### **Laboratory Acceptance Criteria**

Duplicate sample and matrix spike recoveries may not be reported on smaller jobs, however, were analysed at a frequency to meet or exceed NEPM requirements. All samples are tested in batches of 20. The duplicate sample RPD and matrix spike recoveries for the batch were within the laboratory acceptance criteria.

Filters, swabs, wipes, tubes and badges will not have duplicate data as the whole sample is generally extracted during sample extraction.

Spikes for Physical and Aggregate Tests are not applicable.

For VOCs in water samples, three vials are required for duplicate or spike analysis.

Duplicates: >10xPQL - RPD acceptance criteria will vary depending on the analytes and the analytical techniques but is typically in the range 20%-50% – see ELN-P05 QA/QC tables for details; <10xPQL - RPD are higher as the results approach PQL and the estimated measurement uncertainty will statistically increase.

Matrix Spikes, LCS and Surrogate recoveries: Generally 70-130% for inorganics/metals (not SPOCAS); 60-140% for organics/SPOCAS (+/-50% surrogates) and 10-140% for labile SVOCs (including labile surrogates), ultra trace organics and speciated phenols is acceptable.

In circumstances where no duplicate and/or sample spike has been reported at 1 in 10 and/or 1 in 20 samples respectively, the sample volume submitted was insufficient in order to satisfy laboratory QA/QC protocols.

When samples are received where certain analytes are outside of recommended technical holding times (THTs), the analysis has proceeded. Where analytes are on the verge of breaching THTs, every effort will be made to analyse within the THT or as soon as practicable.

Where sampling dates are not provided, Envirolab are not in a position to comment on the validity of the analysis where recommended technical holding times may have been breached.

Measurement Uncertainty estimates are available for most tests upon request.

Analysis of aqueous samples typically involves the extraction/digestion and/or analysis of the liquid phase only (i.e. NOT any settled sediment phase but inclusive of suspended particles if present), unless stipulated on the Envirolab COC and/or by correspondence. Notable exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, total recoverable metals and PFAS where solids are included by default.

Samples for Microbiological analysis (not Amoeba forms) received outside of the 2-8°C temperature range do not meet the ideal cooling conditions as stated in AS2031-2012.

Envirolab Reference: 259572 Page | 18 of 18 Revision No: R00



Envirolab Services Pty Ltd
ABN 37 112 535 645
12 Ashley St Chatswood NSW 2067
ph 02 9910 6200 fax 02 9910 6201
customerservice@envirolab.com.au
www.envirolab.com.au

#### **SAMPLE RECEIPT ADVICE**

Client Details	
Client	JK Environments
Attention	Anthony Barkway

Sample Login Details	
Your reference	E33770PA, Annandale
Envirolab Reference	259572
Date Sample Received	15/01/2021
Date Instructions Received	15/01/2021
Date Results Expected to be Reported	22/01/2021

Sample Condition	
Samples received in appropriate condition for analysis	Yes
No. of Samples Provided	5 WATER
Turnaround Time Requested	Standard
Temperature on Receipt (°C)	11.1
Cooling Method	Ice Pack
Sampling Date Provided	YES

Comments	
Nil	

#### Please direct any queries to:

Aileen Hie	Jacinta Hurst
Phone: 02 9910 6200	Phone: 02 9910 6200
Fax: 02 9910 6201	Fax: 02 9910 6201
Email: ahie@envirolab.com.au	Email: jhurst@envirolab.com.au

Analysis Underway, details on the following page:



Envirolab Services Pty Ltd
ABN 37 112 535 645
12 Ashley St Chatswood NSW 2067
ph 02 9910 6200 fax 02 9910 6201

ph 02 9910 6200 fax 02 9910 6201 customerservice@envirolab.com.au www.envirolab.com.au

Sample ID	VOCs in water	vTRH(C6-C10)/BTEXN in Water	svTRH (C10-C40) in Water	PAHs in Water - Low Level	HM in water - dissolved	Hd	Electrical Conductivity
MW2	✓	✓	✓	✓	✓	✓	✓
MW3	✓	✓	✓	✓	✓	✓	✓
WDUP1		✓	✓	✓	✓		
TBW1		✓					
TSW1		✓					

The '\sigma' indicates the testing you have requested. THIS IS NOT A REPORT OF THE RESULTS.

#### **Additional Info**

Sample storage - Waters are routinely disposed of approximately 1 month and soils approximately 2 months from receipt.

Requests for longer term sample storage must be received in writing.

Please contact the laboratory immediately if observed settled sediment present in water samples is to be included in the extraction and/or analysis (exceptions include certain Physical Tests (pH/EC/BOD/COD/Apparent Colour etc.), Solids testing, Total Recoverable metals and PFAS analysis where solids are included by default.

TAT for Micro is dependent on incubation. This varies from 3 to 6 days.

SAMPLE AND CHAIN OF CUSTODY FORM

TO: ENVIROLAB S 12 ASHLEY ST CHATSWOOD P: (02) 99106: F: (02) 99106: Attention: Ail	REET NSW 20 200 201		JKE Job Number: Date Results Required: Page:	E33770PA STANDARD		,		回機	MAC P: 02		L5 WIC IE PAR 5000	KS RC	AD N 211	nm 3 9888 5		its	
	<del></del>			-		I			Co						com.a	<u>u</u>	
Location: Sampler:	Annand MMP	ale	··					nple Preserved in Esky on Ice Tests Required									
Date Sampled	Lab Ref:	Sample Number	Sample Containers	PID	Sample Description	Combo 2	Combo 3L	VOCs	pH / EC	8 Metals	PAHs	твн/втех	втех	Hardness			
15.1.21	)_	MW2	2x G1, 4xV, 1xH, 1xPVC	7.8	Water		×	X	X		-						
15.1.21	2	MW3.	2x G1, 4xV, 1xH, 1xPVC	14.2	Water		X	1	X								
15.1.21	}	WDUP1	2x G1, 4xV, 1xH, 1xPVC	-	Water		X										
15.1.21	4	TBW1	1x V	-	Water			_					4				
15.1.21	5	TSW1	1x V	-	Water								4				
					· · · · ·	<u>-</u> -											
															1		
					E	nviro	DLAB	Chat	1 swooi	b Ser 2 Ashi 1 NSW 1 9910	ey St 2067						
		-				ob N Date F		•		25	12 16	72					
						Time I Recei Temp	Recei ed B	ved: v:	<b>∕</b> ent	13/	٤:	36	), 				-
						Caplin	ar Ice	tact/E	bck_	Non	e						
								1									
														-			
Remarks (cor				ntaine													
	ease	V - B1 PVC -	PVC - HDPE Plastic Bot				HNO3 Wash PVC ttles										
Relinquished	Ву:		Date: 15/1/2/			Time:				Received By:					Date:		



**Appendix F: Report Explanatory Notes** 



### **QA/QC Definitions**

The QA/QC terms used in this report are defined below. The definitions are in accordance with US EPA publication SW-846, entitled *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods* (1994)<sup>14</sup> methods and those described in *Environmental Sampling and Analysis, A Practical Guide*, (1991)<sup>15</sup>. The NEPM (2013) is consistent with these documents.

#### A. Practical Quantitation Limit (PQL), Limit of Reporting (LOR) & Estimated Quantitation Limit (EQL)

These terms all refer to the concentration above which results can be expressed with a minimum 95% confidence level. The laboratory reporting limits are generally set at ten times the standard deviation for the Method Detection Limit for each specific analyte. For the purposes of this report the LOR, PQL, and EQL are considered to be equivalent.

When assessing laboratory data it should be borne in mind that values at or near the PQL have two important limitations: "The uncertainty of the measurement value can approach, and even equal, the reported value. Secondly, confirmation of the analytes reported is virtually impossible unless identification uses highly selective methods. These issues diminish when reliably measurable amounts of analytes are present. Accordingly, legal and regulatory actions should be limited to data at or above the reliable detection limit" (Keith, 1991).

#### B. Precision

The degree to which data generated from repeated measurements differ from one another due to random errors. Precision is measured using the standard deviation or Relative Percent Difference (RPD).

#### C. Accuracy

Accuracy is a measure of the agreement between an experimental result and the true value of the parameter being measured (i.e. the proximity of an averaged result to the true value, where all random errors have been statistically removed). The assessment of accuracy for an analysis can be achieved through the analysis of known reference materials or assessed by the analysis of surrogates, field blanks, trip spikes and matrix spikes. Accuracy is typically reported as percent recovery.

#### D. Representativeness

Representativeness expresses the degree to which sample data accurately and precisely represents a characteristic of a population, parameter variations at a sampling point, or an environmental condition. Representativeness is primarily dependent upon the design and implementation of the sampling program. Representativeness of the data is partially ensured by the avoidance of contamination, adherence to sample handing and analysis protocols and use of proper chain-of-custody and documentation procedures.

#### E. Completeness

Completeness is a measure of the number of valid measurements in a data set compared to the total number of measurements made and overall performance against DQIs. The following information is assessed for completeness:

- Chain-of-custody forms;
- Sample receipt form;
- All sample results reported;
- All blank data reported;



<sup>&</sup>lt;sup>14</sup> US EPA, (1994). SW-846: Test Methods for Evaluating Solid Waste, Physical/Chemical Methods. (US EPA SW-846)

<sup>&</sup>lt;sup>15</sup> Keith., H, (1991). Environmental Sampling and Analysis, A Practical Guide



- All laboratory duplicate and RPDs calculated;
- All surrogate spike data reported;
- All matrix spike and lab control spike (LCS) data reported and RPDs calculated;
- Spike recovery acceptable limits reported; and
- NATA stamp on reports.

#### F. <u>Comparability</u>

Comparability is the evaluation of the similarity of conditions (e.g. sample depth, sample homogeneity) under which separate sets of data are produced. Data comparability checks include a bias assessment that may arise from the following sources:

- Collection and analysis of samples by different personnel; Use of different techniques;
- Collection and analysis by the same personnel using the same methods but at different times; and
- Spatial and temporal changes (due to environmental dynamics).

#### G. Blanks

The purpose of laboratory and field blanks is to check for artefacts and interferences that may arise during sampling, transport and analysis.

#### H. Matrix Spikes

Samples are spiked with laboratory grade standards to detect interactive effects between the sample matrix and the analytes being measured. Matrix Spikes are reported as a percent recovery and are prepared for 1 in every 20 samples. Sample batches that contain less than 20 samples may be reported with a Matrix Spike from another batch. The percent recovery is calculated using the formula below. Acceptable recovery limits are 70% to 130%.

(Spike Sample Result – Sample Result) x 100 Concentration of Spike Added

#### I. Surrogate Spikes

Samples are spiked with a known concentration of compounds that are chemically related to the analyte being investigated but unlikely to be detected in the environment. The purpose of the Surrogate Spikes is to check the accuracy of the analytical technique. Surrogate Spikes are reported as percent recovery.

#### J. <u>Duplicates</u>

Laboratory duplicates measure precision, expressed as Relative Percent Difference. Duplicates are prepared from a single field sample and analysed as two separate extraction procedures in the laboratory. The RPD is calculated using the formula where D1 is the sample concentration and D2 is the duplicate sample concentration:

 $\frac{(D1 - D2) \times 100}{\{(D1 + D2)/2\}}$ 



Appendix G: Data (QA/QC) Evaluation



### Data (QA/QC) Evaluation

#### A. <u>INTRODUCTION</u>

This Data (QA/QC) Evaluation forms part of the validation process for the DQOs documented in Section 6.1 of this report. Checks were made to assess the data in terms of precision, accuracy, representativeness, comparability and completeness. These 'PARCC' parameters are referred to collectively as DQIs and are defined in the Report Explanatory Notes attached in the report appendices.

#### 1. Field and Laboratory Considerations

The quality of the analytical data produced for this project has been considered in relation to the following:

- Sample collection, storage, transport and analysis;
- Laboratory PQLs;
- Field QA/QC results; and
- Laboratory QA/QC results.

#### 2. Field QA/QC Samples and Analysis

A summary of the field QA/QC samples collected and analysed for this investigation is provided in the following table:

Sample Type	Sample Identification	Frequency (of Sample Type)	Analysis Performed
Intra-laboratory duplicate (soil)	SDUP1 (primary sample BH3 0.2-0.3m)	Approximately 10% of primary samples	Heavy metals, TRH/BTEX and PAHs
Intra-laboratory duplicate (groundwater)	WDUP1 (primary sample MW2)	Approximately 50% of primary samples	Heavy metals, TRH/BTEX and PAHs
Trip spike (soil)	TSS1 (12/01/2021)	One for the investigation to demonstrate adequacy of preservation, storage and transport methods	ВТЕХ
Trip blank (soil)	TBS1 (12/01/2021)	One for the investigation to demonstrate adequacy of storage and transport methods	TRH F1, BTEX
Trip spike (groundwater)	TSW1 (15/01/2021)	One for the investigation to demonstrate adequacy of preservation, storage and transport methods	ВТЕХ
Trip blank (groundwater)	TBW1 (23/11/2020)	One for the investigation to demonstrate adequacy of storage and transport methods	BTEX



The results for the field QA/QC samples are detailed in the laboratory summary tables (Table S11 and Table G3) attached to the investigation report and are discussed in the subsequent sections of this Data (QA/QC) Evaluation report.

#### 3. Data Assessment Criteria

JKE adopted the following criteria for assessing the field and laboratory QA/QC analytical results:

#### **Field Duplicates**

Acceptable targets for precision of field duplicates in this report will be 30% or less, consistent with NEPM (2013). RPD failures will be considered qualitatively on a case-by-case basis taking into account factors such as the concentrations used to calculate the RPD (i.e. RPD exceedance where concentrations are close to the PQL are typically not as significant as those where concentrations are reported at least five or 10 times the PQL), sample type, collection methods and the specific analyte where the RPD exceedance was reported.

#### Field/Trip Blanks

Acceptable targets for field blank samples in this report will be less than the PQL for organic analytes.

#### Trip Spikes

Acceptable targets for trip spike samples in this report will be 70% to 130%.

#### Laboratory QA/QC

The suitability of the laboratory data is assessed against the laboratory QA/QC criteria which is outlined in the laboratory reports. These criteria were developed and implemented in accordance with the laboratory's NATA accreditation and align with the acceptable limits for QA/QC samples as outlined in NEPM (2013) and other relevant guidelines.

A summary of the acceptable limits adopted by the primary laboratory (Envirolab) is provided below:

#### **RPDs**

- Results that are <5 times the PQL, any RPD is acceptable; and</li>
- Results >5 times the PQL, RPDs between 0-50% are acceptable.

#### Laboratory Control Samples (LCS) and Matrix Spikes

- 70-130% recovery acceptable for metals and inorganics;
- 60-140% recovery acceptable for organics; and
- 10-140% recovery acceptable for VOCs.

#### Surrogate Spikes

- 60-140% recovery acceptable for general organics; and
- 10-140% recovery acceptable for VOCs.

#### **Method Blanks**

All results less than PQL.





#### B. DATA EVALUATION

#### 1. <u>Sample Collection, Storage, Transport and Analysis</u>

Samples were collected by trained field staff in accordance. Field sampling procedures were designed to be consistent with relevant guidelines, including NEPM (2013) and other guidelines made under the CLM Act 1997.

Appropriate sample preservation, handling and storage procedures were adopted. Laboratory analysis was undertaken within specified holding times in accordance with Schedule B(3) of NEPM (2013) and the laboratory NATA accredited methodologies.

JKE note that the temperature on receipt of soil samples was reported to be up to 9.1°C. JKE understand that the temperature is measured at the laboratory using an infrared temperature probe by scanning the outside of the sample container (i.e. one sample jar/container at the time of registering the samples). This procedure is not considered to be robust as there is a potential for the outside of the jar to warm to ambient temperature, or at least to increase from that of the internal contents, relatively quickly. On this basis, JKE are of the opinion that the temperatures reported on the Sample Receipts are unlikely to be reliable or representative of the overall batch. This is further supported by the trip spike recovery results (discussed further below) which reported adequate recovery in the range of 80% to 94%.

Review of the project data also indicated that:

- COC documentation was adequately maintained;
- Sample receipt advice documentation was provided for all sample batches;
- All analytical results were reported; and
- Consistent units were used to report the analysis results.

#### 2. <u>Laboratory PQLs</u>

Appropriate PQLs were adopted for the analysis and all PQLs were below the SAC, with the exception of the vinyl chloride and anthracene PQL for groundwater analysis which were greater than the SAC by approximately three and 10 times respectively. In light of the VOC/PAH concentrations reported for soil and groundwater, JKE are of the opinion that this is not significant, and it does not affect the quality of the dataset as a whole or the outcome/recommendations of the assessment.

#### 3. Field QA/QC Sample Results

#### **Field Duplicates**

The results indicated that field precision was acceptable. RPD non-conformances were reported for some analytes as discussed below:

- Elevated RPDs were reported for several PAH compounds in SDUP1/BH3 (0.2-0.3m); and
- Elevated RPDs were also reported for several heavy metals in SDUP1/BH3 (0.2-0.3m).

Soil RPD values outside the acceptable limits have been attributed to sample heterogeneity and the difficulties associated with obtaining homogenous duplicate samples of heterogeneous matrices. In addition, detectable concentrations of these analytes were relatively low and close to the laboratory PQLs which would yield higher RPD values for detected variations. As both the primary and duplicate sample results were





assessed against the SAC, the exceedances are not considered to have had an adverse impact on the data set or the decision-making process as a whole.

#### Field/Trip Blanks

During the investigation, one soil trip blank and one water trip blank were placed in the eskies during sampling and transported back to the laboratory. Analysis of both soil and water trip blanks revealed all results to be less than the PQLs, therefore cross contamination between samples that may have significance for data validity did not occur.

#### Trip Spikes

The soil trip spike results ranged from 80% to 94% and the water trip spike results ranged from 91% to 103%. The results indicated that field preservation methods were appropriate.

#### 4. <u>Laboratory QA/QC</u>

The analytical methods implemented by the laboratory were performed in accordance with their NATA accreditation and were consistent with Schedule B(3) of NEPM (2013). The frequency of data reported for the laboratory QA/QC (i.e. duplicates, spikes, blanks, LCS) was considered to be acceptable for the purpose of this investigation. A review of the laboratory QA/QC data identified the following minor non-conformances:

Report 259409 – The laboratory RPD for zinc in one sample exceeded the acceptance criteria. A
triplicate result has been issued for the exceedance.

The laboratory data quality non-conformances were minor and were not considered to impact the overall accuracy of the data.

#### C. DATA QUALITY SUMMARY

JKE are of the opinion that the data are adequately precise, accurate, representative, comparable and complete to serve as a basis for interpretation to achieve the investigation objectives.

Non-conformances were reported for some field QA/QC samples and laboratory QA/QC analysis. These non-conformances were considered to be sporadic and minor, and were not considered to be indicative of systematic sampling or analytical errors. On this basis, these non-conformances are not considered to materially impact the report findings.

There was only one groundwater monitoring event undertaken for the investigation. On this basis there is some uncertainty around the representativeness of the groundwater data, particularly during different climatic conditions and after wet/dry periods.



**Appendix H: Field Work Documents** 

## **JK**Environments



## **PID FIELD CALIBRATION FORM**

Client:	DEXUS								
Project:	Proposed Mixed Use Development								
Location:	122-128 & 130 Pyrmont Bridge Road; 206 Parramatta Road, ANNANDALE, NSW								
Job Number:	E33770PA								
	Р	ID							
Make: Mini Rae 2000	Model: PI)	Unit: Yellow	Date of last factory calibration: 19.8.20						
Date of calibration: 11 c	01.21	Name of Calibrator: AVB							
Calibration gas: Iso-butylen	e	Calibration Gas Concentration	on: 100.0 ppm						
Measured reading:	ppm	Error in measured reading:	± 🕠 ppm						
Measured reading Acceptab	ole (Yes/No):								
	Р	ID							
Make:	Model:	Unit:	Date of last factory calibration:						
Date of calibration:		Name of Calibrator:							
Calibration gas: Iso-butylen	e	Calibration Gas Concentration	on: 100.0 ppm						
Measured reading:	ppm	Error in measured reading: ± ppm							
Measured reading Acceptab	ole (Yes/No):								
	P	ID							
Make:	Model:	Unit: Date of last factory calibration:							
Date of calibration:		Name of Calibrator:							
Calibration gas: Iso-butylen	e	Calibration Gas Concentration	on: 100.0 ppm						
Measured reading:	ppm	Error in measured reading: ± ppm							
Measured reading Acceptab	ole (Yes/No):								
	Р	ID							
Make:	Model:	Unit:	Date of last factory calibration:						
Date of calibration:		Name of Calibrator:							
Calibration gas: Iso-butylen	e	Calibration Gas Concentration: 100.0 ppm							
Measured reading:	ppm	Error in measured reading: ± ppm							
Measured reading Acceptab	ole (Yes/No):								
	Р	ID							
			Date of last factory						
Make:	Model:	Unit:	calibration:						
Date of calibration:		Name of Calibrator:							
Calibration gas: Iso-butylen	e	Calibration Gas Concentration: 100.0 ppm							
Measured reading:		Error in measured reading: ± ppm							
	ppm	Error in measured reading:	± ppm						

# **JK**Environments



## WATER QUALITY METER CALIBRATION FORM

Client: DEXUS						
Project: Proposed Mixe	d Use Development					
Location: 122-128 & 130	Pyrmont Bridge Road; 206 Parramatta Road, ANNANDALE, NSW					
Job Number: E33770PA						
	ISSOLVED OXYGEN					
Make: YSI 5	Model: Professional Plus					
Date of calibration: 11.01.21	Name of Calibrator: 女v13					
Span value: 70% to 130%						
Measured value: 9990						
Measured reading Acceptable (Yes/No):	3					
	рН					
Make: YSI 5	Model: Professional Plus					
Date of calibration: 11.01.2	Name of Calibrator: AVS					
Buffer 1: Theoretical pH = 7.01± 0.01	Expiry date: Dec 2021 Lot No: 355904					
Buffer 2: Theoretical pH = 4.01± 0.01	Expiry date: War 2021 Lot No: 354 762					
Measured reading of Buffer 1: 🍞-🕬						
Measured reading of Buffer 2: 4.00						
Slope:	Measured reading Acceptable ((e)/No):					
	EC					
Make: YSI5	Model: Professional Plus					
	Temperature: 26.6°C					
Calibration solution: Conductioning Studio	Expiry date: Ju 22 Lot No: 338233					
Theoretical conductivity at temperature (see solutio	n container):   ΥΥΟΟ μS/cm					
Measured conductivity: リソイ μS/cm	Measured reading Acceptable (Yes/No):					
	REDOX					
Make: YSI 5	Model: Professional Phy					
Date of calibration: 11.01.21	Name of Calibrator: ムック					
Calibration solution: ORP Tes+	Expiry date: 04/2020 Lot No: 5235					
Theoretical redox value: 240mV						
Measured redox reading: 240-1 mV	Measured reading Acceptable (Yes/No):					

Jŀ	<b>€</b> E	nvi	irc	n	m	en	ts	<b>;</b>			
Client:	DEXUS							Job No.:			E33770PA
Project:	Proposed I	Proposed Mixed Use Development									Mw2
Location:	122-128 & 130 Pyrmont Bridge Road; 206 Parramatta Road, ANNANDALE, NSW							Depth (m):			5,36
WELL FIN	ISH DETAILS										
		Gatic Cov	er 🗖		Standpip				Other (de	escribe)	7
WELL DEV	VELOPMENT					4.7			Totale (de	Johnsey E	
Method:			Deve	lopnie	at Part	SWL – Be	fore (m):			4.2	m BEL
Date:			12.0	1.21		Time - Be				4:5	4 P~
Undertake	n By:		AUR		SWL – After (m);					N	4
	Removed:					Time – Aft					
PID Readii	na (ppm):			.0							
Comments							_				
	MENT MEAS	SUREMENTS	5								
Vol	lume Remov	ed	Temp	(°C)	1	DO		EC		)H	Eh (mV)
	(L)					ng/L)		S/cm)			
	1.8		28	4	(<	)	100	7	7.2	33	111.3
	s:Odours (Y	ES / (NO)	NAPL/PS	SH (YES	/NO), Sh	een (YES //	NO), St	eady State	e Achieved	(YES / (N	9
YSI Used:	5										
Tested By:		AVB	**********	Remarks - Steady	s: state cond	litions					
Date Teste	- Difference in the pH less than 0.2 units, difference in the conductiveity less than 10%							ess than 10%			
Checked B	By:	AUB	****	- Minimu	m 3 monito	oring well vo	lumes pu	ırged, unle	ss well purg	jed until it i	s effectively dry
Date:		12.01	. 2)	1							

JK	(E	nv	irc	n	m	en	ts	6				
Client:	DEXUS							Job No.:			E33770PA	
Project:	Proposed N	Mixed Use D	evelopme	nt .				Well No.			MW3	
Location:	122-128 & ANNANDA	28 & 130 Pyrmont Bridge Road; 206 Parramatta Road, NDALE, NSW						Depth (m): 3,37				
WELL FINI	SH DETAILS							1				
		Gatic Cov	rer 🗸		Standpi	пеП			Other (de	scribe)	1	
WELL DEV	ELOPMENT	DETAILS		,					Totales (as	5511557		
Method:			Develo	omect	Piemp	SWL - Be	fore (m):	s according to		DRY	<u>)</u>	
Date:			12.0	1.21		Time - Be	fore:			NA		
Undertake	n By:		AUB			SWL - Aft	er (m):			NA		
Total Vol.			NI	A		Time - Aft	********			NA	******	
PID Readir	ng (ppm):		0,1									
Comments			017			-						
DEVELOP	MENT MEAS	UREMENT	S				463					
Vol	ume Remov (L)	ed	Temp	(°C)		DO ng/L)		EC S/cm)	р	Н	Eh (mV)	
Comments YSI Used:	:Odours (YE	ES / NO),	NAPL/PS	SH (YES	/ NO), Sh	neen (YES /	NO), Ste	eady State	Achieved	(YES / NO	)	
Tested By:		AVI3			state con		0.0 "	4185		al., _ (t) 10 _ 1	Aba 400'	
Date Teste	d:	12.01	.21	and SW	L stable/no	ot in drawdov	vn			_	ess than 10%	
Checked B	<i>;</i> : : : : : : : : : : : : : : : : : : :	AVO	)	- Minimu	ım 3 monit	oring well vo	lumes pu	rged, unles	ss well purg	ed until it is	s effectively dry	
Date:		12.0	1.21									

#### **JK**Environments Client: **DEXUS** Job No.: E33770PA Project: Proposed Mixed Use Development Well No.: MWZ 122-128 & 130 Pyrmont Bridge Road; 206 Parramatta Road, Location: ANNANDALE, NSW Depth (m): **WELL FINISH** Gatic Cover Standpipe Other (describe) WELL PURGE DETAILS: Method: SWL - Before: 2.12 Date: Time - Before: 12:20 Undertaken By: Total Vol Removed: Pump Program No: PID (ppm): 1-8 PURGING / SAMPLING MEASUREMENTS Time (min) DO SWL (m) Vol (L) Notes Temp (°C) EC (µS/cm) рΗ Eh (mV) (mg/L) 94.4 5.0 654 2 61 23.4 642 6.71 3 96 230 3.9 632 6.44 79.0 24 لع 6.33 4.0 679 8 8 39 6217 64.1 6 521 4.0 6.19 01.0 3.98 3.9 014 6.12 86.5 30 39 000 25.2 6.00 4.65 40 606 605 52.1 Comments: Odours (YES / NO), NAPL/PSH (YES / NO) Sheen (YES (NO) Steady State Achieved (YES / NO) Sampling Containers Used x glass amber x BTEX vials, \ x HNO3 plastic x H2SO4 plastic, x unpreserved plastic

Tested By: Matthew Paton

Date Tested: \S(\(\(\)\) \(\)\

Checked By: \(\)\

Date: \(\)\

Remarks:

- Steady state conditions
- difference in the pH less than 0.2 units, difference in conductivity less than 10%

10% and SWL stable/not in drawdown

# **JK**Environments



Client:	DEXUS	11 0 PT-0-0 CEC (10 10 20 VC		Job No.: E33770PA						
Project:	Proposed	Mixed Use	Development	Well No.:						
Location;	122-128 & ANNAND	130 Pyrm ALE, NSW	Depth (m):							
WELL FINISH										
✓ Gatic Co			Standpip	е			Other (desc	ribe)		
WELL PURGE DETA	ILS:									
Method:		Deci	Rup		SWL - Bei	fore:	2.35			
Date:		15/11	2 \		Time - Be	 fore:	1143			
Undertaken By:		MP		**********	Total Vol F	Semoved.				
Pump Program No:		.12.1		*********	PID (ppm):					
PURGING / SAMPLIN	G MEASUR	EMENTS			rib (ppin).		Nx.2			
Time (min)	SWL (m)	Vol (L)	Notes	Temp (°C)	DO (mg/L)	EC (µS/cm)	/cm) pH Eh (m			
3	2.49			92-2	4.0	6991	B.97	116.0		
4	2.62	2	***************************************	919	4-1	868	6.90	1034		
3	250	3		21.8	4.2					
	h. 00	0		21-7	4.1	682	604	96.3		
*******************								<u> </u>		
	<b>}</b>		***********************				************			
			***************************************							
					Dentrosprantanta					
					***********					
					*********					
			***************************************							
						***************************************				
************************										
			***************************************					<u> </u>		
			******************************			***************************************				
						A SARAN BEREG BENANDA				
						***************************************				
			*******************************			************				
*******************				h						
			***************************************							
			***************************************							
***************************************								DEPOSITS TENES OF		
		nacc-sanaw.	<b>.</b>							
Sampling Containers Used: x glass amber x BTEX vials, x HNO3 plastic x H2SO4 plastic, x unpreserved plastic								plastic		
'Sl used: 🕓										
ested By: Matthew Pa			Remarks:							
ate Tested: 锅()2	4		- Steady state conditions		nika dise		_at. 11 - 1 - 11	400.		
hecked By: AVB			- difference in the pH les 10% and SWL stable/no	t in drawdou	ınıts, aimere vn	ence in conduc	ctivity less th	an 10%		
	101/2	 								



**Appendix I: Guidelines and Reference Documents** 



Acid Sulfate Soils Management Advisory Committee (ASSMAC), (1998). Acid Sulfate Soils Manual

Australian and New Zealand Environment Conservation Council (ANZECC), (2000). Australian and New Zealand Guidelines for Fresh and Marine Water Quality

Canadian Council of Ministers of the Environment, (1999). Canadian soil quality guidelines for the protection of environmental and human health: Benzo(a)Pyrene (1997)

CRC Care, (2011). Technical Report No. 10 – Health screening levels for hydrocarbons in soil and groundwater Part 1: Technical development document

Contaminated Land Management Act 1997 (NSW)

Department of Land and Water Conservation, (1997). 1:25,000 Acid Sulfate Soil Risk Map Series

Managing Land Contamination, Planning Guidelines SEPP55 - Remediation of Land (1998)

National Health and Medical Research Council (NHMRC), (2018). National Water Quality Management Strategy, Australian Drinking Water Guidelines 2011

NSW Department of Environment and Conservation, (2007). Guidelines for the Assessment and Management of Groundwater Contamination

NSW EPA, (1995). Contaminated Sites Sampling Design Guidelines

NSW EPA, (2014). Waste Classification Guidelines - Part 1: Classifying Waste

NSW EPA, (2015). Guidelines on the Duty to Report Contamination under Section 60 of the CLM Act 1997

NSW EPA, (2017). Guidelines for the NSW Site Auditor Scheme, 3rd Edition

NSW EPA, (2020). Consultants Reporting on Contaminated Land, Contaminated Land Guidelines

National Environment Protection Council (NEPC), (2013). National Environmental Protection (Assessment of Site Contamination) Measure 1999 as amended (2013)

Olszowy, H., Torr, P., and Imray, P., (1995). Trace Element Concentrations in Soils from Rural and Urban Areas of Australia. Contaminated Sites Monograph Series No. 4. Department of Human Services and Health, Environment Protection Agency, and South Australian Health Commission

Protection of the Environment Operations Act 1997 (NSW)

State Environmental Planning Policy No.55 – Remediation of Land 1998 (NSW)

World Health Organisation (WHO), (2008). Petroleum Products in Drinking-water, Background document for the development of WHO Guidelines for Drinking Water Quality

Western Australia Department of Health, (2009). Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia