
PLANNING PROPOSAL REQUEST No. 229 Macquarie Grove Road, Cobbitty (Camden Council)



Prepared For: Trustees of the Sisters Of the Good Samaritan Prepared By:



Volume 2
Annexure "D"
Biodiversity Overview and
Management Principles
(Travers Bushfire & Ecological)

October 2021







BIODIVERSITY OVERVIEW (INCLUDING CONSERVATION INITIATIVES) REPORT

Planning Proposal Request to Facilitate Future Super Lot Subdivision and Land-use Rationalisation

Lot 100, DP 1159926

229 Macquarie Grove Road

Cobbitty

7 October 2021

(REF: 21PPS02)

BIODIVERSITY OVERVIEW (INCLUDING CONSERVATION INITIATIVES) REPORT

Planning Proposal Request to Facilitate Future Super Lot Subdivision and Land-use Rationalisation

Lot 100, DP 1159926, 229 Macquarie Grove Road, Cobbitty

| Report authors: | Lindsay Holmes B. Sc. – Senior Botanist – Accredited Assessor no. BAAS17032 Geoff Coates B. Sci (Hons.), B. Zool – Fauna Ecologist | | | | | |
|-----------------|---|--|--|--|--|--|
| Flora survey: | Lindsay Holmes B. Sc. – Senior Botanist – Accredited Assessor no. BAAS17032 | | | | | |
| Fauna survey: | Geoff Coates B. Sci (Hons.), B. Zool – Fauna Ecologist | | | | | |
| Plans prepared: | Sandy Cardow B. Sc. | | | | | |
| | Angelene Wright B. Sc. | | | | | |
| Approved by: | Lindsay Holmes (Accredited Assessor no. BAAS17032) | | | | | |
| Date: | 7/10/21 | | | | | |
| File: | 21PPS02 | | | | | |

This document is copyright © Travers bushfire & ecology 2021

Disclaimer:

This report has been prepared to provide advice to the client on matters pertaining to the particular and specific development proposal as advised by the client and / or their authorised representatives. This report can be used by the client only for its intended purpose and for that purpose only. Should any other use of the advice be made by any person, including the client, then this firm advises that the advice should not be relied upon. The report and its attachments should be read as a whole and no individual part of the report or its attachments should be interpreted without reference to the entire report.

The mapping is indicative of available space and location of features which may prove critical in assessing the viability of the proposed works. Mapping has been produced on a map base with an inherent level of inaccuracy, the location of all mapped features are to be confirmed by a registered surveyor.

LIST OF ABBREVIATIONS

| APZ asset protection zone BAM Biodiversity Assessment Method BAR Biodiversity Assessment Report BC Act Biodiversity Conservation Act (2016) | |
|--|------------------|
| BAR Biodiversity Assessment Report BC Act Biodiversity Conservation Act (2016) | |
| BC Act Biodiversity Conservation Act (2016) | |
| • | |
| BC Reg Biodiversity Conservation Regulation (2017) | |
| BCAR Biodiversity Certification Assessment Report | |
| BDAR Biodiversity Development Assessment Report | |
| BOS Biodiversity Offset Scheme | |
| BPA bushfire protection assessment | |
| BSSAR Biodiversity Stewardship Site Assessment Report | |
| CEEC Critically endangered ecological community | |
| CM Act Coastal Management Act 2016 | |
| DAWE Department of Agriculture, Water and the Environment. | |
| DCP development control plan | |
| DEC NSW Department of Environment and Conservation (superseded by DECC from April 2007) | |
| DECC NSW Department of Environment and Climate Change (superseded by DECCW from Octobe | er 2009) |
| DECCW NSW Department of Environment, Climate Change and Water (superseded by OEH from Apr | , |
| DEWHA Commonwealth Department of Environment, Water, Heritage & the Arts (superseded by SEW | • |
| DOEE Commonwealth Department of Environment & Energy (superseded by DAWE) | , |
| DPIE NSW Department of Planning, Industry and Environment | |
| EEC endangered ecological community | |
| EPA Environment Protection Authority | |
| EP&A Act Environmental Planning and Assessment Act (1979) | |
| EPBC Act Environment Protection and Biodiversity Conservation Act (1999) | |
| FM Act Fisheries Management Act | |
| IBRA Interim Biogeographic Regionalisation for Australia | |
| LEP local environmental plan | |
| LGA local government area | |
| LLS Act Local Land Services Act (2013) | |
| NES national environmental significance | |
| NPW Act National Parks and Wildlife Act (1974) | |
| NRAR Natural Resources Access Regulator (NSW) | |
| NSW DPI NSW Department of Industry and Investment | |
| OEH Office of Environment and Heritage (superseded by DPIE from August 2019) | |
| PCT plant community type | |
| PFC projected foliage cover | |
| PPR planning proposal request | |
| RFS NSW Rural Fire Service | |
| ROTAP rare or threatened Australian plants | |
| SAII Serious And Irreversible Impacts | |
| SEPP State Environmental Planning Policy | |
| SEWPAC Commonwealth Dept. of Sustainability, Environment, Water, Population & Communities (superior superior su | erseded by DOEE) |
| SIS species impact statement | |
| TEC threatened ecological community | |
| TPZ tree preservation zone | |
| TSC Act Threatened Species Conservation Act (1995) – Superseded by the Biodiversity Conservation | Act (2016) |
| VMP vegetation management plan | |

TABLE OF CONTENTS

| 1. | BACKGRO | UND | 1 |
|----|----------------|--|----|
| 1 | .1 | Planning proposal request | 1 |
| 1 | .2 | Site description | 5 |
| 1 | .3 | Existing "Conservation Status" | 5 |
| 2. | FLORA | | 7 |
| 2 | 1 | Survey | |
| 2 | 2 | Vegetation communities | |
| 2 | 3 | Threatened flora species | |
| 2 | .4 | Endangered flora populations | |
| 2 | 5 | Threatened ecological communities | |
| 3. | FAUNA | | 18 |
| 3 | .1 | Survey / Habitat assessment | 18 |
| | 3.1.1 | Office of Environment and Heritage, 2016 | |
| | 3.1.2 | Travers bushfire and ecology (2021) | 19 |
| 3 | .2 | Habitat features | 19 |
| 3 | .3 | Threatened fauna species | 20 |
| 3 | .4 | Protected migratory species (National) | 21 |
| 3 | .5 | Endangered fauna populations | 21 |
| 3 | .6 | State Environmental Planning Policy (Koala Habitat Protection) 2021. | 22 |
| 3 | .7 | Connectivity | 25 |
| 4. | WATERCO | URSES & WETLANDS | 26 |
| 4 | .1 | Endangered wetland communities | 26 |
| 4 | .2 | Groundwater dependent ecosystems (GDEs) | 26 |
| 4 | .3 | Watercourse assessment | 27 |
| 4 | .4 | Coastal Management SEPP | 27 |
| 5. | BC ACT AN | ND POTENTIAL ASSESSMENTS | 29 |
| 5 | .1 | Biodiversity Offsets Scheme (BOS) | 29 |
| 5 | .2 | Threshold assessment | |
| | 5.2.1 | Biodiversity Values Land Map | 30 |
| | 5.2.2 | Area clearing threshold | |
| | 5.2.3 | Test of Significance | 31 |
| 6. | SUMMARY | | 32 |
| 6 | .1 | Ecological overview | 32 |
| 6 | .2 | Suitability of the proposed rezoning | 33 |
| 6 | .3 | Conservation initiatives | 36 |
| 7. | CONCLUSI | ION | 37 |

Figures

| • | al appraisal | |
|----------------------------|---|----|
| | ent zoning of the study area | |
| • | posed zoning | |
| • | ting minimum lot sizes | |
| • | posed minimum lot sizes | |
| • | iversity conservation precincts | |
| • | nant Vegetation of western Cumberland subregion (2013) | |
| | C flow path for remnant canopy areas | |
| | C flow path for regrowth and native pasture vegetation | |
| - | & fauna survey effort & results | |
| • | al connectivity | |
| _ | vial groundwater system discharging into a river | |
| Figure 5-1 – Biod | iversity values land (purple) relative to the study area (blue) | 30 |
| | eatures | |
| | atened flora species with suitable habitat present | |
| | atened fauna species with suitable habitat present | |
| | Entry Threshold Report | |
| | parison of zones RU1 and RU2 | |
| Table 6-2 - Comp | parison of zones R5 and SP2 | 35 |
| Annondicos | | |
| Appendices | See Appendices as separate attachments | |
| Appendix 1. Appendix 2. | Flora & Fauna Species Lists Threatened Flora & Fauna Habitat Assessment | |
| Appendix 3. | Biodiversity Agreement no. 1 | |
| Appendix 4. | Biodiversity Agreement no. 2 | |
| Appendix 5. | Guide to Managing the Mater Dei Biobank Site, Cobbitty (Part 1 |) |
| Appendix 6. | Guide to Managing the Mater Dei Stage 2 Biobank Site, Cobbitt | У |
| Appendix 7. | Bushland Conservation Management Plan | - |
| - | - | |
| | | |

1. BACKGROUND

Travers bushfire & ecology has been engaged to undertake a biodiversity constraints assessment within Lot 100, DP 1159926, at 229 Macquarie Grove Road, Cobbitty, within Camden Council local government area (LGA).

This report has been undertaken to support a Planning Proposal Request (PPR) to facilitate future super lot subdivision and land-use zoning rationalisation. It also seeks to provide an overview of the current conservation initiatives and long-term conservation opportunities.

An aerial appraisal of the site is shown in Figure 1-1. The focal study area for this assessment was primarily within those parts of the Lot proposed for rezoning to SP2 and RU2 as shown on Figure 1-3.

The PPR shall be assessed under the provisions and guidance of the *Biodiversity Conservation Act* (*BC Act*), 2016.



Figure 1-1 - Aerial appraisal


1.1 Planning proposal request

The proposal seeks to amend the prevailing planning framework by rationalising the zoning regime and amending the minimum subdivision lot size provision. It is proposed to undertake a future super lot subdivision creating four (4) super lots as an initial development stage. The

current zoning and minimum lot size are shown on Figure 1-2 and Figure 1-4. The proposed zoning and minimum lot size maps are shown on Figure 1-3 and Figure 1-5.

As identified in Figure 1-2, the site is currently zoned a combination of E2, RU1, R5 and SP1, with a large portion of the RU1 area comprised of native vegetation managed under an in-perpetuity conservation agreement.

The zoning rationalisation includes the rezoning of a large tract of RU1 land to E2 land in a manner consistent with the adjoining land which is currently the subject of a biobanking conservation agreement.




EXISTING ZONING

- E2 Environmental Conservation
- E4 Environmental Living
- R2 Low Density Residental
- R5 Large Lot Residential
- RU1 Primary Production
- SP2 Air Transport Facility

Figure 1-2 – Current zoning of the study area

(Source: NSW Planning Portal 2021)


More than 50% of the RU1 lands form the Mater Dei Stage 2 Biobanking site that protects the critically endangered ecological community, Cumberland Plain Woodland. There is also some River-flat Eucalypt Forest on Coastal Floodplains located on the Nepean River embankment and lower slopes, another endangered ecological community which is listed under the *BC Act*. The PPR seeks to rezone a large portion of the RU1 lands as E2, environmental protection.



PROPOSED ZONING



Figure 1-3 - Proposed zoning



EXISTING MINIMUM LOT SIZE

S (800 m²)

AB (40ha)

Not applicable (uncoloured area within the boundary outlined in blue)

Figure 1-4 – Existing minimum lot sizes

Figure 1-5 – Proposed minimum lot sizes

1.2 Site description

The subject property comprises approximately 250 ha, a substantial portion of which has significant biodiversity values as reflected in the Biodiversity Values Map (DPIE) (refer to Figure 5-1), and address further in this assessment.

Table 1-1 provides a summary of the planning, cadastral, topographical, and disturbance details of the development footprint.

Table 1-1 - Site features

| Location | 229 Macquarie Grove Road Cobbitty, Lot 100, DP 1159926) | | | | |
|---|---|--|--|--|--|
| Area | Approximately 245.49 ha | | | | |
| Local government area | Camden Council | | | | |
| Zoning | E2 – Environmental Conservation R5 – Large Lot Residential RU1 – Primary Production SP2 – Infrastructure – Proposed | | | | |
| Grid reference | 287500E 6232700N MGA-56 | | | | |
| Elevation | Approximately 55-100m AHD | | | | |
| Topography | The main investigation area shown on Figure 1-5 is 0-5 degrees. Slopes leading to watercourses outside of the main investigation area are mostly 5-15 degrees. | | | | |
| Geology and soils | Geology: Bringelly Shale, Wianamatta Group—shale, carbonaceous claystone, laminite, fine to medium-grained lithic sandstone, rare coal and tuff. Approximately 4.6 ha of quartz and lithic "fluvial" sand, silt, and clay on the most westerly portion of the site. Soils: With the exception of the Nepean River terrace, all soils within the study area part of the Blacktown Soil Landscape. | | | | |
| Catchment, drainage and stream order | There are 3 creek catchments on site which all drain into the Nepean River to the west. These are all first order streams and would require a minimum 10 m setback from top of bank for protection if there was any future development within those areas. | | | | |
| Existing land use | The majority of the land within the site area is currently maintained and managed under conservation agreements. There are two schools on site – Mater Dei and Aspect. The Kirkham Rise residential estate (Wivenhoe Village) are immediate off site. | | | | |
| Connectivity features | The site comprises critical Cumberland Plain Woodland habitat within the locality. Expansive connectivity exists from the Nepean River in the west, to a vegetation patch of approx. 189 ha that extends for approximately 4.5 km to the east of the site. | | | | |

1.3 Existing "Conservation Status"

The property is the subject of several biodiversity initiative' namely, two Biodiversity Agreements, management strategy documents and a Bushland Conservation Management Plan (CMP). See Appendices 3-7. Figure 1-6 shows the location of the conservation areas within the site.

229 Macquarie Grove Road, Cobbitty

Property owned by Trustees of the Sisters of the Good Samaritan [Marked in yellow] Cobbitty Ro **lacquarie Grove** Hawkesbury - Nepean **Terrace Gravels** Purple - Conservation Land Green - Biobank 1 Red - Biobank 2 Mater Dei School Wivenhoe Village

Figure 1-6 – Biodiversity conservation precincts

Aspect School

It is understood that these precincts have been subject to extensive conservation works or is reflected in part in the assessment contained within this report.

2. FLORA

2.1 Survey

A botanical survey was undertaken on 19 August 2021 over a time frame of approximately 8 hrs.

The botanical survey included a random meander in accordance with Cropper (1993) to gain a full species list of the plants within the site (remnant native species and weeds, but not planted specimens), and then five (5) BAM plots were undertaken at selected locations on site to assist in determining vegetation types and status. A review of the Atlas of NSW Wildlife (DPIE 2021) was undertaken prior to the site visit to determine threatened species previously recorded within 10 km of the development footprint, and relevant target searches were undertaken as suited in proximity to remnant vegetation in the main investigation area.

All naturally occurring species were identified to species level where possible, and are listed in Appendix 1.

2.2 Vegetation communities

The Remnant Vegetation of the western Cumberland subregion Plain West (VIS_ID 4207) maps the vegetation within the site as:

- PCT 849 Grey Box Forest Red Gum grassy woodland on flats of the Cumberland Plain, Sydney Basin Bioregion
- PCT 850 Grey Box Forest Red Gum grassy woodland on shale of the southern Cumberland Plain, Sydney Basin Bioregion
- PCT 835 Forest Red Gum Rough-barked Apple grassy woodland on alluvial flats of the Cumberland Plain, Sydney Basin Bioregion

The vegetation mapping of the site and surrounds is shown on Figure 2-1.

Ground-truthing of the vegetation status has been undertaken, however it is very difficult to distinguish between PCT 849 and 850. Both are representative of the critically endangered ecological community, Cumberland Plain Woodland. One of the key differences is the presence of a mid-storey or lower canopy of *Acacia implexa*. Given the mid-storey is virtually absent across the entire investigation area, it is very difficult to distinguish between the two (2) PCTs which form the critically endangered ecological community, Cumberland Plain Woodland. For the botanical work undertaken in the study area, the plots undertaken are adequate in determining that Cumberland Plain Woodland is present.

PCT 835 occurs downslope from the study area in association with the riparian vegetation along the Nepean River and the tributaries, but do not occur within the study area.



Figure 2-1 – Remnant Vegetation of western Cumberland subregion (2013)

Field verification of the study area shows all native vegetation is commensurate with the *BC Act* listing for Cumberland Plain Woodland. It can be broken down into the following categories based on structure:

- Mod-good
- Regrowth
- Remnant Canopy
- Native Pasture

Mod-good

This describes vegetation within the study area that has retained vegetation including canopy species at near natural densities, moderate quality ground layer and potential contains a disturbed or partly managed mid-storey.

Eucalyptus tereticornis and Eucalyptus moluccana are the dominant canopy species with a canopy cover of mostly 15-40% and a height of 15-23m.

The mid-storey where present usually consists of *Bursaria spinosa* 1-3.5m tall. Some areas have been infested with exotic species including African Olive and African Boxthorn.

Common groundcovers include *Dichondra repens*, *Microlaena stipoides*, *Einadia* spp., *Themeda triandra*, *Glycine clandestina*, *Centella asiatica*, *Cyperus gracilis*, *Chloris truncata*, *Lobelia purpurascens* and *Oxalis perennans*.



Photo 1 – Remnant vegetation where BAM plot 2 was undertaken



Photo 2 - Remnant vegetation adjacent to the Aspect Macarthur School



Photo 3 – Remnant younger bushland in the far south-west corner of the study area

Regrowth

Areas of Bursaria with predominately native groundcovers.



Photo 4 – Native pasture with young scattered Bursaria shrubs

Remnant Canopy

Scattered canopy trees at lower densities than remnant bushland with a managed understorey. There is no mid-storey and the ground layer is slashed with variable proportions of natives and exotics. In most fragments of mapped vegetation, the cover of native species is 30% or greater.



Photo 5 - Remnant canopy trees in BAM plot 1



Photo 6 – Canopy trees to the north-west of the Mater Dei school

Native Pasture

Most of the southern paddocks have been fully cleared in the past. It appears that the areas are not heavily grazed in recent years and native grasses comprise 50% or more of the ground layer which means they meet the criteria for 'derived native grassland' which is also considered to be Cumberland Plain Woodland in this instance. Common groundcovers include *Rytidospermum* sp., *Themeda triandra, Cynodon dactylon, Dichondra repens, Microlaena stipoides* and *Glycine clandestina*.

Other Vegetation - Non-native

The vegetation around the Mater Dei school is planted. No specific botanical survey was undertaken in this area and species were not included in the inventory.



Photo 7 – Planted vegetation around the Mater Dei school entrance



Photo 8 – Planted trees and shrubs around ancillary buildings in the far north

Notes

Around the northern edge of the study area, *Angophora subvelutina* is a common canopy species, and *Pteridium esculentum* (Bracken Fern) is common in the ground layer. These species are much more common in Elderslie Banksia Scrub Woodland on sandy tertiary alluvium deposits which are known to occur on site and nearby to the south at Elderslie and Spring Farm. *Banksia integrifolia* was not observed and in BAM plot 5, only 3 of the native species were listed in the final determinations for Elderslie Banksia Scrub Woodland.



Photo 9 – Sandy soil deposits just outside of the study area where vegetation appears to be a varied form Cumberland Plain Woodland with some resemblance to Elderslie Banksia Scrub Woodland.

2.3 Threatened flora species

The *BC Act* – A search of the Atlas of NSW Wildlife (DPIE, 2021) indicated a list of species that have been recorded within a 10 km radius of the study area. These species are listed in Table 2. Further species information and determination is provided in Appendix 2.

The *EPBC Act* – A review of the schedules of the *EPBC Act* indicated the potential for a list of threatened flora species to occur within a 10 km radius of the study area. These species have also been listed in Appendix 2 for consideration of potential to occur.

Based on the habitat assessment within Appendix 2 it is considered that the study area provides potential habitat for the following threatened flora species which are summarised in Table 2-1.

Table 2-1 – Threatened flora species with suitable habitat present

| Scientific name | BC Act | EPBC Act | Potential to occur |
|--|-----------|-------------|---|
| Cynanchum elegans | E1 | Е | No likely suitable habitat within the study area. |
| Epacris purpurascens var. purpurascens | V | | Prepares soils related to Shale-Sandstone Transition Forest at the headwalls of first order streams. No likely suitable habitat within the study area. |
| Eucalyptus benthamii | V | V | No likely suitable habitat within the study area. Potential to occur downslope on Nepean River embankment. |
| Melaleuca biconvexa | V | V | No likely suitable habitat within the study area. |
| Pimelea spicata | E1 | Е | Potential habitat within non-grazed vegetation. No specimens sighted during this survey. |
| Pomaderris brunnea | E1 | V | No likely suitable habitat within the study area. Potential to occur downslope on Nepean River embankment. |
| Pultenaea pedunculata | E1 | | Potential habitat within non-grazed vegetation. No specimens sighted during this survey. |
| Rhodamnia rubescens | E4A | | No likely suitable habitat within the study area. |
| Syzygium paniculatum | E1 | V | No likely suitable habitat within the study area. |
| Thesium australe | V | V | No likely suitable habitat within the study area. |

Additional species arising from the *EPBC Act* coordinate search (National) found further species considered to have habitat within a 10 km radius.

 Acacia bynoeana, Acacia pubescens, Allocasuarina glareicola, Genoplesium baueri, Haloragis exalata subsp. exalata, Melaleuca deanei, Persicaria elatior, Persoonia bargoensis, Persoonia hirsuta, Pterostylis saxicola, Rhizanthella slateri and Thelymitra kangaloonica.

The habitat attributes in the study area are unlikely to be suitable for most of the above species as they are not known to occur in Cumberland Plain Woodland, there are geographic limitations of the species, degradation or lack of sandstone influence. None of the above-listed species have been previously recorded within a 10 km radius of the study area.

2.4 Endangered flora populations

Endangered flora populations known in the Camden LGA are:

 Marsdenia viridiflora R. Br. subsp. viridiflora population in the Bankstown, Blacktown, Camden, Campelltown, Fairfield, Holroyd, Liverpool and Penrith local government areas.

There are less than ten (10) records of the endangered populations within a 10 km radius of the site and they are all located at the Camden Golf Course in Narellan, approximately 3.5 km to the south-east.

There is limited intact vegetation within the main study area therefore reducing the likelihood of occurrence. No specimens of *Marsdenia viridiflora* subsp. *viridiflora* were observed within the main study area during the brief flora survey although further surveys for any future DA may be required for survey compliance.

RFF: 21PPS02

2.5 Threatened ecological communities

The vegetation on site is recognised as the critically endangered ecological community, Cumberland Plain Woodland under the *BC Act*.

The proposal to consolidate areas of bushland currently within an RU1 zoning into an E2 zoning for protection is appropriate and supported.

The portion of the study area along the spine road and schools only contains remnant scattered trees of Cumberland Plain Woodland origin. The majority of trees appear to be in relatively good condition, although there is no regeneration occurring underneath due to the ongoing slashing of the ground layer. Given the lack of regeneration potential and low native species diversity, rezoning the R5 lands to SP2 should be supported.

Existing paddocks are occasionally used for grazing by animals, although only a small number of cows were noted at the time of inspection. The paddocks in the southern section of the study area are currently zoned RU1 and contain mostly native grasses but with a very low native species diversity. There are clumps of regenerating *Bursaria spinosa* which is a very common mid-storey species in Cumberland Plain Woodland. These grassland areas with occasional regrowth are also recognised as the critically endangered ecological community. There should be no reason why those paddocks could not be used in the same manner as present under an RU2 zoning.

With respect to the *EPBC Act*, Cumberland Plain Woodland may form part of the Cumberland Plain Shale Woodlands and Shale Gravel Transition Forest which is listed as critically endangered. For recognition under the *EPBC Act* definition, the vegetation remnant must meet selected criteria as shown in the flowcharts on the following pages.

Figure 2-2 shows the scenario for areas of remnant canopy. Native vegetation occurs in the ground layer in patches and may be a little lower than 30% to qualify for recognition under the *EPBC Act* although overall would likely sit above 30% for the patch in its entirety. In BAM plot 1, *Cynodon dactylon* (Common Couch) occupied approximately 70% of the ground layer (not a constituent species of the TEC, however listed as a native species), with approximately 5% more cover made up of other locally occurring native grasses and forbs.

Figure 2-3 shows the scenario for areas of regrowth and native pasture. As there is no canopy layer, this is not recognised as the TEC under the *EPBC Act*.




Figure 2-2 – EPBC flow path for remnant canopy areas




Figure 2-3 – EPBC flow path for regrowth and native pasture vegetation

3. FAUNA

3.1 Survey / Habitat assessment

3.1.1 Office of Environment and Heritage, 2016

The fauna survey methods used were based on those developed by the NSW National Parks and Wildlife Service (NPWS) Biodiversity Survey Coordination Unit (NPWS 1997).

Field surveys were mainly undertaken between 7 and 15 April 2016, although remote cameras were left on the Mater Dei property until 12 May 2016. An opportunistic survey was undertaken on 9 June 2016 to detect any additional species, particularly since heavy rains fell subsequent to the main autumn survey period.

Only weather conditions during the main autumn survey were provided. Weather conditions were fine and unseasonably warm leading up to and during the main part of the survey, with some rain recorded in the lead-up and calm conditions and sunny weather generally recorded during the main survey.

All incidental observations of fauna and signs of fauna in the Mater Dei property, seen while moving through the property and while undertaking surveys, were recorded.

Diurnal Survey

Diurnal bird surveys comprised approximately 20-minute observation and listening searches within a 2-hectare (100 metre x 200 metre) area at nine sites. Surveys were undertaken during the early morning in conditions of reasonable detectability (e.g. calm, low wind conditions). All bird species seen or heard were recorded.

10 motion-activated cameras, trained on hair tubes baited with either a mixture of rolled oats, peanut butter and honey, or a mixture of rolled oats, peanut butter, honey and tinned sardines, were established at 11 sites. A honey and water mixture was also used in conjunction with the baits, and was sprayed liberally around the vicinity of the hair tubes. One camera, at site 3, was moved from one site to another [site 11] following disturbance to this camera at the first site.

Remote cameras were set over a period of two days (7 and 8 April 2016), with the camera at site 3 relocated to site 11 on 21 April 2016 when it was found knocked to the ground by stock. Nine cameras were configured to take a single shot and a five-second video, while one camera (at site 10) was configured to take five rapid-fire single shots on detecting movement. Cameras were left undisturbed for 34 to 35 nights.

Reptile searches comprised approximately 30-minute active searches for reptiles amongst leaf litter and under debris at seven sites. Surveys occurred during afternoon hours in conditions of reasonable detectability (e.g. calm and sunny) to maximise detection. All species of reptile seen and their abundance were recorded.

Nocturnal Survey

Spotlighting surveys comprised searching for arboreal mammals and nocturnal birds using 50-watt spotlights along 200-metre transects over approximately 15-minute intervals at six sites. Spotlight surveys involved scans of trees with the spotlights to detect reflected eye shine, with surveyors also listening intently for fauna calls during survey periods.

Call playback surveys involved broadcasting the calls of three owl species and one mammal at three sites. The owl species were powerful owl (*Ninox strenua*), masked owl (*Tyto novaehollandiae*), and barking owl (*Ninox connivens*), while the mammal species was koala (*Phascolarctos cinereus*). Calls were pre-recorded and were amplified through a megaphone. Calls were broadcast for approximately five minutes.

Prior to broadcasts, the surrounding area was searched by spotlight for five minutes to detect any fauna in the immediate vicinity. A 10-minute listening period for calls followed broadcasts.

Microbats were surveyed using Anabat detectors equipped with recording devices, which were housed in plastic boxes and plastic snap-lock bags for weather protection, with microphones mounted approximately 1 metre off the ground by way of an extension cable. Anabat detectors were left at seven sites for four nights per site (although stock interfered with the Anabat unit at site 3 on the first night so this was moved to site 11 for three nights, and only three nights were recorded at site 2), and were set to record from 1800 hours to 0600 hours.

Anabat calls were downloaded and analysed by Dr Martin Shultz (independent bat call analysis expert and fauna specialist). Analysis assigned bat calls to four levels of confidence: definite, probable, possible, and unknown, based on Martin's previous experience in analysing data, use of reference calls, and discussion with other field workers.

Nocturnal frog surveys comprised approximately 30-minute listening surveys at two suitable wetlands (mostly standing water bodies).

3.1.2 Travers bushfire and ecology (2021)

A fauna survey, including diurnal and nocturnal survey and threatened species habitat assessment, was undertaken within the school grounds and nearby surrounds on 6 July 2021.

The fauna survey included:

- Opportunistic diurnal fauna call and activity survey surrounding the school grounds
- Nocturnal spotlighting surrounding the school grounds
- Call playback targeting Powerful Owl (*Ninox* strenua) and Koala (*Phascolarctos cinereus*)
- Frog call identification,
- Ultrasonic microbat recording (x1 passive recording station)

Weather conditions at the time of diurnal survey were 0-1/8 cloud, no wind, no rain, 10-15°C between 15:00 – 17:00.

Weather conditions at the time of nocturnal survey were 0-1/8 cloud, no wind, no rain, waning crescent moon, 6-10°C between 17:00 – 18:45.

Specific survey effort locations are shown on Figure 3-1. All fauna species recorded during survey within the development footprint and nearby surrounds are listed in Appendix 2.

A review of the Atlas of NSW Wildlife (DPIE 2021) was undertaken prior to the site visit to determine threatened species previously recorded within 10 km of the development footprint.

3.2 Habitat features

The following notable habitat features were observed present:

• Year-round nectar producing tree species, principally Eucalyptus sp.

- Ephemeral drainage lines in the south-western portion of the site in the proposed RU2 zone.
- Dense mid and upper-storey foliage areas on the periphery of the study area.
- Abandoned residential and rural buildings.

The proposed development layout enables retention of all recorded hollow-bearing trees.

3.3 Threatened fauna species

The *BC Act* – A search of the Atlas of NSW Wildlife (DPIE, 2021) provided a list of threatened fauna species previously recorded within a 10 km radius of the development footprint. These species are listed in Appendix 2 and are considered for potential habitat within the study area.

The *EPBC Act* – A review of the schedules of the *EPBC Act* identified a list of threatened fauna species or species habitat likely to occur within a 10 km radius of the development footprint. These species have also been listed in Appendix 2.

In accordance Appendix 2 the following state and nationally listed threatened fauna species are considered to have suitable habitat with varying potential to occur within the study area. These are summarised in Table 3-1 below. Those denoted as being recorded are all from the OEH study of 2016.

Table 3-1 – Threatened fauna species with suitable habitat present

| Common name | BC Act | EPBC Act | Potential to occur |
|---------------------------------|-----------|-------------|------------------------------------|
| White-bellied Sea Eagle | V | - | Recorded |
| Little Lorikeet | V | - | Recorded |
| Powerful Owl | V | - | Recorded |
| Speckled Warbler | V | - | Recorded |
| Varied Sittella | V | - | Recorded |
| Dusky Woodswallow | V | - | Recorded |
| Eastern Coastal Free-tailed Bat | V | - | Recorded |
| Large-eared Pied Bat | V | V | Recorded |
| Little Bent-winged Bat | V | - | Recorded (with possible certainty) |
| Large Bent-winged Bat | V | - | Recorded |
| Cumberland Plain Land Snail | Е | - | Recorded (with possible certainty) |
| Freckled Duck | V | - | Υ |
| Little Eagle | V | - | Υ |
| Gang-gang Cockatoo | V | - | Υ |
| Swift Parrot | Е | Е | Υ |
| Brown Treecreeper | V | - | Υ |
| Scarlet Robin | V | - | Y |
| Koala | V | V | Y |
| Grey-headed Flying-fox | V | V | Y |
| Yellow-bellied Sheathtail-bat | V | - | Y |

| Common name | BC Act | EPBC Act | Potential to occur |
|----------------------------|-----------|-------------|--------------------|
| Eastern False Pipistrelle | V | - | Υ |
| Southern Myotis | V | - | Υ |
| Greater Broad-nosed Bat | V | - | Υ |
| Green and Golden Bell Frog | Е | V | Low |
| Blue-billed Duck | V | - | Low |
| Australasian Bittern | E | Е | Low |
| Square-tailed Kite | V | - | Low |
| Red Knot | - | Е | Low |
| Turquoise Parrot | V | - | Low |
| Regent Honeyeater | E4A | CE | Low |
| Hooded Robin | V | - | Low |
| Flame Robin | V | - | Low |
| Diamond Firetail | V | - | Low |
| Dural Land Snail | Е | Е | Low |
| Southern Bell Frog | Е | V | Unlikely |
| Eastern Osprey | V | - | Unlikely |
| Barking Owl | V | - | Unlikely |
| Masked Owl | V | - | Unlikely |
| White-throated Needletail | - | V | Unlikely |
| Painted Honeyeater | V | V | Unlikely |
| Black-chinned Honeyeater | V | - | Unlikely |
| Spotted-tailed Quoll | V | E | Unlikely |
| Squirrel Glider | V | - | Unlikely |

Fisheries Management Act (FM Act) – No habitats suitable for threatened aquatic species were observed within the study area and as such the provisions of this act do not require any further consideration.

3.4 Protected migratory species (National)

The *EPBC Act* Protected Matters Report provides additionally listed terrestrial, wetland and marine migratory species of national significance likely to occur, or with habitat for these species likely to occur, within a 10 km radius of the development footprint. The habitat potential of migratory species is considered in Appendix 2. The habitat potential of threatened migratory species are instead considered with other threatened species in Appendix 2.

One (1) nationally protected migratory bird species, Rufous Fantail, was recorded present within the study area during OEH'S 2016 survey.

3.5 Endangered fauna populations

3.6 State Environmental Planning Policy (Koala Habitat Protection) 2021

State Environmental Planning Policy (Koala Habitat Protection) 2021 (Koala SEPP 2021) applies to land within LGAs listed under Schedule 1 of the Policy. We note that Camden Council is not actually listed under the LGAs to which SEPP 2021 applies. However, it is listed on the DPIE website (as of 17 September 2021) to be considered under the Central Coast Koala Area of Management. Any future development would require confirmation from the Council as to which state legislative document should be considered in terms of Koala Management.

Land to which this policy applies in accordance with Clause 6 of the SEPP 2021 is as follows:

- (1) This Policy applies to each local government area listed in Schedule 1.
- (2) The whole of each local government area is—
 - (a) in the koala management area specified in Schedule 1 opposite the local government area, or
 - (b) if more than 1 koala management area is specified, in each of those koala management areas.
- (3) Despite subclause (1), this Policy does not apply to—

development compatible with forestry land uses

- (a) land dedicated or reserved under the National Parks and Wildlife Act 1974, or acquired under Part 11 of that Act, or
- (b) land dedicated under the Forestry Act 2012 as a State forest or a flora reserve, or (c) land on which biodiversity certification has been conferred, and is in force, under Part 8 of the Biodiversity Conservation Act 2016, or Land use zone Permitted land uses RU1 Primary Production Primary production, including agriculture and a diverse range of primary industry enterprises RU2 Rural Landscape Compatible rural land uses, including extensive agriculture RU3 Forestry Forestry land uses and other
- (d) land in the following land use zones, or an equivalent land use zone, unless the zone is in a local government area marked with an * in Schedule 1—
- (i) Zone RU1 Primary Production,
- (ii) Zone RU2 Rural Landscape,
- (iii) Zone RU3 Forestry.

The study area currently has land zoned as RU1, with the current proposed rezoning to alter much of this to E2 and RU2. Please Note that SEPP 2020 applies in lands zoned as RU1, RU2 and RU3 in accordance with SEPP 2020, unless the zone is in an LGA marked with an * in Schedule 1. We note that the marked LGAs in Schedule 1 all comprise the Greater Sydney area. Therefore, it is anticipated that should SEPP 2021 apply to Camden Council, it would join the list of LGAs marked with an * in Schedule 1, and that SEPP 2021 would apply to this site regardless of land zoning.

There is currently no approved Koala Plan of Management (KPoM) for the LGA that this site is located in. Therefore, before Council may grant consent to a development application for consent to carry out development on the land, the Council must assess whether the development is likely to have any impact on Koalas or Koala habitat.

If the Council is satisfied that a development is likely to have low or no impact on koalas or Koala habitat, the Council may grant consent to the development application. If the Council is satisfied that the development is likely to have a higher level of impact on Koalas or Koala habitat, the Council must, in deciding whether to grant consent to the development application, take into account a Koala assessment report for the development.

As of September 2021, the nearest Koala record to the study area was in 2013 along Cobbitty Road to the north. A record from 2013 also exists in the Camden township to the south. High-density Koala records are recorded in the City of Campbelltown LGA to the south-east, with remote records existing throughout a 10 km radius within the last 18 years, the maximum expected life-expectancy for wild Koalas.

Under the DPIE website, Camden City Council falls within the Central Coast Koala Management Area. Eight (8) tree species were recorded in the study area which are considered to be Koala use tree species within this Management Area. Of these species, four (4) are considered high preferred use (*Eucalyptus microcorys, E. moluccana, E. tereticornis* and *E. robusta*), two (2) are considered significant use (*Angophora costata and Corymbia eximia*) and two (2) are considered occasional use (*C. maculata* and *E. eugenioides*).

No evidence of Koala activity was recorded during fauna survey. Despite this, given the prominence of Koala use trees and recent records, it is considered that this study area comprises Potential Koala Habitat, with the possibility of future upgrading to Core Koala Habitat following appropriate biodiversity management practices.




Figure 3-1 - Flora & fauna survey effort & results

3.7 Connectivity

The Nepean River lies directly to the west of the study area, providing riparian habitat linkages within at least a 10 km radius. The woodland on site is part of a vegetation patch of approx. 189 ha that extends for approximately 4.5 km to the east of the site. The site comprises critical Cumberland Plain Woodland habitat, the biodiversity value of which is magnified when considering the fragmented vegetation of the wider locality from urban sprawl and primary production.

The remnant has been classified as very important and Biobanking agreements are now protecting a large tract of the vegetation within the site.

The proposed SP2 and RU2 areas as indicated in red on Figure 3-2 below contain limited native vegetation that is not part of any primary corridor for fauna movement.




Figure 3-2 - Local connectivity

4. WATERCOURSES & WETLANDS

4.1 Endangered wetland communities

A number of wetland communities have been listed as an 'endangered ecological community' under the NSW BC Act.

Impacts on wetland communities must be assessed under the *BC Act* and if present the management of wetland communities must be given due consideration in accordance with the objectives and principles of management as contained within the NSW Wetlands Policy (2010), and appropriate management as determined by NSW DPIE - Office of Water in their general terms of approval. This may include but not limited to the provision of buffers, management of stormwater runoff and maintenance of natural inflows or runoff into those wetland communities. NSW listed communities include the following:

- Artesian springs ecological community
- Castlereagh Swamp Woodland Community
- Coastal Saltmarsh in the NSW North Coast, Sydney Basin and South East Corner bioregions
- Coastal Upland Swamp in the Sydney Basin bioregion
- Coolibah–Black Box woodland in the Darling Riverine Plains, Brigalow Belt South, Cobar Peneplain and Mulga Lands bioregions
- Freshwater Wetlands on Coastal Floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions
- Kurri sand swamp woodland in the Sydney Basin Bioregion
- Lagunaria swamp forest on Lord Howe Island
- Maroota Sands swamp forest
- Newnes Plateau Shrub Swamp in the Sydney Basin Bioregion
- Swamp oak floodplain forest of the NSW North Coast, Sydney Basin and South East Corner bioregions
- Swamp sclerophyll forest on coastal floodplains of the NSW North Coast, Sydney Basin and South East Corner bioregions
- The shorebird community occurring on the relict tidal delta sands at Taren Point
- Upland wetlands of the drainage divide of the New England Tableland Bioregion
- Wingecarribee Swamp

No endangered wetland communities were present within the study area. A referral to NRAR may be required for any potential future DA that occurs on waterfront land.

4.2 Groundwater dependent ecosystems (GDEs)

Groundwater dependent ecosystems (GDEs) are communities of plants, animals and other organisms whose extent and life processes are dependent on groundwater. Some examples of ecosystems which depend on groundwater are:

- wetlands;
- red gum forests, vegetation on coastal sand dunes and other terrestrial vegetation;

- ecosystems in streams fed by groundwater;
- limestone cave systems;
- springs; and
- hanging valleys and swamps.




Figure 4-1 – Alluvial groundwater system discharging into a river

Groundwater dependent ecosystems are therefore ecosystems which have their species composition and their natural ecological processes determined by groundwater (NSW State Groundwater Dependent Ecosystems Policy April 2002).

Groundwater Dependent Ecosystems (GDEs) were not observed within the study area however they would occur on the lands downslope as they grade into River-flat Eucalypt Forest on Coastal Floodplains.

4.3 Watercourse assessment

Six Maps shows first order streams in the south-western portion of the study area. These are all ephemeral with no water present at the time of botanical survey in August 2021.

If there is future development within the RU2 zone where the drainages occur, a 10 m setback from the top of bank would need to be applied as a minimum for riparian protection.

4.4 Coastal Management SEPP

The NSW DPE Coastal Wetlands and Littoral Rainforests Area Map

(http://webmap.environment.nsw.gov.au/PlanningHtml5Viewer/?viewer=SEPP_CoastalManagement) identifies an area within the wetland as "coastal wetlands", and a buffer area surrounding the margin of the wetland as "proximity area for coastal wetlands".

As stated in the *State Environmental Planning Policy (Coastal Management) 2018*, development consent is required for any development within these areas and must not be given unless the consent authority is satisfied that sufficient measures have been, or will be, taken to protect, and where possible enhance, the biophysical, hydrological and ecological integrity of the coastal wetland. Additionally, within the "proximity area for coastal wetlands" area, development consent must not be given unless the consent authority is satisfied that the proposed development will not significantly impact on the quantity and quality of surface and ground water flows to and from the adjacent coastal wetland.

RFF: 21PPS02

No parts of the Nepean River are mapped as coastal wetlands. The nearest mapped wetland occurs approximately 9.5 km to the east north-east within a tributary of Bunbury Curran Creek on private property just to the north of Raby Road.

5. BC ACT AND POTENTIAL ASSESSMENTS

5.1 Biodiversity Offsets Scheme (BOS)

The BC Act repeals the Threatened Species Conservation Act 1995, the Nature Conservation Trust Act 2001 and the animal and plant provisions of the National Parks and Wildlife Act 1974. Together with the <u>Biodiversity Conservation Regulation 2017</u>, the BC Act establishes a new regulatory framework for assessing and offsetting biodiversity impacts on proposed developments and clearing. It establishes a framework to avoid, minimise and offset impacts on biodiversity from development through the Biodiversity Offsets Scheme (BOS). Where development consent is granted, the authority may impose as a condition of consent an obligation to retire a number and type of biodiversity credits determined under the Biodiversity Assessment Method (BAM).

Where development consent is granted, the authority may impose as a condition of consent an obligation to retire a number and type of biodiversity credits determined under the BAM.

The Biodiversity Offsets Scheme applies to:

- local development (assessed under Part 4 of the Environmental Planning and Assessment Act 1979) that triggers the Biodiversity Offsets Scheme Threshold or is likely to significantly affect threatened species based on the test of significance in section 7.3 of the Biodiversity Conservation Act 2016
- state significant development and state significant infrastructure projects, unless the Secretary of the Department of Planning, Industry and Environment and the environment agency head determine that the project is not likely to have a significant impact
- biodiversity certification proposals
- clearing of native vegetation in urban areas and areas zoned for environmental conservation that exceeds the Biodiversity Offsets Scheme threshold and does not require development consent
- clearing of native vegetation that requires approval by the Native Vegetation Panel under the Local Land Services Act 2013
- activities assessed and determined under Part 5 of the Environmental Planning and Assessment Act 1979 (generally, proposals by government entities) if proponents choose to 'opt in' to the Scheme.

Proponents will need to supply evidence relating to the triggers for the Biodiversity Offsets Scheme Threshold and the test of significance (where relevant) when submitting their application to the consent authority.

5.2 Threshold assessment

The BOS includes three (3) elements to the threshold test – an area trigger, a Biodiversity Values Land Map trigger and the Test of Significance. If impacts exceed at least one of these triggers, the Biodiversity Offset Scheme applies to the proposed clearing.

5.2.1 Biodiversity Values Land Map

Biodiversity Values Land have been mapped within the study area – an offset is required under this trigger if future development is undertaken in an area identified as being purple on the figure below. Note, the biodiversity values mapping is regularly updated and should be consulted prior to any future DA. The figure shows the extent of the site and the study area (in blue) which is drawn approximately (not accurate).




Figure 5-1 – Biodiversity values land (purple) relative to the study area (blue)

(Source: DPIE - Biodiversity Values Map - September 2021)

5.2.2 Area clearing threshold

The area threshold varies depending on the minimum lot size (shown in the Lot Size Maps made under the relevant Local Environmental Plan (LEP)), or actual lot size (where there is no minimum lot size provided for the relevant land under the LEP).

Table 5-1 - BOS Entry Threshold Report

| Date of Calculation | 20/09/2021 | 11:51 AM | BDAR Required* |
|--|------------|----------|----------------|
| Total Digitised Area | 1.03 | ha | |
| Minimum Lot Size Method | LEP | | |
| Minimum Lot Size | 40 | ha | |
| Area Clearing Threshold | 1 | ha | |
| Area clearing trigger Area of native vegetation cleared | Unknown # | ŧ | Unknown # |
| Biodiversity values map trigger Impact on biodiversity values map(not including values added within the last 90 days)? | yes | | yes |
| Date of the 90 day Expiry | N/A | | |

Table 5-1 – BOS Entry Threshold Report identifies the minimum lot size of the site is 40 ha, and the area clearing threshold for which the BOS applies is 1 ha. Clearing of 'native vegetation' that exceeds 1 ha will require a biodiversity offset to be obtained. Note that 'native vegetation' includes planted native species. If the PPR is accepted and the minimum lot size is changed to 20 ha, the area clearing threshold would be reduced to 0.5 ha.

5.2.3 Test of Significance

As there is no DA, a test of significance is not required. A test of significance may be required for a future DA if the proposal impacts native vegetation or fauna habitat but below the thresholds or outside of biodiversity values land as previously described.

6. SUMMARY

6.1 Ecological overview

Ecological survey and constraints analysis has been undertaken in accordance with relevant legislation including the *Environmental Planning and Assessment Act 1979*, the *Biodiversity Conservation Act 2016*, the commonwealth *Environment Protection and Biodiversity Conservation Act 1999* and the *Fisheries Management Act 1994*.

In respect of matters required to be considered under the *Environmental Planning and Assessment Act 1979* and relating to the species and provisions of the *Biodiversity Conservation Act 2016*, no threatened fauna species, no threatened flora species and one (1) TEC were recorded within the study area, Cumberland Plain Woodland.

It should be recognised that these surveys fall short of compliance with the requirements under the BAM for the purposes of a DA. Based on the vegetation type and quality, there is potential habitat for *Pimelea spicata* and *Pultenaea pedunculata* within parts of the study area that have not been severely impacted by previous clearing and continuing understorey management. Some searches have been undertaken in areas of suitable habitat but not comprehensively across the entire study area. No specimens were recorded during the August 2021 survey.

A fauna survey was only conducted over a 1 day / evening time frame with no repeat surveys. The Anabats that were deployed did not record any threatened microbat species and being surveyed in winter is when they are much less active. It would be considered highly likely that some would utilise the study area from time to time. Threatened woodland birds such as Little Lorikeet, Speckled Warbler, Varied Sittella and Dusky Woodswallow would likely utilise parts of the study area on occasion for foraging. Cumberland Plain Woodland Snail was not identified during the survey although much of the remnant habitat within the study area lacks sufficient logs and leaf little for protective habitat. The more comprehensive surveys undertaken in 2016 did identify a number of threatened species within the site, although specific locations were not noted. The recorded species include White-bellied Sea-Eagle, Little Lorikeet, Powerful Owl, Speckled Warbler, Varied Sittella, Dusky Woodswallow, Eastern Coastal Free-tailed Bat, Large-eared Pied Bat, Little Bent-winged Bat (with possible certainty), Large Bent-winged Bat and Cumberland Plain Land Snail (with possible certainty).

For the PPR, a test of significance or a BDAR is not required. Comment is made primarily on the suitability of the proposed land zone change to better reflect current and future land-use of nominated parts of the site and a potential future superlot subdivision. If there was a future DA within the study area (proposed RU2 and SP2 zoned lands), Section 5 details the current thresholds for when the BOS is triggered. Most vegetated areas are mapped as containing biodiversity values. The current 40 ha lot minimum size means a 1 ha native vegetation threshold impact if mapped biodiversity values land is not triggered.

There are no endangered wetland communities or GDEs within the study area. The first order streams in the south-western corner of the study area would require a minimum 10 m from top of bank protection buffer for any future DA in the proposed RU2 zone.

In respect of matters required to be considered under the *Environment Protection and Biodiversity Conservation Act 1999*, no threatened fauna species, no threatened flora species and one (1) TEC were recorded within the study area; namely, Cumberland Plain Shale Woodlands and Shale-Gravel Transition Forest. Only parts of the state-listed Cumberland Plain Woodland are commensurate with the national listing. Areas of regrowth without a canopy and areas of nature pasture do not meet the criteria. Any future DA would need to consider its presence and undertake a separate assessment upon matters of NES.

Pimelea spicata is the only potential threatened flora species with habitat in the study area and it has not been observed.

Of the threatened fauna recorded in the 2016 survey, those listed under the *EPBC Act* include the Large-eared Pied Bat. The White-bellied Sea-Eagle is listed as a protected marine species under this Act.

6.2 Suitability of the proposed rezoning

The proposal seeks to rezone parts of the site with a more appropriate land-use zoning. The schools are located on land proposed to be rezoned from R5 Large lot Residential to SP2 Educational Establishment, parts of the RU1 Primary Production zoned land will be rezoned as RU2 Rural Landscape which other parts where there are significant areas of bushland and conservation works, these will be rezoned as E2 Environmental Conservation.

We fully support the protection of remnant vegetation as being rezoned to E2. These areas form part of an extensive area of native bushland containing threatened ecological communities and threatened species.

RU1 and RU2 zoning are quite similar, although RU2 would be potentially a more appropriate zone for the land in question, where the land is not being used for intensive agricultural pursuits and landscape character of open rural land dominates. It appears that quite a large portion of the RU1 lands have been vacant or only intermittently used as denoted by the regrowth of extensive patches of *Bursaria spinosa*. Given the subtle differences in zoning and consideration of the rural landscape and level of protection on flora and fauna, there is no disadvantage ecologically if the zoning is changed to RU2.

The lands zoned R5 are proposed to be zoned SP2 Educational Establishment. Further, the Wivenhoe Homestead is listed as a heritage item in Schedule 5 of the Camden LEP 2010. The specific heritage conservation controls at clause 5.10 are still in place with a change to the SP2 zoning. Given the location is adjacent to the airport, the SP2 zone appears to be a reasonable zoning for the lands containing the schools. There is very little habitat and remnant vegetation in this area, it being noted to largely comprise scattered trees within a park-like landscape. From an ecological perspective, a proposed SP2 zoning on these lands will not disadvantage the local ecology and could be supported.

The proposed super lot subdivision element of the proposal is considered to be compatible with the ecological sensitivities of the site.

All future development application should, however, be accompanied by relevant biodiversity assessments in accordance with the prevailing biodiversity legislation.

Table 6-1 – Comparison of zones RU1 and RU2

REF: 21PPS02

RU1 zoning – Primary production 1 Objectives of zone 1 To encourage sustainable primary industry production by maintaining and enhancing the natural resource base. 1 To encourage sustainable primary industry production by maintaining and enhancing the natural resource base. 1 To maintain the rural landscape character of the land. 1 To provide for a range of compatible land uses, including extensive agriculture.

RU1 zoning - Primary production

- To minimise conflict between land uses within this zone and land uses within adjoining zones.
- To permit non-agricultural uses (including tourism-related uses) that are compatible with the agricultural, environmental and conservation values of the land.
- To maintain the rural landscape character of the tourism-related uses) that are compatible with the land.

2 Permitted without consent

Home Extensive agriculture: Forestry: occupations

3 Permitted with consent

(attached); Dwelling houses; Environmental premises; Dual occupancies (attached); Dwelling protection works; Extractive industries; Farm houses; Environmental protection works; Farm buildings; Farm stay accommodation; Garden buildings; Farm stay accommodation; Home-Home-based child care; businesses; Home industries; Intensive livestock industries; Intensive plant agriculture; Roads; agriculture; Intensive plant agriculture; Open cut mining: Roads: Roadside stalls: Rural industries: Rural supplies; Rural workers' dwellings; Secondary dwellings; Any other development not specified in item 2 or 4

4 Prohibited

Amusement centres; Car parks; Commercial premises; Correctional centres;; Entertainment facilities; Exhibition homes; Exhibition villages; Freight transport facilities; Function centres; Extractive industries; Freight transport facilities; Health services facilities: Heavy industrial storage establishments: Home occupations services); Industrial retail outlets; Industries; Information and education facilities: Port facilities: buildings: Public administration facilities (indoor); Recreation facilities (major); facilities (indoor); Recreation facilities (major); Residential accommodation; Restricted premises; Service stations; Sex services premises; Storage Rural industries; Service stations; Sex services premises; Tourist and visitor accommodation; premises; Storage premises; Tourist and visitor Transport depots; Vehicle body repair workshops; Vehicle repair stations; Warehouse or distribution centres; Wharf or boating facilities; Wholesale stations; Warehouse or distribution centres; supplies

RU2 zoning - Rural landscape

- To protect and enhance areas of scenic value by minimising development and providing visual contrast to nearby urban development.
- To maintain the visual amenity of prominent ridgelines.
- To permit non-agricultural uses (including agricultural, environmental and conservation values of the land.

2 Permitted without consent

Extensive agriculture; Home occupations

3 Permitted with consent

Aquaculture; Bed and breakfast accommodation; Agricultural produce industries; Aquaculture; Bed door premises; Dual occupancies and breakfast accommodation; Cellar door Home based child care; Home businesses; Home Rural workers' dwellings; Sawmill or log processing industries; Secondary dwellings; Any other development not specified in item 2 or 4

Prohibited

Advertising structures; Agriculture; Air transport facilities; Amusement centres; Camping grounds; Car parks; Caravan parks; Commercial premises; Correctional centres; Crematoria;; Entertainment facilities; Exhibition homes; Exhibition villages; Function centres: Health services facilities: Heavy establishments: industrial storage occupations (sex services); Industrial retail outlets; Industries; Information and education Recreation facilities; Mortuaries; Port facilities; Recreation Residential accommodation; Restricted premises; accommodation; Transport depots; Truck depots; Vehicle body repair workshops; Vehicle repair Wharf or boating facilities; Wholesale supplies

R5 zoning – Large lot residential

Zone R5 Large Lot Residential

1 Objectives of zone

- To provide residential housing in a rural setting while preserving, and minimising impacts on, environmentally sensitive locations and scenic quality.
- To ensure that large residential lots do not hinder the proper and orderly development of urban areas in the future.
- To ensure that development in the area does not unreasonably increase the demand for public services or public facilities.
- To minimise conflict between land uses within this zone and land uses within adjoining zones.

2 Permitted without consent

Extensive agriculture; Home occupations

3 Permitted with consent

Bed and breakfast accommodation; Dual occupancies (attached); Dwelling houses; Homebased child care; Home businesses; Home industries; Oyster aquaculture; Pond-based aquaculture; Roads; Tank-based aquaculture; Any other development not specified in item 2 or

4 Prohibited

Advertising structures; Agriculture; Air transport facilities; Amusement centres; Animal boarding or training establishments; Boat building and repair facilities; Boat sheds; Camping grounds; Car parks; Caravan parks; Charter and tourism facilities; Commercial boating premises: Correctional centres; Crematoria; Depots; Ecotourist facilities; Electricity generating works; Entertainment facilities: Exhibition homes: Extractive industries; Forestry; Freight transport facilities; Function centres; Heavy industrial storage establishments; Home occupations (sex services); Industrial retail outlets; Industries; Information and education facilities; Mortuaries; Neighbourhood shops; Public administration buildings; Recreation facilities (indoor); Recreation facilities (major); Registered clubs; Research stations; Residential accommodation; Restricted premises; Rural industries; Service stations; Sewerage systems; Sex services premises; Storage premises; Tourist and visitor accommodation; Transport depots; Truck depots; Vehicle body repair workshops; Vehicle repair stations; Veterinary hospitals; Warehouse or distribution centres: Waste resource or

RU2 zoning - Rural landscape

Zone SP2 Infrastructure

1 Objectives of zone

- To provide for infrastructure and related uses.
- To prevent development that is not compatible with or that may detract from the provision of infrastructure.

2 Permitted without consent

Nil

3 Permitted with consent

Aquaculture; The purpose shown on the <u>Land Zoning Map</u>, including any development that is ordinarily incidental or ancillary to development for that purpose; Community facilities; Environmental protection works; Flood mitigation works; Recreation areas; Roads

4 Prohibited

Any development not specified in item 2 or 3

| R5 zoning – Large lot residential | RU2 zoning – Rural landscape |
|--|------------------------------|
| management facilities; Wharf or boating facilities; Wholesale supplies | |
| | |

6.3 Conservation initiatives

A substantial portion of the site has significant biodiversity values as reflected in the Biodiversity Values Map (DPIE) and addressed in this assessment and summarised previously.

Further, these lands are subject to currently Biobanking Agreements and Bushland Conservation Initiatives, pursuant to the attached conservation strategy documents or Bushland Conservation Management Plan (CMP), forming commitments in a Planning Agreement relating to the land.

It is understood that extensive bushland conservation works have been undertaken in accordance with the subject agreements and plans and appear to have established a framework for the conservation of these sensitive lands and potentially a sustainable future.

7. CONCLUSION

The ecological investigation undertaken, and overview of conservation initiatives and commitments have established that proposed zoning rationalization and super lot subdivision pose no major threats to the unique ecological values of the site. Further, the commitment to on-going conservation initiatives is supported and encouraged.

It is noted, however, that and future development application beyond the super lot subdivision proposal should be accompanied by appropriate ecological investigations in accordance with the relevant biodiversity legislation at that time. Such limited development opportunities on the proposed RU2 and SP2 lands are importantly on the least ecologically sensitive lands comprising the property.