



Consulting.TM
an Elephants Foot Company

93-145 Hoxton Park Road, 20, 48 Dale Avenue, 49-51
Maryvale Avenue, and 260 Memorial Avenue, Liverpool
NSW 2170

Mixed Use Development

OPERATIONAL WASTE MANAGEMENT PLAN

15/01/2025
Report No. 4005
Revision F

Client

ABA Estate Pty Ltd

11 Egerton St, Silverwater, NSW 2128
T 04 2 533 1099

Architect

Tony Owen Architects

Level 2, 12-16 Queen Street Chippendale, NSW 2008
www.tonyowen.com.au
T +61 2 9698 2900



REVISION REFERENCE

| Revision | Date | Prepared by | Reviewed by | Description |
|----------|------------|-------------|--------------|-------------|
| A | 22/04/2022 | M. Cuevas | A. Armstrong | Draft |
| B | 11/05/2022 | M. Cuevas | A. Armstrong | Amendment |
| C | 25/05/2022 | M. Cuevas | T. McPherson | Amendment |
| D | 23/06/2022 | M. Cuevas | T. McPherson | Final |
| E | 14/01/2024 | M. Cuevas | J. Parker | Amendment |
| F | 15/01/2024 | M. Cuevas | J. Parker | Final |

The information contained in this document produced by Elephants Foot Consulting (EFC) is solely for the use of the client identified on the cover sheet for the purpose for which it has been prepared for. EFC undertakes no duty, nor accepts any responsibility for any third party who may rely upon this document. Reproduction, publication or distribution of this document without written permission from EFC is strictly prohibited.

TABLE OF CONTENTS

| | |
|--|----|
| TABLE OF FIGURES | iv |
| LIST OF TABLES..... | iv |
| GLOSSARY OF ABBREVIATIONS AND TERMS | i |
| 1.0 ACKNOWLEDGEMENT OF COUNTRY | 3 |
| 2.0 INTRODUCTION..... | 3 |
| 2.1 SCOPE OF REPORT | 3 |
| 2.2 REPORT CONDITIONS | 4 |
| 3.0 LEGISLATION & GUIDANCE..... | 5 |
| 3.1 COUNCIL OBJECTIVES | 5 |
| 4.0 DEVELOPMENT OVERVIEW..... | 6 |
| 4.1 SITE LOCATION..... | 6 |
| 5.0 RESIDENTIAL WASTE MANAGEMENT | 7 |
| 5.1 WASTE GENERATION ESTIMATES..... | 7 |
| 5.2 BIN SUMMARY | 8 |
| 5.3 RESIDENTIAL WASTE DISPOSAL PROCEDURES..... | 9 |
| 5.3.1 RESIDENTIAL GENERAL WASTE AND RECYCLING DISPOSAL PROCEDURES..... | 9 |
| 5.3.2 RESIDENTIAL FOOD WASTE DISPOSAL PROCEDURES..... | 9 |
| 5.4 Residential WASTE COLLECTION PROCEDURES | 10 |
| 5.5 BULKY WASTE PROCEDURES..... | 10 |
| 6 RETAIL WASTE MANAGEMENT | 12 |
| 6.1 WASTE GENERATION ESTIMATES..... | 12 |
| 6.2 BIN SUMMARY | 13 |
| 6.3 WASTE DISPOSAL PROCEDURES..... | 13 |
| 6.4 WASTE COLLECTION PROCEDURES..... | 13 |
| 6.5 OTHER WASTE MANAGEMENT CONSIDERATIONS | 14 |
| 6.5.1 BATHROOMS | 14 |
| 6.5.2 LIQUID WASTE | 14 |
| 6.5.3 PROBLEM WASTE..... | 14 |
| 7 STAKEHOLDER ROLES & RESPONSIBILITIES | 15 |
| 8 SOURCE SEPARATION | 16 |
| 9 EDUCATION | 18 |
| 9.1 SIGNAGE..... | 18 |
| 10 POLLUTION PREVENTION..... | 19 |
| 11 BIN WASHING..... | 19 |
| 12 BIN MOVING PATHS (BINS MOVED FOR COLLECTION)..... | 19 |
| 13 EQUIPMENT SUMMARY | 21 |
| 14 WASTE ROOMS | 21 |

| | | |
|---------------|--|----|
| 15 | CONSTRUCTION REQUIREMENTS..... | 24 |
| 12.1 | ADDITIONAL CONSIDERATIONS | 24 |
| 16 | USEFUL CONTACTS..... | 25 |
| APPENDIX A: | ARCHITECTURAL PLANS..... | 26 |
| APPENDIX: A.1 | BASEMENT – | 27 |
| APPENDIX: A.2 | GROUND FLOOR LEVEL..... | 28 |
| APPENDIX B: | INSTALLATION EQUIPMENT | 29 |
| APPENDIX: B.1 | TYPICAL SINGLE CHUTE LAYOUT..... | 30 |
| APPENDIX: B.2 | EXAMPLE RESIDENTIAL LEVEL RECYCLING BIN LAYOUT | 31 |
| APPENDIX C: | PRIMARY WASTE MANAGEMENT PROVISIONS..... | 32 |
| APPENDIX: C.1 | TYPICAL BIN SPECIFICATIONS..... | 33 |
| APPENDIX: C.2 | SIGNAGE FOR WASTE AND RECYCLING BINS..... | 34 |
| APPENDIX: C.3 | TYPICAL COLLECTION VEHICLE INFORMATION..... | 36 |
| APPENDIX: C.4 | TYPICAL BIN MOVERS | 38 |
| APPENDIX: C.5 | TYPICAL SEATED BIN MOVERS..... | 39 |
| APPENDIX: C.6 | EXAMPLE BIN LIFTER FOR 240L BINS | 41 |
| APPENDIX D: | SECONDARY WASTE MANAGEMENT PROVISIONS..... | 42 |
| APPENDIX: D.1 | EXAMPLE APARTMENT STYLE COMPOST BIN | 43 |
| APPENDIX: D.2 | TYPICAL SOURCE SEPARATION BINS | 44 |

TABLE OF FIGURES

| | |
|------------------------------|---|
| Figure 1. Site Location..... | 6 |
|------------------------------|---|

LIST OF TABLES

| | |
|--|----|
| Table 1: Estimated Waste and Recycling Volumes – Residential- Waste Calculations updated according to number of units..... | 7 |
| Table 2: Estimated Food Waste Volumes – Residential- FOGO waste calculations updated .. | 8 |
| Table 3: Estimated Waste and Recycling Volumes – Retail..... | 12 |
| Table 4: Stakeholder Roles and Responsibilities | 15 |
| Table 5: Operational Waste Streams..... | 16 |
| Table 6: Equipment Summary..... | 21 |
| Table 7: Waste Room Areas..... | 21 |
| Table 8: Waste Room Requirements..... | 23 |

GLOSSARY OF ABBREVIATIONS AND TERMS

| TERM | DESCRIPTION |
|------------------------------------|--|
| <i>Bin-carting Route</i> | Travel route for transferring bins from the storage area to a nominated collection point |
| <i>Chute</i> | A ventilated, vertical pipe passing from floor to floor of a building with openings as required to connect with hoppers and normally terminating at its lower end at the roof of the central waste room(s) |
| <i>Chute Discharge</i> | The point at which refuse exits from the refuse chute |
| <i>Chute Discharge Room</i> | A secure, enclosed area or room housing the discharge and associated equipment for the refuse chute |
| <i>Collection Area/Point</i> | The identified position or area where general waste or recyclables are loaded onto the collection vehicle |
| <i>DA</i> | Development Application |
| <i>DCP</i> | Development Control Plan |
| <i>EPA</i> | Environmental Protection Authority |
| <i>HRV</i> | Heavy Rigid Vehicle described by AS 2890.2-2002 Parking facilities – Off-street commercial vehicle facilities |
| <i>L</i> | Litre(s) |
| <i>LEP</i> | Local Environmental Plans guide planning decisions for local government areas |
| <i>Liquid Waste</i> | Non-hazardous liquid waste generated by commercial premises that must be connected to sewer or collected for treatment and disposal by a liquid waste contractor (including grease trap waste) |
| <i>Mixed Use Development</i> | A development comprised of two or more different uses |
| <i>MUD</i> | Multi-Unit Dwellings comprise of a development with more than one dwelling. This ranges from dual occupancies and attached dwellings to high-rise residential developments |
| <i>Mobile Garbage Bin(s) (MGB)</i> | A waste container generally constructed of plastic with wheels with a capacity in litres of 120, 240, 360, 660, 1000 or 1100 |
| <i>MRV</i> | Medium Rigid Vehicle described by AS 2890.2-2002 Parking facilities – Off-street commercial vehicle facilities |
| <i>Onsite Collection</i> | When the collection vehicle enters the property and services the development within the property boundary from a designated loading area |
| <i>Owners Corporation</i> | An organisation or group of persons that is identified by a particular name and acts, or may act, as an entity |
| <i>Service Bins</i> | Bin set aside to be placed under a chute while the remainder of the bins are being collected |

SRV Small Rigid Vehicle described by AS 2890.2-2002 Parking facilities – Off-street commercial vehicle facilities

WHS Workplace Health and Safety

Wheel-in wheel-out service A type of waste collection service offered by local councils where the council waste collection personnel enter the premises to collect the bins and returns them to the property

1.0 ACKNOWLEDGEMENT OF COUNTRY

We acknowledge Australia's First Nations People as the Traditional Custodians of this land. We pay respect to ancestors and Elders, past and present. We honour Aboriginal and Torres Strait Islander people and their connection to land, waters and seas, and their vital contribution to the vibrant nation that we share, Australia.

2.0 INTRODUCTION

Elephants Foot Consulting (EFC) has been engaged to prepare the following waste management plan for the operational management of waste generated by the mixed use development located at 95-145 Hoxton Park Rd, Liverpool.

Waste management strategies and audits are required for new developments in order to support the design and sustainable performance of the building. It is EFC's belief that a successful waste management strategy contains three key objectives:

- i. **Promote responsible source separation** to reduce the amount of waste that goes to landfill by implementing convenient and efficient waste management systems.
- ii. **Ensure adequate waste provisions and robust procedures** that will cater for potential changes during the operational phase of the development.
- iii. **Comply** with all relevant council codes, policies, and guidelines.

To achieve these objectives, this operational waste management plan (OWMP) identifies the different waste streams likely to be generated during the operational phase of the development, as well as how the waste will be handled and disposed, details of bin sizes/quantities and waste rooms, descriptions of the proposed waste management equipment used, and information on waste collection points and frequencies.

It is essential that this OWMP is integrated into the overall management of the building and is clearly communicated to all relevant stakeholders.

2.1 SCOPE OF REPORT

This operational waste management plan (OWMP) only applies to the **operational** phase of the proposed development; therefore, the requirements outlined in this OWMP must be implemented during the operational phase of the site and may be subject to review upon further expansion of, and/or changes to the development.

The waste management of the **construction** and **demolition** phases of the development are not addressed in this report.

2.2 REPORT CONDITIONS

The purpose of this report is to document an OWMP as part of a development application, which is supplied by EFC with the following limitations:

- Drawings, estimates and information contained in this OWMP have been prepared by analysing the information, plans and documents supplied by the client and third parties including Council and other government agencies. The assumptions based on the information contained in the OWMP is outside the control of EFC,
- The figures presented in the report are an estimate only – the actual amount of waste generated will be dependent on the occupancy rate of the building/s and waste generation intensity as well as the building management's approach to educating residents and tenants regarding waste management operations and responsibilities,
- The building manager will adjust waste management operations as required based on actual waste volumes (e.g. if waste is greater than estimated) and increase the number of bins and collections accordingly,
- The report will not be used to determine or forecast operational costs or prepare any feasibility study or to document any safety or operational procedures,
- The report has been prepared with all due care; however no assurance is made that the OWMP reflects the actual outcome of the proposed waste facilities, services, and operations, and EFC will not be liable for plans or results that are not suitable for purpose due to incorrect or unsuitable information or otherwise,
- EFC offer no warranty or representation of accuracy or reliability of the OWMP unless specifically stated,
- Any manual handling equipment recommended in this OWMP should be provided at the recommendation of the appropriate equipment provider who will assess the correct equipment for supply,
- Design of waste management chute equipment and systems must be approved by the supplier,
- EFC cannot be held accountable for late changes to the design after the OWMP has been submitted to Council,
- EFC will provide specifications and recommendations on bin access and travel paths within the OWMP, however it is the architect's responsibility to ensure the architectural drawings meet these provisions,
- EFC are not required to provide information on collection vehicle swept paths, head heights, internal manoeuvring or loading requirements. It is assumed this information will be provided by a traffic consultant,
- Council are subject to changing waste and recycling policies and requirements at their own discretion.

This OWMP is only finalised once the Draft Watermark has been removed. If the Draft Watermark is present, the information in the OWMP is not confirmed.

3.0 LEGISLATION & GUIDANCE

Waste management and resource recovery regulation in Australia is administered by the Australian Constitution, Commonwealth laws, and international agreements. State and territory governments maintain primary responsibility for controlling development and regulating waste. The following legislation has been enacted in New South Wales, and provides the lawful underpinnings of this OWMP.

- NSW Environmental Planning & Assessment Act 1979
- NSW Protection of the Environment Operations Act 1997
- NSW Waste Avoidance & Resource Recovery Act 2001

At the local level, councils or Local Government Areas (LGAs) require OWMPs to be included in new development applications. This OWMP is specifically required by:

- Liverpool Development Control Plan 2008
- Liverpool Local Environmental Plan 2008

The primary purpose of a development control plan (DCP) is to guide development according to the aims of the corresponding local environmental plan (LEP). The DCP must be read in conjunction with the provisions of the relevant LEP.

Information provided in this OWMP comes from a wide range of waste management guidance at the local, state, and federal levels. The primary sources of guidance include:

- NSW Better Practice Guidelines for Waste Management and Recycling in Commercial and Industrial Facilities 2012
- NSW Better practice guide for resource recovery in residential developments 2019
- NSW Waste Avoidance and Resource Recovery (WARR) Strategy 2014-2021
- NSW Waste Classification Guidelines 2014
- Australia's National Waste Policy 2018

3.1 COUNCIL OBJECTIVES

Liverpool City Council recognises the potential environmental and human health impacts associated with waste generation, storage and disposal. To mitigate these impacts, Council aims to:

- Minimise disposal of waste to landfill and recover resources to minimise depletion of natural resources.
- Ensure waste management for the end use of the development is designed to provide satisfactory amenity for occupants and provide appropriately designed collection systems.
- Minimise ongoing waste to landfill and maximise recycling of ongoing waste.

4.0 DEVELOPMENT OVERVIEW

The proposed development falls under the LGA of Liverpool City Council, and consists of:


- 6 buildings with 6 levels and one shared basement levels.
 - 284 residential units in total, consisting of
 - 24 units in Building A - Core 1
 - 24 units in Building A - Core 2
 - 24 units in Building B - Core 1
 - 24 units in Building B - Core 2
 - 26 units in Building C - Core 1
 - 26 units in Building C - Core 2
 - 20 units in Building D - Core 1
 - 18 units in Building D - Core 2
 - 23 units in Building E - Core 1
 - 25 units in Building E - Core 2
 - 25 units in Building F - Core 1
 - 25 units in Building F - Core 2
 - 7 retail tenancies with a total GFA of 1137 m²

All figures and calculations are based on area schedules as advised by our client and shown on architectural drawings.

4.1 SITE LOCATION

The site is located at 95-145 Hoxton Park Rd, Liverpool NSW 2170, as shown in Figure.1 (boundaries are indicative only). The site has frontages to Hoxton Park Rd and Dale Avenue with vehicle access via Dale Avenue and Memorial Avenue.

Figure 1: Site Location



Source: Google Maps

5.0 RESIDENTIAL WASTE MANAGEMENT

The following section outlines best practice waste management for the residential component of the development, including waste generation estimates, and waste disposal and collection procedures.

5.1 WASTE GENERATION ESTIMATES

The *Liverpool City Council Waste Management Services Fact Sheet (2016)* has been referenced to calculate the total number of bins required for the residential units. Calculations are based on generic waste and recycling rates. Actual volumes of waste and recycling generated in operation may differ according to the residents' actual waste management practices.

The following table shows the estimated volume (L) of general waste and recyclables generated by the residential component of the development.

Table 1: Estimated Waste and Recycling Volumes – Residential- Waste Calculations updated according to number of units

| Bulding | Core | # Units | General Waste Generation Rate (L/unit/week) | Generated General Waste (L/week) | Recycling Generation Rate (L/unit/week) | Generated Recycling (L/week) |
|----------------------|--------|------------|--|-------------------------------------|--|---------------------------------|
| A | Core 1 | 24 | 120 | 2880 | 120 | 2880 |
| | Core 2 | 24 | 120 | 2880 | 120 | 2880 |
| B | Core 1 | 24 | 120 | 2880 | 120 | 2880 |
| | Core 2 | 24 | 120 | 2880 | 120 | 2880 |
| C | Core 1 | 26 | 120 | 3120 | 120 | 3120 |
| | Core 2 | 26 | 120 | 3120 | 120 | 3120 |
| D | Core 1 | 20 | 120 | 2400 | 120 | 2400 |
| | Core 2 | 18 | 120 | 2160 | 120 | 2160 |
| E | Core 1 | 23 | 120 | 2760 | 120 | 2760 |
| | Core 2 | 25 | 120 | 3000 | 120 | 3000 |
| F | Core 1 | 25 | 120 | 3000 | 120 | 3000 |
| | Core 2 | 25 | 120 | 3000 | 120 | 3000 |
| TOTAL | | 284 | | 34080 | | 34080 |
| Bins and Collections | | | General Waste Bin Size (L) | 1100 | Recycling Bin Size (L) | 1100 |
| | | | General Waste Collections per Week | 1 | Recycling Collections per Week | 1 |
| | | | Total General Waste Bins Required for Collection | 31 | Total Recycling Bins Required for Collection | 31 |
| | | | General Waste Bins per block | A | Recycling Bins per Block | A |
| | | | | B | | B |
| | | | | C | | C |
| | | | | D | | D |
| | | | | E | | E |
| | | | | F | | F |

**Note: An additional 1100L MGB should be provided for each chute discharge for use during collection periods. These bins are not included in the above figures.*

***Note: It is strongly recommended bins/equipment at the base of each chute allow for 2-days' worth of waste or recycling generation.*

NSW EPA's *Better Practice Guide for Resource Recovery in Residential Developments 2019* has been referenced to calculate the total number of food waste bins required for the residential units.

Calculations are based on generic food waste rates. Actual volumes of food waste generated in operation may differ according to the residents' waste management practices.

Table 2: Estimated Food Waste Volumes – Residential- FOGO waste calculations updated

| Building | # Units | Organics (FOGO) Generation Rate | Generated Organics (FOGO) (L/week) |
|----------------------|-------------------------------------|---------------------------------|------------------------------------|
| A | 48 | 25 | 1200 |
| B | 48 | 25 | 1200 |
| C | 52 | 25 | 1300 |
| D | 38 | 25 | 950 |
| E | 48 | 25 | 1200 |
| F | 50 | 25 | 1250 |
| TOTAL | 284 | | 7100 |
| Bins and Collections | Bin Size (L) | | 240 |
| | Collections per Week | | 1 |
| | Total Bins Required for Collection | | 30 |
| | Number of Food Waste Bins per block | A | 5 |
| | | B | 5 |
| | | C | 6 |
| | | D | 4 |
| | | E | 5 |
| | | F | 5 |

5.2 BIN SUMMARY

Based on the estimated waste generated by the residential component of this development, the recommended bin quantities and collection frequencies are as follows:

General Waste: 31x 1100L MGBs collected **1 x weekly**

Recycling: 31 x 1100L MGBs collected **1 x weekly**

Food Waste: 30 x 240L MGBs collected **1 x weekly**

Service Bins: 12 x 1100L MGB

During operation, it is the responsibility of the building manager to monitor the number of bins required for the residential component. Waste and recycling volumes may change according to residents' attitudes to waste disposal and recycling, building occupancy levels or development's management. Any requirements for adjusting the capacity of the waste facilities can be achieved by changing the number of bins, the bin sizes or collection frequencies. Building management will be required to negotiate any changes to bins or collections with the collection service provider.

5.3 RESIDENTIAL WASTE DISPOSAL PROCEDURES

All units will be provided with a storage area capable of holding separate receptacles for general waste, recycling and FOGO. This is typically located within kitchen areas beneath the workbench. This space should be sized to accommodate 40L receptacles (minimum) to account for 2 days' worth of general waste, recycling and 20L for FOGO storage.

5.3.1 RESIDENTIAL GENERAL WASTE AND RECYCLING DISPOSAL PROCEDURES

Single general waste chutes will be installed in each building core with access provided to all residents on each residential level. Separate 240L recycling bins will be provided in a compartment adjacent to the general waste chute for the storage of commingled and cardboard recycling.

Residents will be responsible for walking their general waste and recycling to their allocated disposal point and placing their general waste into the general waste chute and recycling into the 240L recycling bins.

Residents will wrap or bag their general waste before placing in the chute. Bagged waste should not exceed 3kg in weight, or 35cm x 35cm x 35cm. Residents will be responsible for loosely placing their recycling into the 240L bins. Recycling should be clean and must not be bagged as soft plastics contaminate recycling.

The general waste will discharge from the chutes into 1100L bins in the Chute Discharge Rooms located on the ground level.

The building manager will monitor bin capacities under the general waste chute and exchange full bins with empty bins on the track systems when required. The building caretaker will also monitor recycling bins on each level, and full bins will be exchanged with empty bins as required. The 240L bins will be decanted into 1100L bins with the aid of a bin lifter.

Full and spare bins will be kept in the Bin Holding Room.

Refer to Council guidance for the types of materials accepted in the general waste and recycling streams.

5.3.2 RESIDENTIAL FOOD WASTE DISPOSAL PROCEDURES

The majority of organics waste generated from multi-unit residential developments comprises of food waste as opposed to garden waste. As such, calculations and management recommendations provided in this report considers that FOGO bins will primarily comprise of food organics.

The residents of each unit will be provided with a kitchen caddy for the separation of FOGO. Food organics must be contained in accordance with Liverpool Council's future FOGO collection service procedures (for example a compostable liner). Any clippings from residential units can also be disposed of with the FOGO.

The building will be provided with a Communal FOGO Bin Rooms which contains 240L bins for FOGO. The residents will be responsible for walking their FOGO down to the Communal FOGO Bin Room and placing it into the bins.

Building management is responsible for ensuring that the Communal FOGO Bin Room and FOGO bins are washed down frequently to ensure that hygiene and odour is managed

5.4 RESIDENTIAL WASTE COLLECTION PROCEDURES

Council will be engaged to collect the residential bins in accordance with Council's collection schedule. This report assumes waste, recycling and food waste are collected weekly.

On the nominated waste collection day, the building caretaker with the aid of a bin tug will be responsible for transporting the 1100L and 240L MGBs from the Chute Discharge and Communal Food Rooms to the Residential Bin Holding Room located in the basement. It is recommended that extra 1100L service bins are placed under the chute to collect discharge while the other bins are being serviced.

To service the bins, a Council collection vehicle will enter the site from Dale Avenue and park in the loading bay on the basement level. Council's collection staff will collect the bins directly from the Residential Bin Holding Room. Once the bins are serviced, the collection vehicle will exit the site onto Dale Avenue in a forward direction.

All access and clearances to the Residential Bin Holding Room must be able to accommodate a rear lift HRV per AS2890.2-2002 and a minimum head-height clearance of 3.9 metres.

It is the responsibility of the caretaker to ensure that the loading area is clear of any vehicles or obstructions prior to waste collection.

When waste collection is complete, the building manager will return the empty bins to their operational locations to resume use.

5.5 BULKY WASTE PROCEDURES

An area will be made available for the storage of discarded residential bulky items (e.g. whitegoods, furniture, etc.). This room should be located within close proximity of the Residential Bin Holding Room and must have a minimum doorway width of 1.5m to allow for easy movement of large waste items in and out of the room.

Liverpool Council requires bulk waste storage rooms to be provided for residential buildings at a rate of 6m² per 26 units (or part thereof) as per, Liverpool City Council's *Fact Sheet - Waste Management Services for Residential Flat Buildings and Multi Dwelling Housing 2021*.

Based on this rate, the bulky waste room required for each lot is as follows.

Bulky Waste Room Size

(Total number of units/26) *6m² = m² of bulky waste room

284/26 = 10.9

10.9*6= 65.4

bulky waste storage area: minimum 66m²

Residents will need to liaise with building management regarding the transportation of bulky items and the availability of the bulky waste storage room in the basement level. It is the caretaker's responsibility to arrange collection dates with Council and then coordinate with the residents.

On the day of service, a council waste collection vehicle will enter the site from Dale Avenue, and park in the loading bay on the basement level. The building caretaker will transport bulky waste items to the Residential Bin Holding Room/ Bin Collection Area for the contractors to load items onto the vehicle. Refer to Council's website for acceptable items and other information regarding bulky waste collection.

6 RETAIL WASTE MANAGEMENT

The following section outlines best practice waste management for the retail components of the development, including waste generation estimates and waste disposal and collection procedures.

6.1 WASTE GENERATION ESTIMATES

The NSW EPA's *Better practice guide for resource recovery in residential developments 2019* has been referenced to calculate the total number of bins required for the anticipated tenants. Calculations are based on generic figures, and waste generation rates may differ according to the tenants' actual waste management practice. The waste and recycling generation rates from the NSW EPA's *Better practice guide for resource recovery in residential developments 2019* have been adapted to reflect litres per 100m² per day.

The following table shows the estimated volume (L) of general waste and recyclables that will be generated by the retail tenants.

. It is assumed that retail tenancies will share waste bins, the waste storage room, and the waste collection service.

The following estimates are based on a seven-day operating week.

Table 3: Estimated Waste and Recycling Volumes – Retail

| Waste Generation Rate Type | GFA (m ²) | General Waste Generation Rates (L/100m2/day) | Generated Waste (L/week) | Recycling Generation Rate (L/100m ² /day) | Generated Recycling (L/week) |
|--|------------------------------------|--|--------------------------|--|------------------------------|
| Food Retail: Other | 76.20 | 120 | 640.1 | 80 | 426.7 |
| Restaurant | 47.50 | 400 | 1330.0 | 280 | 931.0 |
| Retail : Other Non Food | 78.80 | 50 | 275.8 | 100 | 551.6 |
| Café | 75.40 | 100 | 527.8 | 120 | 633.4 |
| Retail: Chain Stores | 49.90 | 5 | 17.5 | 20 | 69.9 |
| Pub (without meals provided at the bar | 78.40 | 50 | 274.4 | 50 | 274.4 |
| Retail: Office based | 114.50 | 30 | 240.5 | 40 | 320.6 |
| Retail:grocery and convenience | 141.30 | 120 | 1186.9 | 240 | 2373.8 |
| Hair and beauty | 75.40 | 62.5 | 329.9 | 50 | 263.9 |
| Offices | 399.40 | 10 | 279.6 | 15 | 419.4 |
| Total | 1137 | | 5102.4 | | 6264.7 |
| Equipment and Collections | General Waste Bin Size (L) | | 1100 | Recycling Bin Size (L) | 1100 |
| | General Waste Bins Per Week | | 5 | Recycling Bins Per Week | 6 |
| | General Waste Collections per Week | | 2 | Recycling Collections per Week | 2 |
| | Total General Waste Bins Required | | 3 | Total Recycling Bins Required | 3 |

6.2 BIN SUMMARY

Based on the estimated waste generated by the retail tenancies, the recommended bin quantities and collection frequencies are as follows:

General Waste: 3 x 1100L MGBs collected **2 x weekly**

Recycling: 3 x 1100L MGBs collected **2 x weekly**

Bin sizes, quantities, and/or collection frequencies may be modified by the building manager once the proposed development is operational. Building management will be required to negotiate any changes to bins or collections with the collection service provider. Seasonal peak periods such as public and school holidays should also be considered.

6.3 WASTE DISPOSAL PROCEDURES

The retail tenancies will be responsible for their back of house waste and recycling management during daily operations.

On completion of each trading day or as required, nominated staff or contracted cleaners will transport all general waste and recyclables in the shared waste collection area.

6.4 WASTE COLLECTION PROCEDURES

A private waste collection contractor will be engaged to service the retail waste and recycling bins per an agreed schedule. This report assumes waste is collected 2 x weekly and recycling is collected 2 x weekly.

On the day of service, a private waste collection vehicle will enter the site from Dale Avenue and park in the loading bay on the basement level. The building caretaker will provide the driver with access to the retail waste room. Once the bins are serviced, the collection vehicle will exit the site onto Dale Avenue in a forward direction.

Please note that the collection of retail bins should occur on separate days from the collection of residential bins minimise conflicting uses of the loading bay.

6.5 OTHER WASTE MANAGEMENT CONSIDERATIONS

Based on the types of tenancies anticipated for this development, the following waste management practices are recommended.

6.5.1 BATHROOMS

Washroom facilities should be supplied with collection bins for paper towels (if used). Sanitary bins for female restroom facilities must also be arranged with an appropriate contractor.

6.5.2 LIQUID WASTE

Liquid wastes such cleaning products, chemicals, paints, and cooking oil, etc., will be stored in a secure space that is bunded and drained to a grease trap in accordance with State government authorities and legislation.

6.5.3 PROBLEM WASTE

The building manager is responsible for making arrangements for the disposal and recycling of problem waste streams with an appropriate contractor. Problem wastes cannot be placed in general waste as they can have adverse impacts to human health and the environment if disposed of in landfill. Retail tenants will need to liaise with the building manager when disposing of problem waste streams.

Problem waste streams include:

- Chemical Waste
- Liquid wastes
- Toner cartridges
- Lightbulbs
- eWaste
- Batteries

7 STAKEHOLDER ROLES & RESPONSIBILITIES

The following table demonstrates the primary roles and responsibilities of the respective stakeholders:

Table 4: Stakeholder Roles and Responsibilities

| Roles | Responsibilities |
|--------------------------------------|--|
| Strata, Body Corporate or Management | <ul style="list-style-type: none"> • Ensure all waste service providers submit monthly reports on all equipment movements and waste quantities/weights; • Organise internal waste audits/visual assessments on a regular basis • Purchase any on-going waste management equipment or maintenance of equipment once building is operational; and • Manage any non-compliances/complaints reported through waste audits. |
| Building Manager or Waste Caretaker | <ul style="list-style-type: none"> • Maintain and clean chute doors on each level; • Coordinate general waste and recycling collections; • Clean and transport bins as required; • Organise replacement or maintenance requirements for bins; • Organise, maintain and clean the waste holding area; • Organise bulky goods collection when required • Investigate and ensure prompt clean-up of illegally dumped waste materials. • Prevent storm water pollution by taking necessary precautions (securing bin rooms, preventing overfilling of bins) • Abide by all relevant WH&S legislation, regulations, and guidelines; • Provide staff/contractors with equipment manuals, training, health and safety procedures, risk assessments, and PPE to control hazards associated with all waste management; • Assess any manual handling risks and prepare a manual handling control plan for waste and bin transfers; • Ensure site safety for residents, children, visitors, staff and contractors; and • Ensure effective signage, communication and education is provided to occupants, tenants, maintenance staff, and cleaning contractors. |
| Residents | <ul style="list-style-type: none"> • Dispose of all general waste and recycling in the allocated waste chutes and/or MGBs provided; • Ensure adequate separation of general waste and recycling; and • Compliance with the provisions of Council and the OWMP. |
| Retail Tenants | <ul style="list-style-type: none"> • Manage the back of house storage of generated waste and recycling during daily operation. • Correctly separate waste and recycling streams; bag general waste and ensure recyclables are not bagged. • Flatten cardboard within the recycling bin. • If required, make arrangements for storing used and unused cooking oil in a bunded storage area, • Organise grease interceptor trap servicing, • Ensure dry basket arrestors are provided to the floor wastes in the food preparation, and • Ensure the suitable storage for chemicals, pesticides and cleaning products waste back of house. |
| Waste Collection Contractor | <ul style="list-style-type: none"> • Provide a reliable and appropriate waste collection service; • Provide feedback to building managers/residents regarding contamination of recyclables; and • Work with building managers to customise waste systems where possible. |
| Gardening/Landscaping Contractor | <ul style="list-style-type: none"> • Remove all garden organic waste generated during gardening maintenance activities for recycling at an offsite location. |
| Developer | <ul style="list-style-type: none"> • Purchase all equipment required to implement this OWMP prior to the occupation of the building to be provided to the strata/body corporate. |

8 SOURCE SEPARATION

Better practice waste management includes the avoidance, reuse, and recovery of unwanted items, which can be achieved through source separation. The table below outlines what is typically included in various waste streams and how they can be managed. Refer to your local council for a list of accepted materials. Planet Ark can be accessed online to find other facilities that recover unwanted items.

Table 5: Operational Waste Streams

| Waste Stream | Description | Typical Destination | Waste Stream Management |
|--------------------------------------|--|--------------------------------------|--|
| General Waste | The remaining portion of the waste stream that is not recovered for re-use, processing, or recycling. May include soft plastics, food scraps, polystyrene, etc. | Landfill | Waste should be bagged before placing in chutes, or in designated waste bins. |
| Recycling | A mixture of items that are commonly recycled usually segregated through a MRF. Typically include food and beverage containers (e.g. aluminium, glass, steel, hard plastics, cartons). Also included cardboard and paper products. | Resource Recovery Centre | Recycling must not be bagged, and instead should be placed loosely in the recycling chute or in designated recycling bins. Bulky cardboard must not be placed in any chute. Cardboard should be flattened before placing in the designated cardboard bin. |
| Paper and Cardboard Recycling | Cardboard and paper products are recyclable materials that can be re-processed into new products. | Resource Recovery Centre | Bulky cardboard must not be placed in any chute. Cardboard should be flattened before placing in the designated cardboard bin. |
| Commingled Recycling | A mixture of items that are commonly recycled usually segregated through a MRF. Typically include food and beverage containers (e.g. aluminium, glass, steel, hard plastics, cartons). | Materials Recovery Facility (MRF) | Commingled recycling must not be bagged, and instead should be placed loosely in the designated recycling bins. |
| FOGO | FOGO consists of unwanted or uneaten kitchen scraps that are easily compostable/biodegradable (e.g. vegetable peels, fruit rinds, coffee grounds) and garden organics including lawn clippings, leaves, pruning's and branches. | Composting Facility | FOGO should be bagged in compostable liners when deposited into the bins and will be collected by Council. |
| Electronic Waste | Discarded e-waste, electronic components and materials such as computers, mobile phones, keyboards, etc. | Resource Recovery Centre | Building manager arranges collection for e-waste recycling as needed by residents. Retail tenants arrange for recycling of their own e-waste. |
| Bulky Items | Items that are too large to place into general rubbish collection. This includes disused and/or broken furniture, mattresses, white goods, etc. | Resource Recovery Centre or Landfill | Residents liaise with building manager to store in Bulky Goods Room. Building manager arranges with Council for removal. Retail tenants are responsible for removal of their bulky items. |

| Waste Stream | Description | Typical Destination | Waste Stream Management |
|-----------------------|---|----------------------------|---|
| Sanitary Waste | Feminine hygiene waste generated from female bathrooms. | Incineration or Landfill | Sanitary bins are serviced by sanitary waste contractor. |
| Other | Other recyclable items that require special recovery may include ink cartridges, batteries, chemical waste, fluorescent tubes, etc. | Resource Recovery Facility | Building manager arranges collection by appropriate recycling services when required. |

9 EDUCATION

Educational materials encouraging correct separation of general waste and recyclables must be provided to each resident and retail tenant. This should include the correct disposal process for bulky waste such as old furniture, large discarded items, and other materials including electronic and chemical wastes. It is recommended that the building caretaker provides information in multiple languages to support correct behaviours, and to minimise the possibility of chute blockages and contamination in communal waste bins.

Education and communication must be provided consistently on a regular basis to encourage behaviour change and account for transient building personnel such as new residents, tenants, or cleaning staff. It is also recommended that the owners' corporation website contain information for residents' referral regarding use of the chute. Information should include:

- Directions on using the chute doors;
- Descriptions of items accepted in the recycling and general waste streams (refer to Council guidance);
- How to dispose of bulky goods and any other items that are not general waste or recycling (refer to Council guidance);
- Residents' obligations to health and safety as well as building management; and
- How to prevent damage or blockages to the chute (example below).

To prevent damage or blockage to rubbish chute DO NOT dispose of any umbrellas, bedding, cigarettes, cartons, coat hangers, brooms, mops, large plastic wrappings from furniture, white goods, any sharp objects, hot liquid or ashes, oil, unwrapped vacuum dust, syringes, paint and solvents, car parts, bike parts, chemicals, corrosive and flammable items, soil, timber, furniture, bricks or other building materials down the chute.

9.1 SIGNAGE

Signage and education are essential components to support best practice waste management including resource recovery, source separation, and diversion of waste from landfill.

Signage should include:

- Clear and correctly labelled waste and recycling bins,
- Instructions for separating and disposing of waste items. Different languages should be considered,
- Locations of, and directions to, the waste storage areas with directional signs, arrows, or lines,
- The identification of all hazards or potential dangers associated with the waste facilities, and
- Emergency contact information should there be issues with the waste systems or services in the building.

The building manager is responsible for waste room signage including safety signage. Appropriate signage must be prominently displayed on doors, walls and above all bins, clearly stating what type of waste or recyclables is to be placed in each bin.

All chute doors on all residential levels will be labelled with signs directing chute operations and use of chute door.

All signage should conform to the relevant Australian Standards.

10 POLLUTION PREVENTION

Building management shall be responsible for the following to minimise dispersion of site litter and prevent stormwater pollution to avoid impact to the environment and local amenity:

- Promoting adequate waste disposal into the bins
- Securing all bin rooms (whilst affording access to staff/contractors)
- Prevent overfilling of bins, keep all bin lids closed and bungs leak-free
- Taking action to prevent dumping or unauthorised use of waste areas
- Require collection contractor/s to clean up any spillage when clearing bins

11 BIN WASHING

The bins will be cleaned by the building manager periodically to ensure hygiene and minimise odour.

Bin washing can occur within the bin rooms, using the room clean down facilities (i.e tap connection and drain). Alternatively, a specialist bin washing contractor can be engaged to clean the bins to an agreed schedule. The specialist bin contractor would collect the bins from the bin holding area and clean the bins with their specialised vehicle.

12 BIN MOVING PATHS (BINS MOVED FOR COLLECTION)

The building manager is responsible for the transportation of bins from their designated operational locations to the collection area, returning them once emptied to resume operational use.

Any movement of bins should minimise manual handling where possible, as bins become heavy when full. The building manager must assess manual handling risks and provide any relevant documentation to key personal.

The routes along the bin moving path should;

- Allow for a continuous route that is wholly within the property boundary.
- Be free from obstruction and obstacles such as steps and kerbs.
- Be constructed of solid materials with a non-slip surface
- Be A minimum of 300mm wider than the largest bin used onsite.
- If bins are moved manually, the route must not exceed a grade of 1:14.
- If a bin moving device is used, the route cannot exceed the maximum operating grade of the device. This is typically a grade of 1:4, however this will vary depending on the model of bin moving device acquired for the site.

As the bins are intended to be moved up the vehicle ramp/As the distance of the bin moving paths exceeds 10m, a bin moving device will be required to aid the movement of full bins. The developer is responsible for supplying all equipment required for moving bins this includes any bin lifters, bin moving devices and waste transfer bins. This equipment must be new and appropriate for the site. The developer should contact a bin-tug, trailer or tractor consultant to provide equipment recommendations.

Once the site is operational (and the developers is no longer involved) the building proprietors/strata will be responsible for maintaining, repairing and replacing waste management equipment.

Bins may have to be fitted with hitches to enable the simultaneous transportation of multiple bins to the collection area. Council must be informed of any hitch attachments required to be installed on bins.

13 EQUIPMENT SUMMARY

Table 6: Equipment Summary

| | Part | Qty | Notes |
|-----------------|--|-----|--|
| Chutes | Please refer to supplier's information | 12 | (See APPENDIX B.1 for Typical Single Chute Layout) |
| Other Equipment | Suitable Bin Moving Equipment | 1 | (See APPENDIX C.4 for Typical Bin Movers) |
| | Bin Lifter for 240L bins | 1 | (See APPENDIX C.6 for Typical Bin Lifer) |

14 WASTE ROOMS

The areas allocated for waste storage and collection areas are detailed in the table below, and are estimates only. Final areas will depend on room and bin layouts.

EFC recommends bins sizes, collection frequencies and/or equipment for best practice waste management at this site, however EFC also acknowledges there are a range of other suitable options that may alter waste room requirements (e.g. floor area, accessibility, head height, etc.)

Table 7: Waste Room Areas

| Building | Level | Waste Room Type | Equipment MGBs | Estimated Area Required (m ²) |
|----------|------------|---------------------------------|--|---|
| A | Basement 1 | Chute Discharge Room A1 | Minimum 1x 1100L MGBs (waste) 1x 1100L MGBs service bin | > 6 |
| | | Chute Discharge Room A2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Communal Food Waste –Building A | 5 x 240L MGBs (food waste) | > 5 |
| B | | Chute Discharge Room B1 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Chute Discharge Room B2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Communal Food Waste –Building B | 5 x 240L MGBs (food waste) | > 5 |
| C | | Chute Discharge Room C1 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Chute Discharge Room C2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Communal Food Waste –Building C | 6 x 240L MGBs (food waste) | > 6 |
| D | | Chute Discharge Room D1 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Chute Discharge Room D2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |

| Building | Level | Waste Room Type | Equipment MGBs | Estimated Area Required (m ²) |
|----------|----------|---|---|---|
| | | Communal Food Waste –Building D | 4 x 240L MGBs (food waste) | > 4 |
| E | | Chute Discharge Room E1 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Chute Discharge Room E2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Communal Food Waste –Building E | 5 x 240L MGBs (food waste) | > 5 |
| | | Chute Discharge Room F1 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| F | | Chute Discharge Room F2 | Minimum 1x 1100L MGBs (waste) 1 x 1100L MGBs service bin | > 6 |
| | | Communal Food Waste –Building F | 5 x 240L MGBs (food waste) | > 5 |
| B-C | Basement | Residential Bin Holding Room/ Bin Collection Area A-B-C | 16 x 1100L MGBs (waste) 16 x 1100L MGBs (recycling) 16 x 240L MGBs (food waste) | > 107 |
| E-F | Basement | Residential Bin Holding Room/ Bin Collection Area D-E-F | 15 x 1100L MGBs (waste) 15 x 1100L MGBs (recycling) 14 x 240L MGBs (food waste) | > 99 |
| | | Bulky Goods Waste Storage Room | | > 66 |
| | | Retail Waste Room | 3 x 1100L MGBs (waste) 3 x 1100L MGBs (recycling) | > 18 |

The waste room areas have been calculated based on equipment requirements and/or bin dimensions with an additional 70% of bin GFA factored in for manoeuvrability.

In addition, all doorways and passageways facilitating the movement of bins and/or bulky waste items must be at least 1500mm wide. The following table provides further waste room requirements.

Table 8: Waste Room Requirements

| Waste Room Type | Waste Room Requirements |
|---|---|
| Chute Discharge Room | <ul style="list-style-type: none"> • Ceiling clearance height must be a minimum of 3000mm • The chute penetration must have a minimum 500mm clearance of any service pipes or other overhead obstacles (subject to penetration location) • All waste discharge points should be caged off to ensure the safety of any personnel accessing the waste room • 200mm clearance is required around compaction equipment • Where a chute offset is required, the angle of the offset must not exceed 40 degrees (Subject to number of consecutive offset and/pr up to 1500mm) • Where two sets of volume management equipment are placed under the chutes, a 200mm clearance is required between the equipment. |
| Residential Bin Holding Room and/or Bin Collection Area | <ul style="list-style-type: none"> • Bins must not be stacked in rows that are more than two bins deep |
| Communal FOGO Rooms | <ul style="list-style-type: none"> • Bins should be arranged so that all bins are accessible. Bins are not to be placed in front of one another or in such a way as to restrict access to the other bins for use. • Rooms must be well ventilated either naturally or mechanically in accordance with AS1668.4.2012 • Cleaning facilities such as hose hock and drainage for odour and hygiene control must be provided. • It is recommended a dustpan and broom is provided in this room for residents to clean up unexpected spillages when using bins. |
| Bulky Goods Waste Storage Room | <ul style="list-style-type: none"> • May be a dedicated room or screened area within another waste room • Must be in close proximity to the collection area • Area must also be allocated for the segregation of e-waste, gas bottles, cardboard, etc. • Doorway should be a minimum of 1500mm wide |
| Retail Waste Room | <ul style="list-style-type: none"> • In order to ensure staff safety, all bins should be arranged so they can be accessed without moving another bin |

15 CONSTRUCTION REQUIREMENTS

Waste room construction must comply with the minimum standards as outlined in the *Liverpool Development Control Plan 2008*, in order to minimise odours, deter vermin, protect surrounding areas, and make it a user-friendly and safe area.

The *NSW Better practice guide for resource recovery in residential developments (2019)* also states that better practice bin storage areas should achieve more than the minimum compliance requirements, which are as follows:

- Ensuring BCA compliance, including ventilation. Where required, ventilation system must comply with AS1668.4-2012 The use of ventilation and air conditioning in buildings.
- Ensuring storage areas are well lit (sensor lighting preferred) and have lighting available 24 hours a day.
- Provision of bin washing facilities, including taps for hot and cold water provided through a centralised mixing valve. The taps must be protected from bins and be located where they can be easily accessed even when the area is at bin capacity.
- Floor constructed of concrete at least 75mm thick.
- Floor graded so that any water is directed to a sewer authority approved drainage connection to ensure washing bins and/or waste storage areas do not discharge flow into the stormwater drain.
- Provision of smooth, cleanable and durable floor and wall surfaces that extend up the wall to a height equivalent to any bins held in the area.
- Ensuring ceilings are finished with a smooth-faced non-absorbent material capable of being cleaned.
- All surfaces (walls, ceiling and floors) finished in a light colour.

12.1 ADDITIONAL CONSIDERATIONS

- Waste room floor to be sealed with a two-pack epoxy;
- All corners coved and sealed 100mm up, this is to eliminate build-up of dirt;
- Tap height and light switch height of 1.6m;
- Storm water access preventatives (grate);
- All walls painted with light colour and washable paint;
- Equipment electric outlets to be installed 1700mm above finished floor level;
- Optional automatic odour and pest control system installed
- If 660L or 1100L bins are utilised, 2 x 820mm (minimum) double-doors must be used;
- All personnel doors are hinged, lockable and self-closing;
- Conform to the Building Code of Australia, Australian standards and local laws; and
- Childproofing and public/operator safety shall be assessed and ensured
- Waste and recycling rooms must have their own exhaust ventilation system either;
 - Mechanically - exhausting at a rate of 5L/m² floor area, with a minimum rate of 100L/s minimum. Mechanical exhaust systems shall comply with AS1668.4.2012 and not cause any inconvenience, noise or odour problem; or
 - Naturally - permanent, unobstructed, and opening direct to the external air, not less than one-twentieth (1/20) of the floor area.

16 USEFUL CONTACTS

EFC does not warrant or make representation for goods or services provided by suppliers.

LOCAL COUNCIL

| | | |
|----------------------------|------------------|---|
| Liverpool Customer Service | Ph: 1300 362 170 | E: lcc@liverpool.nsw.gov.au |
|----------------------------|------------------|---|

PRIVATE WASTE COLLECTION PROVIDER

| | | |
|-----------------------------|------------------|---|
| Capital City Waste Services | Ph: 02 9599 9999 | E: service@ccws.net.au |
| Remondis | Ph: 02 9032 7100 | |
| Suez Environmental | Ph: 13 13 35 | |
| Wastewise NSW | Ph: 1300 550 408 | E: admin@wastewise.com.au |

BIN MOVING DEVICE SUPPLIERS

| | | |
|--------------|------------------|---|
| Electrodrive | Ph: 1800 333 002 | E: sales@electrodrive.com.au |
| Sitecraft | Ph: 1300 363 152 | E: sales@sitecraft.com.au |
| Spacepac | Ph: 1300 763 444 | |

ORGANIC DIGESTERS AND DEHYDRATORS

| | | |
|--------------|------------------|---|
| Closed Loop | Ph: 1300 762 166 | |
| Orca | | E: contact.australia@feedtheorca.com |
| Soil Food | Ph: 1300 556 628 | |
| Waste Master | Ph: 1800 614 272 | E: hello@wastemasterpacific.com.au |

COOKING OIL CONTAINERS AND DISPOSAL

| | | |
|--------|------------------|---|
| Auscol | Ph: 1800 629 476 | E: sales@auscol.com |
|--------|------------------|---|

ODOUR CONTROL

| | | |
|----------------|------------------|---|
| EF Neutralizer | Ph: 1300 435 374 | E: info@elephantsfoot.com.au |
|----------------|------------------|---|

SOURCE SPERATION BINS

| | | |
|---------------------------|------------------|---|
| Source Separation Systems | Ph: 1300 739 913 | E: info@sourceseparationsystems.com.au |
|---------------------------|------------------|---|

MOBILE GARBAGE BINS, BULK BINS AND BIN EQUIPMENT


| | | |
|----------------|------------------|---|
| SULO | Ph: 1300 364 388 | E: sales@sulo.com.au |
| OTTO Australia | Ph: 02 9153 6999 | |

CHUTES, COMPACTORS AND EDIVERTER SYSTEMS

| | | |
|----------------|------------------|---|
| Elephants Foot | Ph: 1800 025 073 | E: info@elephantsfoot.com.au |
|----------------|------------------|---|


APPENDIX A: ARCHITECTURAL PLANS

APPENDIX: A.1 BASEMENT –



Source: Tony Owen Partners, Drawing Number A024, Dec 2024 – Basement Level


APPENDIX: A.2 GROUND FLOOR LEVEL



Source: Tony Owen Partners, Drawing Number A027, Dec 2024 – Ground Level


APPENDIX B: INSTALLATION EQUIPMENT

APPENDIX: B.1 TYPICAL SINGLE CHUTE LAYOUT



Please Note: This is an example only – please refer to supplier's information and specific

APPENDIX: B.2 EXAMPLE RESIDENTIAL LEVEL RECYCLING BIN LAYOUT



07 TYPICAL (610 ϕ) GALV. STEEL CHUTE LAYOUT
with ENCLOSURE(*) & RECYCLING COMPARTMENT

Please Note: This is an example only – please refer to supplier's information and specification

APPENDIX C: PRIMARY WASTE MANAGEMENT PROVISIONS

APPENDIX: C.1 TYPICAL BIN SPECIFICATIONS


Mobile bins

Mobile bins come in a variety of sizes and are designed for lifting and emptying by purpose-built equipment.

Mobile bins with capacities of up to 1700L must comply with *AS4123.6-2006 Mobile waste containers* which specifies standard sizes and sets out the colour designations for the bodies and lids of mobile waste containers indicating the type of materials they are used to collect.

The most common bin sizes are provided below, although not all sizes are shown. The dimensions are a guide only and differ slightly between manufacturers. Some bins have flat or domed lids and are used with different lifting devices. Refer to *AS4123.6-2006* for further details.

Table G1.1: Average dimension ranges for two-wheel mobile bins




| Bin capacity | 80L | 120L | 140L | 240L | 360L |
|---|------|-----------|-----------|-----------|-----------|
| Height (mm) | 870 | 940 | 1065 | 1080 | 1100 |
| Depth (mm) | 530 | 530 | 540 | 735 | 820 |
| Width (mm) | 450 | 485 | 500 | 580 | 600 |
| Approximate footprint (m ²) | 0.24 | 0.26–0.33 | 0.27–0.33 | 0.41–0.43 | 0.49 |
| Approximate weight (kg) | 8.5 | 9.5 | 10.4 | 15.5 | 23 |
| Approximate maximum load (kg) | 32 | 48 | 56 | 96 | Not known |

Wheelie bin

Sources include Sulo, Single Waste, Cleanaway, SUEZ, just wheelie bins and Perth Waste for two-wheel mobile bins

Table G1.2: Average dimension ranges for four-wheel bulk bins



| Bin capacity | 660L | 770L | 1100L | 1300L | 1700L |
|------------------------------------|-----------|-----------|-----------|-----------|-----------|
| Height (mm) | 1250 | 1425 | 1470 | 1480 | 1470 |
| Depth (mm) | 850 | 1100 | 1245 | 1250 | 1250 |
| Width (mm) | 1370 | 1370 | 1370 | 1770 | 1770 |
| Approx footprint (m ²) | 0.86–1.16 | 1.51 | 1.33–1.74 | 2.21 | 2.21 |
| Approx weight (kg) | 45 | Not known | 65 | Not known | Not known |
| Approx maximum load (kg) | 310 | Not known | 440 | Not known | Not known |

Dome or flat lid container

Sources include Sulo, Signal Waste, Cleanaway, SUEZ, Just Wheelie Bins and Perth Waste

Source: *Better Practice Guide For Resource Recovery In Residential Developments 2019*, NSW Environmental Protection Authority

APPENDIX: C.2 SIGNAGE FOR WASTE AND RECYCLING BINS

Waste signs

Signs and educational materials perform several functions including:

- informing residents why it is important to recover resources and protect the environment
- providing clear instructions on how to use the bins and services provided
- alerting people to any dangers or hazards within the bin storage areas.

All waste, recycling and organic bins should be Australian Standard colours and clearly and correctly labelled, such as by a sticker on the lid and/or the body of the bin.

Communal bin storage areas should be clearly signposted with signs outlining how to correctly separate waste into the bins provided. The local council responsible for waste services may be a good source of signs and posters and can advise on what signs are suitable.

Information on who to contact to find out more about the recycling and/or other resource recovery services in the building should also be displayed in communal areas, such as on a noticeboard.

The Planet Ark website also has resources available free of charge for use by businesses and councils. These signs can be found at businessrecycling.com.au/research/signage.cfm

Figure I1.1: Examples of waste wall posters (EPA supplied)



Figure I1.2: Examples of bin lid stickers (EPA supplied)



Source: *Better Practice Guide For Resource Recovery In Residential Developments 2019*, NSW Environmental Protection Authority

Problem waste signs

The EPA has also produced a range of images and signs that can be used for problem wastes, such as fluoro globes and tubes, household and car batteries, e-waste and smoke detectors. To access these resources, contact the NSW EPA. Some examples are shown below.

Figure I2.1: Problem waste signs



Safety signs

The use of safety signs for waste resource recovery rooms must comply with *AS1319 Safety signs for occupational environments*. Safety signs must be used to regulate and control safety related to behaviour, warn of hazards and provide emergency information, including fire protection information. Suitable signs should be decided for each development as required.

Figure I3.1: Example safety signs



Source: *Better Practice Guide For Resource Recovery In Residential Developments 2019*, NSW Environmental Protection Authority

APPENDIX: C.3 TYPICAL COLLECTION VEHICLE INFORMATION

General

Appropriate heavy rigid vehicle standards should be incorporated into the road and street designs in new developments where onsite collections are proposed. Road and street designs must comply with relevant Acts, regulations, guidelines, and codes administered by Austroads, Standards Australia, NSW Roads and Maritime Services, WorkSafe NSW and any local council traffic requirements.

Applicants and building designers should consult with councils and other relevant authorities before designing new roads or streets and access points for waste collection vehicles to establish specific design requirements.

Table H4.1: Australian Standards for turning circles for medium and heavy rigid class vehicles

| Vehicle class | Overall length (m) | Design width (m) | Design turning radius (m) | Swept circle (m) | Clearance (travel) height (m) |
|----------------------|--------------------|------------------|---------------------------|------------------|-------------------------------|
| Medium rigid vehicle | 8.80 | 2.5 | 10.0 | 21.6 | 4.5 |
| Heavy rigid vehicle | 12.5 | 2.5 | 12.5 | 27.8 | 4.5 |

Large collection vehicles

Waste collection vehicles may be side-loading, rear-loading, front-lift-loading, hook or crane lift trucks. Vehicle dimensions vary by collection service, manufacturer, make and model. It is not possible to provide definitive dimensions, so architects and developers should consult with the local council and/or contractors.

The following characteristics represent typical collection vehicles and are provided for guidance only. Reference to *AS2890.2 Parking facilities: off-street commercial vehicle facilities* for detailed requirements, including vehicle dimensions, is recommended.

Table B2.1: Collection vehicle dimensions


| Vehicle type | Rear-loading | Side-loading* | Front-lift-loading | Hook truck | Crane truck |
|------------------------------------|--------------|---------------|--------------------|------------|-------------|
| Length overall (m) | 10.5 | 9.6 | 11.8 | 10.0 | 10.0 |
| Width overall (m) | 2.5 | 2.5 | 2.5 | 3.0 | 2.5 |
| Travel height (m) | 3.9 | 3.6 | 4.8 | 4.7 | 3.8 |
| Operational height for loading (m) | 3.9 | 4.2 | 6.5 | 3.0 | 8.75 |
| Vehicle tare weight (t) | 13.1 | 11.8 | 16.7 | 13.0 | 13.0 |
| Maximum payload (t) | 10.0 | 10.8 | 11.0 | 14.5 | 9.5 |
| Turning circle (m) | 25.0 | 21.4 | 25.0 | 25.0 | 18 |

* The maximum reach of a side arm is 3 m.

Sources: JJ Richards, SUEZ, MacDonald Johnson, Cleanaway, Garwood, Ros Roca, Bingo and Edbro. Figures shown represent the maximum dimensions for each vehicle type.

Rear-loading collection vehicles

These vehicles are commonly used for domestic waste collections from MUDs and RFBs and sometimes for recycling. They can be used to collect waste stored in mobile bins or bulk bins, particularly where bins are not presented at the kerbside. They are also used for collecting bulky waste.



Rear-loading waste collection vehicle

Side-loading collection vehicles

This is the most commonly used vehicle for domestic waste, recycling and organics collections. It is only suitable for collecting mobile bins up to 360L in capacity.



Side-loading waste collection vehicle

Front-lift-loading collection vehicles

These vehicles are commonly used for collecting commercial and industrial waste. They can only collect specially designed front-lift bulk bins and not mobile bins.



Front-lift-loading waste collection vehicle

Small collection vehicles

Typically, councils and their contractors operate with large collection vehicles (heavy rigid class vehicles) because they carry greater payloads and allow for more cost-effective collection services. Some councils, or their contractors, may have smaller collection vehicles in their fleet. Early discussion with the council is important to confirm this, but it should not be assumed that the council will have access to small collection vehicles.

The waste management systems and the location of the collection point should always be designed so that the council can provide the standard domestic waste service.

Source: *Better Practice Guide For Resource Recovery In Residential Developments 2019*, NSW Environmental Protection Authority

Source: *Better Practice Guide For Resource Recovery In Residential Developments 2019*, NSW Environmental Protection Authority

APPENDIX: C.4 TYPICAL BIN MOVERS

Battery powered tug with a 1 or 2 tonne tow capacity



Features at a glance

One tonne (Evo 1T) or two tonne (Evo 2T) tow capacity

Auto latching hitch

Three speed motor with emergency stop

Typical applications

The Tug Evo is suitable for airports, factories, warehouses, apartment buildings or large facilities. This powered tug is also suitable for transporting medical carts around hospitals or moving heavy specialist equipment.

Features:

- 1 or 2 tonne tow capacity of inclines up to 6 degrees
- 500kg tow capacity if inclines up to 14 degrees
- CE Compliant
- 5 km/h max speed
- 2 x 12V 42Ah MK-gel batteries with 24V smart charger.
- Powerful transaxle

Safety Features:

- Intuitive control with standard automatic safety brake, forward and reverse drive.
- Emergency stop button.

Emergency back-off button

Source: <http://www.electrodrive.com.au/products/tugs/tug-evo.aspx>

APPENDIX: C.5 TYPICAL SEATED BIN MOVERS

SITECRAFT

MATERIALS HANDLING EQUIPMENT




17 Macquarie Drive, Thomastown, VIC 3074

Phone: 1300 363 152 Fax: 1300 722 383


E: sales@sitecraft.com.au ABN: 36 423 328 526

SITECRAFT HEAVY DUTY ELECTRIC TOW TRACTOR

- > Towing capacities from 2000 kg to 6,000 kg
- > **Full AC electric system** has a brake-releasing function, making the unit easy and effortless to operate; The maintenance-free motor completely solves the issues of DC motor carbon brush.
- > Batteries located in the lowest part of frame ensures excellent stability
- > Quick open back service cover for easy maintenance and part replacement
- > CANbus technology reduces wiring complexity and increases reliability
- > H type axle design provides excellent stability
- > New high-range steering design; light steering and easy to maintain.
- > New large-screen instrument display provides information clearly and directly to the operator.



**12 MONTH
WARRANTY**



| Model | | ST-2000AC | ST-3000AC | ST-5000AC | ST-6000AC |
|-------------------------------|---------------|-------------------|-------------------|--------------------|--------------------|
| Towing Capacity | Kg | 2000 | 3000 | 5000 | 6000 |
| Drawbar Centre Height | h1/h2/h3 mm | 280/350/420 | 280/350/420 | 280/350/420 | 280/350/420 |
| Motor | Kw / V | 3Kw / 36V | 3Kw / 36V | 5Kw / 48V | 5Kw / 48V |
| Total Size | L x B x H mm | 1720 x 968 x 1270 | 1720 x 968 x 1270 | 1975 x 1100 x 1270 | 1975 x 1100 x 1270 |
| Total Weight (With Batteries) | Kg | 740 | 780 | 1240 | 1280 |
| Wheel Size | Solid Rubber | 15*4-8 | 15*4-8 | 15*4-8 | 15*4-8 |
| Wheelbase | L1 mm | 1055 | 1055 | 1280 | 1280 |
| Rear Hanging Distance | L2 mm | 382 | 382 | 500 | 500 |
| Seat Height | h4 mm | 910 | 910 | 910 | 910 |
| Ground Clearance | X mm | 90 | 90 | 90 | 90 |
| Turning Radius | Wa mm | 1500 | 1500 | 1650 | 1650 |
| Maximum Speed | Km/h | 10 | 8 | 14 | 12 |
| Battery | V/Ah | 36/200 | 36/250 | 48/360 | 48/400 |
| Battery Weight | Kg | 200 | 250 | 610 | 650 |
| Charger | On-board V/Ah | 36/30 | 36/30 | 48/50 | 48/50 |

SITECRAFT
MATERIALS HANDLING EQUIPMENT



17 Macquarie Drive, Thomastown, VIC 3074
Phone: 1300 363 152 Fax: 1300 722 383
E: sales@sitecraft.com.au ABN: 36 423 328 526

SITECRAFT HEAVY DUTY ELECTRIC TOW TRACTOR



Sitecraft ST3000-AC tow tug moving 660 & 1100 litre bins



Sitecraft ST3000-AC tow tug moving 660 & 1100 litre bins



ST3000-AC tow tug complete with 6 x 250AH heavy duty batteries



Optional steel / aluminium trailers for moving waste bins, linen trolleys, food trolleys, delivery boxes, etc ...

Source: <https://www.sitecraft.net.au/materials-handling/tow-tugs-powered-vehicles/electric-tow-vehicles/>

APPENDIX: C.6 EXAMPLE BIN LIFTER FOR 240L BINS

versatip

Versatip Bin Tipper – 1500mm Tip



Specifications

| | |
|---------------------|------------------------------|
| Product Code | 69121009 |
| Product Name | 1500mm Tip – Battery Powered |
| Capacity (kg) | 250 |
| Height (mm) | 2085 |
| Length (mm) | 1330 |
| Power Source | Battery Powered |
| Tipping Height (mm) | 1500 |
| Width (mm) | 990 |

Please Note: This is an example only – please contact supplier for specific recommendations.

Source: Elephants Foot Equipment - www.elephantsfoot.com.au/equipment/

APPENDIX D: SECONDARY WASTE MANAGEMENT PROVISIONS

APPENDIX: D.1 EXAMPLE APARTMENT STYLE COMPOST BIN



Apartment Style Compost bin – available from hardware stores

Suitable for:

- Vegetables
- Coffee grounds and filters
- Tea and tea bags
- Crushed eggshells (but not eggs)
- Nutshells
- Houseplants
- Leaves
- Cardboard rolls, cereal
- Boxes, brown paper bags
- Clean paper
- Shredded newspaper
- Fireplace ashes
- Wood chips, sawdust,
- Toothpicks, burnt matches
- Cotton and wool rags
- Dryer and vacuum cleaner lint
- Hair and fur
- Hay and straw

APPENDIX: D.2 TYPICAL SOURCE SEPARATION BINS



Source: <https://www.sourceseparationsystems.com.au/>