



ACCREDITED FOR
TECHNICAL
COMPETENCE



ISO 9001
CERTIFIED
QUALITY
MANAGEMENT



Transport for NSW
Authorised Engineering
Organisation

PRELIMINARY SITE INVESTIGATION REPORT

PROJECT: 13L Narromine Road Dubbo, NSW and Jannali Road, Dubbo, NSW 2830

CLIENT: Bathla Group

DATE: 16 June 2022

REPORT NO: NE1295

REVISION: 0



GEOTESTA

GEOTESTA PTY LTD ABN 91 851 620 815

Unit 6, 20-22 Foundry Road, Seven Hills, NSW 2147

1300 852 216 info@geotesta.com.au geotesta.com.au

Contents

| | | |
|-------|--|----|
| 1. | INTRODUCTION | 7 |
| 2. | PLANNING GUIDELINES | 8 |
| 3. | OBJECTIVE | 9 |
| 4. | SCOPE OF WORKS | 10 |
| 5. | SITE DESCRIPTION | 11 |
| 5.1 | Site Identification | 11 |
| 5.2 | Proposed Development | 12 |
| 5.3 | Site Details, Geology and Topography | 13 |
| 5.4 | Site Regional Meteorology and Hydrogeology | 14 |
| 5.5 | Registered Bore Search | 14 |
| 5.6 | Acid Sulphate Soils | 15 |
| 5.7 | Summary of Site History | 15 |
| 5.7.1 | Historical Background | 15 |
| 5.7.2 | Aerial Photograph Review | 15 |
| 5.8 | Site Walkover | 16 |
| 5.9 | NSW OEH/EPA Records | 17 |
| 5.10 | Planning Certificate | 17 |
| 5.11 | Historical Land Titles | 17 |
| 5.12 | Lotsearch | 17 |
| 5.13 | Salinity Mapping | 18 |
| 6. | CONCEPTUAL SITE MODEL | 19 |
| 6.1 | Areas of Environmental Concern | 19 |
| 6.2 | Potential Receptors and Sensitive Environments | 20 |
| 6.3 | Potential for migration and exposure of contamination | 20 |
| 6.4 | Assessment of Preliminary Site Investigation and Recommendations | 20 |
| 7. | SAMPLING AND ANALYSIS QUALITY PLAN (SAQP) | 22 |
| 7.1 | Field Screening and Sampling Program | 22 |
| 7.1.1 | Data Quality Plan | 22 |
| 7.1.2 | Visual Inspection | 22 |
| 7.1.3 | Soil Sampling Techniques | 22 |
| 7.1.4 | Rationale for Sampling Program and Locations | 22 |
| 7.1.5 | Sampling Program | 23 |
| 7.1.6 | Soil Logging | 23 |
| 7.2 | Sampling Quality control (QC) / Quality Assurance (QA) | 23 |

| | | |
|--------|---|----|
| 7.2.1 | Sampling Procedures | 23 |
| 7.2.2 | Analytical QA/QC Procedures | 24 |
| 8. | SAMPLING PROGRAM | 26 |
| 8.1 | Field Investigation | 26 |
| 8.2 | Analytical Program | 26 |
| 9. | ASSESSMENT CRITERIA | 29 |
| 9.1 | Heavy metals, PAH, PCB, OCP/OPP and asbestos | 29 |
| 9.2 | Total Recoverable Hydrocarbons (TRH) and Benzene Toluene Ethylbenzene Xylene (BTEX) | 30 |
| 9.3 | Ecological Investigation Levels | 31 |
| 10. | RESULTS | 33 |
| 10.1 | Subsurface Conditions | 33 |
| 10.2 | Laboratory Analytical Results | 33 |
| 10.2.1 | Heavy Metals (HM) | 33 |
| 10.2.1 | Organochlorine Pesticides / Organophosphorus Pesticides (OCP/OPP) | 36 |
| 10.2.2 | Polycyclic Aromatic Hydrocarbons (PAH) | 37 |
| 10.2.3 | Total Recoverable Hydrocarbons (TRH) - 2013 NEPM Fractions | 38 |
| 10.2.4 | Benzene, Toluene, Ethyl Benzene and Xylene (BTEX) - 2013 NEPM Fractions | 40 |
| 10.2.5 | Asbestos | 41 |
| 10.2.6 | Swamp/dam water results | 41 |
| 10.3 | Evaluation Analytical Quality Assurance | 42 |
| 10.3.1 | Duplicate Sample | 42 |
| 10.3.2 | Trip Spike | 44 |
| 10.3.1 | Trip Blank | 44 |
| 11. | DISCUSSION | 46 |
| 11.1 | Soil Contamination Summary | 46 |
| 12. | CONCLUSIONS AND RECOMMENDATIONS | 47 |
| 13. | REFERENCES | 49 |

Appendices

- A **Aerial Photographs**
- B **Planning Certificate Under Section 10.7**
- C **Lotsearch**
- D **Borehole Logs**
- E **Laboratory Results**

EXECUTIVE SUMMARY

Geotesta was engaged by Bathla Group to conduct a Preliminary Site Investigation (PSI) on the site referred to as 13L and Lot 7 DP223428 Narromine Rd, Dubbo NSW 2830.

The PSI was conducted in general accordance with “Managing Land Contamination Planning Guidelines SEPP 55” and this report compiled, taking into consideration the *NSW EPA Consultants reporting on Contaminated Land Guidelines update May 2020*. The PSI contains an appraisal of the site’s history and a report based on a visual site inspection and assessment. All relevant information about the site was assessed to determine the potential for site contamination. To support the outcomes of the PSI a limited sampling and analysis program was implemented.

This report is based only on the information provided at the time of this report preparation and may not be valid if changes are made to the site conditions and/or soil and groundwater.

The objectives of this PSI are to:

- assess the past uses of the site and the potential environmental impacts that they may have had on the environmental condition of the site;
- conduct a soil sampling and analysis program to assess the current environmental condition;
- identify potential environmental risks associated with the site;
- assess the requirements for additional investigations; and
- address the requirements of the planning authority.

The following scope of works was implemented to achieve the objectives of the PSI.

The PSI was conducted in general accordance with the Australian Standard AS 4482.1 (2005) *Guide to the investigation and sampling of sites with potentially contaminated soil, Part 1: Non volatile and semi-volatile compounds*, the Australian Standard AS 4482.2-1999 *Guide to the sampling and investigation of potentially contaminated soil Part 2: Volatile substances*, the National Environment Protection (Assessment of Site Contamination) Amendment Measure 2013 No1, and other relevant NSW guidelines and legislation, including the NSW EPA Sampling Guidelines (1995).

The scope of works included the following:

- A site inspection;
- historical aerial photographs;

- public record search, such as Council, OEH, EPA etc;
- geological and hydrogeological review;
- conduct a soil sampling and analysis program; and
- production of this report on the contamination status of the site.

Activities undertaken to achieve the above objectives are reported and discussed in the following sections of the report.

The analytical results are discussed following:

- Detected concentrations of all soil heavy metal analytes were within the Site Assessment Criteria (SAC).
- Concentrations of Organochlorine Pesticides/Organophosphorus Pesticides (OCP/OPP) were below the laboratory reporting limit (LOR) and the Site Assessment Criteria.
- Concentrations of PAH and BTEX analytes were below the laboratory reporting limit and therefore within the Site Assessment Criteria
- One exceedance in TRH Fraction F3: C16-34 was detected in Sample DI-11-2, having exceeded the TRH Criteria / ESL (Fine Soil). Regarding the Hydrocarbon exceedance, given that the sample was sampled in a tree lined area and there was no visual evidence of hydrocarbons in the soil such as oil staining, Geotesta Pty Ltd is of the opinion, the hydrocarbons are natural, often associated with oils from eucalyptus trees and dropped leaves.
- All remaining concentrations of TRH analytes were below the laboratory reporting limit (LOR) and therefore within the Site Assessment Criteria (SAC).
- No traces of asbestos were detected in the samples analysed above the Reporting Limit of 0.01% w/w. No suspected asbestos containing materials (ACM) were observed on site during the inspection.
- Detected concentrations of copper, nickel and zinc within the water sample exceeded the adopted Site Assessment Criteria (ANZEC 95% Freshwater Guidelines). All remaining metal and OCP/OPP Pesticides screened were within the SAC

Based on the assessment undertaken, the following conclusions and recommendations can be made:

- Geotesta Pty Ltd is of the opinion, that the detected TRH Fraction F3: C16-34 at Sample location# DI-11-2 are natural hydrocarbons, associated with oils from eucalyptus trees and dropped leaves. Given that the sample was sampled in a tree lined area and there was no visual evidence or odours of hydrocarbons in the soil such as oil staining.
- Given the heavy metal exceedances (copper, nickel and zinc) within the dam water sampled, dam decommissioning can be performed once the Dam Decommissioning reports have been issued.
- The conducted Preliminary Site Investigation's limited soil sampling and analysis program indicated a **low** risk of soil contamination. It is the opinion of Geotesta Pty Ltd that the site is suitable for the proposed development pending an additional Data Gap Contamination Assessment is undertaken.
- Due to the existence of a data-gap in this investigation, a further assessment post demolition of the existing structures/dwellings is required to address further potential AECs identified previously and to determine if any contamination hotspots exist within the footprint of the existing sheds and dwellings. The Gap Assessment scope must also include the following:
 - A Delineation Assessment is recommended in the vicinity of the TRH Fraction F3: C16-34 concentration elevation at the location of Sample# DI-11-2
 - Any stockpiles and areas under stockpiled materials that were not assessed at the time of the PSI or are new to site, will require sampling as part of the Data Gap Assessment.

1. INTRODUCTION

Geotesta was engaged by Bathla Group to conduct a Site Contamination Investigation (PSI) on the site referred to as 13L and Lot 7 DP223428 Narromine Rd, Dubbo NSW 2830.

The PSI was conducted in general accordance with *“Managing Land Contamination Planning Guidelines SEPP 55”* and this report compiled, taking into consideration the *NSW EPA Consultants reporting on Contaminated Land Guidelines update May 2020*. The PSI contains an appraisal of the site’s history, a report based on a visual site inspection and an assessment of analytes for contamination. All relevant information about the site was assessed to determine the potential for site contamination. To support the outcomes of the PSI a limited sampling and analysis program was implemented.

This report is based only on the information provided at the time of this report preparation and may not be valid if changes are made to the site conditions and/or soil and groundwater.

2. PLANNING GUIDELINES

The land is to be developed for standard residential use with on-site roadways. The planning authority must consider the possibility that the previous land use has the potential to cause contamination of the site as well as the potential risk to health or the environment from that contamination. The PSI is the first stage to determine if there is a potential for land contamination that has a potential to impact the development application (DA).

The Guidelines recommend that re-zonings, development control plans and development applications (DAs) are backed up by information demonstrating that the land is suitable for the proposed use or can be made suitable, either by remediation or by the way the land is used.

3. OBJECTIVE

The objectives of this PSI are to:

- assess the past uses of the site and the potential environmental impacts that they may have had on the environmental condition of the site;
- conduct a soil sampling and analysis program to assess the current environmental condition;
- identify potential environmental risks associated with the site;
- assess the requirements for additional investigations; and
- address the requirements of the planning authority.

4. SCOPE OF WORKS

The following scope of works was implemented to achieve the objectives of the PSI.

The PSI was conducted in general accordance with the Australian Standard AS 4482.1 (2005) *Guide to the investigation and sampling of sites with potentially contaminated soil, Part 1: Non volatile and semi-volatile compounds*, the Australian Standard AS 4482.2-1999 *Guide to the sampling and investigation of potentially contaminated soil Part 2: Volatile substances*, the National Environment Protection (Assessment of Site Contamination) Amendment Measure 2013 No1, and other relevant NSW guidelines and legislation, including the NSW EPA Sampling Guidelines (1995).

The scope of works included the following:

- A site inspection;
- historical aerial photographs;
- public record search, such as Council, OEH, EPA etc;
- geological and hydrogeological review;
- conduct a soil sampling and analysis program; and
- production of this report on the contamination status of the site.

Activities undertaken to achieve the above objectives are reported and discussed in the following sections.

5. SITE DESCRIPTION

5.1 Site Identification

The site under investigation is situated at 13L (i.e., Lot 22 DP1038924) and Lot 7 DP223428 Narromine Rd, Dubbo NSW 2830 on the western side of Narromine Road and is approximately 400 km (by road) northwest of Sydney CBD. The site is irregular in shape and has a total area of 271,9 ha. The site is located within The Dubbo Regional Council. The site identification detail is presented in Table 1. The site location is also shown in Figure 1.

Table 1: Site Identification

| Site Details | Site Observations |
|---------------------------|---|
| Address | 13L Narromine Road Dubbo, NSW and Jannali Road, Dubbo, NSW 2830 |
| Lot/Section/Plan no: | Lot 22 DP1038924 and Lot 7 DP223428 |
| Local Government Area | Dubbo Regional Council |
| Site Area (Approximately) | ~ 271,9 ha |
| Zoning | IN2 - Light Industrial R2 - Low Density Residential R5 - Large Lot Residential RU2 - Rural Landscape |
| Current Land Use | Light Industrial (IN2), Low Density Residential (R2), Large Lot Residential (R5), Rural Landscape (RU2), Infrastructure (SP2) |




Figure 1. Site Location Plan

5.2 Proposed Development

It is understood that the site is proposed for a residential subdivision with on-site driveways. The site lies within the following planning zones:

- Light Industrial (IN2)
- Large Lot Residential (R5)
- Infrastructure (SP2)
- Low Density Residential (R2)
- Rural Landscape (RU2)

Planning zones that are in the vicinity of the site include:

- Neighbourhood Centre (B1)
- Local Centre (B2)

- Commercial Core (B3)
- Business Development (B5)
- Environmental Conservation (C3)
- Heavy Industrial (IN3)
- Low Density Residential (R2)
- Public Recreation (RE1)
- Primary Production (RU1)
- Infrastructure (SP2)
- Recreational Waterways (W2)
- Mixed Use (B4)
- Enterprise Corridor (B6)
- Light Industrial (IN2)
- General Residential (R1)
- Large Lot Residential (R5)
- Private Recreation (RE2)
- Rural Landscape (RU2)
- Tourist (SP3)

5.3 Site Details, Geology and Topography

The subject site of the proposed development mostly consists of a vacant land covered with grass and distributed trees. However, in the site, there were a few old fuel barrels, garages and sheds containing demolished vehicles and straw/hay bales. There was also one old single-level residential dwelling. It seems the site has been used mainly for livestock/agriculture purposes. The site is relatively flat with an average gradient of approximately <5% at some locations.

The geological origin of the soil profile was identified from our visual examination of the soil samples, geotechnical experience, and reference to geological maps of the area. The geological map of the area indicates that the site is underlain by Pilliga Sandstone of the Surat Basin and comprises of massive to cross-bedded coarse pebbly lithic-quartz sandstone, minor fine-grained sandstone and siltstone, (Jp). The geological maps indicate igneous outcrops comprising of tholeiite, alkali basalt, basanite, nephelinite, limburgite, trachyte and rare obsidian, (Tb) (Dubbo, 1:100 000, Geological Sheet 8633).

The ESPADE web application provided by NSW Department of Planning, Industry and Environment for the Wongarbon region indicates site subsoils can comprise Euchrozems which are strongly structured, dark reddish-brown light to medium clay; pH 6.5 - 8.0. Changing at 40 cm to reddish-brown to dark red light to medium clay; strong polyhedral to prismatic structure; pH ranges from 7.0 - 8.5. Calcium carbonate often occurs at depth (80 to 100 cm).

The site lies at an elevation approximately averaging 300 metres above sea level (ASL) referenced to Australian Height Datum (AHD). (<http://en-au.topographic-map.com>).

5.4 Site Regional Meteorology and Hydrogeology

The following climate information from the Commonwealth Bureau of Meteorology website (<http://www.bom.gov.au/>) can be obtained:

- Mean maximum temperature of 24.7°C from January to December at Dubbo Airport AWS approximately 2.5 km away from site.
- Mean minimum temperature of 10.3°C from January to December at Dubbo Airport AWS approximately 2.5 km away from site.
- Lowest annual rainfall of 211.2 mm and highest annual rainfall of 924.4 mm, averaging 569.6mm from January to December at Dubbo Airport AWS approximately 2.5 km away from site.

Groundwater salinity is mapped >14000mg/l and therefore unsuitable for stock use. The direction of the regional groundwater flow is expected to follow the slight slope of the regional topography.

5.5 Registered Bore Search

A search of Department Primary Industries - Office of Water records identified twenty-two existing groundwater wells located within an approximate distance of 500 metre from the site.

Table 2: Bore wells Identification

| Bore ID | Bore Depth(m) | Latitude | Longitude |
|--------------|---------------|------------|------------|
| GW040471.1.1 | 67.1 | -32.229826 | 148.555625 |
| GW063785.1.1 | 30 | -32.226215 | 148.553402 |
| GW057513.1.1 | 65 | -32.230659 | 148.575624 |
| GW061181.1.1 | 70 | -32.232326 | 148.560902 |
| GW062544.1.1 | 151 | -32.2446 | 148.560161 |
| GW057092.1.1 | 42 | -32.223993 | 148.564513 |
| GW804991.1.1 | 35.5 | -32.228475 | 148.550219 |
| GW052247.1.1 | 65 | -32.226493 | 148.570347 |
| GW001241.1.1 | 85.3 | -32.228715 | 148.554236 |
| GW800690.1.1 | 84 | -32.244553 | 148.560236 |
| GW805096.1.1 | 182 | -32.251344 | 148.557456 |
| GW056342.1.1 | 51.8 | -32.248715 | 148.546458 |
| GW001249.1.1 | 40.2 | -32.242882 | 148.559236 |

| | | | |
|--------------|------|------------|------------|
| GW065788.1.1 | 99 | -32.236339 | 148.548189 |
| GW051858.1.1 | 49.4 | -32.222882 | 148.563402 |
| GW806046.1.1 | 88 | -32.23093 | 148.561281 |
| GW060792.1.1 | 91 | -32.23897 | 148.554305 |
| GW802547.1.1 | 12 | -32.24008 | 148.587803 |
| GW049357.1.1 | 39.6 | -32.241493 | 148.557291 |
| GW050571.1.1 | 61 | -32.245937 | 148.547014 |
| GW802626.1.1 | 11 | -32.246191 | 148.574072 |
| GW066564.1.1 | 87 | -32.238447 | 148.554296 |

5.6 Acid Sulphate Soils

The Department for Infrastructure, Planning and Natural Resources (DIPNR) Acid Sulphate Soils Risk Mapping (1997) and the NSW Environmental Acid Sulphate Soil Risk Mapping eSPADE application indicates that the Site is not expected to be underlain by acid sulphate soils.

5.7 Summary of Site History

5.7.1 Historical Background

The aerial photographs indicate that the site has been used for livestock/agricultural purposes. The site consists of a single-story house with multiple sheds that were noted to contain straw/hay bales, fuel barrels, chemicals, combustible liquid, generators and equipment, and storage of vehicles.

5.7.2 Aerial Photograph Review

An aerial photograph search was conducted on 17th December 2021. The historical aerial photos were viewed with observations presented in Table 3. Historical aerial photographs are presented in Appendix A.

Table 3: Aerial Photograph Review

| Year | Site Observations | Surrounding Area |
|------|---|--|
| 1964 | Four small basins/dams onsite. Three small sheds/dwellings on far western side of site. Majority of site vacant land, tree growth west of site. | Low-density residential dwellings south-east of site. Airport north of site. Vacant land south and west of site. |
| 1971 | Two small shed/dwellings constructed far west of site. | Small structures built north of site. |
| 1974 | No change from previous photograph. | No change from the previous photograph. |
| 1980 | No change from previous photograph. | Structures constructed north of site. Dwellings constructed south-east of site. |
| 1991 | No change from previous photograph. | Further dwellings constructed east and south of site. Dwellings constructed north of site. |
| 1995 | No change from previous photograph. | Dwellings constructed in surrounding area. |
| 1996 | No change from previous photograph. | No change from previous photograph. |
| 2011 | Several agricultural livestock/farming zones visible on far west side, near sheds/dwellings | Structures developed in surrounding areas. |
| 2019 | Stockpiles visible near sheds/dwellings. | Structures developed north and south of site. |
| 2020 | No change from previous photograph. | No change from previous photograph. |
| 2021 | No change from previous photograph. | No change from previous photograph. |

5.8 Site Walkover

Results of the site walkover inspection carried out for 13L Narromine Road Dubbo, NSW (Lot 22 DP1038924) on 27-29 January 2022 is presented below:

- The site was divided to several paddles mainly used for livestock purposes.
- A few garages and sheds containing straw bales and old vehicles are observed.
- Several fuel barrels exist in the site.
- A few small dams are located on the site.
- Vegetation onsite appeared to be healthy.
- The site appeared to drain to the east of the site with the site sloping towards the east at a gradient < 5%.

Results of the site walkover inspection carried out for Jannali Road, Dubbo, NSW 2830 (Lot 7 DP223428) on 11 May 2022 is presented below:

- Vacant land, grass covered ground surfaces, multiple trees located in the centre of the property
- Vegetation onsite appeared to be healthy, with no signs of vegetation die-back.

- The site's northern section terrain is essentially flat, the southern section's terrain – appeared to slope towards the south at a gradient of < 5 – 10 %.
- The site appeared to drain predominantly to the south

5.9 NSW OEH/EPA Records

The site or nearby surrounding areas have no notices under the Contaminated Land Management Act (1997) or the Environmentally Hazardous Chemicals Act (1985).

5.10 Planning Certificate

Planning Certificate Under Section 10.7 (Certificate No: 436) for the site (Lot: 22 DP: 1038924, 13L Narromine Road Dubbo, NSW) was sourced from Dubbo Regional Council on 24 February 2022. The certificate is presented in Appendix B. The Planning Certificate, which is applicable to Lot 22 DP 1038924, indicates that there are no matters arising under Section 59(2) of the Contaminated Land Management Act 1997 (Act), as follows:

- The land is NOT significantly contaminated land (or part of the land) within the meaning of the Act at the date when the certificates were issued.
- The land is NOT the subject to a management order within the meaning of the Act at the date when the certificates were issued.
- The land is NOT the subject of an approval voluntary management proposal within the meaning of the Act at the date when the certificates were issued.
- The land is NOT the subject of an ongoing maintenance order within the meaning of the Act at the date when the certificates were issued.
- The land is NOT the subject of a site audit statement within the meaning of the Act at the date when the certificates were issued.

5.11 Historical Land Titles

No Historical Land Titles search was conducted for the site.

5.12 Lotsearch

A Lotsearch report is provided in Appendix C for JANNALI ROAD DUBBO 2830, NSW Lot# 7/-/DP223428.

5.13 Salinity Mapping

The eSPADE web app found at <https://www.environment.nsw.gov.au/eSpade2WebApp> indicated that the site is in an area of low salinity potential (see Figure 2).

The following observations/inspections were noted onsite:

- ✓ Vegetation growth appeared healthy throughout the site.
- ✓ No water marks or salt crystals observed on the ground surface




Figure 2. Salinity Potential Map

6. CONCEPTUAL SITE MODEL

6.1 Areas of Environmental Concern

Our assessment of site AECs and COPCs (Table 4) is made based on available site history, aerial photograph interpretation and site walkovers. A map showing locations of identified AECs is provided in Figure 3.

Table 4: Areas of Environmental Concern and Contaminants of Primary Concern (COPC)

| AEC | Potential for Contamination | COPC | Contamination Likelihood |
|--|---|---|---------------------------------|
| A – Areas of Dwellings/Sheds | Heavy metals may have been used underneath dwellings. Sheds or areas surrounding sheds may have been used as fuel storage, oil or drums of unknown content; asbestos sheeting, may include lead-based paints. | HM, OCP/OPP and Asbestos | Medium |
| B – Stockpiles and Site fillings | Contaminants from old vehicles or equipment, old generators, fuels and chemicals, rusted metal, wood, rubble material and general refuse may have spilled, leaked or been distributed onto underlying soil. | HM, TRH, PAH, BTEX and OCP/OPP | Medium |
| C – Areas of light agricultural/garden farm cropping | Heavy metals and pesticides used for light agricultural activities may pose potential risk of contamination | HM, TRH and OCP/OPP | Low |
| D – Fuel Storage | Mobile oil tanks, onsite fuel pumping stations and combustible fuel liquid storage containers may pose potential risk of contamination into soil via leakage. | HM, TRH, PAH and BTEX | Medium to High |
| E – Dam | Contaminants resulting from agricultural land uses may have been washed into and accumulated in the dam during its use. Infilling of the dam using unknown fill containing potential contaminants, may have contaminated the underlying soil. | HM, OCP/OPP, TRH, Ecoli, Faecal Coliforms, Nutrients, EC, pH, Salinity, BOD, Turbidity and Dissolved Oxygen | Medium |

6.2 Potential Receptors and Sensitive Environments

The residents and visitors/workers on site are identified as immediately sensitive environmental receptors. A summary of the identified potential receptors and sensitive environments is detailed below in Table 5.

Table 5: Potential Receptors and Sensitive Environments

| Receptors/Environments | Potential Pathway |
|---|---|
| Human Receptors: <ul style="list-style-type: none"> • Future site workers and visitors • Site labourers/workers • Residents of adjacent properties • Trespassers | <ul style="list-style-type: none"> • Direct skin contact • Ingestion of contaminated soil • Inhalation via airborne dust |
| Sensitive Environments: <ul style="list-style-type: none"> • Site fauna and flora | <ul style="list-style-type: none"> • Migration via stormwater run-off or within groundwater • Migration into underlying soil |

6.3 Potential for migration and exposure of contamination

During site investigation, several potential receptors for off-site migration of potential contamination has been raised. Site history information and onsite inspection observations indicated a potential for contaminants to present a direct contact and inhalation exposure risk on site. Exposure routes of contaminants could potentially be through direct contact with exposed soils (Heavy Metals, TPH, PAHs, BTEX and OCP/OPP) or airborne dust (Asbestos). These exposure risks will “likely”, and potentially at its highest risk during any demolition, earthworks or construction phases within the site.

There is a potential for these contaminants to be present within underlying soils and have the ability to migrate vertically (dispersed up into the atmosphere, or infiltrate down into the groundwater) and migrate horizontally (through stormwater runoff pathways) from the proposed development.

6.4 Assessment of Preliminary Site Investigation and Recommendations

The results of the site history indicated the site has been used for residential purposes for at least 46 years, with the eastern half of site being used for the transportation of construction material via heavy vehicle trucks. Aerial photography indicated the western half of the site appears untouched since 1947 and continues to be grass cover. At the time of investigation, large stockpiles of rail sleepers and iron tracks were observed on the northern side of site, adjacent to an unloading/loading zone for heavy

vehicles and parking zone for trailers. Stockpiles of wood, sheet metal excavator buckets, rusted trailers and equipment, fuel and chemicals, were noted onsite. During site investigation it was highly likely that fuel, chemicals, material and vehicles were being stored in the sheds observed onsite. Excavators were observed onsite, as well as mobile oil storage tanks. Shipping containers with combustible liquid were identified onsite near the storage shed. These observations determined onsite during site investigation pose environmental concern to the surrounding soil.

Based on the site history and walkthrough, the site is considered to have the following environmental concerns of:

- Areas of dwellings/sheds may currently (of have previously) stored fuel, oils, pesticides, zinc treated (galvanised) metals and/or lead based paints.
- Contaminants from the contents of the stockpiles, fuel barrels, oil storage tanks and heavy vehicles may have leaked, spilled or been distributed onto the underlying soil.
- Areas of possible cropping/farming activity may have introduced heavy metals or pesticides to the soil.
- Areas near mobile oil tanks and fuel storage tanks may have heavy metal, fuel and chemical contaminants leaked or spilled into the underlying soil.

To address identified AECs, intrusive soil/water sampling regime is recommended to determine what, if any, remediation is required to render the site fit for residential use. A soil sampling plan is to be developed based on a judgemental or systematic sampling pattern and risk-based assessment.

Assessment shall address each of the identified AECs and assess COPC identified for each AEC (Table 4). Results of the site testing shall be assessed against Site Acceptance Criteria (SAC) with reference to ASC NEPM (1999, amended 2013).

7. SAMPLING AND ANALYSIS QUALITY PLAN (SAQP)

A limited SAQP was developed to ensure that data collected for this PSI was representative and provided a robust basis for site assessment decisions considering the areas of environmental concerns identified in Section 6.

Preparation of the SAQP includes:

- Field Screening and Sampling Program;
- Sampling QA/QC;
- Sample Handling, Preservation and Storage Procedures;
- Analytical Program and Site Investigation Data Assessment

7.1 Field Screening and Sampling Program

7.1.1 Data Quality Plan

Investigations at the Site included a review of the preliminary site investigation prior to the commencement of work. The sampling regime for the investigation area of the Site was in accordance with the requirements as outlined in the NSW EPA Guidelines for Consultants Reporting on Contaminated Sites.

7.1.2 Visual Inspection

During the sampling works for the site contamination investigation report, a visual inspection was conducted to ensure no suspected asbestos containing materials (ACM) were present. The inspections for ACM were undertaken in a systematic, back and forth fashion over the site to identify suspected ACM.

7.1.3 Soil Sampling Techniques

All techniques used for soil sampling, are based on methods specified by the National Environmental Protection (Assessment of Site Contamination) Measure (NEPM, 2013). Experienced personnel of Geotesta collected all the samples for delivery to NATA accredited laboratory of Eurofins MGT. Soil samples for chemical analysis were in a judgemental sampling pattern based on site history and AECs.

7.1.4 Rationale for Sampling Program and Locations

The justification of the sampling point regime for the assessment was based on the investigator's knowledge, operational requirements, experience and history of the Site

(Judgement Sampling Pattern). All historical investigations and anecdotal evidence supported the sampling approach adopted and provided for samples to be collected in an unbiased manner. All the AECs including heavy metals, OCP/OPP, TRH, PAH, BTEX and asbestos concentrations have been targeted.

7.1.5 Sampling Program

Fieldwork for this investigation was carried out on 28 January 2022 and 11 May 2022 and included excavation of thirty-nine (39) boreholes. Some boreholes were advanced by vehicle-mounted auger to a maximum depth of 0.4m as part of Geotechnical Site Investigation in conjunction with this detailed site investigation, and others by hand auger. The sampling locations are shown in Figure 4. Environmental soil samples were collected from the surface and at lower depths. Standard procedures were used for sampling and soil sampling methodology was completed to meet data quality objectives.

7.1.6 Soil Logging

Boreholes were logged by an experienced environmental/geotechnical engineer in accordance with Standard procedures. The borehole logs are presented in Appendix D.

7.2 Sampling Quality control (QC) / Quality Assurance (QA)

7.2.1 Sampling Procedures

General soil sampling procedures included wearing of plastic disposable gloves when handling sampling equipment and soil and changed between collections of samples. All sampling equipment was clean prior to commencement of sampling. Equipment for soil sampling included an auger, stainless-steel bowl, stainless steel trowel and knife. All equipment was decontaminated between samplings. The following measures have been utilized during the sampling to achieve the sampling quality controls.

7.2.1.1 Sample Containers

Soil samples collected during the investigation were placed immediately into laboratory prepared glass jars with Teflon lid. Standard identification labels were adhered to each individual container and labelled according to depth, date, sampling team and media collected.

7.2.1.2 Sample Tracking and Identification

All samples were identified with a unique sample number and all sampling details were included on the sample label and were reproduced on the field sample log and chain of custody records.

7.2.1.3 Decontamination

All equipment used in the sampling program, which includes a steel shovel, and a hand auger was decontaminated prior to use and between samples to prevent cross contamination. Decontamination of equipment involved the following procedures:

- Cleaning equipment in potable water to remove gross contamination;
- Cleaning in a solution of Decon-90TM;
- Rinsing in clean demineralised water then wiping with clean lint free cloths.

7.2.1.4 Sample Transport

All samples were packed in ice from the time of collection and were transported under chain of custody from the Site to NATA registered laboratory identified as Eurofins MGT Services in Lane Cove. Collected samples were placed into an ice chilled cooler-box. During the project, the laboratory reported that all the samples arrived intact, with appropriate preservation medium and were analysed within their relative holding times for the respective analytes.

7.2.2 Analytical QA/QC Procedures

Quality control is achieved by utilising NATA accredited laboratories, using standard methods supported by internal duplicates, the checking of high, abnormal, or otherwise anomalous results against background and other chemical results for the sample concerned.

Quality assurance is achieved by confirming field or anticipated results based upon the comparison of field observations with laboratory results. One duplicate sample (D6) was taken for the first day of sampling and was duplicate sample of parent samples Di-6. Second duplicate sample (EBH4) was taken for the second day of sampling and was duplicate sample of parent samples BD1.

The laboratory undertakes additional duplicate analysis as part of their internal quality assurance program. Chain of Custody documentations were used to ensure that sample tracking and custody can be cross-checked at any point in the transfer of samples from the field to hand-over to the laboratory.

Reinstate sample were collected for this investigation, however, we do not consider the absence of these QA/QC results to have impacted the useability of the data for this investigation, as discussed in section 8.3.

8. SAMPLING PROGRAM

8.1 Field Investigation

Fieldwork for this investigation was carried out on 28 January 2022 and 11 May 2022 and included drilling of thirty-nine (39) boreholes. Boreholes were advanced by both hand auger and a vehicle-mounted auger to a maximum depth of 400mm. The sampling locations are shown in Figure 4. Environmental soil samples were collected from the surface and at lower depths and held for selected analysis.

During the sampling works a visual inspection was also conducted to ensure no suspected asbestos containing materials (ACM) were visible. The inspections for asbestos were undertaken in a systematic, back and forth fashion over the site to identify suspected ACM.

8.2 Analytical Program

Samples were to be analysed to provide information for the characterisation of the most likely contaminated soils. This allowed the assessment of soils samples against the Site Acceptance Criteria. All analyses were to be carried out by NATA certified laboratory Eurofins MGT in accordance with Chain of Custody (CoC) instructions supplied by Geotesta. The samples were checked for heavy metals, OCP/OPP, PAH, TRH, BTEX and Asbestos. Summary of the soil laboratory analyses is presented in Table 6. The details of samples' types and depths are provided in Table 7.

DI6 and the duplicate sample D6

Table 6: Summary of soil laboratory program

| COC | Number of samples analysed |
|---------------------------|----------------------------|
| Suite B10 ¹ | 6 |
| Heavy Metals ² | 36 |
| Suite B14 ³ | 5 |
| Suite B15 ⁴ | 12 |
| Suite B7A ⁵ | 12 |
| Asbestos | 17 |

Notes:

¹Suite B10: TRH, BTEX, PAH, OCP, OPP, Arsenic, cadmium, Chromium, copper, lead, Mercury, Nickel, Zinc

²Heavy metals: Arsenic, cadmium, Chromium, copper, lead, Mercury, Nickel, Zinc

³Suite B14: OCP and OPP

⁴Suite B15: OCP, OPP, PCB

⁵Suite B7A: TRH, BTEX, PAH, Phenols, Arsenic, Cadmium, Chromium, Copper, Lead, Mercury, Nickel, Zinc, Mercury

Table 7: Samples Depth and Requested Lab Tests

| Sample ID (BH) | Depth (m) | Sample Type | Suite B10 | HM ¹ | Suite B14 | Suite B15 | Suite B7A | Asbestos |
|----------------|-----------|-------------|-----------|-----------------|-----------|-----------|-----------|----------|
| DI-1-1 | 0.1 | Silty CLAY | | × | | | | |
| DI-2-1 | 0.15 | Topsoil | | × | | | | |
| DI-2-3 | 0.1 | Topsoil | | × | | | | |
| DI-3 | 0.5 | Silty CLAY | | × | | | | |
| DI-3-2 | 0.15 | Topsoil | | × | | | | |
| DI-3-3 | 0.2 | Topsoil | | × | | | | |
| DI-4 | 0.5 | Silty CLAY | | × | × | | | |
| DI-4-3 | 0.1 | Silty CLAY | | × | | | | |
| DI-5 | 1.0 | Silty CLAY | | × | | | | |
| DI-5-1 | 0.1 | Topsoil | | × | | | | |
| DI-6 | 1.0 | Silty CLAY | | × | × | | | |
| D-6-2 | 0.1 | Topsoil | | × | × | | | |
| DI-7-1 | 0.1 | Topsoil | × | | | | | |
| DI-7-2 | 0.2 | Topsoil | | × | × | | | |
| DI-8-1 | 0.1 | Topsoil | | × | | | | |
| DI-9 | 0.5 | Silty CLAY | × | | | | | |
| DI-10-1 | 0.1 | Topsoil | | × | | | | |
| DI-10-2 | 0.15 | Topsoil | | × | × | | | |
| DI-11-1 | 0.1 | Silty CLAY | × | | | | | |
| DI-11-2 | 0.15 | Silty CLAY | × | | | | | |
| DI-12-1 | 0.2 | Silty CLAY | × | | | | | |
| DI-13-1 | 0.2 | Topsoil | × | | | | | |
| ASB-7-1 | 0.15 | Silty CLAY | | | | | | × |
| ASB-11-1 | 0.1 | Silty CLAY | | | | | | × |
| ASB12-1 | 0.1 | Topsoil | | | | | | × |
| ASB-13-1 | 0.2 | Topsoil | | | | | | × |
| ASB-14-1 | 0.1 | Silty CLAY | | | | | | × |
| EBH1 | 0.4 | Silty CLAY | | × | | × | × | × |
| EBH2 | 0.2 | Topsoil | | × | | × | × | × |
| EBH3 | 0.2 | Topsoil | | × | | × | × | × |
| EBH4 | 0.2 | Topsoil | | × | | × | × | × |
| EBH5 | 0.2 | Topsoil | | × | | × | × | × |
| EBH6 | 0.2 | Topsoil | | × | | × | × | × |
| EBH7 | 0.2 | Topsoil | | × | | × | × | × |
| EBH8 | 0.2 | Topsoil | | × | | × | × | × |
| EBH9 | 0.2 | Topsoil | | × | | × | × | × |
| EBH10 | 0.2 | Topsoil | | × | | × | × | × |
| EBH11 | 0.2 | Topsoil | | × | | × | × | × |
| EBH12 | 0.2 | Topsoil | | × | | × | × | × |

Asterisk (*) indicates previous samples collected on 24 September 2021

¹HM: Heavy metal

²OCP: Organochloride pesticides

²OPP: Organophosphate pesticides

³R17: Total Recoverable Hydrocarbons - 1999 NEPM Fractions: Volatile Organics

Total Recoverable Hydrocarbons - 2013 NEPM Fractions

Polycyclic Aromatic Hydrocarbons, Organochlorine Pesticides

Polychlorinated Biphenyls (PCB), Spectated Phenols, Total Recoverable Hydrocarbons - 2013 NEPM Fractions, Chromium (hexavalent), Cyanide (total) and Fluoride

Heavy Metals such as arsenic, copper, lead, etc., Total Recoverable Hydrocarbons - 1999 NEPM Fractions, TRH: Total recoverable hydrocarbons

PAH: Polycyclic aromatic hydrocarbons

BTEX: Benzene, toluene, ethyl benzene, xylene

PCB: Polychlorinated Biphenyls

9. ASSESSMENT CRITERIA

9.1 Heavy metals, PAH, PCB, OCP/OPP and asbestos

Based on the proposed development, Health Investigation levels (HIL) of Residential A with soil access (ASC NEPM 1999, amended 2013) have been adopted as the Soil Assessment Criteria (SAC) for metals, OCP, OPP and PAH for this investigation.

The bonded asbestos Health Screening Levels (HSLs) in soils (NEPM 2013) were also adopted for the Site. In addition to soil samples tested for asbestos, the 'presence/absence' of asbestos in soil material has been adopted as the SAC. Generic Ecological Investigation Levels (EILs) will also be used to assess the site to confirm suitability for the proposed residential land use.

Table 8 presents HILs for heavy metals, PAH, pesticides (OCP/OPP) and HSLs asbestos.

Table 8: Site Assessment Criteria for Soils (mg/kg)

| Analytes | HILs-Residential A ¹ | HSLs-Residential A ¹ |
|---|---------------------------------|---------------------------------|
| Arsenic | 100 | -- |
| Cadmium | 20 | -- |
| Chromium (VI) | 100 | -- |
| Copper | 6000 | -- |
| Lead | 300 | -- |
| Mercury (inorganic) | 40 | -- |
| Nickel | 400 | -- |
| Zinc | 7400 | -- |
| Total PAHs | 300 | -- |
| Benzo(a)PyreneTEQ | 3 | -- |
| PCB | 1 | -- |
| Pesticides: | | |
| (Aldrin/DielDrin), | 6 | -- |
| Chlordane | 50 | -- |
| DDT+DDE+DDD | 240 | -- |
| Chlorpyrifos | 160 | -- |
| Asbestos: | | |
| Bonded ACM ² , | -- | 0.01% |
| Friable Asbestos ³ (FA), Asbestos Fines ⁴ (AF), | -- | 0.001% |
| Surface Asbestos (0.1m) | -- | No Visible |

1- Criteria adopted for residential areas of the Site

2- Bonded ACM (bonded Asbestos) - asbestos-containing-material which is in sound condition and where the asbestos is bound in a matrix such as cement or resin (e.g. asbestos fencing and vinyl tiles). Bonded ACM refers to, in this instance, material that cannot pass a 7 mm x 7 mm sieve.

3- Fibrous Asbestos - friable asbestos material and includes severely weathered cement sheet, insulation products and woven asbestos material. This material is in a degraded condition such that it can be broken or crumbled by hand pressure.

4- Asbestos Fines - AF includes free fibres, small fibre bundles and also small fragments of bonded ACM that pass through a 7 mm x 7 mm sieve.

9.2 Total Recoverable Hydrocarbons (TRH) and Benzene Toluene Ethylbenzene Xylene (BTEX)

The NEPM (2013) provides Health Screening Levels (HSLs), Ecological Screening Levels (ESLs) and Management Limits (MLs) for TRH fractions in soil based on concerns regarding ecological impacts, inhalation of vapours and direct contact with contaminant sources. The Fraction Number (i.e. hydrocarbon compound range) is identified and compared against the prescribed HSL, ESL and ML values. HSLs, ESLs and MLs take into consideration the followings:

- ✓ Carbon number range, indicated by a Fraction Number (F1, F2, F3 or F4);
- ✓ Type of soil (sand, silt or clay);
- ✓ Depth to the source of contamination;
- ✓ Intended land-use

For this Site, the intended land use is HSL A – Residential with garden/accessible soil and the soil type was clay within a depth range of 0-1.0 m, 1.0 - < 2.0 m and 2.0 - < 4.0 m. The criteria are summarised in Tables 9 and 10 below. They are obtained from Table 1A(3) (HSL A & HSL B), Table 1B(6) (fine soils) and Table 1B(7) (fine soils) in NEPM (2013).

Table 9: NEPM 2013 BTEX and TRH Criteria – HSL Criteria for 0-1m, 1-<2m and 2-<4m

| Analytes | HSL-A(Clay) 0-1.0m | HSL-A (Clay) 1-<2.0m | HSL-A (Clay) 2-<4.0m |
|------------------------------------|-----------------------|-------------------------|-------------------------|
| Benzene | 0.7 | 1 | 2 |
| Toluene | 480 | NL | NL |
| Ethylbenzene | NL | NL | NL |
| Xylene | 110 | 310 | NL |
| F1: C6-C10 Less BTEX | 50 | 90 | 150 |
| F2:C10-C16 Less Naphthalene | 280 | NL | NL |
| F3: C16-C34 | N/A | N/A | N/A |
| F4: C34-C40 | N/A | N/A | N/A |

NL = Not Limiting (i.e. the soil vapour concentration for a petroleum mixture could not exceed a level that would result in the maximum allowable vapour risk for the given scenario).

N/A = Not applicable as F3 and F4 are non-volatile and hence are not of concern for vapour intrusion.

*'Fine' refers to the soil texture grading as per NEPM 1999.

1 NEPM 2013 Amendment Table 1A(3) – Soil HSLs for vapour intrusion – 0-1.0m

2 NEPM 2013 Amendment Table 1A(3) – Soil HSLs for vapour intrusion – 1-<2.0m

3 NEPM 2013 Amendment Table 1A(3) – Soil HSLs for vapour intrusion – 2-<4.0m

Table 10: NEPM 2013 BTEX and TRH Criteria, ESL and ML Criteria for 0-1m, 1-<2m and 2-<4m

| Analytes | NEPM 2013 Amendment TRH Criteria (mg/kg dry wt.) ESL (Fine*) | NEPM 2013 Amendment TRH Criteria (mg/kg dry wt.) ML (Fine*) |
|---------------------|---|--|
| Benzene | 65 | |
| Toluene | 105 | |
| Ethylbenzene | 125 | |
| Xylene | 45 | |
| F1: C6-C10 | 180 | 800 |
| F2: C10-C16 | 120 | 1000 |
| F3: C16-C34 | 1300 | 3500 |
| F4: C34-C40 | 5600 | 10000 |

'Fine' refers to the soil texture grading as per NEPM 1999.

1 NEPM 2013 Amendment Table 1B(6) – ESLs for TPH fractions, BTEX and benzo(a)pyrene in soil.

2 NEPM 2013 Amendment Table 1B(7) – Management Limits for TPH fractions F1-F4 in soil.

9.3 Ecological Investigation Levels

Ecological Investigation Levels (EILs) were also used to assess the site to confirm suitability for the proposed residential land use.

The current version of the NEPM (2013) specifies default EILs for arsenic, lead, DDT and naphthalene.

NEPM (2013) specifies a methodology for the derivation of site-specific EILs for nickel, chromium III, copper and zinc. The derivation process requires determination of ambient background concentrations (ABC) and added contaminant limits (ACLs) for these chemicals, and the EIL is then calculated as the ABC plus the ACL.

In Samples# Di-7-2 & EBH5, soil properties to be measured for site-specific derivation of ACLs for Cr(III), Cu, Ni and Zn

- pH, CEC and % Clay.

Table 11 presents EILs derived from the measured soil properties in sample#EBH5 for aged soils in Urban Residential/Public Open Space based, utilising ABC levels derived from sample# Di-5 & EIL.

Table 11: NEPM (2013) EILs for Urban Residential and Public Open Spaces

| Analyte | pH | CEC^ | Clay Content* | ABC | ACL | EIL |
|-----------------------|-----|------|---------------|-----------------|------|-------|
| Zinc | 7.0 | 15.5 | - | 21 | 400 | 421 |
| Copper | 7.0 | 15.5 | - | 19 | 235 | 190 |
| Chromium (III) | - | - | 17% | 99 ² | 400 | 499 |
| Nickel | - | 15.5 | - | 41 | 170 | 211 |
| Lead | - | - | - | 7 | 1100 | 1,107 |
| Arsenic | - | - | - | - | - | 100 |
| DDT | - | - | - | - | - | 180 |
| Naphthalene | - | - | - | - | - | 170 |

Note(s):

1. ABC = ambient background concentrations, ACL = added contaminant limits, ESL = ecological screening levels, CEC = cation exchange capacity;
2. Total Chromium utilised for Cr(III)

10. RESULTS

10.1 Subsurface Conditions

A summary of sub-surface soil conditions encountered in the site is presented below:

Based on the fieldwork results, an approximately 0.3m thick topsoil/fill layer was observed in boreholes.

The material below the topsoil/fill material was mostly stiff to hard Silty CLAY. Augur refusal was encountered in some of the boreholes at depths varying between 1.8m – 2.5m.

Groundwater was not encountered in any of the boreholes.

10.2 Laboratory Analytical Results

Selected soil samples were analysed for the COPCs. A summary of analytical results follows. The lab test reports are presented in Appendix E.

10.2.1 Heavy Metals (HM)

A total of twenty-four (36) soil samples were analysed for heavy metals. The results of the lab tests for the heavy metal components are presented in Table 12. The 95% UCL was calculated as a statistical analysis of the heavy metal detections including minimum, maximum and average along with the adopted SAC, and is shown in Table 13.

Table 12: Heavy Metal Detections in soil samples (mg/kg)

| Sample | Sample Depth (m) | Arsenic (As) | Cadmium (Cd) | Chromium (total) (Cr) | Copper (Cu) | Lead (Pb) | Mercury (Hg) | Nickel (Ni) | Zinc (Zn) |
|---------|------------------|--------------|--------------|-----------------------|-------------|-----------|--------------|-------------|-----------|
| DI-1-1 | 0.1 | 3.2 | < 0.4 | 88 | 15 | 10 | < 0.1 | 30 | 24 |
| DI-2-1 | 0.15 | 4.3 | < 0.4 | 99 | 28 | 14 | < 0.1 | 70 | 45 |
| DI-2-3 | 0.1 | 3.7 | < 0.4 | 91 | 30 | 12 | < 0.1 | 80 | 54 |
| DI-3 | 0.5 | 7.2 | < 0.4 | 160 (<1) * | 33 | 8.9 | < 0.1 | 100 | 37 |
| DI-3-2 | 0.15 | 6.5 | < 0.4 | 52 | 19 | 12 | < 0.1 | 42 | 52 |
| DI-3-3 | 0.2 | 7.2 | < 0.4 | 74 | 23 | 10 | < 0.1 | 60 | 62 |
| DI-4 | 0.5 | 3.6 | < 0.4 | 28 | 11 | 10 | < 0.1 | 46 | 30 |
| DI-4-3 | 0.1 | 3.3 | < 0.4 | 42 | 15 | 8.3 | < 0.1 | 28 | 34 |
| DI-5 | 1 | 6.6 | < 0.4 | 160 (<1) * | 32 | 14 | < 0.1 | 71 | 33 |
| DI-5-1 | 0.1 | 5.3 | < 0.4 | 120 (<1) * | 22 | 12 | < 0.1 | 57 | 40 |
| DI-6 | 0.1 | 4.3 | < 0.4 | 83 | 17 | 14 | < 0.1 | 37 | 19 |
| D-6-2 | 0.1 | 3.2 | < 0.4 | 200 (<1) * | 42 | 9.8 | < 0.1 | 130 | 64 |
| DI-7-1 | 0.1 | 7.8 | < 0.4 | 53 | 15 | 10 | < 0.1 | 44 | 33 |
| DI-7-2 | 0.2 | 7.5 | < 0.4 | 99 | 33 | 15 | < 0.1 | 65 | 63 |
| DI-8-1 | 0.1 | 6.3 | < 0.4 | 130 (<1) * | 15 | 13 | < 0.1 | 56 | 29 |
| DI-9 | 0.5 | 4.5 | < 0.4 | 74 | 18 | 10 | < 0.1 | 58 | 35 |
| D-9 | 0.5 | 3.6 | < 0.4 | 53 | 15 | 8.9 | < 0.1 | 47 | 29 |
| DI-10-1 | 0.1 | 3.9 | < 0.4 | 91 | 22 | 15 | < 0.1 | 52 | 34 |
| DI-10-2 | 0.15 | 4.1 | < 0.4 | 120 (<1) * | 21 | 15 | < 0.1 | 48 | 33 |
| DI-11-1 | 0.1 | 3.6 | < 0.4 | 110 (<1) * | 25 | 13 | < 0.1 | 80 | 150 |
| DI-11-2 | 0.15 | 12 | < 0.4 | 200 (<1) * | 82 | 33 | < 0.1 | 130 | 750 |
| DI-12-1 | 0.2 | 4.4 | < 0.4 | 150 (<1) * | 31 | 45 | < 0.1 | 94 | 170 |
| DI-13-1 | 0.2 | 4.1 | 1.6 | 150 (<1) * | 30 | 67 | < 0.1 | 110 | 1200 |
| D6 | 0.1 | 4.2 | < 0.4 | 78 | 21 | 11 | < 0.1 | 38 | 21 |
| EBH1 | 0.4 | 3.3 | < 0.4 | 140 (<1) * | 35 | < 5 | < 0.1 | 130 | 52 |
| EBH2 | 0.2 | 3.3 | < 0.4 | 140 (<1) * | 53 | < 5 | < 0.1 | 180 | 70 |
| EBH3 | 0.2 | 2.1 | < 0.4 | 37 | 12 | 7.1 | < 0.1 | 23 | 19 |
| EBH4 | 0.2 | 2.8 | < 0.4 | 80 | 24 | 7.8 | < 0.1 | 60 | 34 |
| EBH5 | 0.2 | 2.6 | < 0.4 | 82 | 19 | 7.4 | < 0.1 | 52 | 26 |
| EBH6 | 0.2 | 2.5 | < 0.4 | 250 (<1) * | 44 | 5.0 | < 0.1 | 230 | 52 |
| EBH7 | 0.2 | 3.3 | < 0.4 | 60 | 13 | 6.8 | < 0.1 | 52 | 34 |

| | | | | | | | | | |
|-------|-----|-----|-------|------------|----|-----|-------|----|----|
| EBH8 | 0.2 | 4.8 | < 0.4 | 110 (<1) * | 31 | 9.3 | < 0.1 | 77 | 41 |
| EBH9 | 0.2 | 2.8 | < 0.4 | 78 | 16 | 7.1 | < 0.1 | 55 | 29 |
| EBH10 | 0.2 | 6.1 | < 0.4 | 64 | 16 | 8.0 | < 0.1 | 49 | 35 |
| EBH11 | 0.2 | 2.3 | < 0.4 | 110 (<1) * | 32 | 7.6 | < 0.1 | 98 | 50 |
| EBH12 | 0.2 | 2.7 | < 0.4 | 130 (<1) * | 30 | 6.3 | < 0.1 | 96 | 39 |

Note- Chromium is total chromium and includes trivalent and hexavalent chromium.

*Hexavalent Chromium

Table 13: Statistical analysis of Heavy Metal Detections in Soil samples (mg/kg)

| | As | Cd | Total Cr | Cu | Pb | Hg | Ni | Zn |
|----------------------------------|------------|------------|------------------------|-------------|-------------|-----------|------------|-------------|
| Samples count¹ | 36 | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| Minimum | 2.1 | 1.6 | 28 | 11 | 5.0 | - | 23 | 19 |
| Maximum | 12 | 1.6 | 250** (<1) * | 82 | 67 | - | 130 | 1200 |
| Average | 4.52 | 1.60 | 106.2 | 26.1 | 13.0 | - | 74.3 | 97.8 |
| Standard Deviation | 2.04 | - | 50.2 | 13.7 | 12.0 | - | 43.3 | 224.5 |
| 95% Confidence | 0.69 | - | 17 | 4.62 | 4.06 | - | 14.66 | 75.96 |
| NEPM 2013 HIL | 100 | 20 | 100* | 6000 | 300 | 40 | 400 | 7400 |
| NEPM 2013 EIL | 100 | -- | 499** | 190 | 1107 | -- | 211 | 421 |
| No. of HIL Exceedance | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

* Note: Hexavalent Chromium ** Note: Trivalent Chromium

¹ Note: Duplicate sample is excluded in sample count.

Total Chromium concentrations initially appeared to have exceeded the HIL A Criteria in sixteen (16) samples, additional analysis was required. Following the additional analysis for chromium (VI), Cr (VI) concentrations were reported to be below the Limits of Reporting (LOR). All chromium (III) concentrations were within the EIL Criteria.

Therefore, all detected concentrations of heavy metals were found to be within the Site Assessment Criteria (HIL A and EIL).

10.2.1 Organochlorine Pesticides / Organophosphorus Pesticides (OCP/OPP)

A total of eleven (11) samples were analysed for a range of Organochlorine and Organophosphorus pesticides. Table 14 shows the OCP/OPP detections.

Table 14: OCP/OPP (Pesticides) Detections in soil samples (mg/kg)

| | Sample Depth (m) | DDT+DDE+DDD | Aldrin and Dieldrin | Endrin | Chlordane Total | Toxaphene | Chlorpyrifos |
|------------------------------|------------------|-------------|---------------------|------------|-----------------|-----------|--------------|
| DI-4 | 0.5 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-6 | 0.1 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-6-2 | 0.1 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-7-1 | 0.1 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-7-2 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-9 | 0.5 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-10-2 | 0.15 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-11-1 | 0.1 | < 0.5 | < 0.5 | < 0.5 | < 0.1 | < 10 | < 0.5 |
| DI-11-2 | 0.15 | < 0.5 | < 0.5 | < 0.5 | < 0.1 | < 10 | < 0.5 |
| DI-12-1 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| DI-13-1 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH1 | 0.4 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH2 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH3 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH4 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH5 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH6 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH7 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH8 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH9 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH10 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH11 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| EBH12 | 0.2 | < 0.05 | < 0.05 | < 0.05 | < 0.1 | < 0.5 | < 0.2 |
| NEPM 2013 HIL | | 240 | 6 | 240 | 50 | 20 | 160 |
| No. of HIL Exceedance | | 0 | 0 | 0 | 0 | 0 | 0 |

All concentrations of OCP/OPP were found to be below the Limit of Reporting (LOR) and were within the adopted Site Assessment Criteria (SAC).

10.2.2 Polycyclic Aromatic Hydrocarbons (PAH)

A total of twenty-two (22) samples were analysed for a range of PAH. Total PAH detections are shown in Table 15.

Table 15: Total PAH Detections in soil samples (mg/kg)

| | Sample Depth (m) | Total PAH | Benzo(a) Pyrene (Upper Bound) | Naphthalene |
|-----------------------|------------------|-----------|-------------------------------|-------------|
| DI-1-1 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-2-3 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-3-2 | 0.15 | < 0.5 | 1.2 | < 0.5 |
| DI-4-3 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-7-1 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-9 | 0.5 | < 0.5 | 1.2 | < 0.5 |
| DI-11-1 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-11-2 | 0.15 | < 0.5 | 1.2 | < 0.5 |
| DI-12-1 | 0.1 | < 0.5 | 1.2 | < 0.5 |
| DI-13-1 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH1 | 0.4 | < 0.5 | 1.2 | < 0.5 |
| EBH2 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH3 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH4 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH5 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH6 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH7 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH8 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH9 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH10 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH11 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| EBH12 | 0.2 | < 0.5 | 1.2 | < 0.5 |
| NEPM 2013 | | 300 | 3 | 170 |
| No of NEPM Exceedance | | 0 | 0 | 0 |

All concentrations of PAH were found to be below the Limit of Reporting (LOR) and were within the adopted Site Assessment Criteria (SAC).

10.2.3 Total Recoverable Hydrocarbons (TRH) - 2013 NEPM Fractions

A total of twenty-five (25) samples were analysed for TRH. TRH detections are presented in Table 16.

Table 16: Total TRH Detections in soil samples (mg/kg)

| Sample ID | Sample Depth (m) | F1: C6-C10 | F2: C10-C16 | F3: C16-C34 | F4: C34-C40 |
|------------------------------------|------------------|------------|-------------|-------------|--------------|
| DI-2-1 | 0.15 | < 20 | < 50 | < 100 | < 100 |
| DI-3 | 0.5 | < 20 | < 50 | < 100 | < 100 |
| DI-3-3 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| DI-5-1 | 0.1 | < 20 | < 50 | 150 | < 100 |
| DI-6 | 0.1 | < 20 | < 50 | < 100 | < 100 |
| DI-7-1 | 0.1 | < 20 | < 50 | < 100 | < 100 |
| DI-8-1 | 0.1 | < 20 | < 50 | < 100 | < 100 |
| DI-9 | 0.5 | < 20 | < 50 | < 100 | < 100 |
| DI-10-1 | 0.1 | < 20 | < 50 | < 100 | < 100 |
| DI-11-1 | 0.1 | < 20 | 100 | 1200 | 200 |
| DI-11-2 | 0.15 | < 20 | 120 | 1400 | 340 |
| DI-12-1 | 0.2 | < 20 | < 50 | 220 | < 100 |
| DI-13-1 | 0.2 | < 20 | < 50 | 220 | < 100 |
| EBH1 | 0.4 | < 20 | < 50 | < 100 | < 100 |
| EBH2 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH3 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH4 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH5 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH6 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH7 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH8 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH9 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH10 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH11 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| EBH12 | 0.2 | < 20 | < 50 | < 100 | < 100 |
| HSL | | 50 | 280 | NL | NL |
| ESL | | 180 | 120 | 1300 | 5600 |
| ML | | 800 | 1000 | 3500 | 10000 |
| No of HSL/ESL/ML Exceedance | | 0 | 0 | 1 | 0 |

All samples analysed, are found to have concentrations of TRH within the adopted Site Criteria (HSL, ESL and ML). With the exception of Sample# Di-11-2 where the concentration of TRH F3: C16-C34 exceeded the Ecological Screening Level (ESL), the Management Level was not exceeded.

Given that the sample was sampled in a tree lined area and there was no visual evidence or odours of hydrocarbon contamination within the soil such as oil staining. Geotesta Pty Ltd is of the opinion, the hydrocarbons were natural occurring, often associated with oils from eucalyptus trees and dropped leaves.

10.2.4 Benzene, Toluene, Ethyl Benzene and Xylene (BTEX) - 2013 NEPM Fractions

A total of nineteen (19) samples were analysed for BTEX. BTEX detections are presented in Table 17.

Table 17: Total BTEX Detections in soil samples (mg/kg)

| | Sample Depth (m) | Benzene | Toluene | Ethylbenzene | Xylene |
|----------------------------------|------------------|------------|------------|--------------|------------|
| DI-5 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-7-1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-9 | 0.5 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-11-1 | 0.1 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-11-2 | 0.15 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-12-1 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| DI-13-1 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH1 | 0.4 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH2 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH3 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH4 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH5 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH6 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH7 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH8 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH9 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH10 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH11 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| EBH12 | 0.2 | < 0.1 | < 0.1 | < 0.1 | < 0.3 |
| HSL | | 0.7 | 480 | NL | 110 |
| ESL | | 65 | 105 | 125 | 45 |
| No. of HSL/ESL Exceedance | | 0 | 0 | 0 | 0 |

All samples analysed, are found to have concentrations of BTEX below the LOR and therefore within the adopted Site Criteria (HSL and ESL).

10.2.5 Asbestos

All sample locations were visually assessed for the presence of visible suspected asbestos containing materials (ACM) within surface soils, no suspected ACM were encountered. Within all samples analysed for asbestos, no asbestos was detected above the Reporting Limit.

10.2.6 Swamp/dam water results

Four water samples (W1 for 1/2/22) and (W1-W3 for 12/5/22) of swamp/dam water were sampled and sent to the laboratory for analysis of heavy metals and OCP/OPP. The laboratory results are presented in Tables 18 and 19. The samples were unfiltered and represent the Dam waters.

Table 18: Heavy Metal Detections in dam water sample (mg/L)

| | Arsenic (As) | Cadmium (Cd) | Chromium (Cr) | Copper (Cu) | Lead (Pb) | Mercury (Hg) | Nickel (Ni) | Zinc (Zn) |
|----------------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|
| W1 1/2/22 | 0.002 | < 0.0002 | 0.006 | 0.011 | 0.002 | < 0.0001 | 0.017 | 0.01 |
| W1 12/5/22 | < 0.001 | < 0.0002 | 0.01 | 0.005 | 0.002 | < 0.0001 | 0.011 | 0.015 |
| W2 12/5/22 | < 0.001 | < 0.0002 | 0.007 | 0.004 | 0.001 | < 0.0001 | 0.007 | 0.015 |
| W3 12/5/22 | < 0.001 | < 0.0002 | 0.013 | 0.007 | 0.003 | < 0.0001 | 0.015 | 0.02 |
| ANZEC 95% Freshwater | 0.024 | 0.0002 | - | 0.0014 | 0.0034 | 0.0006 | 0.011 | 0.008 |
| Exceedances | 0 | 0 | 0 | 4 | 0 | 0 | 3 | 4 |

Table 19: OCP/OPP (Pesticides) Detections in dam water sample (mg/L)

| | Malathion | Diazinon | DDT | Aldrin+ Dieldrin | Chlordanes |
|----------------|-------------|------------|--------------|------------------|--------------|
| W1 | < 0.002 | < 0.002 | < 0.0002 | < 0.0002 | < 0.002 |
| W2 | < 0.002 | < 0.002 | < 0.0002 | < 0.0002 | < 0.002 |
| W3 | < 0.002 | < 0.002 | < 0.0002 | < 0.0002 | < 0.002 |
| NEPM 2013 GILs | 0.07 | 240 | 0.004 | 0.0003 | 0.002 |
| Exceedances | 0 | 0 | 0 | 0 | 0 |

Exceedances for copper, nickel and zinc were detected within the water dam samples analysed, all other Heavy Metal concentrations were found to be below the Site Assessment Criteria. All the concentrations of Pesticides detections were found to be below the adopted Site Assessment Criteria and limit of reporting (LOR).

10.3 Evaluation Analytical Quality Assurance

10.3.1 Duplicate Sample

The laboratory quality control measures are assessed based on a duplicate sample which was collected during the field works.

The Relative Percentage Difference (RPD) values between primary/parent sample DI6 and the duplicate sample D6 was calculated to assess the results. A zero RPD means perfect agreement of results between the primary and duplicate sample whilst an RPD above 200% indicates total disagreement in results. Any value >50% RPD will be noted and discussed, as per Standards Australia requirements, with respect to its acceptability for inclusion in the dataset.

An acceptable RPD of 30% was adopted for this assessment, however, in circumstances where one or both of the detected concentrations within the duplicate pair were within five (5) times the LOR, an RPD of 100% was considered acceptable.

The following Table 20 presents the RPD results for the duplicate collected and pairs of results obtained above the laboratory detection limits.

Table 20: Relative Percentage Difference against DI6 and D6

| Chemical | DI6 | D6 | RPD% |
|----------|-------|-------|------|
| Arsenic | 4.3 | 4.2 | 2.4 |
| Cadmium | < 0.4 | < 0.4 | - |
| Chromium | 83 | 78 | 6.2 |
| Copper | 17 | 21 | 21.1 |
| Lead | 14 | 11 | 24 |
| Mercury | < 0.1 | < 0.1 | - |
| Nickel | 37 | 38 | 2.7 |
| Zinc | 19 | 21 | 10 |

Adapted from Eurofins Certificate of Analysis 860033-S (Appendix E) 860033-S

The RPD for the duplicate samples analysed by the primary laboratory (Eurofins MGT) were between 2.4 % and 24 %. No results exceeded 50%. RPD values could not be determined for Cadmium and Mercury as they were below the laboratory reporting limits. Based on the laboratory QA/QC and the duplicate results the data is considered suitable for use in this environmental assessment of the site.

The Relative Percentage Difference (RPD) values between primary/parent sample EBH4 and the duplicate sample BD1 was calculated to assess the results.

The following Table 21 presents the RPD results for the duplicate collected and pairs of results obtained above the laboratory detection limits.

Table 21: Relative Percentage Difference against EBH4 and BD1

| Chemical | EBH4 | BD1 | RPD% |
|----------|-------|-------|------|
| Arsenic | 2.8 | 3.5 | 22.2 |
| Cadmium | < 0.4 | < 0.4 | - |
| Chromium | 80 | 100 | 22.2 |
| Copper | 24 | 20 | 18.2 |
| Lead | 7.8 | 5.5 | 34.6 |
| Mercury | < 0.1 | < 0.1 | - |
| Nickel | 60 | 67 | 11.0 |
| Zinc | 34 | 42 | 21.1 |

Adapted from Eurofins Certificate of Analysis 889035-S (Appendix E)

The RPD for the duplicate samples analysed by the primary laboratory (Eurofins MGT) were between 11.0 % and 34.6 %. No results exceeded 50%. RPD values could not be determined for Cadmium and Mercury as they were below the laboratory reporting limits. Based on the laboratory QA/QC and the duplicate results the data is considered suitable for use in this environmental assessment of the site.

10.3.2 Trip Spike

The trip spike sample assesses the loss of volatile compounds through field handling and transport procedures. The trip spike is a sand sample spiked with a known concentration of BTEX by the analytical laboratory. The sample is transported to and from the site with the primary samples and is analysed to determine the percentage of BTEX recovered.

Upon analysis, the recovery rates were between 90% and 96% of the known concentration (refer to Table 22). Therefore, the field and transport procedures were considered satisfactory for minimising the potential loss of volatile compounds from the primary samples.

Table 22: Trip Spike Recovery (%)

| Sample | Benzene | Toluene | Ethylbenzene | o-Xylene | Total Xylene |
|---------------------|----------|----------|--------------|----------|--------------|
| Trip Spike (%) | 84 | 84 | 81 | 83 | 82 |
| Assessment Criteria | 70 – 130 | 70 – 130 | 70 – 130 | 70 – 130 | 70 – 130 |

Adapted from Eurofins Certificate of Analysis 889035-S S (Appendix E)

10.3.1 Trip Blank

The trip blank sample assesses the potential for the primary sample to be affected by external and environmental factors during transport between the site and laboratory. The trip blank sample consists of blank sand which is transported to and from the site and laboratory with the primary samples.

Upon analysis, no concentrations of BTEX were detected (refer to Table 23). As such, there is a minimal potential for cross-contamination to have occurred during the field and trip handling procedures.

Table 23: Trip Blank Sample Results (mg/kg)

| Analyte | Trip Blank (mg/L) |
|--------------|-------------------|
| Benzene | < 0.1 |
| Toluene | < 0.1 |
| Ethylbenzene | < 0.1 |
| o-Xylene | < 0.1 |
| Total Xylene | < 0.3 |

Adapted from Eurofins Certificate of Analysis 889035-S (Appendix E)

11. DISCUSSION

11.1 Soil Contamination Summary

The historical review indicated the site has been used for residential purposes since 1964 and vacant land prior to that. During the site investigation it is understood that the site has been using for agriculture purposes, Cattle sheds, Old tractors, and water tanks were observed on site. These may cause potential concern of contamination from heavy metals, OCP/OPP, PAH, TRH, BTEX and Asbestos.

A summary of the lab result is presented as the following:

- Detected concentration of all heavy metals were within the Site Assessment Criteria (SAC).
- Detected concentrations of Organochlorine Pesticides/Organophosphorus Pesticides (OCP/OPP) were below the laboratory reporting limit (LOR) and the Site Assessment Criteria.
- Detected concentrations of PAH and BTEX analytes were below the laboratory reporting limit and therefore within the Site Assessment Criteria
- One exceedance in TRH Fraction F3: C16-34 was detected in Sample DI-11-2, having exceeded the TRH Criteria / ESL (Fine Soil). Regarding the Hydrocarbon exceedance, given that the sample was sampled in a tree lined area and there was no visual evidence or odours of hydrocarbon contamination within the soil such as oil staining. Geotesta Pty Ltd is of the opinion, the hydrocarbons were natural occurring, often associated with oils from eucalyptus trees and dropped leaves.
- All remaining detected concentrations of TRH analytes were below the laboratory reporting limit (LOR) and therefore within the Site Assessment Criteria (SAC).
- Based on laboratory results, no asbestos were detected above the Reporting Limit within the samples analysed. No suspected asbestos containing materials (ACM) were observed on site during the inspection.
- Detected concentrations of copper, nickel and zinc within the water sample exceeded the adopted Site Assessment Criteria (ANZEC 95% Freshwater Guidelines). All remaining heavy metal and OCP/OPP Pesticides screened were within the SAC.

12. CONCLUSIONS AND RECOMMENDATIONS

A Preliminary Site Investigation of 13L and Lot 7 DP223428 Narromine Rd, Dubbo NSW 2830 was undertaken by Geotesta Pty Ltd to investigate the likelihood of the presence of contamination on the site. Based on the assessment undertaken, the following conclusions and recommendations can be made:

- Geotesta Pty Ltd is of the opinion, that the detected TRH Fraction F3: C16-34 at Sample location# DI-11-2 are natural hydrocarbons, associated with oils from eucalyptus trees and dropped leaves. Given that the sample was sampled in a tree lined area and there was no visual evidence or odours of hydrocarbons in the soil such as oil staining.
- Given the heavy metal exceedances (copper, nickel and zinc) within the dam water sampled, dam decommissioning can be performed once the Dam Decommissioning reports have been issued.
- The conducted Preliminary Site Investigation's limited soil sampling and analysis program indicated a **low** risk of soil contamination. It is the opinion of Geotesta Pty Ltd that the site is suitable for the proposed development pending an additional Data Gap Contamination Assessment is undertaken.
- Due to the existence of a data-gap in this investigation, a further assessment post demolition of the existing structures/dwellings is required to address further potential AECs identified previously and to determine if any contamination hotspots exist within the footprint of the existing sheds and dwellings. The Gap Assessment scope must also include the following:
 - A Delineation Assessment is recommended in the vicinity of the TRH Fraction F3: C16-34 concentration elevation at the location of Sample# DI-11-2
 - Any stockpiles and areas under stockpiled materials that were not assessed at the time of the PSI or are new to site, will require sampling as part of the Data Gap Assessment.

DOCUMENT CONTROL

| Date | Version | Report Prepared By: | Report Reviewed and issued by: |
|--------------|---------|--|--|
| 16 June 2022 | Rev (0) | Ngoc Thang Pham BEng MSc PhD Geotechnical Engineer | Victor Kirpichnikov MEnv Studies, Bsc (Hons), WHS Cert IV Senior Environmental Consultant |
| | | Victor Kirpichnikov MEnv Studies, Bsc (Hons), WHS Cert IV Senior Environmental Consultant | |

13. REFERENCES

NSW Department of Mineral Resources, (1991) Penrith 1:100,000 Geological Sheet 9030.

Bureau of Meteorology (2017), www.bom.gov.au.

EPA NSW, <http://www.epa.nsw.gov.au/prclmapp/aboutregister.aspx>.

NEPC (1999, amended 2013) National Environmental Protection (Assessment of Site Contamination) Measure (ASC NEPM, 1999 amended 2013).

NSW Department of Environment & Heritage (NSW soil and land information), www.environment.nsw.gov.au.

NSW EPA (2014), Waste Classification Guidelines, Part 1: Classifying waste.

NSW EPA (2020) Contaminated Sites: Guidelines for Consultants Reporting on Contaminated Sites.

Standards Australia (2005) AS4482.1 2nd Edition: Guide to the Investigation and Sampling of Sites with Potentially Contaminated Soil – Part 1: Non-Volatile and Semi-Volatile Compounds.

NSW DEC (2017), 3rd Ed. Contaminated Sites: Guidelines for the NSW Site Auditor Scheme.

WA DoH (2009) Guidelines for the Assessment, Remediation and Management of Asbestos-contaminated Sites in Western Australia.

State Environmental Planning Policy No 55 (1979), Environmental Planning and Assessment Act 1979.

Standards Australia, 2005. Guide to the sampling and Investigation of Potentially Contaminated Soil, Part 1: Non-volatile and Semi-volatile compounds. AS 4482.1

Australian and New Zealand Guidelines for Fresh and Marine Water Quality, Australian and New Zealand Environment and Conservation Council (2000)

Eurofins Environment Testing Pty Ltd, 01 February 2022, Certificate of Analysis 860033-S, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 01 February 2022, Certificate of Analysis 860033-AID, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 01 February 2022, Certificate of Analysis 859443-W, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 13 May 2022, Certificate of Analysis 889035-S, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 13 May 2022, Certificate of Analysis 889035-AID, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 13 May 2022, Certificate of Analysis 888819-W, prepared for Geotesta Pty Ltd

Eurofins Environment Testing Pty Ltd, 14 June 2022, Certificate of Analysis 897298-S, prepared for Geotesta Pty Ltd

Lotsearch, Jannali Road, Dubbo, NSW 2830, Reference: LS032012 EP, 11 May 2022

Information about this report

The report contains the results of a contamination investigation conducted for a specific purpose and client. The results should not be used by other parties, or for other purposes, as they may contain neither adequate nor appropriate information. In particular, the investigation does not cover contamination issues unless specifically required to do so by the client.

Test Hole Logging

The information on the test hole logs (boreholes, test pits, exposures etc.) is based on a visual and tactile assessment, except at the discrete locations where test information is available (field and/or laboratory results). The test hole logs include both factual data and inferred information.

Groundwater

Unless otherwise indicated, the water levels presented on the test hole logs are the levels of free water or seepage in the test hole recorded at the given time of measuring. The actual groundwater level may differ from this recorded level depending on material permeability (i.e. depending on response time of the measuring instrument). Further, variations of this level could occur with time due to such effects as seasonal, environmental and tidal fluctuations or construction activities. Confirmation of groundwater levels, phreatic surfaces or piezometric pressures can only be made by appropriate instrumentation techniques and monitoring programmes.

Interpretation of Results

The discussion or recommendations contained within this report normally are based on a site evaluation from discrete test hole data. Generalized, idealized or inferred subsurface conditions (including any geotechnical cross-sections) have been assumed or prepared by interpolation and/or extrapolation of these data. As such these conditions are an interpretation and must be considered as a guide only.

Change in Conditions

Local variations or anomalies in the generalized ground conditions do occur in the natural environment, particularly between discrete test hole locations. Additionally, certain design or construction procedures may have been assumed in assessing the soil-structure interaction behaviour of the site. Furthermore, conditions may change at the site from those encountered at the time of the geotechnical investigation through construction activities and constantly changing natural forces.

Any change in design, in construction methods, or in ground conditions as noted during construction, from those assumed or reported should be referred to GEOTESTA for appropriate assessment and comment.

Environmental Verification

Verification of the environmental/contamination assumptions and/or model is an integral part of the design process-investigation, construction verification, and performance monitoring. Variability is a feature of the natural environment and, in many instances, verification of soil or rock quality, or foundation levels, is required. There may be a requirement to extend foundation depths, to modify a foundation system or to conduct monitoring as a result of this natural variability. Allowance for verification by geotechnical personnel accordingly should be recognized and programmed during construction.

Reproduction of Reports

Where it is desired to reproduce, the information contained in our contamination report, or other technical information, for the inclusion in contract documents or engineering specification of the subject development, such reproductions should include at least all of the relevant test hole and test data, together with the appropriate standard description sheets and remarks made in the written report of a factual or descriptive nature. Reports are the subject of copyright and shall not be reproduced either totally or in part without the express permission of Geotesta.




Figure 3: Areas of Environmental Concerns



Appendix A

Aerial Photographs

Aerial Photo 1964



Aerial Photo 1971




Aerial Photo 1974




Aerial Photo 1980



Aerial Photo 1991




Aerial Photo 1995



Aerial Photo 1996



Aerial Photo 2011



Aerial Photo 2019



Aerial Photo 2020



Aerial Photo 2021



Appendix B

Planning Certificate Under Section 10.7

Certificate No: 436
Applicant Ref: NE1167
Receipt No: 81057263

24/02/2022

Geotesta Pty Ltd
7 Business Park Drive
NOTTING HILL VIC 3168



PLANNING CERTIFICATE

Issued under Section 10.7 (2) of the
Environmental Planning and Assessment Act 1979

Parcel No: 15197
Property description: Lot: 22 DP: 1038924, 13L Narromine Road DUBBO

SECTION 10.7 (2) PRESCRIBED MATTERS UNDER SCHEDULE 4 OF THE ENVIRONMENTAL PLANNING AND ASSESSMENT REGULATION 2000

At the date of the Certificate, the following LEPs, DCPs and SEPPs apply to the subject land:

Local Environmental Plan (LEP):
Dubbo Local Environmental Plan 2011, applies to the subject land.

State Environmental Planning Policies (SEPP):

State Environmental Planning Policy No 33 - Hazardous and Offensive Development, applies to the State.

State Environmental Planning Policy No 50 - Canal Estate Development, applies to the State.

State Environmental Planning Policy No 55 - Remediation of Land, applies to the State.

State Environmental Planning Policy No 64 - Advertising and Signage, applies to the State.

State Environmental Planning Policy No 65 - Design Quality of Residential Flat Development, applies to the State.

State Environmental Planning Policy (State Significant Precincts) 2005, applies to the State.

All communications to: **CHIEF EXECUTIVE OFFICER**

ABN 53 539 070 928

PO Box 81 Dubbo NSW 2830

T (02) 6801 4000 **F** (02) 6801 4259 **E** council@dubbo.nsw.gov.au

Civic Administration Building Church St Dubbo NSW 2830

W dubbo.nsw.gov.au



State Environmental Planning Policy (Mining, Petroleum Production and Extractive Industries) 2007, applies to the State.

State Environmental Planning Policy (Building Sustainability Index: BASIX) 2004, applies to the State.

State Environmental Planning Policy (Infrastructure) 2007, applies to the State.

State Environmental Planning Policy (Exempt and Complying Development Codes) 2008, applies to the State.

State Environmental Planning Policy (State and Regional Development) 2011, applies to the State.

State Environmental Planning Policy (Educational Establishments and Child Care Facilities) 2017, applies to the State.

State Environmental Planning Policy (Vegetation in Non-Rural Areas) 2017, applies to the State.

State Environmental Planning Policy (Primary Production and Rural Development) 2019, applies to the State.

State Environmental Planning Policy (Concurrences and Consents) 2018, applies to the State.

State Environmental Planning Policy (Housing) 2021, applies to the State.

Draft Local Environmental Planning Instrument:

The Planning Proposal for the draft Dubbo Regional Local Environmental Plan 2021 was on public exhibition from 2 June 2021 until 30 June 2021. The intent of the Planning Proposal is to consolidate and rationalise the existing provisions of the Dubbo LEP 2011 and Wellington LEP 2012 to create a new consolidate LEP for Dubbo Region.

Zone RU2 Rural Landscape

(1) Objectives of zone

- * To encourage sustainable primary industry production by maintaining and enhancing the natural resource base.
- * To maintain the rural landscape character of the land.
- * To provide for a range of compatible land uses, including extensive agriculture.

(2) Permitted without consent

Environmental protection works; Extensive agriculture; Home-based child care; Home occupations; Roads.

(3) Permitted with consent

Agricultural produce industries; Agriculture; Animal boarding or training establishments; Aquaculture; Boat launching ramps; Camping grounds; Caravan parks; Cellar door premises; Centre-based child care facilities; Community facilities; Correctional centres; Depots; Dwelling houses; Eco-tourist facilities; Educational establishments; Environmental facilities; Extractive industries; Farm buildings; Forestry; Group homes; Health consulting rooms; Highway service centres; Home businesses; Home industries; Industrial training facilities; Information and education facilities; Jetties; Mooring pens; Moorings; Open cut mining; Plant nurseries; Recreation areas; Recreation facilities (outdoor); Research stations; Respite day care centres; Secondary dwellings; Sewerage systems; Signage; Tourist and visitor accommodation; Truck depots; Water recreation structures; Water supply systems; Wharf or boating facilities.

(4) Prohibited

Advertising structures; Hotel or motel accommodation; Intensive livestock agriculture; Serviced apartments; Any other development not specified in item 2 or 3.

Zone R2 Low Density Residential

(1) Objectives of zone

- * To provide for the housing needs of the community within a low density residential environment.
- * To enable other land uses that provide facilities or services to meet the day to day needs of residents.
- * To ensure development is consistent with the character of the immediate locality.
- * To encourage low density housing within a landscaped setting on the fringe of the Dubbo urban area.

(2) Permitted without consent

Environmental protection works; Home-based child care; Home occupations; Roads.

(3) Permitted with consent

Bed and breakfast accommodation; Boarding houses; Centre-based child care facilities; Community facilities; Dwelling houses; Educational establishments; Environmental facilities; Exhibition homes; Exhibition villages; Group homes; Health consulting rooms; Home businesses; Home industries; Information and education facilities; Medical centres; Neighbourhood shops; Oyster aquaculture; Places of public worship; Pond-based aquaculture; Recreation areas; Residential accommodation; Respite day care centres; Signage; Tank-based aquaculture; Water reticulation systems.

(4) Prohibited

Advertising structures; Attached dwellings; Hostels; Multi dwelling housing; Residential flat buildings; Rural workers' dwellings; Shop top housing; Any other development not specified in item 2 or 3.

Zone R5 Large Lot Residential

(1) Objectives of zone

- * To provide residential housing in a rural setting while preserving, and minimising impacts on, environmentally sensitive locations and scenic quality.
- * To ensure that large residential lots do not hinder the proper and orderly development of urban areas in the future.
- * To ensure that development in the area does not unreasonably increase the demand for public services or public facilities.
- * To minimise conflict between land uses within this zone and land uses within adjoining zones.

(2) Permitted without consent

Environmental protection works; Extensive agriculture; Home-based child care; Home occupations; Roads.

(3) Permitted with consent

Agricultural produce industries; Dairies (pasture-based); Dwelling houses; Dual occupancies; Home industries; Horticulture; Neighbourhood shops; Oyster aquaculture; Plant nurseries; Pond-based aquaculture; Tank-based aquaculture; Water reticulation systems; Any other development not specified in item 2 or 4.

(4) Prohibited

Advertising structures; Agriculture; Air transport facilities; Airstrips; Amusement centres; Animal boarding or training establishments; Attached dwellings; Boarding houses; Boat building and repair facilities; Boat sheds; Camping grounds; Car parks; Caravan parks; Cemeteries; Charter and tourism boating facilities; Commercial premises; Correctional centres; Crematoria; Depots; Dual occupancies (detached); Eco-tourist facilities; Entertainment facilities; Extractive industries; Farm stay accommodation; Flood mitigation works; Freight transport facilities; Function centres; Heavy industrial storage premises; Helipads; Highway service centres; Home occupations (sex services); Hostels; Hotel or motel accommodation; Industrial retail outlets; Industrial training facilities; Industries; Marinas; Mortuaries; Multi dwelling housing; Open cut mining; Passenger transport facilities; Public administration buildings; Recreation facilities (indoor); Recreation facilities (major); Recreation facilities (outdoor); Registered clubs; Research stations; Residential flat buildings; Restricted premises; Rural industries; Rural workers' dwellings; Semi-detached dwellings; Seniors housing; Service stations; Serviced apartments; Sewerage systems; Sex services premises; Shop top housing; Storage premises; Transport depots; Truck depots; Vehicle body repair workshops; Vehicle repair stations; Warehouse or distribution centres; Waste or resource management facilities; Water supply systems; Wholesale supplies.

Zone IN2 Light Industrial

(1) Objectives of zone

- * To provide a wide range of light industrial, warehouse and related land uses.

- * To encourage employment opportunities and to support the viability of centres.
- * To minimise any adverse effect of industry on other land uses.
- * To enable other land uses that provide facilities or services to meet the day to day needs of workers in the area.
- * To support and protect industrial land for industrial uses.
- * To recognise the Depot Road and McKenzie Street industrial area as providing start up and transport related development opportunities.

(2) Permitted without consent
Environmental protection works; Roads

(3) Permitted with consent
Agricultural produce industries; Depots; Funeral homes; Garden centres; Hardware and building supplies; Health consulting rooms; Industrial training facilities; Landscaping material supplies; Light industries; Liquid fuel depots; Medical centres; Neighbourhood shops; Oyster aquaculture; Places of public worship; Plant nurseries; Rural supplies; Take away food and drink premises; Tank-based aquaculture; Timber yards; Vehicle sales or hire premises; Warehouse or distribution centres; Waste or resource transfer stations; Water reticulation systems; Any other development not specified in item 2 or 4.

(4) Prohibited
Advertising structures; Agriculture; Air transport facilities; Airstrips; Amusement centres; Animal boarding or training establishments; Boat launching ramps; Boat sheds; Camping grounds; Caravan parks; Cemeteries; Centre-based child care facilities; Charter and tourism boating facilities; Commercial premises; Correctional centres; Eco-tourist facilities; Entertainment facilities; Exhibition homes; Exhibition villages; Farm buildings; Flood mitigation works; Forestry; Function centres; Health services facilities; Heavy industrial storage premises; Helipads; Home-based child care; Home businesses; Home occupations; Home occupations (sex services); Industries; Jetties; Marinas; Mooring pens; Moorings; Pond-based aquaculture; Public administration buildings; Recreation facilities (major); Recreation facilities (outdoor); Registered clubs; Research stations; Residential accommodation; Respite day care centres; Restricted premises; Rural industries; Sewerage systems; Sex services premises; Tourist and visitor accommodation; Waste or resource management facilities; Water recreation structures; Water supply systems; Wharf or boating facilities.

Draft Development Standards – Dwelling House:

Land Zoned RU2 Rural Landscape

The minimum subdivision lot size for the subject property for the purpose of a dwelling is 100 hectares.

Land Zoned R5 Large Lot Residential

Land Zoned R2 Low Density Residential

There are no development standards pursuant to the Dubbo Regional Local Environmental Plan 2021 that fix minimum land dimensions for the erection of a dwelling house on the subject land, noting that dwellings are 'prohibited' in the zone.

Land Zoned IN2 Light Industrial

There are no development standards pursuant to the Dubbo Regional Local Environmental Plan 2021 that set minimum allotment sizes for the erection of a dwelling house on the subject land, noting that dwelling houses are 'prohibited' in the subject zone.

Land Zoned RU2 Rural Landscape

4.2C Erection of dwelling houses on land in certain rural and environmental protection zones

- (1) The objectives of this clause are as follows:
 - (a) to minimise unplanned rural residential development,
 - (b) to enable the replacement of lawfully erected dwelling houses in certain rural and environmental protection zones.
- (2) This clause applies to:
 - (a) for the erection of a dwelling house—land in Zone RU1 Primary Production, Zone RU2 Rural Landscape, Zone RU4 Primary Production Small Lots or Zone C3 Environmental Management, or
 - (b) for the erection of a dual occupancy - land in Zone RU1 Primary Production
- (3) Development consent must not be granted for the erection of a dwelling house or a dual occupancy on land, and on which no dwelling house or dual occupancy has been erected, unless the land:
 - (a) is a lot that is at least the minimum lot size shown on the Lot Size Map in relation to that land, or
 - (b) is a lot created under an environmental planning instrument before this Plan commenced and on which the erection of a dwelling house or dual occupancy was permissible immediately before that commencement, or
 - (c) is a lot resulting from a subdivision for which development consent (or equivalent) was granted under an environmental planning instrument before this Plan commenced and on which the erection of a dwelling house or dual occupancy would have been permissible if the plan of subdivision had been registered before that commencement, or
 - (d) is an existing holding, or
 - (e) would have been a lot or a holding referred to in paragraph (a), (b), (c) or (d) had it not been affected by:
 - (i) a minor realignment of its boundaries that did not create an additional lot, or
 - (ii) a subdivision creating or widening a public road or public reserve or for another public purpose.

Note - A dwelling cannot be erected on a lot created under clause 9 of State Environmental Planning Policy (Rural Lands) 2008 or clause 4.2.

- (4) Development consent may be granted for the erection of a dwelling house or dual occupancy on land to which this clause applies if there is a lawfully erected dwelling house or dual occupancy on the land and the dwelling house or dual occupancy to be erected is intended only to replace the existing dwelling house or dual occupancy.
- (5) In this clause:
Existing Holding means land that:
- (a) was a holding on 26 June 1987,
 - (b) was located within the former Wellington Local Government Area prior to 12 May 2016, and
 - (c) is a holding at the time the application for development consent referred to in subclause (3) is lodged, whether or not there has been a change in the ownership of the holding since 26 June 1987, and includes any other land adjoining that land acquired by the owner since 26 June 1987.
- Holding means all adjoining land, even if separated by a road or railway, held by the same person or persons.

Note - The owner in whose ownership all the land is at the time the application is lodged need not be the same person as the owner in whose ownership all the land was on the stated date.

Draft Critical habitat:

The land does not include or comprise 'critical habitat' under Dubbo Regional Local Environment Plan 2021.

Draft Conservation area:

The land is not in a conservation area under Dubbo Regional Local Environment Plan 2021.

Draft Heritage:

A heritage item is not situated on the land under Dubbo Regional Local Environment Plan 2021.

Development Control Plan (DCP):

Dubbo Development Control Plan 2013, applies to the subject land.

The subject land is zoned:

Zone IN2 Light Industrial

(1) Objectives of zone

- * To provide a wide range of light industrial, warehouse and related land uses.
- * To encourage employment opportunities and to support the viability of centres.
- * To minimise any adverse effect of industry on other land uses.

- * To enable other land uses that provide facilities or services to meet the day to day needs of workers in the area.
 - * To support and protect industrial land for industrial uses.
 - * To recognise the Depot Road and McKenzie Street industrial area as providing start up and transport related development opportunities.
- (2) Permitted without consent
Environmental protection works; Roads
- (3) Permitted with consent
Agricultural produce industries; Depots; Funeral homes; Garden centres; Hardware and building supplies; Health consulting rooms; Industrial training facilities; Landscaping material supplies; Light industries; Liquid fuel depots; Medical centres; Neighbourhood shops; Oyster aquaculture; Places of public worship; Plant nurseries; Rural supplies; Take away food and drink premises; Tank-based aquaculture; Timber yards; Vehicle sales or hire premises; Warehouse or distribution centres; Waste or resource transfer stations; Water reticulation systems; Any other development not specified in item 2 or 4.
- (4) Prohibited
Advertising structures; Agriculture; Air transport facilities; Airstrips; Amusement centres; Animal boarding or training establishments; Boat launching ramps; Boat sheds; Camping grounds; Caravan parks; Cemeteries; Centre-based child care facilities; Charter and tourism boating facilities; Commercial premises; Correctional centres; Eco-tourist facilities; Entertainment facilities; Exhibition homes; Exhibition villages; Farm buildings; Flood mitigation works; Forestry; Function centres; Health services facilities; Heavy industrial storage premises; Helipads; Home-based child care; Home businesses; Home occupations; Home occupations (sex services); Industries; Jetties; Marinas; Mooring pens; Moorings; Pond-based aquaculture; Public administration buildings; Recreation facilities (major); Recreation facilities (outdoor); Registered clubs; Research stations; Residential accommodation; Respite day care centres; Restricted premises; Rural industries; Sewerage systems; Sex services premises; Tourist and visitor accommodation; Waste or resource management facilities; Water recreation structures; Water supply systems; Wharf or boating facilities.

Zone RU2 Rural Landscape

- (1) Objectives of zone
- * To encourage sustainable primary industry production by maintaining and enhancing the natural resource base.
 - * To maintain the rural landscape character of the land.
 - * To provide for a range of compatible land uses, including extensive agriculture.
- (2) Permitted without consent
Environmental protection works; Extensive agriculture; Home-based child care; Home occupations; Roads.

- (3) Permitted with consent
Agricultural produce industries; Agriculture; Animal boarding or training establishments; Aquaculture; Boat launching ramps; Camping grounds; Caravan parks; Cellar door premises; Centre-based child care facilities; Community facilities; Correctional centres; Depots; Dwelling houses; Eco-tourist facilities; Educational establishments; Environmental facilities; Extractive industries; Farm buildings; Forestry; Group homes; Health consulting rooms; Highway service centres; Home businesses; Home industries; Industrial training facilities; Information and education facilities; Jetties; Mooring pens; Moorings; Open cut mining; Plant nurseries; Recreation areas; Recreation facilities (outdoor); Research stations; Respite day care centres; Secondary dwellings; Sewerage systems; Signage; Tourist and visitor accommodation; Truck depots; Water recreation structures; Water supply systems; Wharf or boating facilities.
- (4) Prohibited
Advertising structures; Hotel or motel accommodation; Intensive livestock agriculture; Serviced apartments; Any other development not specified in item 2 or 3.

Zone R2 Low Density Residential

- (1) Objectives of zone
- * To provide for the housing needs of the community within a low density residential environment.
 - * To enable other land uses that provide facilities or services to meet the day to day needs of residents.
 - * To ensure development is consistent with the character of the immediate locality.
 - * To encourage low density housing within a landscaped setting on the fringe of the Dubbo urban area.
- (2) Permitted without consent
Environmental protection works; Home-based child care; Home occupations; Roads.
- (3) Permitted with consent
Bed and breakfast accommodation; Boarding houses; Centre-based child care facilities; Community facilities; Dwelling houses; Educational establishments; Environmental facilities; Exhibition homes; Exhibition villages; Group homes; Health consulting rooms; Home businesses; Home industries; Information and education facilities; Medical centres; Neighbourhood shops; Oyster aquaculture; Places of public worship; Pond-based aquaculture; Recreation areas; Residential accommodation; Respite day care centres; Signage; Tank-based aquaculture; Water reticulation systems.
- (4) Prohibited
Advertising structures; Attached dwellings; Hostels; Multi dwelling housing; Residential flat buildings; Rural workers' dwellings; Shop top housing; Any other development not specified in item 2 or 3.

Zone R5 Large Lot Residential

(1) Objectives of zone

- * To provide residential housing in a rural setting while preserving, and minimising impacts on, environmentally sensitive locations and scenic quality.
- * To ensure that large residential lots do not hinder the proper and orderly development of urban areas in the future.
- * To ensure that development in the area does not unreasonably increase the demand for public services or public facilities.
- * To minimise conflict between land uses within this zone and land uses within adjoining zones.

(2) Permitted without consent

Environmental protection works; Extensive agriculture; Home-based child care; Home occupations; Roads.

(3) Permitted with consent

Agricultural produce industries; Dairies (pasture-based); Dwelling houses; Home industries; Horticulture; Neighbourhood shops; Oyster aquaculture; Plant nurseries; Pond-based aquaculture; Tank-based aquaculture; Water reticulation systems; Any other development not specified in item 2 or 4.

(4) Prohibited

Advertising structures; Agriculture; Air transport facilities; Airstrips; Amusement centres; Animal boarding or training establishments; Attached dwellings; Boarding houses; Boat building and repair facilities; Boat sheds; Camping grounds; Car parks; Caravan parks; Cemeteries; Charter and tourism boating facilities; Commercial premises; Correctional centres; Crematoria; Depots; Dual occupancies; Eco-tourist facilities; Entertainment facilities; Extractive industries; Farm stay accommodation; Flood mitigation works; Freight transport facilities; Function centres; Heavy industrial storage premises; Helipads; Highway service centres; Home occupations (sex services); Hostels; Hotel or motel accommodation; Industrial retail outlets; Industrial training facilities; Industries; Marinas; Mortuaries; Multi dwelling housing; Open cut mining; Passenger transport facilities; Public administration buildings; Recreation facilities (indoor); Recreation facilities (major); Recreation facilities (outdoor); Registered clubs; Research stations; Residential flat buildings; Restricted premises; Rural industries; Rural workers' dwellings; Semi-detached dwellings; Seniors housing; Service stations; Serviced apartments; Sewerage systems; Sex services premises; Shop top housing; Storage premises; Transport depots; Truck depots; Vehicle body repair workshops; Vehicle repair stations; Warehouse or distribution centres; Waste or resource management facilities; Water supply systems; Wholesale supplies.

Notwithstanding the above land use permissibility information indicating development 'permitted without consent'; development 'permitted with consent'; and development

'prohibited', the Dubbo Local Environmental Plan 2011 provides in some circumstances additional use provisions and other relevant land use permissibility/prohibition provisions.

It is recommended that consultation of the Dubbo Local Environmental Plan 2011 be undertaken to ascertain precisely the types of land uses permissible or prohibited on the land the subject of this Certificate.

Development Standards – Dwelling House:

Land Zoned RU2 Rural Landscape

The minimum subdivision lot size for the subject property for the purpose of a dwelling is 100 hectares.

Land Zoned R5 Large Lot Residential

Land Zoned R2 Low Density Residential

There are no development standards pursuant to the Dubbo Local Environmental Plan 2011 that fix minimum land dimensions for the erection of a dwelling house on the subject land.

Land Zoned RU2 Rural Landscape

4.2C Erection of dwelling houses on land in certain rural and environmental protection zones

- (1) The objectives of this clause are as follows
 - (a) to minimise unplanned rural residential development,
 - (b) to enable the replacement of lawfully-erected dwelling houses in rural and environmental protection zones.
- (2) This clause applies to land in the following zones:
 - (a) RU1 Primary Production,
 - (b) RU2 Rural Landscape,
 - (c) RU4 Primary Production Small Lots,
 - (d) E3 Environmental Management.
- (3) Development consent must not be granted for the erection of a dwelling house on land in a zone to which this clause applies, and on which no dwelling house has been erected, unless the land is:
 - (a) a lot that is at least the minimum lot size specified for that land by the Lot Size Map, or
 - (b) a lot created before this Plan commenced and on which the erection of a dwelling house was permissible immediately before that commencement, or
 - (c) a lot resulting from a subdivision for which development consent (or equivalent) was granted before this Plan commenced and on which the erection of a dwelling house would have been permissible if the plan of subdivision had been registered before that commencement.

Note. A dwelling cannot be erected on a lot created under clause 9 of State Environmental Planning Policy (Rural Lands), 2008 or clause 4.2.

- (4) Despite subclause (3), development consent may be granted for the erection of a

dwelling house on land to which this clause applies if:

- (a) there is a lawfully-erected dwelling house on the land and the dwelling house to be erected is intended only to replace the existing dwelling house, or
- (b) the land would have been a lot referred to in subclause (3) had it not been affected by:
 - (i) a minor realignment of its boundaries that did not create an additional lot, or
 - (ii) a subdivision creating or widening a public road or public reserve or for another public purpose.

Land Zoned IN2 Light Industrial

There are no development standards pursuant to the Dubbo Local Environmental Plan 2011 that set minimum allotment sizes for the erection of a dwelling house on the subject land, noting that dwelling houses are 'prohibited' in the subject zone.

Critical habitat:

The land does not include or comprise 'critical habitat' under Dubbo Local Environment Plan 2011 or Wellington Local Environmental Plan 2012.

Conservation area:

The land is not in a conservation area under Dubbo Local Environment Plan 2011 or Wellington Local Environmental Plan 2012.

Heritage:

A heritage item is not situated on the land under Dubbo Local Environment Plan 2011 or Wellington Local Environmental Plan 2012.

Complying development:

- (1) The extent to which the land is land on which complying development may be carried out under each of the codes for complying development because of the provisions of clauses 1.17A (1) (c) to (e), (2), (3), and (4), 1.18 (1) (c3) and 1.19 of State Environmental Planning Policy (Exempt and Complying Development Codes, 2008).
- (2) The extent to which complying development may not be carried out on the land because of the provision of clauses 1.17A (1) (c) to (e), (2), (3) and (4), 1.18 (1) (c3) and 1.19 of the Policy and the reasons why it may not be carried out under those clauses.
- (3) If the council does not have sufficient information to ascertain the extent to which complying development may or may not be carried out on the land, a statement that a restriction applies to the land, but it may not apply to all of the land, and that council does not have sufficient information to ascertain the extent to which complying development may or may not be carried out on the land.

Part 3B. Low Rise Medium Density Housing Code:

No - other than Complying Development carried out on the part of the lot which is not within the 25 ANEF contour or higher. Within the 25 ANEF contour or higher only ancillary development, the alteration of or an addition to ancillary development or the alteration of a dwelling house is Complying Development.

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 3C. Greenfield Housing Code:

No other than Complying Development carried out on the part of the lot which is not within the 25 ANEF contour or higher. Within the 25 ANEF contour or higher only ancillary development, the alteration of or an addition to ancillary development or the alteration of a dwelling house is Complying Development.

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 3D. Inland Code:

No - other than Complying Development carried out on the part of the lot which is not within the 25 ANEF contour or higher. Within the 25 ANEF contour or higher only ancillary development, the alteration of or an addition to ancillary development or the alteration of a dwelling house is Complying Development.

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 4. Housing Alterations Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 4A. General Development Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 5. Industrial and Business Alterations Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 5A. and 5B. Industrial and Business Buildings Code and the Container Recycling Facilities Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 6. Subdivision Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 7. Demolition Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Part 8. Fire Safety Code:

No - does not apply to the land. The subject land is identified as High Biodiversity on Council's Natural Resource - Biodiversity Map.

Coastal Protection:

The subject land is not affected by the operation of Section 5 of the Coastal Management Act, 2016.

Mine Subsidence:

The subject land is not within a proclaimed mine subsidence district as defined by Section 20 of the Coal Mine Subsidence Compensation Act, 2017.

Road Widening and Road Realignment:

The land is not affected by any road widening or road realignment under:

- (a) Division 2 of Part 3 of the Roads Act 1993; or
- (b) Any environmental planning instrument; or
- (c) Any resolution of the Council.

Council and Other Public Authority Policies on Hazard Risk Restrictions:

The land the subject of this Certificate is not affected by any policy adopted by the Council that restricts the use of the land because of the likelihood of land slip, bushfire, tidal inundation, subsidence, acid sulphate soils or any other risk.

The subject land is not affected by a policy adopted by any other public authority and notified to the Council for the express purpose of its adoption by that authority being referred to in planning certificates issued by the Council, that restricts the development of the land because of the likelihood of land slip, bushfire, flooding, tidal inundation, subsidence, acid sulphate soils or any other risk.

The subject land is in whole/part classified as 'Natural Resource - Biodiversity Land' pursuant to the Dubbo Local Environmental Plan 2011, Clause 7.2. For further information, please contact Council's Development and Environment Division on (02) 6801 4000.

The subject land is in whole/part classified as 'Natural Resource - Groundwater Vulnerability' pursuant to the Dubbo Local Environmental Plan 2011, Clause 7.5. For further information, please contact Council's Development and Environment Division on (02) 6801 4000.

Flood-related Development Control Information:

The subject land is not subject to any policy adopted by Council that restricts the use of the land because of the likelihood of flooding.

Land Reserved for Acquisition:

There is no environmental planning instrument, deemed environmental planning instrument or draft environmental planning instrument applying to the subject land that provides for the acquisition of the land by a public authority as referred to in Section 3.15 of the Environmental Planning and Assessment Act, 1979.

Contribution Plans:

Dubbo Water Supply and Sewerage Contributions Policy, applies to the land.

Section 94 Contributions Plan - Urban Stormwater Drainage Headworks Contributions Plan, applies to the land.

Section 94 Urban Roads and Car Parking Contributions Plan, applies to the land.

Section 94 Development Contributions Plan for Dubbo Open Space and Recreation Facilities Plan 2016-2026, applies to the land.

Biodiversity Certified Land:

Council is unaware of any biodiversity certified land under Part 8 of the Biodiversity Conservation Act 2016.

Biodiversity Stewardship Sites:

Council is unaware that the land is a biodiversity stewardship site under a biodiversity stewardship agreement under Part 5 of the Biodiversity Conservation Act 2016.

Native Vegetation Clearing Set Asides:

Council is unaware that the land contains a set aside area under Section 60ZC of the Local Lands Services Act 2013.

Bushfire Prone Land:

The subject land is not identified as Bush Fire Prone Land on the Bush Fire Prone Land Map certified by the Commissioner of the NSW Rural Fire Service under Section 10.3 of the Environmental Planning and Assessment Act, 1979 (EP&A Act 1979).

Property Vegetation Plans:

Council has not been notified of the existence of a property vegetation plan approved under Part 4 the Native Vegetation Act 2003 (and that continues in force) applying to the land.

Orders under Trees (Disputes Between Neighbours) Act, 2006:

Council is not aware of any order made under the Trees (Dispute Between Neighbours) Act, 2006 applying to the subject land.

Directions under Part 3A:

This section of the Act has been repealed.

Site Compatibility Certificates and Conditions of Seniors Housing:

Council is not aware of any current Site Compatibility Certificate (Seniors Housing) or occupancy restrictions applying to the subject land.

Site Compatibility Certificates for Infrastructure, Schools or TAFE Establishments:

Council is not aware of any current Site Compatibility Certificate (Infrastructure) applying to the subject land.

Site Compatibility Certificates and Conditions for Affordable Rental Housing:

Council is not aware of any current Site Compatibility Certificate (Affordable Rental Housing) or management/operational restrictions pertaining to affordable housing on the subject land.

Paper Subdivision Information:

Council is not aware of any development plan applying to the subject land.

Site Verification Certificates:

Council is not aware of any current Site Verification Certificate (Biophysical Strategic Agricultural Land or Critical Industry Cluster Land) applying to the subject land.

Loose-fill Asbestos Insulation:

Council is not aware of any current loose-fill asbestos insulation applying to the subject land.

Affected Building Notices and Building Product Rectification Orders:

Council is not aware of any current affected building notices and building product rectification orders applying to the subject land.

Matters arising under the Contaminated Land Management Act, 1997

Pursuant to Section 59(2) of the Contaminated Land Management Act 1997, the subject land is:

- (a) Not within land declared to be significantly contaminated land under Part 3 of that Act;
- (b) Not subject to a Management Order in the meaning of that Act;
- (c) Not the subject of an approved Voluntary Management Proposal of the Environment Protection Authority's agreement under Section 17 of that Act;
- (d) Not subject to an ongoing Maintenance Order under Part 3 of that Act;
- (e) Not the subject of a Site Audit Statement within the meaning of Part 4 of that Act.

For further enquires, please contact Council's Customer Service Centre on 6801 4000.



Stephen Wallace
Director Planning and Environment

Appendix C

Lotsearch



LOTSEARCH

LOTSEARCH ENVIRO PROFESSIONAL

Date: 11 May 2022 11:31:01

Reference: LS032012 EP

Address: Jannali Road, Dubbo, NSW 2830

Disclaimer:

The purpose of this report is to provide an overview of some of the site history, environmental risk and planning information available, affecting an individual address or geographical area in which the property is located. It is not a substitute for an on-site inspection or review of other available reports and records. It is not intended to be, and should not be taken to be, a rating or assessment of the desirability or market value of the property or its features.

You should obtain independent advice before you make any decision based on the information within the report.

The detailed terms applicable to use of this report are set out at the end of this report.

Dataset Listing

Datasets contained within this report, detailing their source and data currency:

| Dataset Name | Custodian | Supply Date | Currency Date | Update Frequency | Dataset Buffer (m) | No. Features On-site | No. Features within 100m | No. Features within Buffer |
|---|---|-------------|---------------|------------------|--------------------|----------------------|--------------------------|----------------------------|
| Cadastre Boundaries | NSW Department of Customer Service - Spatial Services | 06/04/2022 | 06/04/2022 | Quarterly | - | - | - | - |
| Topographic Data | NSW Department of Customer Service - Spatial Services | 25/06/2019 | 25/06/2019 | Annually | - | - | - | - |
| List of NSW contaminated sites notified to EPA | Environment Protection Authority | 19/04/2022 | 11/04/2022 | Monthly | 1000m | 0 | 0 | 0 |
| Contaminated Land Records of Notice | Environment Protection Authority | 10/05/2022 | 10/05/2022 | Monthly | 1000m | 0 | 0 | 0 |
| Former Gasworks | Environment Protection Authority | 02/03/2022 | 14/07/2021 | Quarterly | 1000m | 0 | 0 | 0 |
| National Waste Management Facilities Database | Geoscience Australia | 12/05/2021 | 07/03/2017 | Annually | 1000m | 0 | 0 | 0 |
| National Liquid Fuel Facilities | Geoscience Australia | 15/02/2021 | 13/07/2012 | Annually | 1000m | 0 | 0 | 1 |
| EPA PFAS Investigation Program | Environment Protection Authority | 03/05/2022 | 14/07/2021 | Monthly | 2000m | 1 | 1 | 1 |
| Defence PFAS Investigation & Management Program - Investigation Sites | Department of Defence | 11/05/2022 | 11/05/2022 | Monthly | 2000m | 0 | 0 | 0 |
| Defence PFAS Investigation & Management Program - Management Sites | Department of Defence | 11/05/2022 | 11/05/2022 | Monthly | 2000m | 0 | 0 | 0 |
| Airservices Australia National PFAS Management Program | Airservices Australia | 11/05/2022 | 11/05/2022 | Monthly | 2000m | 0 | 0 | 0 |
| Defence 3 Year Regional Contamination Investigation Program | Department of Defence | 03/03/2022 | 03/03/2022 | Quarterly | 2000m | 0 | 0 | 0 |
| EPA Other Sites with Contamination Issues | Environment Protection Authority | 16/02/2022 | 13/12/2018 | Annually | 1000m | 0 | 0 | 0 |
| Licensed Activities under the POEO Act 1997 | Environment Protection Authority | 10/05/2022 | 10/05/2022 | Monthly | 1000m | 0 | 1 | 2 |
| Delicensed POEO Activities still regulated by the EPA | Environment Protection Authority | 10/05/2022 | 10/05/2022 | Monthly | 1000m | 0 | 1 | 1 |
| Former POEO Licensed Activities now revoked or surrendered | Environment Protection Authority | 10/05/2022 | 10/05/2022 | Monthly | 1000m | 0 | 0 | 3 |
| UBD Business Directories (Premise & Intersection Matches) | Hardie Grant | | | Not required | 150m | 0 | 4 | 4 |
| UBD Business Directories (Road & Area Matches) | Hardie Grant | | | Not required | 150m | - | 0 | 16 |
| UBD Business Directory Dry Cleaners & Motor Garages/Service Stations (Premise & Intersection Matches) | Hardie Grant | | | Not required | 500m | 0 | 0 | 0 |
| UBD Business Directory Dry Cleaners & Motor Garages/Service Stations (Road & Area Matches) | Hardie Grant | | | Not required | 500m | - | 0 | 1 |
| Points of Interest | NSW Department of Customer Service - Spatial Services | 19/08/2021 | 19/08/2021 | Quarterly | 1000m | 0 | 0 | 14 |
| Tanks (Areas) | NSW Department of Customer Service - Spatial Services | 19/08/2021 | 19/08/2021 | Quarterly | 1000m | 0 | 0 | 0 |
| Tanks (Points) | NSW Department of Customer Service - Spatial Services | 19/08/2021 | 19/08/2021 | Quarterly | 1000m | 0 | 0 | 1 |
| Major Easements | NSW Department of Customer Service - Spatial Services | 19/08/2021 | 19/08/2021 | Quarterly | 1000m | 1 | 1 | 7 |
| State Forest | Forestry Corporation of NSW | 25/02/2021 | 14/02/2021 | Annually | 1000m | 0 | 0 | 0 |
| NSW National Parks and Wildlife Service Reserves | NSW Office of Environment & Heritage | 10/02/2022 | 31/12/2021 | Annually | 1000m | 0 | 0 | 0 |
| Hydrogeology Map of Australia | Commonwealth of Australia (Geoscience Australia) | 08/10/2014 | 17/03/2000 | Annually | 1000m | 1 | 1 | 1 |
| Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018 | NSW Department of Planning, Industry and Environment | 28/03/2022 | 23/02/2018 | Annually | 1000m | 0 | 0 | 0 |
| National Groundwater Information System (NGIS) Boreholes | Bureau of Meteorology; Water NSW | 24/01/2022 | 24/01/2022 | Annually | 2000m | 0 | 1 | 69 |

| Dataset Name | Custodian | Supply Date | Currency Date | Update Frequency | Dataset Buffer (m) | No. Features On-site | No. Features within 100m | No. Features within Buffer |
|---|--|-------------|---------------|------------------|--------------------|----------------------|--------------------------|----------------------------|
| NSW Seamless Geology Single Layer: Rock Units | Department of Regional NSW | 17/02/2022 | 01/05/2021 | Annually | 1000m | 2 | 2 | 2 |
| NSW Seamless Geology – Single Layer: Trendlines | Department of Regional NSW | 17/02/2022 | 01/05/2021 | Annually | 1000m | 0 | 0 | 0 |
| NSW Seamless Geology – Single Layer: Geological Boundaries and Faults | Department of Regional NSW | 17/02/2022 | 01/05/2021 | Annually | 1000m | 0 | 0 | 0 |
| Naturally Occurring Asbestos Potential | NSW Dept. of Industry, Resources & Energy | 04/12/2015 | 24/09/2015 | Unknown | 1000m | 0 | 0 | 0 |
| Atlas of Australian Soils | Australian Bureau of Agriculture and Resource Economics and Sciences (ABARES) | 19/05/2017 | 17/02/2011 | As required | 1000m | 1 | 1 | 2 |
| Soil Landscapes of Central and Eastern NSW | NSW Department of Planning, Industry and Environment | 14/10/2020 | 27/07/2020 | Annually | 1000m | 1 | 2 | 3 |
| Environmental Planning Instrument Acid Sulfate Soils | NSW Department of Planning, Industry and Environment | 06/04/2022 | 18/02/2022 | Monthly | 500m | 0 | - | - |
| Atlas of Australian Acid Sulfate Soils | CSIRO | 19/01/2017 | 21/02/2013 | As required | 1000m | 1 | 1 | 2 |
| Dryland Salinity - National Assessment | National Land and Water Resources Audit | 18/07/2014 | 12/05/2013 | None planned | 1000m | 1 | 1 | 1 |
| Mining Subsidence Districts | NSW Department of Customer Service - Subsidence Advisory NSW | 19/08/2021 | 05/08/2021 | Quarterly | 1000m | 0 | 0 | 0 |
| Current Mining Titles | NSW Department of Industry | 20/04/2022 | 20/04/2022 | Monthly | 1000m | 0 | 0 | 0 |
| Mining Title Applications | NSW Department of Industry | 20/04/2022 | 20/04/2022 | Monthly | 1000m | 0 | 0 | 0 |
| Historic Mining Titles | NSW Department of Industry | 20/04/2022 | 20/04/2022 | Monthly | 1000m | 5 | 5 | 5 |
| Environmental Planning Instrument SEPP State Significant Precincts | NSW Department of Planning, Industry and Environment | 15/11/2021 | 07/12/2018 | Monthly | 1000m | 0 | 0 | 0 |
| Environmental Planning Instrument Land Zoning | NSW Department of Planning, Industry and Environment | 15/11/2021 | 05/11/2021 | Monthly | 1000m | 1 | 6 | 39 |
| Commonwealth Heritage List | Australian Government Department of the Agriculture, Water and the Environment | 18/05/2021 | 20/11/2019 | Annually | 1000m | 0 | 0 | 0 |
| National Heritage List | Australian Government Department of the Agriculture, Water and the Environment | 18/05/2021 | 20/11/2019 | Annually | 1000m | 0 | 0 | 0 |
| State Heritage Register - Curtilages | NSW Department of Planning, Industry and Environment | 19/08/2021 | 25/06/2021 | Quarterly | 1000m | 0 | 0 | 0 |
| Environmental Planning Instrument Local Heritage | NSW Department of Planning, Industry and Environment | 06/04/2022 | 25/03/2022 | Monthly | 1000m | 0 | 0 | 0 |
| Bush Fire Prone Land | NSW Rural Fire Service | 09/05/2022 | 08/12/2021 | Weekly | 1000m | 0 | 0 | 0 |
| Ramsar Wetlands of Australia | Australian Government Department of Agriculture, Water and the Environment | 28/03/2022 | 19/03/2020 | Annually | 1000m | 0 | 0 | 0 |
| Groundwater Dependent Ecosystems | Bureau of Meteorology | 14/08/2017 | 15/05/2017 | Annually | 1000m | 1 | 1 | 1 |
| Inflow Dependent Ecosystems Likelihood | Bureau of Meteorology | 14/08/2017 | 15/05/2017 | Unknown | 1000m | 3 | 3 | 5 |
| NSW BioNet Species Sightings | NSW Office of Environment & Heritage | 09/05/2022 | 09/05/2022 | Weekly | 10000m | - | - | - |

Site Diagram

Jannali Road, Dubbo, NSW 2830



| | | |
|--|---|--------------------------|
| Legend <div><div></div> Site Boundary</div> <div><div></div> Internal Parcel Boundaries</div> | Total Area: 716279m ² Total Perimeter: 3.69km | |
| | Scale: 0 25 50 100 150 200 250 Meters | |
| | Data Source Aerial Imagery: © Aerometrex Pty Ltd | |
| Disclaimers: Measurements are approximate only and may have been simplified or smaller lengths removed for readability. Parcels that make up a small percentage of the total site area have not been labelled for increased legibility. | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |

Contaminated Land

Jannali Road, Dubbo, NSW 2830

List of NSW contaminated sites notified to EPA

Records from the NSW EPA Contaminated Land list within the dataset buffer:

| Map Id | Site | Address | Suburb | Activity | Management Class | Status | Location Confidence | Dist | Direction |
|--------|----------------------|---------|--------|----------|------------------|--------|---------------------|------|-----------|
| N/A | No records in buffer | | | | | | | | |

The values within the EPA site management class in the table above, are given more detailed explanations in the table below:

| EPA site management class | Explanation |
|---|---|
| Contamination being managed via the planning process (EP&A Act) | The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. The contamination of this site is managed by the consent authority under the Environmental Planning and Assessment Act 1979 (EP&A Act) planning approval process, with EPA involvement as necessary to ensure significant contamination is adequately addressed. The consent authority is typically a local council or the Department of Planning and Environment. |
| Contamination currently regulated under CLM Act | The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). Management of the contamination is regulated by the EPA under the CLM Act. Regulatory notices are available on the EPA's Contaminated Land Public Record of Notices. |
| Contamination currently regulated under POEO Act | The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation. Management of the contamination is regulated under the Protection of the Environment Operations Act 1997 (POEO Act). The EPA's regulatory actions under the POEO Act are available on the POEO public register. |
| Contamination formerly regulated under the CLM Act | The EPA has determined that the contamination is no longer significant enough to warrant regulation under the Contaminated Land Management Act 1997 (CLM Act). The contamination was addressed under the CLM Act. |
| Contamination formerly regulated under the POEO Act | The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed under the Protection of the Environment Operations Act 1997 (POEO Act). |
| Contamination was addressed via the planning process (EP&A Act) | The EPA has determined that the contamination is no longer significant enough to warrant regulation. The contamination was addressed by the appropriate consent authority via the planning process under the Environmental Planning and Assessment Act 1979 (EP&A Act). |
| Ongoing maintenance required to manage residual contamination (CLM Act) | The EPA has determined that ongoing maintenance, under the Contaminated Land Management Act 1997 (CLM Act), is required to manage the residual contamination. Regulatory notices under the CLM Act are available on the EPA's Contaminated Land Public Record of Notices. |
| Regulation being finalised | The EPA has completed an assessment of the contamination and decided that the contamination is significant enough to warrant regulation under the Contaminated Land Management Act 1997. A regulatory approach is being finalised. |
| Regulation under the CLM Act not required | The EPA has completed an assessment of the contamination and decided that regulation under the Contaminated Land Management Act 1997 is not required. |
| Under assessment | The contamination is being assessed by the EPA to determine whether regulation is required. The EPA may require further information to complete the assessment. For example, the completion of management actions regulated under the planning process or Protection of the Environment Operations Act 1997. Alternatively, the EPA may require information via a notice issued under s77 of the Contaminated Land Management Act 1997 or issue a Preliminary Investigation Order. |

NSW EPA Contaminated Land List Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Contaminated Land

Jannali Road, Dubbo, NSW 2830

Contaminated Land: Records of Notice

Record of Notices within the dataset buffer:

| Map Id | Name | Address | Suburb | Notices | Area No | Location Confidence | Distance | Direction |
|--------|----------------------|---------|--------|---------|---------|---------------------|----------|-----------|
| N/A | No records in buffer | | | | | | | |

Contaminated Land Records of Notice Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

Terms of use and disclaimer for Contaminated Land: Record of Notices, please visit

<http://www.epa.nsw.gov.au/clm/clmdisclaimer.htm>

Former Gasworks

Former Gasworks within the dataset buffer:


| Map Id | Location | Council | Further Info | Location Confidence | Distance | Direction |
|--------|----------------------|---------|--------------|---------------------|----------|-----------|
| N/A | No records in buffer | | | | | |

Former Gasworks Data Source: Environment Protection Authority

© State of New South Wales through the Environment Protection Authority

Waste Management & Liquid Fuel Facilities

Jannali Road, Dubbo, NSW 2830



Waste Management & Liquid Fuel Facilities

Jannali Road, Dubbo, NSW 2830

National Waste Management Site Database

Sites on the National Waste Management Site Database within the dataset buffer:

| Site Id | Owner | Name | Address | Suburb | Class | Landfill | Reprocess | Transfer | Comments | Loc Conf | Dist | Direction |
|---------|----------------------|------|---------|--------|-------|----------|-----------|----------|----------|----------|------|-----------|
| N/A | No records in buffer | | | | | | | | | | | |

Waste Management Facilities Data Source: Geoscience Australia

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

National Liquid Fuel Facilities

National Liquid Fuel Facilities within the dataset buffer:

| Map Id | Owner | Name | Address | Suburb | Class | Operational Status | Operator | Revision Date | Loc Conf | Dist | Direction |
|--------|-------|---------------|--------------------|--------|----------------|--------------------|----------|---------------|---------------|------|-----------|
| 3901 | BP | BP West Dubbo | 98 Victoria Street | Dubbo | Petrol Station | Operational | | 25/07/2011 | Premise Match | 617m | East |

National Liquid Fuel Facilities Data Source: Geoscience Australia

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



PFAS Investigation & Management Programs

Jannali Road, Dubbo, NSW 2830

EPA PFAS Investigation Program

Sites that are part of the EPA PFAS investigation program, within the dataset buffer:

| Map ID | Site | Address | Loc Conf | Dist | Dir |
|--------|---------------------------------|---------|------------|------|---------|
| 49 | Dubbo groundwater investigation | | Area Match | 0m | On-site |

EPA PFAS Investigation Program: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Defence PFAS Investigation Program

Sites being investigated by the Department of Defence for PFAS contamination within the dataset buffer:

| Map ID | Base Name | Address | Loc Conf | Dist | Dir |
|--------|----------------------|---------|----------|------|-----|
| N/A | No records in buffer | | | | |

Defence PFAS Investigation Program Data Custodian: Department of Defence, Australian Government

Defence PFAS Management Program

Sites being managed by the Department of Defence for PFAS contamination within the dataset buffer:

| Map ID | Base Name | Address | Loc Conf | Dist | Dir |
|--------|----------------------|---------|----------|------|-----|
| N/A | No records in buffer | | | | |

Defence PFAS Management Program Data Custodian: Department of Defence, Australian Government

Airservices Australia National PFAS Management Program

Sites being investigated or managed by Airservices Australia for PFAS contamination within the dataset buffer:

| Map ID | Site Name | Impacts | Loc Conf | Dist | Dir |
|--------|----------------------|---------|----------|------|-----|
| N/A | No records in buffer | | | | |

Airservices Australia National PFAS Management Program Data Custodian: Airservices Australia

Defence Sites

Jannali Road, Dubbo, NSW 2830

Defence 3 Year Regional Contamination Investigation Program

Sites which have been assessed as part of the Defence 3 Year Regional Contamination Investigation Program within the dataset buffer:

| Property ID | Base Name | Address | Known Contamination | Loc Conf | Dist | Dir |
|-------------|----------------------|---------|---------------------|----------|------|-----|
| N/A | No records in buffer | | | | | |

Defence 3 Year Regional Contamination Investigation Program, Data Custodian: Department of Defence, Australian Government

EPA Other Sites with Contamination Issues

Jannali Road, Dubbo, NSW 2830

EPA Other Sites with Contamination Issues


This dataset contains other sites identified on the EPA website as having contamination issues. This dataset currently includes:

- James Hardie asbestos manufacturing and waste disposal sites
- Radiological investigation sites in Hunter's Hill
- Pasminco Lead Abatement Strategy Area

Sites within the dataset buffer:

| Site Id | Site Name | Site Address | Dataset | Comments | Location Confidence | Distance | Direction |
|---------|----------------------|--------------|---------|----------|---------------------|----------|-----------|
| N/A | No records in buffer | | | | | | |

EPA Other Sites with Contamination Issues: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority



EPA Activities


Jannali Road, Dubbo, NSW 2830

Licensed Activities under the POEO Act 1997

Licensed activities under the Protection of the Environment Operations Act 1997, within the dataset buffer:

| EPL | Organisation | Name | Address | Suburb | Activity | Loc Conf | Distance | Direction |
|-------|---|------|--|--------|---|---------------------|----------|-----------|
| 3142 | AUSTRALIAN RAIL TRACK CORPORATION LIMITED | | AUSTRALIAN RAIL TRACK CORPORATION (ARTC) NETWORK, SYDNEY, NSW 2001 | | Railway systems activities | Network of Features | 25m | South |
| 20507 | HARLEY JOB | | 18 R Narromine Road, DUBBO, NSW 2830 | | Recovery of hazardous and other waste, Recovery of waste oil, Waste storage - hazardous, restricted solid, liquid, clinical and related waste and asbestos waste, | Premise Match | 964m | North |

POEO Licence Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority



EPA Activities

Jannali Road, Dubbo, NSW 2830

Delicensed Activities still regulated by the EPA

Delicensed activities still regulated by the EPA, within the dataset buffer:

| Licence No | Organisation | Name | Address | Suburb | Activity | Loc Conf | Distance | Direction |
|------------|--|-------------------------------------|--------------|--------|----------------|---------------|----------|-----------|
| 43 | BORAL RESOURCES (COUNTRY) PTY. LIMITED | BORAL COUNTRY - CONCRETE & QUARRIES | JANALLI ROAD | DUBBO | Concrete works | Premise Match | 0m | East |

Delicensed Activities Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Former Licensed Activities under the POEO Act 1997, now revoked or surrendered


Former Licensed activities under the Protection of the Environment Operations Act 1997, now revoked or surrendered, within the dataset buffer:

| Licence No | Organisation | Location | Status | Issued Date | Activity | Loc Conf | Distance | Direction |
|------------|---|--|-------------|-------------|---|---------------------|----------|------------|
| 4653 | LUHRMANN ENVIRONMENT MANAGEMENT PTY LTD | WATERWAYS THROUGHOUT NSW | Surrendered | 06/09/2000 | Other Activities / Non Scheduled Activity - Application of Herbicides | Network of Features | 681m | North West |
| 4838 | Robert Orchard | Various Waterways throughout New South Wales - SYDNEY NSW 2000 | Surrendered | 07/09/2000 | Other Activities / Non Scheduled Activity - Application of Herbicides | Network of Features | 681m | North West |
| 6630 | SYDNEY WEED & PEST MANAGEMENT PTY LTD | WATERWAYS THROUGHOUT NSW - PROSPECT, NSW, 2148 | Surrendered | 09/11/2000 | Other Activities / Non Scheduled Activity - Application of Herbicides | Network of Features | 681m | North West |

Former Licensed Activities Data Source: Environment Protection Authority
© State of New South Wales through the Environment Protection Authority

Historical Business Directories

Jannali Road, Dubbo, NSW 2830



Historical Business Directories

Jannali Road, Dubbo, NSW 2830

Business Directory Records 1950-1991 Premise or Road Intersection Matches

Universal Business Directory records from years 1991, 1982, 1970, 1961 & 1950, mapped to a premise or road intersection within the dataset buffer:

| Map Id | Business Activity | Premise | Ref No. | Year | Location Confidence | Distance to Property Boundary or Road Intersection | Direction |
|--------|--|---|---------|------|---------------------|--|------------|
| 1 | MOTOR CAR DEALERS - NEW &/OR USED | Swane Peter Trucks., 14 Jannali Rd, Dubbo 2830 | 125301 | 1991 | Premise Match | 0m | South East |
| | TRACTOR MFRS. &/OR IMPS. &/OR DIST. | Swane Peter Trucks., 14 Jannali Rd, Dubbo 2830 | 131191 | 1991 | Premise Match | 0m | South East |
| | FORK LIFT TRUCK SERVICE, MAINTENANCE &/OR REPAIRS. | Swane, Peter Trucks., 14 Jannali Rd, Dubbo 2830 | 119493 | 1991 | Premise Match | 0m | South East |
| | MOTOR ACCESSORIES-RETAIL | Swans Peter Trucks., 14 Jannali Rd, Dubbo 2830 | 125277 | 1991 | Premise Match | 0m | South East |

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

Business Directory Records 1950-1991

Road or Area Matches


Universal Business Directory records from years 1991, 1982, 1970, 1961 & 1950, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published:

| Map Id | Business Activity | Premise | Ref No. | Year | Location Confidence | Distance to Road Corridor or Area |
|--------|---|---|---------|------|---------------------|-----------------------------------|
| 2 | CONCRETE PRODUCTS MFRS. &/OR DISTS. &/OR W/SALERS | Amatek Rocla., Jannali Rd, Dubbo 2830 | 126825 | 1991 | Road Match | 113m |
| | FENCING MATERIAL MFRS. &/OR DISTS | Amatek Rocla., Jannali Rd, Dubbo 2830 | 119457 | 1991 | Road Match | 113m |
| | PIPE &/OR PIPE FITTINGS MFRS. &/OR DISTS | Amatek Rocla., Jannali Rd, Dubbo 2830 | 125514 | 1991 | Road Match | 113m |
| | PIPE &/OR PIPE FITTINGS MFRS. &/OR DISTS. - CONCRETE. | Amatek Rocla., Jannali Rd, Dubbo 2830 | 125517 | 1991 | Road Match | 113m |
| | SEPTIC TANK MFRS. &/OR INSTALLERS &/OR SPECIALISTS | Amatek Rocla., Jannali Rd, Dubbo 2830 | 125668 | 1991 | Road Match | 113m |
| | TANK &/OR TANKSTAND MFRS. &/OR DISTS | Amatek Rocla., Jannali Rd, Dubbo 2830 | 131148 | 1991 | Road Match | 113m |
| | MOTOR OIL, SPIRIT & GREASE MFRS. &/OR IMPS. &/OR DISTS. | Ampol Petroleum., Jannali Rd, Dubbo 2830 | 125361 | 1991 | Road Match | 113m |
| | CONCRETE PRODUCTS MFRS. &/OR DISTS. &/OR W/SALERS | BMG Concrete., Jannali Rd, Dubbo 2830 | 126826 | 1991 | Road Match | 113m |
| | GARAGE MFRS. &/OR DISTS. &/OR INSTALLERS | McFadden D. & G. Garages., Jannali Rd, Dubbo 2830 | 119529 | 1991 | Road Match | 113m |
| | SHEDS | McFadden D. & G. Garages., Jannali Rd, Dubbo 2830 | 125676 | 1991 | Road Match | 113m |
| | BORING & DRILLING CONTRACTORS | Pontil Pty. Ltd., Jannali Rd, Dubbo 2830 | 126614 | 1991 | Road Match | 113m |
| | MOTOR OIL &/OR SPIRIT DEPOTS. | Ampol Petroleum, Jannali Rd., Dubbo 2830 | 184214 | 1982 | Road Match | 113m |
| | CONCRETE PRODUCTS MFRS. &/OR DISTS. &/OR W/SALERS. | Monier Pipe Co., Jannali Rd., Dubbo 2830 | 183699 | 1982 | Road Match | 113m |
| | PIPE &/OR PIPE FITTINGS MFRS. &/OR DISTS. | Monier Pipe Co., Jannali Rd., Dubbo 2830 | 184309 | 1982 | Road Match | 113m |
| | PIPE MFRS. - CONCRETE. | Monier Pipe Co., Jannali Rd., Dubbo 2830 | 184308 | 1982 | Road Match | 113m |
| | MOTOR BRAKE SPECIALISTS. | Ratcliff Brake Service. Jannali Rd., Dubbo 2830 | 184144 | 1982 | Road Match | 113m |

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

Dry Cleaners, Motor Garages & Service Stations


Jannali Road, Dubbo, NSW 2830



Legend

- Site Boundary
- Buffer 500m
- Property Boundary
- Business directory records mapped to a specific premise
- Business directory records mapped to a road intersection
- ▲ Business directory records mapped to a road corridor
- Business directory records mapped to a general area

Scale:



Coordinate System:
GDA 1994 MGA Zone 56

Date: 11 May 2022

Data Sources: Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

Historical Business Directories

Jannali Road, Dubbo, NSW 2830

Dry Cleaners, Motor Garages & Service Stations Premise or Road Intersection Matches

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a premise or road intersection, within the dataset buffer.

| Map Id | Business Activity | Premise | Ref No. | Year | Location Confidence | Distance to Property Boundary or Road Intersection | Direction |
|--------|----------------------|---------|---------|------|---------------------|--|-----------|
| N/A | No records in buffer | | | | | | |

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

Dry Cleaners, Motor Garages & Service Stations Road or Area Matches

Dry Cleaners, Motor Garages & Service Stations from UBD Business Directories, mapped to a road or an area, within the dataset buffer. Records are mapped to the road when a building number is not supplied, cannot be found, or the road has been renumbered since the directory was published.

| Map Id | Business Activity | Premise | Ref No. | Year | Location Confidence | Distance to Road Corridor or Area |
|--------|-------------------------------------|--|---------|------|---------------------|-----------------------------------|
| 1 | MOTOR SERVICE STATIONS-PETROL, ETC. | Poplars Service Station and Caravan Park, Mitchell Highway., Dubbo | 200328 | 1961 | Road Match | 212m |

Reproduced with permission of UBD and Hardie Grant Media Pty Ltd DD 01/08/2018

Aerial Imagery 2021

Jannali Road, Dubbo, NSW 2830






| | | | |
|--------------------------------------|---|--|-------------------|
| Scale: 0 90 180 270 360 Meters | Data Source Aerial Imagery: © Aerometrex Pty Ltd | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |
|--------------------------------------|---|--|-------------------|



| | | | |
|--------------------------------------|---|--|-------------------|
| Scale: 0 90 180 270 360 Meters | Data Source Aerial Imagery: © Aerometrex Pty Ltd | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |
|--------------------------------------|---|--|-------------------|




| | | | |
|--------------------------------------|--|--|-------------------|
| Scale: 0 90 180 270 360 Meters | Data Source Aerial Imagery: © 2022 Google Inc, used with permission. Google and the Google logo are registered trademarks of Google Inc. | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |
|--------------------------------------|--|--|-------------------|




| | | | |
|--------------------------------------|---|--|-------------------|
| Scale: 0 90 180 270 360 Meters | Data Source Aerial Imagery: © NSW Department of Customer Service | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |
|--------------------------------------|---|--|-------------------|







| | | | |
|--------------------------------------|---|--|-------------------|
| Scale: 0 90 180 270 360 Meters | Data Source Aerial Imagery: © NSW Department of Customer Service | Coordinate System: GDA 1994 MGA Zone 56 | Date: 11 May 2022 |
|--------------------------------------|---|--|-------------------|








| | | | |
|---|---|--|--------------------------|
| <p>Scale:</p> <p>0 90 180 270 360</p> <p>Meters</p> | <p>Data Source Aerial Imagery: ©2022 Geoscience Australia</p> | <p>Coordinate System: GDA 1994 MGA Zone 56</p> | <p>Date: 11 May 2022</p> |
|---|---|--|--------------------------|


Topographic Map 2015

Jannali Road, Dubbo, NSW 2830




Historical Map 1973

Jannali Road, Dubbo, NSW 2830




Historical Map c.1942

Jannali Road, Dubbo, NSW 2830



Topographic Features

Jannali Road, Dubbo, NSW 2830



Topographic Features

Jannali Road, Dubbo, NSW 2830

Points of Interest

What Points of Interest exist within the dataset buffer?

| Map Id | Feature Type | Label | Distance | Direction |
|--------|-----------------------------------|--|----------|------------|
| 42461 | TAFE College | DUBBO TAFE COLLEGE NARROMINE ROAD CAMPUS | 116m | North East |
| 41065 | Nursing Home | BILL NEWTON VC GARDENS | 384m | South |
| 42230 | Combined Primary-Secondary School | MACQUARIE ANGLICAN GRAMMAR SCHOOL | 392m | South |
| 41150 | Urban Place | CHURCHILL GARDENS | 453m | South |
| 42346 | SES Facility | DUBBO SES | 499m | East |
| 41420 | Tourist Park / Home Village | WESTVIEW TOURIST CARAVAN PARK | 570m | North |
| 42279 | Retirement Village | HORIZONS VILLAGE | 710m | South |
| 41404 | Special School | YAWARRA COMMUNITY SCHOOL | 757m | South East |
| 42242 | Gaol | ORANA JUVENILE JUSTICE CENTRE | 780m | North |
| 42249 | Park | WIRADJURI PARK | 797m | East |
| 42231 | Special School | LINCOLN SCHOOL | 800m | North |
| 42397 | High School | DUBBO COLLEGE DELROY CAMPUS | 827m | South East |
| 42298 | Sports Field | HOCKEY FIELD | 831m | South East |
| 42387 | Park | PIONEER PARK | 927m | South East |

Topographic Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Topographic Features

Jannali Road, Dubbo, NSW 2830

Tanks (Areas)

What are the Tank Areas located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

| Map Id | Tank Type | Status | Name | Feature Currency | Distance | Direction |
|--------|----------------------|--------|------|------------------|----------|-----------|
| N/A | No records in buffer | | | | | |

Tanks (Points)

What are the Tank Points located within the dataset buffer?

Note. The large majority of tank features provided by LPI are derived from aerial imagery & are therefore primarily above ground tanks.

| Map Id | Tank Type | Status | Name | Feature Currency | Distance | Direction |
|--------|-----------|-------------|------|------------------|----------|------------|
| 171764 | Water | Operational | | 09/10/2009 | 243m | North East |

Tanks Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Major Easements

What Major Easements exist within the dataset buffer?

Note. Easements provided by LPI are not at the detail of local governments. They are limited to major easements such as Right of Carriageway, Electrical Lines (66kVa etc.), Easement to drain water & Significant subterranean pipelines (gas, water etc.).

| Map Id | Easement Class | Easement Type | Easement Width | Distance | Direction |
|-----------|----------------|---------------|----------------|----------|------------|
| 120119481 | Primary | Undefined | | 0m | On-site |
| 177170855 | Primary | Right of way | 4m | 113m | South |
| 172114345 | Primary | Right of way | 4m | 174m | South |
| 171408997 | Primary | Right of way | 4m | 228m | South |
| 152142353 | Primary | Right of way | 5m | 678m | South |
| 170100128 | Primary | Right of way | 2.5m | 864m | North East |
| 170100127 | Primary | Right of way | 2.5m | 866m | North East |

Easements Data Source: © Land and Property Information (2015)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Topographic Features

Jannali Road, Dubbo, NSW 2830

State Forest

What State Forest exist within the dataset buffer?

| State Forest Number | State Forest Name | Distance | Direction |
|---------------------|----------------------|----------|-----------|
| N/A | No records in buffer | | |

State Forest Data Source: © NSW Department of Finance, Services & Innovation (2018)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>


National Parks and Wildlife Service Reserves

What NPWS Reserves exist within the dataset buffer?

| Reserve Number | Reserve Type | Reserve Name | Gazetted Date | Distance | Direction |
|----------------|----------------------|--------------|---------------|----------|-----------|
| N/A | No records in buffer | | | | |

NPWS Data Source: © NSW Department of Finance, Services & Innovation (2018)

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



Hydrogeology & Groundwater

Jannali Road, Dubbo, NSW 2830

Hydrogeology

Description of aquifers within the dataset buffer:

| Description | Distance | Direction |
|--|----------|-----------|
| Porous, extensive highly productive aquifers | 0m | On-site |


Hydrogeology Map of Australia : Commonwealth of Australia (Geoscience Australia)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018

Temporary water restrictions relating to the Botany Sands aquifer within the dataset buffer:

| Prohibition Area No. | Prohibition | Distance | Direction |
|----------------------|----------------------|----------|-----------|
| N/A | No records in buffer | | |

Temporary Water Restriction (Botany Sands Groundwater Source) Order 2018 Data Source : NSW Department of Primary Industries



Hydrogeology & Groundwater

Jannali Road, Dubbo, NSW 2830

Groundwater Boreholes

Boreholes within the dataset buffer:

| NGIS Bore ID | NSW Bore ID | Bore Type | Status | Drill Date | Bore Depth (m) | Reference Elevation | Height Datum | Salinity (mg/L) | Yield (L/s) | SWL (mbgl) | Distance | Direction |
|--------------|-------------|--------------------|-------------|------------|----------------|---------------------|--------------|-----------------|-------------|------------|----------|------------|
| 10020818 | GW802626 | Monitoring | Functional | 07/03/2005 | 11.00 | | AHD | | | | 49m | South |
| 10023822 | GW802594 | Monitoring | Functional | 25/01/2005 | 4.50 | | AHD | | | | 528m | South |
| 10063625 | GW057513 | Water Supply | Unknown | 01/09/1982 | 65.00 | | AHD | Fresh | | | 656m | North |
| 10087256 | GW802619 | Monitoring | Functional | 07/03/2005 | 5.00 | | AHD | | | | 678m | South |
| 10079781 | GW802579 | Monitoring | Functional | 12/12/2004 | 3.00 | | AHD | | | | 783m | South East |
| 10002833 | GW061181 | Water Supply | Unknown | 01/09/1985 | 70.00 | | AHD | Good | | | 804m | North West |
| 10151836 | GW806046 | Stock and Domestic | Functioning | 11/04/2018 | 88.00 | | AHD | | | | 858m | North West |
| 10101906 | GW802547 | Monitoring | Functional | 18/11/2004 | 12.00 | | AHD | | | 9.15 | 860m | East |
| 10079031 | GW802629 | Monitoring | Functional | 07/03/2005 | 2.50 | | AHD | | | | 913m | North |
| 10019408 | GW802607 | Monitoring | Functional | 20/01/2006 | 6.00 | | AHD | | | | 982m | South East |
| 10013849 | GW802636 | Monitoring | Abandoned | 07/03/2005 | 1.50 | | AHD | | | | 984m | South West |
| 10034573 | GW800690 | Water Supply | Functioning | 29/01/1999 | 84.00 | | AHD | Good | 0.310 | 12.00 | 1023m | West |
| 10086855 | GW062544 | Water Supply | Functioning | 01/02/1985 | 151.00 | | AHD | | | | 1031m | West |
| 10103990 | GW052247 | Water Supply | Unknown | 01/02/1981 | 65.00 | | AHD | Fresh | | | 1038m | North |
| 10084650 | GW001249 | Water Supply | Unknown | 01/09/1923 | 40.20 | | AHD | | | | 1060m | West |
| 10011414 | GW802618 | Monitoring | Functional | 07/03/2005 | 6.00 | | AHD | | | 3.55 | 1102m | South |
| 10093614 | GW802543 | Monitoring | Functional | 01/11/2004 | 6.00 | | AHD | | | 3.73 | 1182m | South |
| 10076365 | GW049357 | Stock and Domestic | Functioning | 01/01/1977 | 39.60 | | AHD | | | | 1192m | West |
| 10134204 | GW021218 | Water Supply | Unknown | 01/02/1966 | 121.90 | | AHD | 501-1000 ppm | | | 1234m | North |
| 10022356 | GW802630 | Monitoring | Functional | 07/03/2005 | 3.00 | | AHD | | | | 1286m | North |
| 10030132 | GW803875 | Water Supply | Functioning | 01/07/1989 | 111.00 | | AHD | Good | 0.250 | | 1300m | North East |
| 10030924 | GW000171 | Unknown | Unknown | 01/01/1918 | 100.20 | | AHD | | | | 1320m | South |
| 10077863 | GW804542 | Water Supply | Functioning | 01/07/1992 | 80.00 | | AHD | | | | 1325m | East |
| 10086381 | GW057092 | Water Supply | Unknown | 01/04/1983 | 42.00 | | AHD | Good | | | 1352m | North West |
| 10008586 | GW802635 | Monitoring | Functional | 07/03/2005 | 2.00 | | AHD | | | | 1362m | South West |
| 10071282 | GW066564 | Water Supply | Functioning | 18/02/1989 | 87.00 | 292.50 | AHD | | 0.910 | 23.70 | 1369m | West |
| 10031647 | GW802578 | Monitoring | Abandoned | 01/11/2004 | 1.50 | | AHD | | | | 1372m | East |
| 10147325 | GW040471 | Unknown | Functioning | 01/01/1927 | 67.10 | | AHD | | | | 1374m | North West |
| 10015106 | GW060792 | Water Supply | Unknown | 01/03/1985 | 91.00 | | AHD | Fresh | | | 1383m | West |
| 10044679 | GW802546 | Monitoring | Abandoned | 17/11/2004 | 1.00 | | AHD | | | | 1390m | South East |

| NGIS Bore ID | NSW Bore ID | Bore Type | Status | Drill Date | Bore Depth (m) | Reference Elevation | Height Datum | Salinity (mg/L) | Yield (L/s) | SWL (mbgl) | Distance | Direction |
|--------------|-------------|--------------|-------------|------------|----------------|---------------------|--------------|-----------------|-------------|------------|----------|------------|
| 10084319 | GW802548 | Monitoring | Functional | 09/01/2006 | 9.00 | | AHD | | | | 1396m | North East |
| 10153197 | GW805660 | Monitoring | Functional | 27/08/2013 | 3.00 | | AHD | | | | 1434m | East |
| 10081887 | GW802120 | Monitoring | Functioning | 04/06/2003 | 12.00 | | AHD | | | | 1437m | South East |
| 10142938 | GW023635 | Water Supply | Unknown | 01/01/1966 | 48.80 | | AHD | 0-500 ppm | | | 1447m | North East |
| 10005183 | GW802121 | Monitoring | Functioning | 04/06/2003 | 15.00 | | AHD | | | | 1451m | South East |
| 10079468 | GW802122 | Monitoring | Functioning | 03/06/2003 | 12.00 | | AHD | | | | 1451m | South East |
| 10154000 | GW805761 | Monitoring | Functional | 27/08/2013 | 2.70 | | AHD | | | | 1451m | South East |
| 10101075 | GW802119 | Monitoring | Functioning | 03/06/2003 | 13.80 | | AHD | | | | 1461m | South East |
| 10153145 | GW805662 | Monitoring | Functioning | 27/08/2013 | 10.00 | | AHD | | | | 1461m | South East |
| 10153930 | GW805663 | Monitoring | Functional | 28/08/2013 | 11.50 | | AHD | | | | 1465m | South East |
| 10030583 | GW805096 | Water Supply | Functioning | 21/10/2013 | 182.00 | | AHD | | 0.440 | | 1496m | South West |
| 10146856 | GW051858 | Water Supply | Unknown | 01/11/1979 | 49.40 | | AHD | Good | | | 1501m | North West |
| 10048016 | GW001241 | Unknown | Unknown | 01/08/1923 | 85.30 | | AHD | Fresh | | | 1549m | North West |
| 10058055 | GW063629 | Water Supply | Unknown | | 41.50 | | AHD | Good | | | 1590m | North East |
| 10035474 | GW802549 | Monitoring | Functional | 18/11/2004 | 5.50 | | AHD | | | | 1591m | East |
| 10055459 | GW805651 | Monitoring | Functional | 20/04/2011 | 13.40 | | AHD | | | 10.83 | 1616m | East |
| 10045215 | GW805652 | Monitoring | Functional | 19/04/2011 | 11.90 | | AHD | | | 10.45 | 1628m | East |
| 10076981 | GW803971 | Monitoring | Functional | 20/03/2009 | 9.80 | | AHD | | | 7.31 | 1639m | South |
| 10106137 | GW803972 | Monitoring | Functional | 20/03/2009 | 7.50 | | AHD | | | 7.27 | 1639m | South |
| 10005703 | GW060961 | Water Supply | Functioning | 01/01/1930 | 14.90 | | AHD | | | | 1649m | East |
| 10105900 | GW802545 | Monitoring | Abandoned | 25/11/2004 | 3.00 | | AHD | | | | 1682m | South East |
| 10044303 | GW802544 | Monitoring | Abandoned | 25/11/2004 | 3.00 | | AHD | | | | 1713m | South |
| 10126731 | GW003348 | Irrigation | Unknown | 01/07/1935 | 81.40 | | AHD | Fresh | | | 1730m | North East |
| 10062843 | GW802602 | Monitoring | Functional | 25/01/2005 | 7.00 | | AHD | | | | 1734m | East |
| 10131375 | GW803571 | Monitoring | Functional | 08/06/2006 | 8.00 | | AHD | 3445 | | | 1760m | North |
| 10070496 | GW063785 | Water Supply | Unknown | 01/01/1979 | 30.00 | | AHD | | | | 1767m | North West |
| 10118624 | GW803574 | Monitoring | Functional | 07/06/2006 | 8.00 | | AHD | 3445 | | 5.30 | 1776m | North |
| 10131427 | GW803573 | Monitoring | Functional | 08/06/2006 | 10.00 | | AHD | 3445 | | 1.20 | 1785m | North |
| 10131741 | GW803572 | Monitoring | Functional | 08/06/2006 | 8.00 | | AHD | 3445 | | 0.88 | 1788m | North |
| 10080456 | GW035884 | Water Supply | Unknown | 01/04/1973 | 2.20 | | AHD | Good | | | 1796m | South |
| 10043773 | GW802631 | Monitoring | Functional | 07/03/2005 | 5.50 | | AHD | | | | 1806m | North |
| 10135820 | GW042273 | Unknown | Unknown | | 14.90 | | AHD | | | | 1809m | East |
| 10059673 | GW035501 | Water Supply | Unknown | 01/01/1973 | 42.60 | | AHD | | | | 1832m | South |
| 10008977 | GW802634 | Monitoring | Functional | 07/03/2005 | 3.00 | | AHD | | | | 1886m | South West |
| 10139733 | GW042215 | Unknown | Functioning | | 2.70 | | AHD | | | | 1890m | South |
| 10131879 | GW804991 | Water Supply | Functioning | 25/01/2013 | 35.50 | | AHD | 650 | 1.200 | 11.50 | 1898m | North West |

| NGIS Bore ID | NSW Bore ID | Bore Type | Status | Drill Date | Bore Depth (m) | Reference Elevation | Height Datum | Salinity (mg/L) | Yield (L/s) | SWL (mbgl) | Distance | Direction |
|--------------|-------------|--------------|-------------|------------|----------------|---------------------|--------------|-----------------|-------------|------------|----------|------------|
| 10024836 | GW065788 | Water Supply | Removed | 29/03/1990 | 99.00 | | AHD | | | | 1913m | West |
| 10139905 | GW042274 | Unknown | Functioning | 01/01/1932 | 14.90 | | AHD | | | | 1936m | East |
| 10007385 | GW048877 | Water Supply | Unknown | 01/01/1978 | 45.70 | | AHD | | | | 1946m | North East |

Borehole Data Source: Bureau of Meteorology; Water NSW. Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Hydrogeology & Groundwater

Jannali Road, Dubbo, NSW 2830

Driller's Logs

Drill log data relevant to the boreholes within the dataset buffer:

| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|--|----------|------------|
| 10020818 | 0.00m-0.10m Loam, dark brown 0.10m-0.50m Loam, brown 0.50m-1.00m Sandy Clay, reddish brown, fine, light 1.00m-2.50m Sandy Clay, reddish brown 2.50m-3.50m Sandy Clay, brown 3.50m-4.50m Loam, sandy, brown 4.50m-5.00m Clay Loam, sandy, reddish brown 5.00m-5.50m Sandy Clay, reddish brown 5.50m-6.00m Sandy Clay, reddish brown, fine 6.00m-7.00m Clay, brown, light medium 7.00m-8.00m Silty Clay, brown 8.00m-9.00m Sandy Clay, brown, 10% siltstone gravel 9.00m-10.00m Sand/Gravel, brown 10.00m-11.00m Sandy Clay, brown | 49m | South |
| 10023822 | 0.00m-0.10m Loam, sandy, brown 0.10m-0.50m Sandy Clay, brown, coarse, <1% quartz to 5mm 0.50m-1.50m Sandy Clay, reddish brown, medium 1.50m-2.00m Sandy Clay, brown, medium 2.00m-3.00m Sandy Clay, yellowish brown, medium 3.00m-3.50m Sandy Clay, grey, medium, 20% sandstone to 50mm 3.50m-4.50m Sandy Clay, grey, 50% coarse sandstone gravel | 528m | South |
| 10063625 | 0.00m-1.00m Topsoil 1.00m-16.00m Clay Sandy Coloured 16.00m-28.50m Basalt Decomposed 28.50m-41.00m Basalt Black Hard 41.00m-48.00m Clay Yellow 48.00m-65.00m Sandstone Soft Water Supply | 656m | North |
| 10087256 | 0.00m-0.10m Clay Loam, sandy, 20% gravel to 15mm 0.10m-0.50m Sandy Clay Loam, dark brown 0.50m-1.00m Sandy Clay, light reddish brown, 20% lime 1.00m-1.50m Sandy Clay, yellowish brown, 5% lime 1.50m-2.00m Clay Loam, sandy, dark brown, coarse 2.00m-2.50m Silty Clay, light grey, 5% lime 2.50m-4.00m Silty Clay, light grey, 10% lime 4.00m-4.50m Silty Clay, light grey, 5-10% lime 4.50m-5.00m Silty Clay, light grey, 2% lime | 678m | South |
| 10079781 | 0.00m-0.10m Loamy Sand, dark brown 0.10m-0.50m Clayey Sand, dark reddish brown 0.50m-1.00m Clayey Sand, brown 1.00m-2.00m Clayey Sand, yellowish brown 2.00m-2.50m Sandy Loam, yellowish brown 2.50m-2.90m Sandy Clay Loam, reddish brown 2.90m-3.00m Rock | 783m | South East |
| 10002833 | 0.00m-1.00m Topsoil 1.00m-18.29m Clay Yellow 18.29m-30.48m Clay 30.48m-68.31m Clay Grey 68.31m-70.00m Gravel Water Supply | 804m | North West |
| 10101906 | 0.00m-0.10m Sandy Clay Loam, reddish brown 0.10m-0.50m Clay, dark reddish brown, medium, trace sand 0.50m-1.00m Clay, reddish brown, medium, trace of fine sand 1.00m-1.50m Clay, reddish brown, medium 1.50m-2.50m Clay, brown, medium 2.50m-3.00m Clay, reddish brown, medium heavy 3.00m-3.50m Clay, reddish brown, medium heavy, orange mottles 3.50m-4.50m Clay, brown, medium heavy 4.50m-5.00m Clay, brown, medium, 10% orange mottles 5.00m-5.50m Clay, light brown, light medium 5.50m-6.00m Clay, light brown, light medium, red & light grey mottles 6.00m-7.00m Clay, brown, light medium, 10% red mottles 7.00m-8.00m Sandy Clay, orangish brown, <5% fine sandstone 8.00m-10.00m Sandy Clay, orangish brown, 10% grey mottles 10.00m-11.00m Clay, grey, light medium 11.00m-12.00m Clay, light grey, light medium | 860m | East |

| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|---|----------|------------|
| 10079031 | 0.00m-0.10m Sandy Clay Loam, red, 1% quartz to 5mm 0.10m-0.50m Clay, red, light medium, trace of fine sand, 1% gravel 0.50m-1.00m Clay, red, light medium, trace of fine sand, 1% quartz 1.00m-1.50m Sandy Clay, reddish brown 1.50m-2.00m Clay, reddish brown, medium, trace of fine sand 2.00m-2.40m Clay, reddishb brown, medium heavy 2.40m-2.50m Rock | 913m | North |
| 10019408 | 0.00m-0.10m Sandy Clay Loam, gryeish brown, light 0.10m-1.00m Loam, sandy, greyish brown 1.00m-2.00m Sandy Clay, greyish brown 2.00m-2.40m Sandy Clay, reddish brown 2.40m-3.00m Sandy Clay, greyish brown 3.00m-3.50m Sandy Clay, reddish brown 3.50m-4.00m Sandy clay, yellowish grey 4.00m-6.00m Silty Clay, grey | 982m | South East |
| 10013849 | 0.00m-0.10m Clay Loam, sandy, brown 0.10m-0.50m Clay, reddish brown, light medium 0.50m-1.00m Clay, dark greyish brown, light medium 1.00m-1.40m Sandy Clay, 20% basalt gravel, greyish brown 1.40m-1.50m Basalt | 984m | South West |
| 10034573 | 0.00m-1.00m Topsoil 1.00m-30.00m Clay, red and yellow 30.00m-84.00m Basalt, black | 1023m | West |
| 10086855 | 0.00m-1.00m Topsoil 0.00m-1.00m Boulders Basalt 1.00m-116.00m Basalt Solid 116.00m-151.00m Volcanic Ash | 1031m | West |
| 10103990 | 0.00m-1.00m Topsoil 1.00m-12.00m Clay Red Grey 12.00m-33.55m Basalt Very Hard Weathered Fresh 33.55m-65.00m Sandstone Soft Water Supply | 1038m | North |
| 10084650 | 0.00m-5.49m Clay 5.49m-9.14m Stones Gravel 9.14m-15.24m Gravel 15.24m-31.09m Clay 31.09m-32.00m Boulders Basalt 32.00m-40.23m Rock | 1060m | West |
| 10011414 | 0.00m-0.10m Loam, sandy, 1% quartz to 10mm, dark reddish brown 0.10m-0.50m Sandy Clay Loam, brown, light 0.50m-2.00m Clay, light medium, reddish brown 2.00m-4.00m Sandy Clay, reddish brown 4.00m-4.50m Sandy Clay, brown 4.50m-5.00m Clay, lighth medium, brown 5.00m-5.50m Clay Loam, sandy, brown 5.50m-6.00m Clay Loam, sand, brown, 5% sandstone to10mm | 1102m | South |
| 10093614 | 0.00m-0.10m Sandy Clay Loam, dark reddish brown 0.10m-0.50m Sandy Clay, reddish brown 0.50m-1.00m Clay, reddish brown, medium 1.00m-1.50m Clay, light red, medium, 1% basalt gravel to 5mm 1.50m-2.00m Clay, light red, medium, trace fine sand 2.00m-2.50m Clay, brown, medium 2.50m-3.00m Sandy Clay, brown, 5% red mottles 3.00m-3.50m Sandy Clay, reddish brown, 5% basalt gravel to 10mm 3.50m-4.00m Sandy Clay, brown, 20% red & orange mottles 4.00m-4.50m Sandy Clay, brown, 5% grey mottles 4.50m-5.00m Sandy Clay, brown 5.00m-5.50m Sandy Clay, greyish brown, 2% dark sandstone gravel 5.50m-6.00m Sandy Clay, light grey | 1182m | South |
| 10134204 | 0.00m-3.05m Clay Red 3.05m-19.81m Clay Coloured 19.81m-25.91m Boulders Basaltic Clay 25.91m-42.67m Basalt 42.67m-45.11m Clay Grey 45.11m-46.94m Sand Gravel Water Supply 46.94m-48.77m Clay Black Shale Water Supply 48.77m-49.99m Shale Clay Water Supply 49.99m-57.91m Clay Grey Sandy Water Bearing Water Supply 57.91m-60.66m Clay Grey Water Bearing Water Supply 60.66m-71.63m Shale Grey Rock Water Supply 71.63m-86.26m Shale Rock Water Supply 86.26m-96.93m Shale Grey Gritty Bands Water Supply 96.93m-103.63m Shale Grey Water Bearing Water Supply 103.63m-121.92m Shale Puggy Water Supply | 1234m | North |
| 10022356 | 0.00m-0.10m Clay Loam, dark brown 0.10m-0.50m Clay, dark reddish brown, medium 0.50m-1.00m Clay, dark reddish brown, medium heavy 1.00m-1.50m Clay, brown, medium heavy 1.50m-2.90m Clay, reddish brown, medium heavy 2.90m-3.00m Rock | 1286m | North |


| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|---|----------|------------|
| 10030924 | 0.00m-9.75m Clay 9.75m-21.34m Sandstone 21.34m-22.86m Sandstone 21.34m-22.86m Ironstone Bands 22.86m-31.09m Sandstone Hard Bands 31.09m-37.19m Shale Black Sandstone 37.19m-49.38m Sandstone 37.19m-49.38m Ironstone Bands 49.38m-55.47m Shale Black 55.47m-61.26m Rock Slatey 61.26m-63.70m Sandstone 63.70m-65.84m Rock Hard 65.84m-71.93m Sandstone 65.84m-71.93m Ironstone Bands 71.93m-92.66m Rock Slatey 92.66m-100.28m Basalt | 1320m | South |
| 10086381 | 0.00m-1.00m Topsoil 1.00m-15.00m Clay Red 15.00m-19.00m Clay Yellow Sandy 19.00m-20.00m Sandstone Hard 20.00m-24.75m Clay White 20.00m-24.75m Sandstone Bands 24.75m-25.00m Sandstone Hard 25.00m-29.00m Clay White 25.00m-29.00m Sandstone Bands 29.00m-30.00m Sandstone 30.00m-38.00m Sandstone Pure 38.00m-39.00m Sandstone Water Supply 39.00m-42.00m Shale Grey | 1352m | North West |
| 1008586 | 0.00m-0.10m Loam, brown, sandy 0.10m-1.00m Sandy Clay, brown 1.00m-1.50m Sandy Clay, reddish brown 1.50m-1.90m Sandy Clay, 60% sandstone to 50mm, greyish brown 1.90m-2.00m Sandstone | 1362m | South West |
| 10071282 | 0.00m-2.00m Topsoil 2.00m-4.00m Clay, brown 4.00m-22.00m Clay, red/brown 22.00m-23.00m Shale, weathered, yellow 23.00m-24.00m Shale, weathered, light white/yellow 24.00m-35.00m Mudstone, grey 35.00m-37.00m Clay, brown 37.00m-48.00m Mudstone, grey 48.00m-53.00m Sandstone / Mudstone, grey 53.00m-77.00m Mudstone, grey 77.00m-84.00m Sandstone 84.00m-87.00m Shale, red/brown | 1369m | West |
| 10031647 | 0.00m-0.10m Sandy Clay Loam, dark reddish brown 0.10m-0.50m Sandy Clay, reddish brown 0.50m-1.00m Clay, reddish brown, light medium 1.00m-1.40m Sandy Clay, greyish brown, 30% ground basalt 1.40m-1.50m Basalt | 1372m | East |
| 10015106 | 0.00m-1.00m Topsoil 1.00m-4.00m Clay 4.00m-10.00m Basalt Weathered 10.00m-26.00m Shale White Grey Sandy 26.00m-40.00m Shale Coarse Sandy Water Supply 40.00m-42.00m Shale Soft 42.00m-50.00m Siltstone Black Oily Shale 50.00m-52.00m Sandstone Grey 52.00m-57.00m Gravel Waterworn Rounded 57.00m-61.00m Shale Grey Sandy 61.00m-74.00m Shale Black Water Supply 74.00m-79.00m Sandstone Grey 79.00m-82.00m Shale Black Water Supply 82.00m-91.00m Rhyolite Weathered | 1383m | West |
| 10044679 | 0.00m-0.10m Sandy Loam, dark brown 0.10m-0.50m Sandy Clay, reddish brown, 80% basalt gravel 0.50m-0.70m Weathered Rock 0.70m-1.00m Rock | 1390m | South East |

| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|--|----------|------------|
| 10084319 | 0.00m-0.10m Clay Loam, reddish brown 0.10m-0.50m Clay, reddish brown, light medium 0.50m-1.50m Clay, red, light medium 1.50m-2.00m Clay, reddish brown, medium 2.00m-2.50m Sandy Clay, brown 2.50m-3.00m Sandy Clay, brown, 10% yellow mottles 3.00m-3.50m Sandy Clay, reddish brown, 10% red mottles 3.50m-4.00m Sandy Clay, yellowish brown 4.00m-5.00m Sandy Clay Loam, reddish brown 5.00m-5.50m Clay, reddish brown, light 5.50m-6.00m Sandy Clay, brown, 10% yellow mottles 6.00m-7.00m Sandy Clay, brown, 5% ground gravel to 5mm 7.00m-9.00m Sandy Clay, brown 9.00m-9.00m Rock | 1396m | North East |
| 10081887 | 0.00m-1.00m Fill 1.00m-2.00m Clay 2.00m-8.00m Basalt, weathered basalt 8.00m-12.00m Sandstone | 1437m | South East |
| 10142938 | 0.00m-5.49m Clay 5.49m-24.38m Clay Sandy 24.38m-27.13m Clay 27.13m-34.14m Shale 34.14m-34.75m Sandstone 34.75m-35.97m Sandstone Water Bearing Water Supply 35.97m-40.84m Sandstone 40.84m-47.24m Shale 47.24m-48.77m Sandstone | 1447m | North East |
| 10005183 | 0.00m-5.50m Fill 5.50m-7.50m Basalt 7.50m-15.00m Sandstone | 1451m | South East |
| 10079468 | 0.00m-2.50m Fill 2.50m-7.00m Basalt 7.00m-12.00m Sandstone | 1451m | South East |
| 10101075 | 0.00m-4.00m Fill 4.00m-7.00m Basalt 7.00m-13.50m Sandstone | 1461m | South East |
| 10030583 | 0.00m-0.50m Topsoil 0.50m-8.50m Clay 8.50m-35.00m Basalt; broken 35.00m-97.00m Shale; grey 97.00m-155.00m Granite; grey 155.00m-157.50m Granite; green 157.50m-158.00m Granite; green, water bearing 158.00m-165.50m Granite; red 165.50m-167.20m Granite; red, water bearing 167.20m-176.00m Granite; grey 176.00m-177.00m Granite; grey, fractured, water bearing 177.00m-182.00m Granite; grey | 1496m | South West |
| 10146856 | 0.00m-1.00m Topsoil 1.00m-15.00m Clay 15.00m-19.00m Clay Red 19.00m-29.00m Sandstone Hard 29.00m-29.50m Sandstone Water Bearing 29.50m-39.00m Sandstone Hard 39.00m-40.00m Sandstone Water Bearing 40.00m-41.00m Shale 41.00m-49.37m Shale Sandstone Water Supply | 1501m | North West |
| 10048016 | 0.00m-12.19m Clay Yellow Sticky 12.19m-19.81m Sandstone 19.81m-27.43m Sandstone 19.81m-27.43m Clay Seams 27.43m-37.19m Sand Rock Hard 37.19m-46.33m Rock 46.33m-50.90m Sandstone 50.90m-59.44m Shale 59.44m-62.48m Ironstone Rock Seams 62.48m-71.63m Sand Rock 71.63m-74.68m Shale 74.68m-79.25m Sandstone Water Supply 79.25m-81.08m Shale Grey 81.08m-85.34m Rock | 1549m | North West |
| 10058055 | 0.00m-1.00m Topsoil 1.00m-41.45m Shale Water Supply | 1590m | North East |

| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|---|----------|------------|
| 10035474 | 0.00m-0.10m Clay Loam, dark brown 0.10m-0.50m Clay, dark reddish brown, medium 0.50m-1.00m Clay, dark reddish brown, medium heavy 1.00m-1.50m Clay, brown, medium heavy 1.50m-2.00m Clay, reddish brown, medium heavy 2.00m-2.50m Clay, reddish brown, medium heavy, brown mottles 2.50m-3.50m Clay, reddish brown, medium heavy 3.50m-4.50m Sandy Clay, brown, light 4.50m-5.00m Clay, reddish brown, light medium, orange mottles 5.00m-5.40m Clay, brown, light medium, basalt gravel to 40mm 5.40m-5.50m Basalt | 1591m | East |
| 10055459 | 0.00m-0.20m Sand, Clayey; red-brown, damp, loose, fine, poorly sorted with rounded fine-coarse quartz gravels. 0.05m Bitumen @ surfa 0.20m-0.30m Clay; brown, damp, medium stiff, plastic, homogenous 0.30m-1.00m Clay, Sandy; red-brown, damp, medium stiff, plastic, homogenous 1.00m-1.60m Clay, Sandy; red-brown with grey mottling, damp, medium stiff, plastic, homogenous 1.60m-3.20m Silt, Clayey; grey, dry, non plastic, soft, homogenous 3.20m-9.00m Silt, Clayey; brown-grey, dry, non plastic, soft, homogenous 9.00m-10.00m Silt, Clayey; brown-grey, damp, low plasticity, soft, homogenous 10.00m-12.00m Silt, Clayey; brown-grey, moist, low plasticity, soft, homogenous 12.00m-13.50m Silt, Clayey; brown-grey, saturated, low plasticity, soft, homogenous | 1616m | East |
| 10045215 | 0.00m-0.15m Sand, Clayey; red-brown, damp, loose, fine well sorted, 0.05m of bitumen @ surface 0.15m-0.25m Sand, Clayey; red-brown, damp, loose, fine, poorly sorted with rounded fine to coarse quartz gravels 0.25m-0.30m Clay; brown, damp, stiff, medium plasticity, homogenous 0.30m-0.50m Sand, Clayey; yellow-brown, damp, loose, poorly sorted with rounded, fine to coarse quartz gravels 0.50m-1.00m Clay, Sandy; red-brown, damp, stiff, high plasticity, homogenous 1.00m-1.80m Clay, Sandy; red-brown with grey mottling, damp, medium stiff, low plasticity, homogenous 1.80m-3.00m Silt, Clayey; grey-brown, damp, very soft, non plastic, homogenous 3.00m-8.00m Silt, Clayey; grey-brown, dry, very soft, low plasticity, homogenous 8.00m-9.00m Silt, Clayey; grey-brown, damp, very soft, low plasticity, homogenous 9.00m-10.50m Silt, Clayey; grey-0brown, moist, very soft, low plasticity, homogenous 10.50m-12.00m Clay, Silty; dark brown, sasaturated, soft, low plasticity, homogenous | 1628m | East |
| 10076981 | 0.00m-4.70m Sandy Clay, brown 4.70m-7.80m Sand, silty, grey brown 7.80m-9.80m Silty Clay, with fine Gravel, grey brown | 1639m | South |
| 10106137 | 0.00m-3.20m Sandy Clay, yellow brown 3.20m-7.00m Sandy Clay/Silt, yellow 7.00m-8.50m Sandy Clay, black/dark grey | 1639m | South |
| 10105900 | 0.00m-0.10m Sandy Clay Loam, greyish brown, 10% sandstone 0.10m-0.50m Sandy Loam, brown, 5% sandstone gravel to 20mm 0.50m-1.00m Clayey Sand, light brown 1.00m-1.50m Sandy Clay Loam, light reddish brown 1.50m-2.00m Sandy Clay, light brown 2.00m-2.50m Sandy Clay Loam, greyish brown 2.50m-3.00m Sandy Clay, grey | 1682m | South East |
| 10044303 | 0.00m-0.10m Sandy Loam, reddish brown, fine 0.10m-0.50m Sandy Clay, yellow, 10% sandstone gravel to 15mm 0.50m-1.00m Sandy Clay, yellow, 5% sandstone gravel to 5mm 1.00m-1.50m Sandy Clay Loam, yellow, grey & orange mottles 1.50m-2.50m Sandy Clay Loam, grey, orange mottles 2.50m-3.00m Weathered rock | 1713m | South |
| 10126731 | 0.00m-1.83m Loam Sandy 1.83m-5.49m Conglomerate 5.49m-39.01m Clay Sticky 39.01m-75.90m Shale 75.90m-76.35m Sandstone Water Supply 76.35m-81.38m Shale | 1730m | North East |
| 10062843 | 0.00m-0.10m Sandy clay Loam, reddish brown 0.10m-1.00m Clay, light medium, reddish brown 1.00m-2.00m Sandy Clay, red 2.00m-3.00m Sandy Clay, brown 3.00m-3.50m sandy Clay, coarse, 80% basalt gravel to 80mm 3.50m-4.50m Sandy Clay, brown, 80% basalt gravel to 80mm 4.50m-5.00m Sandy Clay, yellow brown 5.00m-5.50m Sandy Clay, brown 5.50m-6.00m Sandy Clay, brown, 30% basalt gravel 6.00m-6.90m Sandy Clay, 30% basalt & 5% quartz to 10mm 6.90m-7.00m Basalt | 1734m | East |
| 10131375 | 0.00m-0.90m Clay, red-brown, hard, dry, low plasticity 0.90m-3.90m Clay, red-brown, hard, dry, no odour, low plasticity 3.90m-4.90m Clay, brown, stiff to hard, trace gravel & clay, moist 4.90m-8.00m Clay, brown mottled white, stiff, moist | 1760m | North |

| NGIS Bore ID | Drillers Log | Distance | Direction |
|--------------|--|----------|------------|
| 10118624 | 0.00m-1.00m Sandy Clay, fine, dark red-brown, silty, dry 1.00m-1.90m Sandy Clay, as above, becoming more sandy 1.90m-3.00m Clay, brown, soft-firm, plastic, fine 3.00m-3.90m Clay, brown, firm, plastic, moist, gravelly 3.90m-4.90m Clay, as above, trace gravel, less moist 4.90m-5.90m Clay, brown & grey, firm-stiff, moist, faint hydrocarbon odour 5.90m-6.90m clay, brown & white, firm gravelly, dry-moist, faint odour 6.90m-8.00m Clay, grey/white, moist, firm, plastic, no odour | 1776m | North |
| 10131427 | 0.00m-0.50m Clay, silty/sandy, red, firm-stiff, no odour 0.50m-1.90m Clay, silt, red, soft-firm 1.90m-3.00m Clay, light brown, dry, firm-stiff, large gravels rounded 3.00m-3.90m Clay, light brown, moist-dry, firm, no odour 3.90m-4.90m Clay, light brown, fine, sandy, trace gravels, small 4.90m-5.00m Clay, light brown, silty, dry-moist, soft-firm 5.00m-10.00m Clay, light brown, moist to wet, soft-firm | 1785m | North |
| 10131741 | 0.00m-0.50m Sand, clayey, fine, red-brown, dry some asphalt 0.50m-1.90m Clay, pale red-brown, soft, low plasticity 1.90m-6.90m Clay, brown, soft, faint hydrocarbon odour 6.90m-8.00m Clay, pale brown mottled white, soft, moist | 1788m | North |
| 10080456 | 0.00m-1.21m Silt 1.21m-1.98m Silt Sand 1.98m-2.28m Aquifer Water Supply | 1796m | South |
| 10043773 | 0.00m-0.10m Loam, dark brown 0.10m-0.50m Sandy Clay Loam, dark reddish brown 0.50m-1.00m Clay, reddish brown, light medium 1.00m-1.50m Clay, brown, light medium, 2% lime 1.50m-2.50m Sandy Clay, reddish brown, 1% lime 2.50m-3.00m Sandy Clay, yellowish brown, 2% lime 3.00m-3.50m Sandy Clay, grey, 5% lime 3.50m-4.00m Sandy Clay, grey, 2% lime 4.00m-4.50m Sandy Clay, grey, <1% lime 4.50m-5.00m Sandy Clay, yellowish brown 5.00m-5.50m Sandy Clay, greyish brown, 20% gravel | 1806m | North |
| 10059673 | 0.00m-1.52m Topsoil 1.52m-9.14m Clay 9.14m-27.43m Clay 27.43m-36.57m Clay Gritty 36.57m-41.14m Sandstone 41.14m-42.67m Sandstone Hard | 1832m | South |
| 10008977 | 0.00m-0.10m Loam, sandy, dark brown 0.10m-0.50m Loam, sandy, brown 0.50m-1.00m Sandy Clay, reddish brown, light 1.00m-1.50m Sandy Clay Loam, reddish brown 1.50m-2.50m Sandy Clay, grey 2.50m-3.00m Sandy Clay, gravelly, yellowish brown | 1886m | South West |
| 10131879 | 0.00m-5.00m Clay, red 5.00m-5.10m Sandstone, weathered, coarse 5.10m-5.20m Ironstone 5.20m-5.50m Clay, grey 5.50m-25.00m Clay, red 25.00m-32.50m Quartz & Gravels, water bearing 32.50m-35.50m Clay, red | 1898m | North West |
| 10024836 | 0.00m-6.20m Brown Soil & Clay 6.20m-18.00m Red Sand & Clay 18.00m-21.00m Yellow Sand & Clay 21.00m-26.00m Red Sand & Clay 26.00m-41.00m Yellow Sand & Clay 41.00m-53.00m Siltstone 53.00m-61.00m Weathered Basalt 61.00m-99.00m Basalt | 1913m | West |
| 10007385 | 0.00m-0.61m Topsoil 0.61m-2.44m Clay 2.44m-9.14m Clay Red 9.14m-15.24m Clay Yellow 15.24m-22.86m Clay Sandy 22.86m-30.48m Clay Cream Sandy 30.48m-34.14m Clay White Yellow 34.14m-39.62m Clay Yellow Gravel 39.62m-45.11m Sandstone Water Supply 45.11m-45.72m Shale | 1946m | North East |

Drill Log Data Source: Bureau of Meteorology; Water NSW. Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



Geology

Jannali Road, Dubbo, NSW 2830

Geological Units

What are the Geological Units within the dataset buffer?

| Unit Code | Unit Name | Description | Unit Stratigraphy | Age | Dominant Lithology | Distance |
|-----------|-----------------------------------|--|---|--|--------------------|----------|
| Jinp | Pilliga Sandstone | Medium- to very coarse-grained, well sorted, angular to subangular quartzose sandstone and conglomerate. Minor interbeds of mudstone, siltstone and fine-grained sandstone and coal. Common carbonaceous fragments and iron staining. Rare lithic fragments. | /Injune Creek Group//Pilliga Sandstone// | Callovian (base) to Kimmeridgian (top) | Sandstone | 0m |
| NMdud_a | Dubbo Volcanics - alkaline basalt | Alkaline basalt. | /Dubbo Volcanic Complex//Dubbo Volcanics/Dubbo Volcanics - alkaline basalt/ | Burdigalian (base) to Serravallian (top) | Basalt | 0m |

Linear Geological Structures

What are the Dyke, Sill, Fracture, Lineament and Vein trendlines within the dataset buffer?

| Map ID | Feature Description | Map Sheet Name | Distance |
|-------------|---------------------|----------------|----------|
| No Features | | | |

What are the Faults, Shear zones or Schist zones, Intrusive boundaries & Marker beds within the dataset buffer?

| Map ID | Boundary Type | Description | Map Sheet Name | Distance |
|-------------|---------------|-------------|----------------|----------|
| No Features | | | | |

Geological Data Source: Statewide Seamless Geology v2.1, Department of Regional NSW

Creative Commons 4.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/4.0/au/deed.en>

Naturally Occurring Asbestos Potential


Jannali Road, Dubbo, NSW 2830

Naturally Occurring Asbestos Potential

Naturally Occurring Asbestos Potential within the dataset buffer:

| Potential | Sym | Strat Name | Group | Formation | Scale | Min Age | Max Age | Rock Type | Dom Lith | Description | Dist | Dir |
|----------------------|-----|------------|-------|-----------|-------|---------|---------|-----------|----------|-------------|------|-----|
| No records in buffer | | | | | | | | | | | | |

Naturally Occurring Asbestos Potential Data Source: © State of New South Wales through NSW Department of Industry, Resources & Energy



Soils

Jannali Road, Dubbo, NSW 2830

Atlas of Australian Soils

Soil mapping units and Australian Soil Classification orders within the dataset buffer:


| Map Unit Code | Soil Order | Map Unit Description | Distance | Direction |
|---------------|------------|--|----------|-----------|
| Mz2 | Kandosol | Flat to gently undulating (?terrace remnants): red earths (Gn2.11 and Gn2.12) on flat to gently undulating areas. Associated are red friable earths (Gn3.12 and Gn3.13) in the vicinity of basalt-strewn ridges and knolls some of which have cracking clays such as (Ug5.32) on their crests and slopes; some (Dr2.33) soils; and some low gravelly hillocks of unit Ms1 soils. | 0m | On-site |
| Gb11 | Dermosol | River terraces and flood-plains: chief soils are dark porous loamy soils (Um6.11) and, less commonly, cracking clays (Ug5.16) on the younger terraces, with various (Um) and (Uc) soils on the flood-plains. Associated are higher terrace remnants with a variety of soils including (Dr2.22), (Dr3.43), (Dy3.4), (Gn3 . 12), and (Gn2. 15) soils. Data are limited. | 840m | East |

Atlas of Australian Soils Data Source: CSIRO

Creative Commons 4.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/4.0/au/deed.en>

Soil Landscapes of Central and Eastern NSW

Jannali Road, Dubbo, NSW 2830



Soils

Jannali Road, Dubbo, NSW 2830

Soil Landscapes of Central and Eastern NSW

Soil Landscapes of Central and Eastern NSW within the dataset buffer:

| Soil Code | Name | Distance | Direction |
|--------------------------|-----------|----------|------------|
| SI5504wg | Wongarbon | 0m | On-site |
| SI5504el | Eulomogo | 82m | South East |
| SI5504gn | Goonoo | 461m | North |

Soil Landscapes of Central and Eastern NSW: NSW Department of Planning, Industry and Environment
Creative Commons 4.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/4.0/au/deed.en>

Acid Sulfate Soils

Jannali Road, Dubbo, NSW 2830

Environmental Planning Instrument - Acid Sulfate Soils

What is the on-site Acid Sulfate Soil Plan Class that presents the largest environmental risk?


| Soil Class | Description | EPI Name |
|------------|-------------|----------|
| N/A | | |

If the on-site Soil Class is 5, what other soil classes exist within 500m?

| Soil Class | Description | EPI Name | Distance | Direction |
|------------|-------------|----------|----------|-----------|
| N/A | | | | |

NSW Crown Copyright - Planning and Environment

Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>



Acid Sulfate Soils

Jannali Road, Dubbo, NSW 2830

Atlas of Australian Acid Sulfate Soils

Atlas of Australian Acid Sulfate Soil categories within the dataset buffer:


| Class | Description | Distance | Direction |
|-------|---|----------|-----------|
| C | Extremely low probability of occurrence. 1-5% chance of occurrence with occurrences in small localised areas. | 0m | On-site |
| B | Low Probability of occurrence. 6-70% chance of occurrence. | 839m | East |

Atlas of Australian Acid Sulfate Soils Data Source: CSIRO

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Dryland Salinity

Jannali Road, Dubbo, NSW 2830



Dryland Salinity

Jannali Road, Dubbo, NSW 2830

Dryland Salinity - National Assessment

Is there Dryland Salinity - National Assessment data onsite?

Yes

Is there Dryland Salinity - National Assessment data within the dataset buffer?

Yes

What Dryland Salinity assessments are given?

| Assessment 2000 | Assessment 2020 | Assessment 2050 | Distance | Direction |
|---------------------|---------------------|---------------------|----------|-----------|
| High hazard or risk | High hazard or risk | High hazard or risk | 0m | On-site |

Dryland Salinity Data Source : National Land and Water Resources Audit

The Commonwealth and all suppliers of source data used to derive the maps of "Australia, Forecast Areas Containing Land of High Hazard or Risk of Dryland Salinity from 2000 to 2050" do not warrant the accuracy or completeness of information in this product. Any person using or relying upon such information does so on the basis that the Commonwealth and data suppliers shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information.

Any persons using this information do so at their own risk.

In many cases where a high risk is indicated, less than 100% of the area will have a high hazard or risk.

Mining


Jannali Road, Dubbo, NSW 2830

Mining Subsidence Districts

Mining Subsidence Districts within the dataset buffer:

| District | Distance | Direction |
|---|----------|-----------|
| There are no Mining Subsidence Districts within the report buffer | | |

Mining Subsidence District Data Source: © Land and Property Information (2016)
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>



Mining

Jannali Road, Dubbo, NSW 2830

Current Mining & Exploration Titles

Current Mining & Exploration Titles within the dataset buffer:

| Title Ref | Holder | Grant Date | Expiry Date | Last Renewed | Operation | Resource | Minerals | Dist | Dir |
|-----------|----------------------|------------|-------------|--------------|-----------|----------|----------|------|-----|
| N/A | No records in buffer | | | | | | | | |

Current Mining & Exploration Titles Data Source: © State of New South Wales through NSW Department of Industry

Current Mining & Exploration Title Applications

Current Mining & Exploration Title Applications within the dataset buffer:

| Application Ref | Applicant | Application Date | Operation | Resource | Minerals | Dist | Dir |
|-----------------|----------------------|------------------|-----------|----------|----------|------|-----|
| N/A | No records in buffer | | | | | | |

Current Mining & Exploration Title Applications Data Source: © State of New South Wales through NSW Department of Industry

Mining

Jannali Road, Dubbo, NSW 2830

Historical Mining & Exploration Titles

Historical Mining & Exploration Titles within the dataset buffer:

| Title Ref | Holder | Start Date | End Date | Resource | Minerals | Dist | Dir |
|-----------|-----------------------------------|------------|------------|-----------|-----------|------|---------|
| PEL482 | SURAT RESOURCES PTY LIMITED | | | MINERALS | | 0m | On-site |
| PEL0057 | L H SMART OIL EXPLORATION CO. LTD | | | PETROLEUM | Petroleum | 0m | On-site |
| PEL0011 | METALLIC RESOURCES PTY LIMITED | 24/05/1995 | 21/08/1996 | PETROLEUM | Petroleum | 0m | On-site |
| PSPAUTH29 | EAST COAST POWER PTY LTD | 23/12/2008 | 23/12/2009 | PETROLEUM | Petroleum | 0m | On-site |
| PEL0482 | SURAT RESOURCES PTY LTD | 8/04/2010 | 20/05/2011 | PETROLEUM | Petroleum | 0m | On-site |

Historical Mining & Exploration Titles Data Source: © State of New South Wales through NSW Department of Industry

State Environmental Planning Policy


Jannali Road, Dubbo, NSW 2830

State Significant Precincts

What SEPP State Significant Precincts exist within the dataset buffer?

| Map Id | Precinct | EPI Name | Published Date | Commenced Date | Currency Date | Amendment | Distance | Direction |
|--------|----------------------|----------|----------------|----------------|---------------|-----------|----------|-----------|
| N/A | No records in buffer | | | | | | | |

State Environment Planning Policy Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>



Environmental Planning Instrument

Jannali Road, Dubbo, NSW 2830

Land Zoning

What EPI Land Zones exist within the dataset buffer?

| Zone | Description | Purpose | EPI Name | Published Date | Commenced Date | Currency Date | Amendment | Distance | Direction |
|------|-------------------------|---------------------|-------------------------------------|----------------|----------------|---------------|-----------------|----------|------------|
| R2 | Low Density Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 0m | On-site |
| RU2 | Rural Landscape | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 0m | North West |
| SP2 | Infrastructure | Railway | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 0m | South East |
| IN2 | Light Industrial | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 0m | East |
| R2 | Low Density Residential | | Dubbo Local Environmental Plan 2011 | 26/10/2018 | 26/10/2018 | 09/07/2021 | Amendment No 13 | 55m | South |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 98m | East |
| SP2 | Infrastructure | Classified Road | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 201m | North East |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 216m | South East |
| R5 | Large Lot Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 242m | North East |
| IN2 | Light Industrial | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 250m | North |
| IN2 | Light Industrial | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 264m | North West |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 317m | South |
| R2 | Low Density Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 333m | North East |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 353m | South East |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 359m | North East |
| IN2 | Light Industrial | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 363m | East |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 26/10/2018 | 26/10/2018 | 09/07/2021 | Amendment No 13 | 467m | South |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 488m | North |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 516m | South East |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 545m | East |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 26/10/2018 | 26/10/2018 | 09/07/2021 | Amendment No 13 | 545m | South |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 551m | South East |
| SP2 | Infrastructure | Correctional Centre | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 605m | North |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 622m | South East |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 627m | South East |
| R5 | Large Lot Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 650m | West |
| IN2 | Light Industrial | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 693m | North |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 722m | South West |

| Zone | Description | Purpose | EPI Name | Published Date | Commenced Date | Currency Date | Amendment | Distance | Direction |
|------|----------------------|-----------------|-------------------------------------|----------------|----------------|---------------|-----------|----------|------------|
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 820m | South East |
| SP2 | Infrastructure | Classified Road | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 821m | East |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 826m | South |
| B6 | Enterprise Corridor | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 875m | East |
| B6 | Enterprise Corridor | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 896m | East |
| B1 | Neighbourhood Centre | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 906m | South |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 918m | South |
| RE1 | Public Recreation | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 930m | South |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 934m | South West |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 985m | South |
| R1 | General Residential | | Dubbo Local Environmental Plan 2011 | 11/11/2011 | 11/11/2011 | 09/07/2021 | | 997m | East |

Environmental Planning Instrument Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Heritage

Jannali Road, Dubbo, NSW 2830

Commonwealth Heritage List

What are the Commonwealth Heritage List Items located within the dataset buffer?

| Place Id | Name | Address | Place File No | Class | Status | Register Date | Distance | Direction |
|----------|----------------------|---------|---------------|-------|--------|---------------|----------|-----------|
| N/A | No records in buffer | | | | | | | |

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch
Creative Commons 3.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/3.0/au/deed.en>

National Heritage List

What are the National Heritage List Items located within the dataset buffer?

Note. Please click on Place Id to activate a hyperlink to online website.

| Place Id | Name | Address | Place File No | Class | Status | Register Date | Distance | Direction |
|----------|----------------------|---------|---------------|-------|--------|---------------|----------|-----------|
| N/A | No records in buffer | | | | | | | |

Heritage Data Source: Australian Government Department of the Environment and Energy - Heritage Branch
Creative Commons 3.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/3.0/au/deed.en>

State Heritage Register - Curtilages

What are the State Heritage Register Items located within the dataset buffer?

| Map Id | Name | Address | LGA | Listing Date | Listing No | Plan No | Distance | Direction |
|--------|----------------------|---------|-----|--------------|------------|---------|----------|-----------|
| N/A | No records in buffer | | | | | | | |

Heritage Data Source: NSW Crown Copyright - Office of Environment & Heritage
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Environmental Planning Instrument - Heritage

What are the EPI Heritage Items located within the dataset buffer?

| Map Id | Name | Classification | Significance | EPI Name | Published Date | Commenced Date | Currency Date | Distance | Direction |
|--------|----------------------|----------------|--------------|----------|----------------|----------------|---------------|----------|-----------|
| N/A | No records in buffer | | | | | | | | |

Heritage Data Source: NSW Crown Copyright - Planning & Environment
Creative Commons 4.0 © Commonwealth of Australia <https://creativecommons.org/licenses/by/4.0/>

Natural Hazards

Jannali Road, Dubbo, NSW 2830

Bush Fire Prone Land

What are the nearest Bush Fire Prone Land Categories that exist within the dataset buffer?

| Bush Fire Prone Land Category | Distance | Direction |
|-------------------------------|----------|-----------|
| No records in buffer | | |

NSW Bush Fire Prone Land - © NSW Rural Fire Service under Creative Commons 4.0 International Licence

Ecological Constraints


Jannali Road, Dubbo, NSW 2830

Ramsar Wetlands

What Ramsar Wetland areas exist within the dataset buffer?

| Map Id | Ramsar Name | Wetland Name | Designation Date | Source | Distance | Direction |
|--------|----------------------|--------------|------------------|--------|----------|-----------|
| N/A | No records in buffer | | | | | |

Ramsar Wetlands Data Source: © Commonwealth of Australia - Department of Agriculture, Water and the Environment



Ecological Constraints

Jannali Road, Dubbo, NSW 2830


Groundwater Dependent Ecosystems Atlas

| Type | GDE Potential | Geomorphology | Ecosystem Type | Aquifer Geology | Distance | Direction |
|-------------|---|--|----------------|-----------------|----------|-----------|
| Terrestrial | Low potential GDE - from regional studies | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 0m | On-site |

Groundwater Dependent Ecosystems Atlas Data Source: The Bureau of Meteorology
Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Ecological Constraints - Inflow Dependent Ecosystems Likelihood

Jannali Road, Dubbo, NSW 2830



Ecological Constraints

Jannali Road, Dubbo, NSW 2830

Inflow Dependent Ecosystems Likelihood

| Type | IDE Likelihood | Geomorphology | Ecosystem Type | Aquifer Geology | Distance | Direction |
|-------------|----------------|--|----------------|-----------------|----------|------------|
| Terrestrial | 10 | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 0m | On-site |
| Terrestrial | 7 | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 0m | On-site |
| Terrestrial | 6 | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 0m | On-site |
| Terrestrial | 5 | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 225m | North West |
| Terrestrial | 8 | Tablelands stepping down to west and breaking into detached hills. | Vegetation | | 406m | North West |

Inflow Dependent Ecosystems Likelihood Data Source: The Bureau of Meteorology

Creative Commons 3.0 © Commonwealth of Australia <http://creativecommons.org/licenses/by/3.0/au/deed.en>

Ecological Constraints

Jannali Road, Dubbo, NSW 2830

NSW BioNet Atlas

Species on the NSW BioNet Atlas that have a NSW or federal conservation status, a NSW sensitivity status, or are listed under a migratory species agreement, and are within 10km of the site?

| Kingdom | Class | Scientific | Common | NSW Conservation Status | NSW Sensitivity Class | Federal Conservation Status | Migratory Species Agreements |
|----------|-------|---------------------------------|---|-------------------------|-----------------------|-----------------------------|------------------------------|
| Animalia | Aves | Anseranas semipalmata | Magpie Goose | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Anthochaera phrygia | Regent Honeyeater | Critically Endangered | Not Sensitive | Critically Endangered | |
| Animalia | Aves | Apus pacificus | Fork-tailed Swift | Not Listed | Not Sensitive | Not Listed | ROKAMBA;CAMBA; JAMBA |
| Animalia | Aves | Artamus cyanopterus cyanopterus | Dusky Woodswallow | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Calidris acuminata | Sharp-tailed Sandpiper | Not Listed | Not Sensitive | Not Listed | ROKAMBA;CAMBA; JAMBA |
| Animalia | Aves | Calidris ferruginea | Curlew Sandpiper | Endangered | Not Sensitive | Critically Endangered | ROKAMBA;CAMBA; JAMBA |
| Animalia | Aves | Calyptorhynchus lathamii | Glossy Black-Cockatoo | Vulnerable | Category 2 | Not Listed | |
| Animalia | Aves | Chthonicola sagittata | Speckled Warbler | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Circus assimilis | Spotted Harrier | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Climacteris picumnus victoriae | Brown Treecreeper (eastern subspecies) | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Daphoenositta chrysoptera | Varied Sittella | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Epthianura albifrons | White-fronted Chat | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Falco subniger | Black Falcon | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Gallinago hardwickii | Latham's Snipe | Not Listed | Not Sensitive | Not Listed | ROKAMBA;JAMBA |
| Animalia | Aves | Glossopsitta pusilla | Little Lorikeet | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Grantiella picta | Painted Honeyeater | Vulnerable | Not Sensitive | Vulnerable | |
| Animalia | Aves | Haliaeetus leucogaster | White-bellied Sea-Eagle | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Hieraaetus morphnoides | Little Eagle | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Hirundapus caudacutus | White-throated Needletail | Not Listed | Not Sensitive | Vulnerable | ROKAMBA;CAMBA; JAMBA |
| Animalia | Aves | Lathamus discolor | Swift Parrot | Endangered | Category 3 | Critically Endangered | |
| Animalia | Aves | Lophochroa leadbeateri | Major Mitchell's Cockatoo | Vulnerable | Category 2 | Not Listed | |
| Animalia | Aves | Lophoictinia isura | Square-tailed Kite | Vulnerable | Category 3 | Not Listed | |
| Animalia | Aves | Melanodryas cucullata cucullata | Hooded Robin (south-eastern form) | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Melithreptus gularis gularis | Black-chinned Honeyeater (eastern subspecies) | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Menura alberti | Albert's Lyrebird | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Neophema pulchella | Turquoise Parrot | Vulnerable | Category 3 | Not Listed | |

| Kingdom | Class | Scientific | Common | NSW Conservation Status | NSW Sensitivity Class | Federal Conservation Status | Migratory Species Agreements |
|----------|----------|------------------------------------|---|-------------------------|-----------------------|-----------------------------|------------------------------|
| Animalia | Aves | Ninox connivens | Barking Owl | Vulnerable | Category 3 | Not Listed | |
| Animalia | Aves | Ninox strenua | Powerful Owl | Vulnerable | Category 3 | Not Listed | |
| Animalia | Aves | Oxyura australis | Blue-billed Duck | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Petroica phoenicea | Flame Robin | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Pezoporus wallicus wallicus | Eastern Ground Parrot | Vulnerable | Category 3 | Not Listed | |
| Animalia | Aves | Phaethon rubricauda | Red-tailed Tropicbird | Vulnerable | Not Sensitive | Not Listed | CAMBA;JAMBA |
| Animalia | Aves | Philomachus pugnax | Ruff | Not Listed | Not Sensitive | Not Listed | ROKAMBA;CAMBA;JAMBA |
| Animalia | Aves | Polytelis swainsonii | Superb Parrot | Vulnerable | Category 3 | Vulnerable | |
| Animalia | Aves | Pomatostomus temporalis temporalis | Grey-crowned Babbler (eastern subspecies) | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Rostratula australis | Australian Painted Snipe | Endangered | Not Sensitive | Endangered | |
| Animalia | Aves | Stagonopleura guttata | Diamond Firetail | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Aves | Tringa stagnatilis | Marsh Sandpiper | Not Listed | Not Sensitive | Not Listed | ROKAMBA;CAMBA;JAMBA |
| Animalia | Mammalia | Chalinolobus picatus | Little Pied Bat | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Mammalia | Falsistrellus tasmaniensis | Eastern False Pipistrelle | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Mammalia | Macrotis lagotis | Bilby | Extinct | Not Sensitive | Vulnerable | |
| Animalia | Mammalia | Miniopterus orianae oceanensis | Large Bent-winged Bat | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Mammalia | Nyctophilus corbeni | Corben's Long-eared Bat | Vulnerable | Not Sensitive | Vulnerable | |
| Animalia | Mammalia | Petaurus norfolcensis | Squirrel Glider | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Mammalia | Phascolarctos cinereus | Koala | Vulnerable | Not Sensitive | Endangered | |
| Animalia | Mammalia | Pteropus poliocephalus | Grey-headed Flying-fox | Vulnerable | Not Sensitive | Vulnerable | |
| Animalia | Mammalia | Saccolaimus flaviventris | Yellow-bellied Sheath-tail-bat | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Mammalia | Vespadelus troughtoni | Eastern Cave Bat | Vulnerable | Not Sensitive | Not Listed | |
| Animalia | Reptilia | Chelonia mydas | Green Turtle | Vulnerable | Not Sensitive | Vulnerable | |
| Animalia | Reptilia | Ramphotyphlops endoterus | Interior Blind Snake | Endangered | Not Sensitive | Not Listed | |
| Animalia | Reptilia | Tiliqua occipitalis | Western Blue-tongued Lizard | Vulnerable | Not Sensitive | Not Listed | |
| Plantae | Flora | Calotis glandulosa | Mauve Burr-daisy | Vulnerable | Not Sensitive | Vulnerable | |
| Plantae | Flora | Commersonia procumbens | | Vulnerable | Not Sensitive | Vulnerable | |
| Plantae | Flora | Diuris tricolor | Pine Donkey Orchid | Vulnerable | Category 2 | Not Listed | |
| Plantae | Flora | Homoranthus darwinoides | Fairy Bells | Vulnerable | Not Sensitive | Vulnerable | |
| Plantae | Flora | Indigofera efoliata | Leafless Indigo | Endangered | Category 3 | Endangered | |

Data does not include NSW category 1 sensitive species.

NSW BioNet: © State of NSW and Office of Environment and Heritage

Location Confidences

Where Lotsearch has had to georeference features from supplied addresses, a location confidence has been assigned to the data record. This indicates a confidence to the positional accuracy of the feature. Where applicable, a code is given under the field heading “LC” or “LocConf”. These codes lookup to the following location confidences:

| LC Code | Location Confidence |
|---------------------|--|
| Premise Match | Georeferenced to the site location / premise or part of site |
| Area Match | Georeferenced to an approximate or general area |
| Road Match | Georeferenced to a road or rail corridor |
| Road Intersection | Georeferenced to a road intersection |
| Buffered Point | A point feature buffered to x metres |
| Adjacent Match | Land adjacent to a georeferenced feature |
| Network of Features | Georeferenced to a network of features |
| Suburb Match | Georeferenced to a suburb boundary |
| As Supplied | Spatial data supplied by provider |

USE OF REPORT - APPLICABLE TERMS

The following terms apply to any person (End User) who is given the Report by the person who purchased the Report from Lotsearch Pty Ltd (ABN: 89 600 168 018) (Lotsearch) or who otherwise has access to the Report (Terms). The contract terms that apply between Lotsearch and the purchaser of the Report are specified in the order form pursuant to which the Report was ordered and the terms set out below are of no effect as between Lotsearch and the purchaser of the Report.

1. End User acknowledges and agrees that:
 - (a) the Report is compiled from or using content (**Third Party Content**) which is comprised of:
 - (i) content provided to Lotsearch by third party content suppliers with whom Lotsearch has contractual arrangements or content which is freely available or methodologies licensed to Lotsearch by third parties with whom Lotsearch has contractual arrangements (**Third Party Content Suppliers**); and
 - (ii) content which is derived from content described in paragraph (i);
 - (b) Neither Lotsearch nor Third Party Content Suppliers takes any responsibility for or give any warranty in relation to the accuracy or completeness of any Third Party Content included in the Report including any contaminated land assessment or other assessment included as part of a Report;
 - (c) the Third Party Content Suppliers do not constitute an exhaustive set of all repositories or sources of information available in relation to the property which is the subject of the Report (**Property**) and accordingly neither Lotsearch nor Third Party Content Suppliers gives any warranty in relation to the accuracy or completeness of the Third Party Content incorporated into the report including any contaminated land assessment or other assessment included as part of a Report;
 - (d) Reports are generated at a point in time (as specified by the date/time stamp appearing on the Report) and accordingly the Report is based on the information available at that point in time and Lotsearch is not obliged to undertake any additional reporting to take into consideration any information that may become available between the point in time specified by the date/time stamp and the date on which the Report was provided by Lotsearch to the purchaser of the Report;
 - (e) Reports must be used or reproduced in their entirety and End User must not reproduce or make available to other persons only parts of the Report;
 - (f) Lotsearch has not undertaken any physical inspection of the property;
 - (g) neither Lotsearch nor Third Party Content Suppliers warrants that all land uses or features whether past or current are identified in the Report;
 - (h) the Report does not include any information relating to the actual state or condition of the Property;
 - (i) the Report should not be used or taken to indicate or exclude actual fitness or unfitness of Land or Property for any particular purpose
 - (j) the Report should not be relied upon for determining saleability or value or making any other decisions in relation to the Property and in particular should not be taken to be a rating or assessment of the desirability or market value of the property or its features; and
 - (k) the End User should undertake its own inspections of the Land or Property to satisfy itself that there are no defects or failures
2. The End User may not make the Report or any copies or extracts of the report or any part of it available to any other person. If End User wishes to provide the Report to any other person or make extracts or copies of the Report, it must contact the purchaser of the Report before doing so to ensure the proposed use is consistent with the contract terms between Lotsearch and the purchaser.
3. Neither Lotsearch (nor any of its officers, employees or agents) nor any of its Third Party Content Suppliers will have any liability to End User or any person to whom End User provides the Report and End User must not represent that Lotsearch or any of its Third Party Content Suppliers accepts liability to any such person or make any other representation to any such person on behalf of Lotsearch or any Third Party Content Supplier.
4. The End User hereby to the maximum extent permitted by law:
 - (a) acknowledges that the Lotsearch (nor any of its officers, employees or agents), nor any of its Third Party Content Supplier have any liability to it under or in connection with the

- Report or these Terms;
- (b) waives any right it may have to claim against Third Party Content Supplier in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms; and
 - (c) releases each Third Party Content Supplier from any claim it may have otherwise had in connection with the Report, or the negotiation of, entry into, performance of, or termination of these Terms.
5. The End User acknowledges that any Third Party Supplier shall be entitled to plead the benefits conferred on it under clause 4, despite not being a party to these terms.
 6. End User must not remove any copyright notices, trade marks, digital rights management information, other embedded information, disclaimers or limitations from the Report or authorise any person to do so.
 7. End User acknowledges and agrees that Lotsearch and Third Party Content Suppliers retain ownership of all copyright, patent, design right (registered or unregistered), trade marks (registered or unregistered), database right or other data right, moral right or know how or any other intellectual property right in any Report or any other item, information or data included in or provided as part of a Report.
 8. To the extent permitted by law and subject to paragraph 9, all implied terms, representations and warranties whether statutory or otherwise relating to the subject matter of these Terms other than as expressly set out in these Terms are excluded.
 9. Subject to paragraph 6, Lotsearch excludes liability to End User for loss or damage of any kind, however caused, due to Lotsearch's negligence, breach of contract, breach of any law, in equity, under indemnities or otherwise, arising out of all acts, omissions and events whenever occurring.
 10. Lotsearch acknowledges that if, under applicable State, Territory or Commonwealth law, End User is a consumer certain rights may be conferred on End User which cannot be excluded, restricted or modified. If so, and if that law applies to Lotsearch, then, Lotsearch's liability is limited to the greater of an amount equal to the cost of resupplying the Report and the maximum extent permitted under applicable laws.
 11. Subject to paragraph 9, neither Lotsearch nor the End User is liable to the other for:
 - (a) any indirect, incidental, consequential, special or exemplary damages arising out of or in relation to the Report or these Terms; or
 - (b) any loss of profit, loss of revenue, loss of interest, loss of data, loss of goodwill or loss of business opportunities, business interruption arising directly or indirectly out of or in relation to the Report or these Terms,
 irrespective of how that liability arises including in contract or tort, liability under indemnity or for any other common law, equitable or statutory cause of action or otherwise.
 12. These Terms are subject to New South Wales law.

Appendix D

Borehole Logs



BOREHOLE LOG

BOREHOLE No: BH1

Page: 1 of 1

| | | | | | |
|---------------|------------------------------------|--------------|------------------|------------|----------------------|
| Client: | The Bathla Group | Drilling Co: | Geotesta Pty Ltd | Easting: | --- |
| Project: | 13L Narromine Road, Dubbo NSW 2830 | Driller: | Ali | Northing: | --- |
| Job No: | NE1167 | Rig Type: | Ute Mounted | Grid Ref: | See Figure 1 |
| Location: | 13L Narromine Road, Dubbo NSW 2830 | Inclination: | Vertical | Collar RL: | |
| Date Drilled: | 20/01/2022 | Bearing: | Vertical | Logged by: | BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|---------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty Clay with sand, red-brown | W | - | 6 | Di-1-1: 0.1m | | | |
| | | | CI | Silty CLAY: red-brown with medium plasticity | M | F | 2 | | | | |
| 0.50 | | | | | | | 1 | | | | 0.50 |
| | | | | | | | 1 | Att-1-1: 1.2m | | | |
| 1.00 | | | | Grades, orange-brown, with gravel pieces | | ST VST | 4 | | | | 1.00 |
| | | | | | | | 9 | S-1-1: 1.3m | | | |
| 1.50 | | | | | | | 6 | | | | 1.50 |
| | | | | | | | 10 | | | | |
| 2.00 | | | | | | | 10 | | | | 2.00 |
| | | | | | | H | 9 | | | | |
| 2.50 | | | | | | | 11 | | | | 2.50 |
| | | | | | | | 14 | | | | |
| 3.00 | | | | Grades, mottled grey yellow-brown, medium to high plasticity | | | 11 | | | | 3.00 |
| | | | | | | | 12 | | | | |
| 3.50 | | | | | | | 9 | | | | 3.50 |
| | | | | | | | 9 | | | | |
| 4.00 | | | | | | | 12 | | | | 4.00 |
| | | | | | | | 14 | | | | |
| 4.50 | | | | | | | 18 | | | | 4.50 |
| | | | | | | | 17 | | | | |
| | | | | | | | 14 | | | | |
| | | | | | | | 15 | | | | |
| | | | | | | | 17 | | | | |
| | | | | | | | 17 | | | | |
| | | | | | | | Refusal | Number of blows>20 | | | |
| 5.00 | | | | Borehole Terminated at 4.5m. | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense
 EL: extremely low strength

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH2

Page: 1 of 1

| | | | | | |
|---------------|-------------------------------|--------------|------------------|------------|----------------------|
| Client: | The Bathla Group | Drilling Co: | Geotesta Pty Ltd | Easting: | --- |
| Project: | 2830 | Driller: | Ali | Northing: | --- |
| Job No: | NE1167 | Rig Type: | Ute Mounted | Grid Ref: | See Figure 1 |
| Location: | 13L Narramine Road, Dubbo NSW | Inclination: | Vertical | Collar RL: | |
| Date Drilled: | 20/01/2022 | Bearing: | Vertical | Logged by: | BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|------------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| 0.50 | | | CI | TOPSOIL: Silty Clay with gravel, red brown | D-M | | 13 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | | 5 | | | | |
| | | | | Silty CLAY: medium plasticity, red-brown | D-M | ST | 5 | Di-2-1: 0.15m | | | |
| | | | | | | | 4 | Di-2-2: 0.2m | | | 0.50 |
| | | | | | | | 4 | Di-2-3: 0.1m | | | |
| | | | | | | VST | 8 | | | | |
| | | | | | | | 12 | S2-1: 1.3m | | | |
| | | | | | | | 12 | | | | |
| | | | | | | | 12 | ATT-2-1: 0.9m | | | 1.00 |
| | | | | | | | 11 | | | | |
| | | | | Becoming high plasticity | M | | 8 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 5 | | | | 1.50 |
| | | | | | | | 7 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 5 | | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 6 | | | | 2.00 |
| | | | | | | | 5 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | H | 10 | | | | 2.50 |
| | | | | | | | 12 | | | | |
| | | | | | | | 14 | | | | |
| | | | | | | | Refusal | Number of blows > 20 | | | |
| 3.00 | | | | Borehole Terminated at 3m. | | | | | | | 3.00 |
| 3.50 | | | | | | | | | | | 3.50 |
| 4.00 | | | | | | | | | | | 4.00 |
| 4.50 | | | | | | | | | | | 4.50 |
| 5.00 | | | | | | | | | | | 5.00 |

| | | | | | | |
|--|---|--|--|--|---|---|
| consistency: VS very soft S soft F firm ST stiff VST very stiff H hard WC well compacted | relative density: VL very loose L loose MD medium dense D dense VD very dense | moisture: D Dry M Moist W Wet S Saturated | Notes: water level level risen to water inflow | soil classification: soil is classified in accordance with AS1726 unless otherwise noted | sampling / testing: intact sample from core T intact tube sample | Standard Penetration Test B Bulk sample Supp Su from Pocket Penetrometer Suv Su from Field Vane Shear test |
| EL: extremely low strength | | | | | | |



BOREHOLE LOG

BOREHOLE No: BH3

Page: 1 of 1

| | | | | | |
|---------------|-------------------------------|--------------|------------------|------------|----------------------|
| Client: | The Bathla Group | Drilling Co: | Geotesta Pty Ltd | Easting: | --- |
| Project: | 13L Narramine Road, Dubbo NSW | Driller: | Ali | Northing: | --- |
| Job No: | 2830 | Rig Type: | Ute Mounted | Grid Ref: | See Figure 1 |
| Location: | NE1167 | Inclination: | Vertical | Collar RL: | |
| Date Drilled: | 13L Narramine Road, Dubbo NSW | Bearing: | Vertical | Logged by: | BD Checked by: M.H.B |
| | 20/01/2022 | | | | |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|---------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| 0.50 | | | CI | TOPSOIL: Silty Clay with gravel, brown-red | D.M | | 10 | Di-3-1: 0.1m | | | |
| | | | | | | | 8 | Di-3-2: 0.2m | | | |
| | | | | | | | 6 | Di-3-3: 0.3m | | | |
| | | | | | | | 4 | | | | |
| | | | | Silty CLAY: medium plasticity, red-brown | M | ST | 5 | Di-3: 0.5m | | | 0.50 |
| | | | | | | VST | 6 | | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 6 | | | | |
| 1.00 | | | | with gravel, mottled gray brown | | | 7 | | | | 1.00 |
| | | | | | | | 8 | | | | |
| | | | | | | | 9 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | H | 11 | | | | |
| 1.50 | | | | | | | 14 | | | | 1.50 |
| | | | | | | | 18 | | | | |
| | | | | | | | 18 | S3-1: 1.8m | | | |
| | | | | | | | Refusal | Number of blows >20 | | | |
| 2.00 | | | | SHAILE: Extremely Weathered, Very Low Strength, red brown, n | M | H | | | | | 2.00 |
| | | | | Borhole refusal at 2m | | | | | | | |
| 2.50 | | | | | | | | | | | 2.50 |
| | | | | | | | | | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

| | | | | |
|--|---|--|--|---|
| consistency: VS very soft S soft F firm ST stiff VST very stiff H hard WC well compacted | relative density: VL very loose L loose MD medium dense D dense VD very dense EL: extremely low strength | moisture: D Dry M Moist W Wet S Saturated water: ▼ water level ▲ level risen to ● water inflow | Notes: sampling / testing: ■ intact sample from core T intact tube sample | Standard Penetration Test B Bulk sample Supp Su from Pocket Penetrometer Suv Su from Field Vane Shear test |
|--|---|--|--|---|

soil classification:
soil is classified in accordance with AS1726 unless otherwise noted



BOREHOLE LOG

BOREHOLE No: BH4

Page: 1 of 1

| | | | | | |
|---------------|-------------------------------|--------------|------------------|------------|----------------------|
| Client: | The Bathla Group | Drilling Co: | Geotesta Pty Ltd | Easting: | --- |
| Project: | 2830 | Driller: | Ali | Northing: | --- |
| Job No: | NE1167 | Rig Type: | Ute Mounted | Grid Ref: | See Figure 1 |
| Location: | 13L Narromine Road, Dubbo NSW | Inclination: | Vertical | Collar RL: | |
| Date Drilled: | 20/01/2022 | Bearing: | Vertical | Logged by: | BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|----------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty Clay, red-brown | | WC | 9 | Di-4-1: 0.1m | | | |
| | | | | | | | 8 | Di-4-2: 0.2m | | | |
| | | | CI | Silty CLAY : medium plasticity, red-brown | M | ST | 4 | Di-4-3: 0.3m | | | |
| 0.50 | | | | | | VST | 4 | Di-4: 0.5 | | | 0.50 |
| | | | | | | | 5 | | | | |
| | | | | | | | 5 | Att-4-1: 0.7m | | | |
| | | | | | | | 6 | S-4-1: 0.8m | | | |
| | | | | | | | 7 | | | | |
| 1.00 | | | | becoming mottled grey-brown | | | 5 | | | | 1.00 |
| | | | | | | | 6 | | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | | 8 | | | | |
| 1.50 | | | | | | H | 9 | | | | 1.50 |
| | | | | | | | 11 | | | | |
| | | | | | | | 14 | | | | |
| | | | | | | | 16 | | | | |
| | | | | | | | 17 | | | | |
| 2.00 | | | | | | | 18 | | | | 2.00 |
| | | | | Sandy CLAY with silt, medium plasticity, yellow-orange white | D-M | M | 16 | | | | |
| | | | | | | | 17 | | | | |
| | | | | | | | 18 | | | | |
| 2.50 | | | | becoming yellow orange | | | 17 | | | | 2.50 |
| | | | | | | | 19 | | | | |
| | | | | | | | Refusal | Number of blows > 20 | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | Borhole terminated at 3m | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

| | | | | | |
|--|---|--|--|---|--|
| consistency: VS very soft S soft F firm ST stiff VST very stiff H hard WC well compacted | relative density: VL very loose L loose MD medium dense D dense VD very dense | moisture: D Dry M Moist W Wet S Saturated | Notes: water level level risen to water inflow | sampling / testing: intact sample from core intact tube sample | Standard Penetration Test B Bulk sample Supp Su from Pocket Penetrometer Suv Su from Field Vane Shear test |
| soil classification: soil is classified in accordance with AS1726 unless otherwise noted | EL: extremely low strength | water level level risen to water inflow | | intact sample from core intact tube sample | Standard Penetrometer Test B Bulk sample Supp Su from Pocket Penetrometer Suv Su from Field Vane Shear test |



BOREHOLE LOG

BOREHOLE No: BH5

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|---------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty CLAY , red- brown | M | PC | 5 | | | | |
| | | | CI | Silty CLAY : medium plasticity, red- brown | M | VST | 5 | Di-5-1: 0.1m | | | |
| 0.50 | | | | | | | 6 | Di-5-2: 0.15m | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 8 | | | | 0.50 |
| | | | | | | | 6 | | | | |
| | | | | | | | 5 | | | | |
| | | | | | | | 5 | | | | |
| 1.00 | | | | | | | 7 | | | | |
| | | | | | | | 6 | S-5-1: 0.9m | | | 1.00 |
| | | | | | | | 6 | Di-5: 1m | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 8 | | | | 1.50 |
| 1.50 | | | | | | | 8 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 6 | | | | 2.00 |
| 2.00 | | | | | | | 6 | | | | |
| | | | | | | | 5 | | | | |
| | | | | | | | 6 | | | | |
| | | | | | | | 12 | | | | 2.50 |
| 2.50 | | | | Grades: becoming orange brown | | H | R | Number of blows >20 | | | |
| | | | | Grades: with gravel dominated, red- brown | | | | | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | Borehole terminated at 3m | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH6

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|---------------------|-----------------|--------------|-----------|
| 0.00 | | | | TOPSOIL: Silty CLAY, red-brown | M | WC | 9 | | | | 0.00 |
| 0.50 | | | CI | Silty CLAY: medium plasticity, red- brown | M | VST | 5 | Di - 6-1: 0.1m | | | 0.50 |
| 1.00 | | | | | | | 4 | Di - 6-2: 0.1m | | | 1.00 |
| 1.50 | | | | | | | 5 | Di - 6-3: 0.15m | | | 1.50 |
| 2.00 | | | | | | | 6 | | | | 2.00 |
| 2.50 | | | | | | | 5 | | | | 2.50 |
| 3.00 | | | | | | | 6 | Di - 6: 1m | | | 3.00 |
| 3.50 | | | | | | | 5 | | | | 3.50 |
| 4.00 | | | | | | | 6 | | | | 4.00 |
| 4.50 | | | | | | | 5 | | | | 4.50 |
| 5.00 | | | | | | | 6 | | | | 5.00 |
| | | | | | | | 7 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | | 9 | | | | |
| | | | | | | | 10 | | | | |
| | | | | | | | 11 | | | | |
| | | | | | | | 12 | | | | |
| | | | | | | | 13 | | | | |
| | | | | | | | 14 | | | | |
| | | | | | | | 15 | | | | |
| | | | | | | | 16 | | | | |
| | | | | | | | 17 | | | | |
| | | | | | | | 18 | | | | |
| | | | | | | | 19 | | | | |
| | | | | | | | 20 | | | | |
| | | | | | | | 21 | | | | |
| | | | | | | | 22 | | | | |
| | | | | | | | 23 | | | | |
| | | | | | | | 24 | | | | |
| | | | | | | | 25 | | | | |
| | | | | | | | 26 | | | | |
| | | | | | | | 27 | | | | |
| | | | | | | | 28 | | | | |
| | | | | | | | 29 | | | | |
| | | | | | | | 30 | | | | |
| | | | | | | | 31 | | | | |
| | | | | | | | 32 | | | | |
| | | | | | | | 33 | | | | |
| | | | | | | | 34 | | | | |
| | | | | | | | 35 | | | | |
| | | | | | | | 36 | | | | |
| | | | | | | | 37 | | | | |
| | | | | | | | 38 | | | | |
| | | | | | | | 39 | | | | |
| | | | | | | | 40 | | | | |
| | | | | | | | 41 | | | | |
| | | | | | | | 42 | | | | |
| | | | | | | | 43 | | | | |
| | | | | | | | 44 | | | | |
| | | | | | | | 45 | | | | |
| | | | | | | | 46 | | | | |
| | | | | | | | 47 | | | | |
| | | | | | | | 48 | | | | |
| | | | | | | | 49 | | | | |
| | | | | | | | 50 | | | | |
| | | | | | | | 51 | | | | |
| | | | | | | | 52 | | | | |
| | | | | | | | 53 | | | | |
| | | | | | | | 54 | | | | |
| | | | | | | | 55 | | | | |
| | | | | | | | 56 | | | | |
| | | | | | | | 57 | | | | |
| | | | | | | | 58 | | | | |
| | | | | | | | 59 | | | | |
| | | | | | | | 60 | | | | |
| | | | | | | | 61 | | | | |
| | | | | | | | 62 | | | | |
| | | | | | | | 63 | | | | |
| | | | | | | | 64 | | | | |
| | | | | | | | 65 | | | | |
| | | | | | | | 66 | | | | |
| | | | | | | | 67 | | | | |
| | | | | | | | 68 | | | | |
| | | | | | | | 69 | | | | |
| | | | | | | | 70 | | | | |
| | | | | | | | 71 | | | | |
| | | | | | | | 72 | | | | |
| | | | | | | | 73 | | | | |
| | | | | | | | 74 | | | | |
| | | | | | | | 75 | | | | |
| | | | | | | | 76 | | | | |
| | | | | | | | 77 | | | | |
| | | | | | | | 78 | | | | |
| | | | | | | | 79 | | | | |
| | | | | | | | 80 | | | | |
| | | | | | | | 81 | | | | |
| | | | | | | | 82 | | | | |
| | | | | | | | 83 | | | | |
| | | | | | | | 84 | | | | |
| | | | | | | | 85 | | | | |
| | | | | | | | 86 | | | | |
| | | | | | | | 87 | | | | |
| | | | | | | | 88 | | | | |
| | | | | | | | 89 | | | | |
| | | | | | | | 90 | | | | |
| | | | | | | | 91 | | | | |
| | | | | | | | 92 | | | | |
| | | | | | | | 93 | | | | |
| | | | | | | | 94 | | | | |
| | | | | | | | 95 | | | | |
| | | | | | | | 96 | | | | |
| | | | | | | | 97 | | | | |
| | | | | | | | 98 | | | | |
| | | | | | | | 99 | | | | |
| | | | | | | | 100 | | | | |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense
 EL: extremely low strength

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 water level
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH7

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|------------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty CLAY, red - brown | D-M | WC | 10 | | | | |
| | | | | | | | 12 | Di - 7 -1 : 0.1m | | | |
| 0.50 | | | | Silty CLAY: medium plasticity, red- brown | D-M | | 16 | Di - 7 -2 : 0.2m | | | |
| | | | | | | | 7 | Di - 7 - 3 : 0.15m | | | |
| | | | | | | | 6 | | | | 0.50 |
| | | | | | | | 5 | | | | |
| | | | | | | | 3 | | | | |
| | | | | | | | 6 | | | | |
| 1.00 | | | | Grades: becoming yellow- brown | | ST | 9 | | | | 1.00 |
| | | | | | | | 5 | | | | |
| | | | | | | | 4 | | | | |
| | | | | | | | 4 | | | | |
| 1.50 | | | | Grades: becoming mottled grey yellow - brown | | VST | 4 | S- 7-1 : 1.4m | | | 1.50 |
| | | | | | | | 5 | Att -7- 1: 1.4m | | | |
| | | | | | | | 5 | | | | |
| 2.00 | | | | Grades: becoming more grey | | | 8 | Number of blows > 20 | | | 2.00 |
| | | | | | | | R | | | | |
| 2.50 | | | | Borehole refusal at 2.5m | | | | | | | 2.50 |
| | | | | | | | | | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

EL: extremely low strength

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH8

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|---|----------|------------------------|--------------------|------------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty CLAY , red - brown, with gravel dominated | D-M | WC | 15 | Di -8-1: 0.1m | | | |
| | | | | s | | | 8 | Di -8-2 : 0.15m | | | |
| 0.50 | | | CI | Natural silty CLAY : medium plasticity, red - brown | D-M | VST | 14 | Di -8-3: 0.1m | | | 0.50 |
| | | | | | | | 9 | Di -8-4 : 0.2m | | | |
| | | | | | | | 8 | | | | |
| | | | | | | | 4 | | | | |
| | | | | | | | 10 | | | | |
| 1.00 | | | | Clayey SILT : medium plasticity, brown, with sand soil, yellow - wije | M | VST | 5 | Att - 8 -1: 1m | | | 1.00 |
| | | | | | | | 11 | | | | |
| | | | | | | | 7 | | | | |
| | | | | Grades: becoming mottled grey yellow - brown | | | 6 | | | | |
| | | | | | | | 7 | | | | |
| 1.50 | | | | Grades: becoming red- brown | | | 5 | S-8-1: 1.4m | | | 1.50 |
| | | | | | | | R>20 | | | | |
| 2.00 | | | | Borehole refusal at 1.8m | | | | | | | 2.00 |
| | | | | | | | | | | | |
| 2.50 | | | | | | | | | | | 2.50 |
| | | | | | | | | | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 water level
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726
 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH9

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--|---|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty CLAY, red -brown | M | PC | 13 4 2 | | | | |
| 0.50 | | | | Silty CLAY: medium plasticity, red- brown orange | M | ST | 2 3 3 3 4 4 3 4 4 5 5 5 6 6 5 7 8 8 10 10 12 12 14 14 17 | Di - 9: 0.5m S-9-1 : 0.5m Att 9-1: 0.5m | | | 0.50 |
| 1.00 | | | | | | VST | | | | | 1.00 |
| 1.50 | | | | | | | | | | | 1.50 |
| 2.00 | | | | Grades: becoming yellow - orange | | H | | | | | 2.00 |
| 2.50 | | | | | | | | | | | 2.50 |
| 3.00 | | | | Borehole termination at 3m | | | | | | | 3.00 |
| 3.50 | | | | | | | | | | | 3.50 |
| 4.00 | | | | | | | | | | | 4.00 |
| 4.50 | | | | | | | | | | | 4.50 |
| 5.00 | | | | | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 water level
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test



BOREHOLE LOG

BOREHOLE No: BH10

Page: 1 of 1

| | | |
|--|-------------------------------|---------------------------------|
| Client: The Bathla Group | Drilling Co: Geotesta Pty Ltd | Easting: --- |
| Project: 13L Narromine Road, Dubbo NSW 2830 | Driller: Ali | Northing: --- |
| Job No: NE1167 | Rig Type: Ute Mounted | Grid Ref: See Figure 1 |
| Location: 13L Narromine Road, Dubbo NSW 2830 | Inclination: Vertical | Collar RL: --- |
| Date Drilled: 20/01/2022 | Bearing: Vertical | Logged by: BD Checked by: M.H.B |

Test Method: AS 1289.6.3.2-1997 & AS 1726-2017

| Depth (m) | Drilling Method | Graphic Log | Group Symbol | MATERIAL DESCRIPTION Type, colour, particle size and shape, structure | Moisture | Consistency / Strength | DCP blows/100mm | FIELD TESTS & NOTES | Sampling / Runs | Water Levels | Depth (m) |
|-----------|-----------------|-------------|--------------|--|----------|------------------------|--------------------|------------------------|-----------------|--------------|-----------|
| 0.00 | | | | | | | | | | | 0.00 |
| | | | | TOPSOIL: Silty CLAY, red - brown | M | WC | 10 | Di -10-1: 0.1m | | | |
| | | | | Silty CLAY: medium plasticity, red- brown | M | VST | 5 | Di -10-2: 0.15m | | | |
| 0.50 | | | | | | | 4 | | | | 0.50 |
| | | | | | | | 5 | | | | |
| | | | | | | | 7 | Att-10-1: 0.5m | | | |
| | | | | | | | 7 | | | | |
| | | | | | | | 8 | S-10-1: 0.7m | | | |
| | | | | | | | 7 | | | | |
| 1.00 | | | | Grades: becoming more moist orange - brown - red | | | 7 | | | | 1.00 |
| | | | | | | | 7 | | | | |
| | | | | | | | 8 | | | | |
| | | | | | | | 8 | | | | |
| 1.50 | | | | | | | 8 | | | | 1.50 |
| | | | | | | | 7 | | | | |
| | | | | | | | 9 | | | | |
| | | | | | | | 9 | | | | |
| 2.00 | | | | Borehole terminated at 2m | | | 10 | | | | 2.00 |
| | | | | | | | 10 | | | | |
| 2.50 | | | | | | | | | | | 2.50 |
| | | | | | | | | | | | |
| 3.00 | | | | | | | | | | | 3.00 |
| | | | | | | | | | | | |
| 3.50 | | | | | | | | | | | 3.50 |
| | | | | | | | | | | | |
| 4.00 | | | | | | | | | | | 4.00 |
| | | | | | | | | | | | |
| 4.50 | | | | | | | | | | | 4.50 |
| | | | | | | | | | | | |
| 5.00 | | | | | | | | | | | 5.00 |

consistency:
 VS very soft
 S soft
 F firm
 ST stiff
 VST very stiff
 H hard
 WC well compacted

relative density:
 VL very loose
 L loose
 MD medium dense
 D dense
 VD very dense

moisture:
 D Dry
 M Moist
 W Wet
 S Saturated

water:
 level risen to
 water inflow

soil classification:
 soil is classified in accordance with AS1726 unless otherwise noted

Notes:

sampling / testing:

intact sample from core

intact tube sample



Standard Penetration Test

B

Bulk sample

Supp

Su from Pocket Penetrometer

Suv

Su from Field Vane Shear test

EBH1 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|---|----------|----------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, low-to-medium plasticity, brown | Moist | Moderately Compacted | Sample collected at 0.2-0.4m |
| 0.2-0.9 | CI | Silty CLAY: medium plasticity, brown, trace medium-grained sand | Moist | Firm to Stiff | Groundwater was not encountered |

EBH2 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|---|----------|----------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, medium plasticity, dark brown, traced gravel | Moist | Moderately Compacted | Sample collected at 0.0-0.2m |
| 0.1-0.5 | CI | Silty CLAY: medium plasticity, grey-brown | Moist | Stiff | Groundwater was not encountered |

EBH3 & EIL - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|---|----------|---------------------|----------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, low-to-medium plasticity, brown, with sand | Moist | Poorly Compacted | EBH3 & EIL collected at 0.0-0.4m |
| 0.2-0.4 | CI | Silty CLAY: medium plasticity, yellow brown | Moist | Firm | Groundwater was not encountered |

EBH4 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|--|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, medium-to-high plasticity, dark brown | Wet | Poorly Compacted | EBH4 collected at 0.0-0.2m |
| 0.2-1.0 | CI | Silty CLAY: medium plasticity, brown, mottled black | Moist to Wet | Firm | Groundwater was not encountered |

EBH5 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|--|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, medium plasticity, dark brown | Moist to Wet | Poorly Compacted | EBH5 collected at 0.0-0.2m |
| 0.2-0.6 | CI | Silty CLAY: medium plasticity, brown, trace ironstone pieces | Moist | Firm to Stiff | Groundwater was not encountered |

EBH6 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|---|--------------|----------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with sandstone pieces and rootlets | Moist to Wet | Moderately Compacted | EBH6 collected at 0.0-0.3m |
| 0.2-0.5 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH7 - Log

| Depth | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-------|--------|----------------------|----------|---------------------|-------------|
|-------|--------|----------------------|----------|---------------------|-------------|

| (m) | | | | | |
|---------|----|--|--------------|----------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with rootlets and boulders and crushed sandstones | Moist to Wet | Moderately Compacted | EBH7 collected at 0.0-0.2m |
| 0.2-0.4 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH8 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|--|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with rootlets | Moist to Wet | Poorly Compacted | EBH8 collected at 0.0-0.3m |
| 0.2-0.5 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH9 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|--|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with rootlets | Moist to Wet | Poorly Compacted | EBH9 collected at 0.0-0.4m |
| 0.2-0.6 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH10 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|----------------------|----------|---------------------|-------------|
|-----------|--------|----------------------|----------|---------------------|-------------|

| | | | | | |
|---------|----|--|--------------|------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with grass rootlets | Moist to Wet | Poorly Compacted | EBH10 collected at 0.0-0.3m |
| 0.2-0.5 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH11 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|---|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with sandstone fragments | Moist to Wet | Poorly Compacted | EBH11 collected at 0.0-0.3m |
| 0.2-0.5 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

EBH12 - Log

| Depth (m) | Symbol | Material Description | Moisture | Consistency/Density | Field Notes |
|-----------|--------|--|--------------|---------------------|---------------------------------|
| 0.0-0.2 | - | TOPSOIL: Silty CLAY, dark brown, with rootlets | Moist to Wet | Poorly Compacted | EBH12 collected at 0.0-0.3m |
| 0.2-0.5 | CI | Silty CLAY: medium plasticity, brown | Moist | Firm | Groundwater was not encountered |

Appendix E

Laboratory Results



Brisbane Laboratory
Unit 1, 21 Smallwood Pl, Murrumbidgee, QLD 4172
07 3992 4600 EnviSampleQLD@eurofins.com

Malbourne Laboratory
2 Kingston Town Close, Oakleigh, VIC 3166
03 8564 5000 Envirosamples@Cytosoft.com

| | | | | | | | | | | | | |
|-------------------|--|-----------------------------------|--|--|------------------|--|---------------------------|--|-----------------|--|-----------------|--|
| Company | | Geotesta | | | Project No | | NET167 | | Project Manager | | Relinquished by | |
| Address | | 6120-22 Foundry Road, Seven Hills | | | Project Name | | 111 Macmorris Road, Dubbo | | Report Format | | _____ | |
| Contact Name | | Dr. Mohammed Hossain Buzjar | | | Analysis | | Suite B10 | | Heavy Metals | | Suite B14 | |
| Phone No | | 452454418 | | | Matrix | | Soil | | X | | X | |
| Special Direction | | | | | Date | | 1/02/22 | | Soil | | X | |
| Purchase Order | | | | | Client Sample ID | | D-1-1 | | 1/02/22 | | Soil | |
| Quote ID No | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-2-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-3-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-4-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-5-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-6-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-7-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-8-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-9-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-10-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-11-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-12-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-13-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-14-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-15-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-16-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-17-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-18-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-19-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-20-1 | | 1/02/22 | | Soil | |
| | | | | | Matrix | | Soil | | X | | X | |
| | | | | | Date | | 1/02/22 | | Soil | | X | |
| | | | | | Client Sample ID | | D-21-1 | | 1/02/22 | | | |

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: - Mohammad Hossein Bazyar

Report **860033-S**
Project name **13 L NARROMINE RD DUBBO**
Project ID **NE1167**
Received Date **Feb 01, 2022**

| Client Sample ID | | | DI-1-1 Soil S22-Fe03201 Feb 01, 2022 | DI-2-1 Soil S22-Fe03202 Feb 01, 2022 | DI-2-3 Soil S22-Fe03203 Feb 01, 2022 | DI-3 Soil S22-Fe03204 Feb 01, 2022 |
|---|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | - | 0.6 | - |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | - | 1.2 | - |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Anthracene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Chrysene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Fluorene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Indeno(1,2,3-cd)pyrene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Naphthalene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Pyrene | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| Total PAH* | 0.5 | mg/kg | < 0.5 | - | < 0.5 | - |
| 2-Fluorobiphenyl (surr.) | 1 | % | 98 | - | 100 | - |
| p-Terphenyl-d14 (surr.) | 1 | % | 111 | - | 121 | - |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 3.2 | 4.3 | 3.7 | 7.2 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 88 | 99 | 91 | 160 |
| Copper | 5 | mg/kg | 15 | 28 | 30 | 33 |
| Lead | 5 | mg/kg | 10 | 14 | 12 | 8.9 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 30 | 70 | 80 | 100 |
| Zinc | 5 | mg/kg | 24 | 45 | 54 | 37 |
| | | | | | | |
| % Moisture | 1 | % | 7.2 | 4.5 | 7.1 | 14 |

| Client Sample ID | | | DI-1-1 Soil S22-Fe03201 Feb 01, 2022 | DI-2-1 Soil S22-Fe03202 Feb 01, 2022 | DI-2-3 Soil S22-Fe03203 Feb 01, 2022 | DI-3 Soil S22-Fe03204 Feb 01, 2022 |
|---|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH C10-C14 | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH C15-C28 | 50 | mg/kg | - | < 50 | - | < 50 |
| TRH C29-C36 | 50 | mg/kg | - | 64 | - | < 50 |
| TRH C10-C36 (Total) | 50 | mg/kg | - | 64 | - | < 50 |
| Naphthalene ^{N02} | 0.5 | mg/kg | - | < 0.5 | - | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH >C10-C16 | 50 | mg/kg | - | < 50 | - | < 50 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | - | < 50 | - | < 50 |
| TRH >C16-C34 | 100 | mg/kg | - | < 100 | - | < 100 |
| TRH >C34-C40 | 100 | mg/kg | - | < 100 | - | < 100 |
| TRH >C10-C40 (total)* | 100 | mg/kg | - | < 100 | - | < 100 |

| Client Sample ID | | | DI-3-2 Soil S22-Fe03205 Feb 01, 2022 | DI-3-3 Soil S22-Fe03206 Feb 01, 2022 | DI-4 Soil S22-Fe03207 Feb 01, 2022 | DI-4-3 Soil S22-Fe03208 Feb 01, 2022 |
|---|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | - | - | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | - | - | 1.2 |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Chrysene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Fluorene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Indeno(1,2,3-cd)pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Naphthalene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Total PAH* | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | 94 | - | - | 99 |
| p-Terphenyl-d14 (surr.) | 1 | % | 106 | - | - | 94 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 6.5 | 7.2 | 3.6 | 3.3 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 52 | 74 | 28 | 42 |
| Copper | 5 | mg/kg | 19 | 23 | 11 | 15 |
| Lead | 5 | mg/kg | 12 | 10 | 10 | 8.3 |

| Client Sample ID | | | DI-3-2 Soil S22-Fe03205 Feb 01, 2022 | DI-3-3 Soil S22-Fe03206 Feb 01, 2022 | DI-4 Soil S22-Fe03207 Feb 01, 2022 | DI-4-3 Soil S22-Fe03208 Feb 01, 2022 |
|---|------|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Heavy Metals | | | | | | |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 42 | 60 | 46 | 28 |
| Zinc | 5 | mg/kg | 52 | 62 | 30 | 34 |
| | | | | | | |
| % Moisture | 1 | % | 7.0 | 6.2 | 11 | 12 |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | - | < 20 | - | - |
| TRH C10-C14 | 20 | mg/kg | - | < 20 | - | - |
| TRH C15-C28 | 50 | mg/kg | - | < 50 | - | - |
| TRH C29-C36 | 50 | mg/kg | - | 61 | - | - |
| TRH C10-C36 (Total) | 50 | mg/kg | - | 61 | - | - |
| Naphthalene ^{N02} | 0.5 | mg/kg | - | < 0.5 | - | - |
| TRH C6-C10 | 20 | mg/kg | - | < 20 | - | - |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | - | < 20 | - | - |
| TRH >C10-C16 | 50 | mg/kg | - | < 50 | - | - |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | - | < 50 | - | - |
| TRH >C16-C34 | 100 | mg/kg | - | < 100 | - | - |
| TRH >C34-C40 | 100 | mg/kg | - | < 100 | - | - |
| TRH >C10-C40 (total)* | 100 | mg/kg | - | < 100 | - | - |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | - | - | < 0.1 | - |
| 4,4'-DDD | 0.05 | mg/kg | - | - | < 0.05 | - |
| 4,4'-DDE | 0.05 | mg/kg | - | - | < 0.05 | - |
| 4,4'-DDT | 0.05 | mg/kg | - | - | < 0.05 | - |
| a-HCH | 0.05 | mg/kg | - | - | < 0.05 | - |
| Aldrin | 0.05 | mg/kg | - | - | < 0.05 | - |
| b-HCH | 0.05 | mg/kg | - | - | < 0.05 | - |
| d-HCH | 0.05 | mg/kg | - | - | < 0.05 | - |
| Dieldrin | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endosulfan I | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endosulfan II | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endosulfan sulphate | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endrin | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endrin aldehyde | 0.05 | mg/kg | - | - | < 0.05 | - |
| Endrin ketone | 0.05 | mg/kg | - | - | < 0.05 | - |
| g-HCH (Lindane) | 0.05 | mg/kg | - | - | < 0.05 | - |
| Heptachlor | 0.05 | mg/kg | - | - | < 0.05 | - |
| Heptachlor epoxide | 0.05 | mg/kg | - | - | < 0.05 | - |
| Hexachlorobenzene | 0.05 | mg/kg | - | - | < 0.05 | - |
| Methoxychlor | 0.05 | mg/kg | - | - | < 0.05 | - |
| Toxaphene | 0.5 | mg/kg | - | - | < 0.5 | - |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | - | - | < 0.05 | - |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | - | - | < 0.05 | - |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | - |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | - |
| Dibutylchloroendate (surr.) | 1 | % | - | - | 82 | - |
| Tetrachloro-m-xylene (surr.) | 1 | % | - | - | 83 | - |

| Client Sample ID | | | DI-3-2 Soil S22-Fe03205 Feb 01, 2022 | DI-3-3 Soil S22-Fe03206 Feb 01, 2022 | DI-4 Soil S22-Fe03207 Feb 01, 2022 | DI-4-3 Soil S22-Fe03208 Feb 01, 2022 |
|------------------------------------|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | - |
| Bolstar | 0.2 | mg/kg | - | - | < 0.2 | - |
| Chlorfenvinphos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Chlorpyrifos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Chlorpyrifos-methyl | 0.2 | mg/kg | - | - | < 0.2 | - |
| Coumaphos | 2 | mg/kg | - | - | < 2 | - |
| Demeton-S | 0.2 | mg/kg | - | - | < 0.2 | - |
| Demeton-O | 0.2 | mg/kg | - | - | < 0.2 | - |
| Diazinon | 0.2 | mg/kg | - | - | < 0.2 | - |
| Dichlorvos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Dimethoate | 0.2 | mg/kg | - | - | < 0.2 | - |
| Disulfoton | 0.2 | mg/kg | - | - | < 0.2 | - |
| EPN | 0.2 | mg/kg | - | - | < 0.2 | - |
| Ethion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Ethoprop | 0.2 | mg/kg | - | - | < 0.2 | - |
| Ethyl parathion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Fenitrothion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Fensulfothion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Fenthion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Malathion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Merphos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Methyl parathion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Mevinphos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Monocrotophos | 2 | mg/kg | - | - | < 2 | - |
| Naled | 0.2 | mg/kg | - | - | < 0.2 | - |
| Omethoate | 2 | mg/kg | - | - | < 2 | - |
| Phorate | 0.2 | mg/kg | - | - | < 0.2 | - |
| Pirimiphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | - |
| Pyrazophos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Ronnel | 0.2 | mg/kg | - | - | < 0.2 | - |
| Terbufos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Tetrachlorvinphos | 0.2 | mg/kg | - | - | < 0.2 | - |
| Tokuthion | 0.2 | mg/kg | - | - | < 0.2 | - |
| Trichloronate | 0.2 | mg/kg | - | - | < 0.2 | - |
| Triphenylphosphate (surr.) | 1 | % | - | - | 82 | - |

| Client Sample ID | | | DI-5 Soil S22-Fe03209 Feb 01, 2022 | DI-5-1 Soil S22-Fe03210 Feb 01, 2022 | DI-6 Soil S22-Fe03211 Feb 01, 2022 | D-6-2 Soil S22-Fe03212 Feb 01, 2022 |
|---------------------|-----|-------|---|---|---|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 6.6 | 5.3 | 4.3 | 3.2 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 160 | 120 | 83 | 200 |
| Copper | 5 | mg/kg | 32 | 22 | 17 | 42 |
| Lead | 5 | mg/kg | 14 | 12 | 14 | 9.8 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |

| Client Sample ID | | | DI-5 Soil S22-Fe03209 Feb 01, 2022 | DI-5-1 Soil S22-Fe03210 Feb 01, 2022 | DI-6 Soil S22-Fe03211 Feb 01, 2022 | D-6-2 Soil S22-Fe03212 Feb 01, 2022 |
|---|------|-------|---|---|---|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Heavy Metals | | | | | | |
| Nickel | 5 | mg/kg | 71 | 57 | 37 | 130 |
| Zinc | 5 | mg/kg | 33 | 40 | 19 | 64 |
| | | | | | | |
| % Moisture | 1 | % | 13 | 11 | 15 | 12 |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | - | < 20 | < 20 | - |
| TRH C10-C14 | 20 | mg/kg | - | < 20 | < 20 | - |
| TRH C15-C28 | 50 | mg/kg | - | 56 | < 50 | - |
| TRH C29-C36 | 50 | mg/kg | - | 140 | < 50 | - |
| TRH C10-C36 (Total) | 50 | mg/kg | - | 196 | < 50 | - |
| Naphthalene ^{N02} | 0.5 | mg/kg | - | < 0.5 | < 0.5 | - |
| TRH C6-C10 | 20 | mg/kg | - | < 20 | < 20 | - |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | - | < 20 | < 20 | - |
| TRH >C10-C16 | 50 | mg/kg | - | < 50 | < 50 | - |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | - | < 50 | < 50 | - |
| TRH >C16-C34 | 100 | mg/kg | - | 150 | < 100 | - |
| TRH >C34-C40 | 100 | mg/kg | - | < 100 | < 100 | - |
| TRH >C10-C40 (total)* | 100 | mg/kg | - | 150 | < 100 | - |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | - | - | < 0.1 | < 0.1 |
| 4,4'-DDD | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| 4,4'-DDE | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| 4,4'-DDT | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| a-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Aldrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| b-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| d-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Dieldrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endosulfan I | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endosulfan II | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endosulfan sulphate | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endrin aldehyde | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Endrin ketone | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| g-HCH (Lindane) | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Heptachlor | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Heptachlor epoxide | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Hexachlorobenzene | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Methoxychlor | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Toxaphene | 0.5 | mg/kg | - | - | < 0.5 | < 0.5 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | - | - | < 0.05 | < 0.05 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | < 0.1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | < 0.1 |
| Dibutylchloroendate (surr.) | 1 | % | - | - | 102 | 82 |
| Tetrachloro-m-xylene (surr.) | 1 | % | - | - | 98 | 103 |

| Client Sample ID | | | DI-5 Soil S22-Fe03209 Feb 01, 2022 | DI-5-1 Soil S22-Fe03210 Feb 01, 2022 | DI-6 Soil S22-Fe03211 Feb 01, 2022 | D-6-2 Soil S22-Fe03212 Feb 01, 2022 |
|------------------------------------|-----|-------|---|---|---|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Bolstar | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Chlorfenvinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Chlorpyrifos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Coumaphos | 2 | mg/kg | - | - | < 2 | < 2 |
| Demeton-S | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Demeton-O | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Diazinon | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Dichlorvos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Dimethoate | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Disulfoton | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| EPN | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Ethion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Ethoprop | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Ethyl parathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Fenitrothion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Fensulfothion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Fenthion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Malathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Merphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Methyl parathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Mevinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Monocrotophos | 2 | mg/kg | - | - | < 2 | < 2 |
| Naled | 0.2 | mg/kg | - | - | < 0.5 | < 0.5 |
| Omethoate | 2 | mg/kg | - | - | < 2 | < 2 |
| Phorate | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Pirimiphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Pyrazophos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Ronnel | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Terbufos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Tetrachlorvinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Tokuthion | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Trichloronate | 0.2 | mg/kg | - | - | < 0.2 | < 0.2 |
| Triphenylphosphate (surr.) | 1 | % | - | - | 100 | 92 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | - | - | - |
| Toluene | 0.1 | mg/kg | < 0.1 | - | - | - |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | - | - | - |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | - | - | - |
| o-Xylene | 0.1 | mg/kg | < 0.1 | - | - | - |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | - | - | - |
| 4-Bromofluorobenzene (surr.) | 1 | % | 82 | - | - | - |

| Client Sample ID | | | DI-7-1 Soil S22-Fe03213 Feb 01, 2022 | DI-7-2 Soil S22-Fe03214 Feb 01, 2022 | DI-8-1 Soil S22-Fe03215 Feb 01, 2022 | DI-9 Soil S22-Fe03216 Feb 01, 2022 |
|---|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | - | - | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | - | - | 1.2 |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Chrysene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Fluorene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Indeno(1,2,3-cd)pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Naphthalene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Pyrene | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| Total PAH* | 0.5 | mg/kg | < 0.5 | - | - | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | 106 | - | - | 88 |
| p-Terphenyl-d14 (surr.) | 1 | % | 115 | - | - | 90 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 7.8 | 7.5 | 6.3 | 4.5 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 53 | 99 | 130 | 74 |
| Copper | 5 | mg/kg | 15 | 33 | 15 | 18 |
| Lead | 5 | mg/kg | 10 | 15 | 13 | 10 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 44 | 65 | 56 | 58 |
| Zinc | 5 | mg/kg | 33 | 63 | 29 | 35 |
| | | | | | | |
| % Moisture | 1 | % | 9.3 | 18 | 3.0 | 18 |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | < 20 | - | < 20 | < 20 |
| TRH C10-C14 | 20 | mg/kg | < 20 | - | < 20 | < 20 |
| TRH C15-C28 | 50 | mg/kg | < 50 | - | < 50 | < 50 |
| TRH C29-C36 | 50 | mg/kg | < 50 | - | < 50 | < 50 |
| TRH C10-C36 (Total) | 50 | mg/kg | < 50 | - | < 50 | < 50 |
| Naphthalene ^{N02} | 0.5 | mg/kg | < 0.5 | - | < 0.5 | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | < 20 | - | < 20 | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | < 20 | - | < 20 | < 20 |
| TRH >C10-C16 | 50 | mg/kg | < 50 | - | < 50 | < 50 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | < 50 | - | < 50 | < 50 |
| TRH >C16-C34 | 100 | mg/kg | < 100 | - | < 100 | < 100 |
| TRH >C34-C40 | 100 | mg/kg | < 100 | - | < 100 | < 100 |
| TRH >C10-C40 (total)* | 100 | mg/kg | < 100 | - | < 100 | < 100 |

| Client Sample ID | | | DI-7-1 | DI-7-2 | DI-8-1 | DI-9 |
|-------------------------------------|------|-------|--------------|--------------|--------------|--------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-Fe03213 | S22-Fe03214 | S22-Fe03215 | S22-Fe03216 |
| Date Sampled | | | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | < 0.1 | < 0.1 | - | < 0.1 |
| 4,4'-DDD | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| 4,4'-DDE | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| 4,4'-DDT | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| a-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Aldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| b-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| d-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Dieldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endosulfan I | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endosulfan II | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endosulfan sulphate | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endrin | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endrin aldehyde | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Endrin ketone | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| g-HCH (Lindane) | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Heptachlor | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Heptachlor epoxide | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Hexachlorobenzene | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Methoxychlor | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Toxaphene | 0.5 | mg/kg | < 0.5 | < 0.5 | - | < 0.5 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | - | < 0.05 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | - | < 0.1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | - | < 0.1 |
| Dibutylchloroendate (surr.) | 1 | % | 121 | 108 | - | 92 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 118 | 103 | - | 93 |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Bolstar | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Chlorfenvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Chlorpyrifos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Coumaphos | 2 | mg/kg | < 2 | < 2 | - | < 2 |
| Demeton-S | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Demeton-O | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Diazinon | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Dichlorvos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Dimethoate | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Disulfoton | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| EPN | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Ethion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Ethoprop | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Ethyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Fenitrothion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Fensulfothion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Fenthion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Malathion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Merphos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |

| Client Sample ID | | | DI-7-1 Soil S22-Fe03213 Feb 01, 2022 | DI-7-2 Soil S22-Fe03214 Feb 01, 2022 | DI-8-1 Soil S22-Fe03215 Feb 01, 2022 | DI-9 Soil S22-Fe03216 Feb 01, 2022 |
|------------------------------------|-----|-------|---|---|---|---|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Organophosphorus Pesticides | | | | | | |
| Methyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Mevinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Monocrotophos | 2 | mg/kg | < 2 | < 2 | - | < 2 |
| Naled | 0.2 | mg/kg | < 0.5 | < 0.5 | - | < 0.5 |
| Omethoate | 2 | mg/kg | < 2 | < 2 | - | < 2 |
| Phorate | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Pirimiphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Pyrazophos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Ronnel | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Terbufos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Tetrachlorvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Tokuthion | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Trichloronate | 0.2 | mg/kg | < 0.2 | < 0.2 | - | < 0.2 |
| Triphenylphosphate (surr.) | 1 | % | 124 | 116 | - | 96 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | - | - | < 0.1 |
| Toluene | 0.1 | mg/kg | < 0.1 | - | - | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | - | - | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | - | - | < 0.2 |
| o-Xylene | 0.1 | mg/kg | < 0.1 | - | - | < 0.1 |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | - | - | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | 62 | - | - | 104 |

| Client Sample ID | | | D-9 Soil S22-Fe03217 Feb 01, 2022 | DI-10-1 Soil S22-Fe03218 Feb 01, 2022 | DI-10-2 Soil S22-Fe03219 Feb 01, 2022 | G01 DI-11-1 Soil S22-Fe03220 Feb 01, 2022 |
|---|-----|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | - | - | - | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | - | - | - | 1.2 |
| Acenaphthene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Anthracene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Chrysene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Fluoranthene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Fluorene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Indeno(1.2.3-cd)pyrene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Naphthalene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | - | - | - | < 0.5 |
| Pyrene | 0.5 | mg/kg | - | - | - | < 0.5 |

| Client Sample ID | | | D-9 Soil S22-Fe03217 Feb 01, 2022 | DI-10-1 Soil S22-Fe03218 Feb 01, 2022 | DI-10-2 Soil S22-Fe03219 Feb 01, 2022 | G01 DI-11-1 Soil S22-Fe03220 Feb 01, 2022 |
|---|------|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Total PAH* | 0.5 | mg/kg | - | - | - | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | - | - | - | 101 |
| p-Terphenyl-d14 (surr.) | 1 | % | - | - | - | 88 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 3.6 | 3.9 | 4.1 | 3.6 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 53 | 91 | 120 | 110 |
| Copper | 5 | mg/kg | 15 | 22 | 21 | 25 |
| Lead | 5 | mg/kg | 8.9 | 15 | 15 | 13 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 47 | 52 | 48 | 80 |
| Zinc | 5 | mg/kg | 29 | 34 | 33 | 150 |
| | | | | | | |
| % Moisture | 1 | % | 18 | 3.5 | 6.4 | 8.8 |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH C10-C14 | 20 | mg/kg | - | < 20 | - | 91 |
| TRH C15-C28 | 50 | mg/kg | - | < 50 | - | 930 |
| TRH C29-C36 | 50 | mg/kg | - | < 50 | - | 390 |
| TRH C10-C36 (Total) | 50 | mg/kg | - | < 50 | - | 1411 |
| Naphthalene ^{N02} | 0.5 | mg/kg | - | < 0.5 | - | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | - | < 20 | - | < 20 |
| TRH >C10-C16 | 50 | mg/kg | - | < 50 | - | 100 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | - | < 50 | - | 100 |
| TRH >C16-C34 | 100 | mg/kg | - | < 100 | - | 1200 |
| TRH >C34-C40 | 100 | mg/kg | - | < 100 | - | 200 |
| TRH >C10-C40 (total)* | 100 | mg/kg | - | < 100 | - | 1500 |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | - | - | < 0.1 | < 1 |
| 4,4'-DDD | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| 4,4'-DDE | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| 4,4'-DDT | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| a-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Aldrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| b-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| d-HCH | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Dieldrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endosulfan I | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endosulfan II | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endosulfan sulphate | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endrin | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endrin aldehyde | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Endrin ketone | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| g-HCH (Lindane) | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Heptachlor | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Heptachlor epoxide | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Hexachlorobenzene | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Methoxychlor | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |

| Client Sample ID | | | D-9 Soil S22-Fe03217 Feb 01, 2022 | DI-10-1 Soil S22-Fe03218 Feb 01, 2022 | DI-10-2 Soil S22-Fe03219 Feb 01, 2022 | G01 DI-11-1 Soil S22-Fe03220 Feb 01, 2022 |
|-------------------------------------|------|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Organochlorine Pesticides | | | | | | |
| Toxaphene | 0.5 | mg/kg | - | - | < 0.5 | < 10 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | - | - | < 0.05 | < 0.5 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | < 1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | - | - | < 0.1 | < 1 |
| Dibutylchlorodate (surr.) | 1 | % | - | - | 83 | 89 |
| Tetrachloro-m-xylene (surr.) | 1 | % | - | - | 117 | 93 |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Bolstar | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Chlorfenvinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Chlorpyrifos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Coumaphos | 2 | mg/kg | - | - | < 2 | < 5 |
| Demeton-S | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Demeton-O | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Diazinon | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Dichlorvos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Dimethoate | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Disulfoton | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| EPN | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Ethion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Ethoprop | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Ethyl parathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Fenitrothion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Fensulfothion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Fenthion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Malathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Merphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Methyl parathion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Mevinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Monocrotophos | 2 | mg/kg | - | - | < 2 | < 5 |
| Naled | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Omethoate | 2 | mg/kg | - | - | < 2 | < 5 |
| Phorate | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Pirimiphos-methyl | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Pyrazophos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Ronnel | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Terbufos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Tetrachlorvinphos | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Tokuthion | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Trichloronate | 0.2 | mg/kg | - | - | < 0.2 | < 0.5 |
| Triphenylphosphate (surr.) | 1 | % | - | - | 95 | 78 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | - | - | - | < 0.1 |
| Toluene | 0.1 | mg/kg | - | - | - | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | - | - | - | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | - | - | - | < 0.2 |
| o-Xylene | 0.1 | mg/kg | - | - | - | < 0.1 |

| Client Sample ID | | | D-9 Soil S22-Fe03217 Feb 01, 2022 | DI-10-1 Soil S22-Fe03218 Feb 01, 2022 | DI-10-2 Soil S22-Fe03219 Feb 01, 2022 | G01 DI-11-1 Soil S22-Fe03220 Feb 01, 2022 |
|------------------------------|-----|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| BTEX | | | | | | |
| Xylenes - Total* | 0.3 | mg/kg | - | - | - | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | - | - | - | 120 |

| Client Sample ID | | | G01 DI-11-2 Soil S22-Fe03221 Feb 01, 2022 | DI-12-1 Soil S22-Fe03222 Feb 01, 2022 | DI-13-1 Soil S22-Fe03223 Feb 01, 2022 | D-6 Soil S22-Fe03229 Feb 01, 2022 |
|---|-----|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | 0.6 | 0.6 | - |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | 1.2 | 1.2 | - |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Chrysene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Fluorene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Indeno(1.2.3-cd)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Naphthalene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| Total PAH* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| 2-Fluorobiphenyl (surr.) | 1 | % | 91 | 94 | 112 | - |
| p-Terphenyl-d14 (surr.) | 1 | % | 75 | 89 | 107 | - |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 12 | 4.4 | 4.1 | 4.2 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | 1.6 | < 0.4 |
| Chromium | 5 | mg/kg | 200 | 150 | 150 | 78 |
| Copper | 5 | mg/kg | 82 | 31 | 30 | 21 |
| Lead | 5 | mg/kg | 33 | 45 | 67 | 11 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 130 | 94 | 110 | 38 |
| Zinc | 5 | mg/kg | 750 | 170 | 1200 | 21 |
| | | | | | | |
| % Moisture | 1 | % | 34 | 10.0 | 5.0 | 15 |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | < 20 | < 20 | < 20 | - |
| TRH C10-C14 | 20 | mg/kg | 110 | < 20 | < 20 | - |
| TRH C15-C28 | 50 | mg/kg | 870 | 130 | 140 | - |
| TRH C29-C36 | 50 | mg/kg | 680 | 130 | 120 | - |
| TRH C10-C36 (Total) | 50 | mg/kg | 1660 | 260 | 260 | - |

| Client Sample ID | | | G01 DI-11-2 Soil S22-Fe03221 Feb 01, 2022 | DI-12-1 Soil S22-Fe03222 Feb 01, 2022 | DI-13-1 Soil S22-Fe03223 Feb 01, 2022 | D-6 Soil S22-Fe03229 Feb 01, 2022 |
|---|------|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Total Recoverable Hydrocarbons | | | | | | |
| Naphthalene ^{N02} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | - |
| TRH C6-C10 | 20 | mg/kg | < 20 | < 20 | < 20 | - |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | < 20 | < 20 | < 20 | - |
| TRH >C10-C16 | 50 | mg/kg | 120 | < 50 | < 50 | - |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | 120 | < 50 | < 50 | - |
| TRH >C16-C34 | 100 | mg/kg | 1400 | 220 | 220 | - |
| TRH >C34-C40 | 100 | mg/kg | 340 | < 100 | < 100 | - |
| TRH >C10-C40 (total)* | 100 | mg/kg | 1860 | 220 | 220 | - |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | < 1 | < 0.1 | < 0.1 | - |
| 4,4'-DDD | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| 4,4'-DDE | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| 4,4'-DDT | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| a-HCH | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Aldrin | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| b-HCH | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| d-HCH | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Dieldrin | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endosulfan I | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endosulfan II | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endosulfan sulphate | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endrin | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endrin aldehyde | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Endrin ketone | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| g-HCH (Lindane) | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Heptachlor | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Heptachlor epoxide | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Hexachlorobenzene | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Methoxychlor | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Toxaphene | 0.5 | mg/kg | < 10 | < 0.5 | < 0.5 | - |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | < 0.5 | < 0.05 | < 0.05 | - |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | < 1 | < 0.1 | < 0.1 | - |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | < 1 | < 0.1 | < 0.1 | - |
| Dibutylchloroendate (surr.) | 1 | % | 76 | 98 | 127 | - |
| Tetrachloro-m-xylene (surr.) | 1 | % | 91 | 96 | 117 | - |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Bolstar | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Chlorfenvinphos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Chlorpyrifos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Chlorpyrifos-methyl | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Coumaphos | 2 | mg/kg | < 5 | < 2 | < 2 | - |
| Demeton-S | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Demeton-O | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Diazinon | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Dichlorvos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Dimethoate | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Disulfoton | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |

| Client Sample ID | | | G01 DI-11-2 Soil S22-Fe03221 Feb 01, 2022 | DI-12-1 Soil S22-Fe03222 Feb 01, 2022 | DI-13-1 Soil S22-Fe03223 Feb 01, 2022 | D-6 Soil S22-Fe03229 Feb 01, 2022 |
|------------------------------------|-----|-------|--|--|--|--|
| Sample Matrix | | | | | | |
| Eurofins Sample No. | | | | | | |
| Date Sampled | | | | | | |
| Test/Reference | LOR | Unit | | | | |
| Organophosphorus Pesticides | | | | | | |
| EPN | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Ethion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Ethoprop | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Ethyl parathion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Fenitrothion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Fensulfothion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Fenthion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Malathion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Merphos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Methyl parathion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Mevinphos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Monocrotophos | 2 | mg/kg | < 5 | < 2 | < 2 | - |
| Naled | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Omethoate | 2 | mg/kg | < 5 | < 2 | < 2 | - |
| Phorate | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Pirimiphos-methyl | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Pyrazophos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Ronnel | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Terbufos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Tetrachlorvinphos | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Tokuthion | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Trichloronate | 0.2 | mg/kg | < 0.5 | < 0.2 | < 0.2 | - |
| Triphenylphosphate (surr.) | 1 | % | 77 | 89 | 107 | - |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | - |
| Toluene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | - |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | - |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | - |
| o-Xylene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | - |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | < 0.3 | < 0.3 | - |
| 4-Bromofluorobenzene (surr.) | 1 | % | 110 | 118 | 107 | - |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|--|--------------|--------------|--------------|
| Polycyclic Aromatic Hydrocarbons | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water | | | |
| Metals M8 | Sydney | Feb 07, 2022 | 28 Days |
| - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS | | | |
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2010 TRH C6-C40 | | | |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2010 TRH C6-C40 | | | |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2010 TRH C6-C40 | | | |
| Organochlorine Pesticides | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2220 OCP & PCB in Soil and Water | | | |
| Organophosphorus Pesticides | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS | | | |
| BTEX | Sydney | Feb 07, 2022 | 14 Days |
| - Method: LTM-ORG-2010 TRH C6-C40 | | | |
| % Moisture | Sydney | Feb 03, 2022 | 14 Days |
| - Method: LTM-GEN-7080 Moisture | | | |

| | | | | | |
|----------------------|---|-------------------|-------------|----------------------|---------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Feb 1, 2022 4:33 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 860033 | Due: | Feb 8, 2022 |
| Project Name: | 13 L NARROMINE RD DUBBO | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1167 | Fax: | | Contact Name: | - Mohammad Hossein Bazayr |

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polyyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|-----------|--------------|---------------|--------|-------------|-------------------|------|---------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | |
| 1 | DI-1-1 | Feb 01, 2022 | | Soil | S22-Fe03201 | | | X | X | | | X | | |
| 2 | DI-2-1 | Feb 01, 2022 | | Soil | S22-Fe03202 | | | | X | | | X | X | |
| 3 | DI-2-3 | Feb 01, 2022 | | Soil | S22-Fe03203 | | | X | X | | | X | | |
| 4 | DI-3 | Feb 01, 2022 | | Soil | S22-Fe03204 | | | | X | | | X | X | |
| 5 | DI-3-2 | Feb 01, 2022 | | Soil | S22-Fe03205 | | | X | X | | | X | | |
| 6 | DI-3-3 | Feb 01, 2022 | | Soil | S22-Fe03206 | | | | X | | | X | X | |
| 7 | DI-4 | Feb 01, 2022 | | Soil | S22-Fe03207 | | | | X | | X | X | | |
| 8 | DI-4-3 | Feb 01, 2022 | | Soil | S22-Fe03208 | | | X | X | | | X | | |
| 9 | DI-5 | Feb 01, 2022 | | Soil | S22-Fe03209 | | | | X | X | | X | | |

| | | | | | |
|----------------------|---|-------------------|-------------|----------------------|----------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Feb 1, 2022 4:33 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 860033 | Due: | Feb 8, 2022 |
| Project Name: | 13 L NARROMINE RD DUBBO | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1167 | Fax: | | Contact Name: | - Mohammad Hossein Bazayar |

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polycyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|---------|--------------|--|------|-------------|-------------------|------|----------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 10 | DI-5-1 | Feb 01, 2022 | | Soil | S22-Fe03210 | | | | X | | | X | X | |
| 11 | DI-6 | Feb 01, 2022 | | Soil | S22-Fe03211 | | | | X | | X | X | X | |
| 12 | D-6-2 | Feb 01, 2022 | | Soil | S22-Fe03212 | | | | X | | X | X | | |
| 13 | DI-7-1 | Feb 01, 2022 | | Soil | S22-Fe03213 | | | | | | | X | | X |
| 14 | DI-7-2 | Feb 01, 2022 | | Soil | S22-Fe03214 | | | | X | | X | X | | |
| 15 | DI-8-1 | Feb 01, 2022 | | Soil | S22-Fe03215 | | | | X | | | X | X | |
| 16 | DI-9 | Feb 01, 2022 | | Soil | S22-Fe03216 | | | | | | | X | | X |
| 17 | D-9 | Feb 01, 2022 | | Soil | S22-Fe03217 | | | | X | | | X | | |
| 18 | DI-10-1 | Feb 01, 2022 | | Soil | S22-Fe03218 | | | | X | | | X | X | |
| 19 | DI-10-2 | Feb 01, 2022 | | Soil | S22-Fe03219 | | | | X | | X | X | | |
| 20 | DI-11-1 | Feb 01, 2022 | | Soil | S22-Fe03220 | | | | | | | X | | X |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: 13 L NARROMINE RD DUBBO
Project ID: NE1167

Order No.:
Report #: 860033
Phone: 1300852 216
Fax:

Received: Feb 1, 2022 4:33 PM
Due: Feb 8, 2022
Priority: 5 Day
Contact Name: - Mohammad Hossein Bazayar

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polycyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|----------|--------------|--|------|-------------|-------------------|------|----------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 21 | DI-11-2 | Feb 01, 2022 | | Soil | S22-Fe03221 | | | | | | | X | | X |
| 22 | DI-12-1 | Feb 01, 2022 | | Soil | S22-Fe03222 | | | | | | | X | | X |
| 23 | DI-13-1 | Feb 01, 2022 | | Soil | S22-Fe03223 | | | | | | | X | | X |
| 24 | ASB-7-1 | Feb 01, 2022 | | Soil | S22-Fe03224 | X | | | | | | | | |
| 25 | ASB-11-1 | Feb 01, 2022 | | Soil | S22-Fe03225 | X | | | | | | | | |
| 26 | ASB12-1 | Feb 01, 2022 | | Soil | S22-Fe03226 | X | | | | | | | | |
| 27 | ASB-13-1 | Feb 01, 2022 | | Soil | S22-Fe03227 | X | | | | | | | | |
| 28 | ASB-14-1 | Feb 01, 2022 | | Soil | S22-Fe03228 | X | | | | | | | | |
| 29 | D-6 | Feb 01, 2022 | | Soil | S22-Fe03229 | | | | X | | | X | | |
| 30 | DI_14_1 | Feb 01, 2022 | | Soil | S22-Fe03230 | | X | | | | | | | |
| Test Counts | | | | | | 5 | 1 | 4 | 18 | 1 | 5 | 24 | 7 | 6 |

Internal Quality Control Review and Glossary

General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
9. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
4. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
5. For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
6. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|-------|----------|--|--|-------------------|-------------|-----------------|
| Method Blank | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | | |
| Acenaphthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Acenaphthylene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benz(a)anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(a)pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(b&j)fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(g,h,i)perylene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(k)fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Chrysene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Dibenz(a,h)anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Fluorene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Indeno(1,2,3-cd)pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Naphthalene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Phenanthrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Method Blank | | | | | | | |
| Heavy Metals | | | | | | | |
| Arsenic | mg/kg | < 2 | | | 2 | Pass | |
| Cadmium | mg/kg | < 0.4 | | | 0.4 | Pass | |
| Chromium | mg/kg | < 5 | | | 5 | Pass | |
| Copper | mg/kg | < 5 | | | 5 | Pass | |
| Lead | mg/kg | < 5 | | | 5 | Pass | |
| Mercury | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Nickel | mg/kg | < 5 | | | 5 | Pass | |
| Zinc | mg/kg | < 5 | | | 5 | Pass | |
| Method Blank | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | mg/kg | < 20 | | | 20 | Pass | |
| TRH C10-C14 | mg/kg | < 20 | | | 20 | Pass | |
| TRH C15-C28 | mg/kg | < 50 | | | 50 | Pass | |
| TRH C29-C36 | mg/kg | < 50 | | | 50 | Pass | |
| Naphthalene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| TRH C6-C10 | mg/kg | < 20 | | | 20 | Pass | |
| TRH >C10-C16 | mg/kg | < 50 | | | 50 | Pass | |
| TRH >C16-C34 | mg/kg | < 100 | | | 100 | Pass | |
| TRH >C34-C40 | mg/kg | < 100 | | | 100 | Pass | |
| Method Blank | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | mg/kg | < 0.1 | | | 0.1 | Pass | |
| 4,4'-DDD | mg/kg | < 0.05 | | | 0.05 | Pass | |
| 4,4'-DDE | mg/kg | < 0.05 | | | 0.05 | Pass | |
| 4,4'-DDT | mg/kg | < 0.05 | | | 0.05 | Pass | |
| a-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Aldrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| b-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| d-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Dieldrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endosulfan I | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endosulfan II | mg/kg | < 0.05 | | | 0.05 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Endosulfan sulphate | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endrin aldehyde | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endrin ketone | mg/kg | < 0.05 | | | 0.05 | Pass | |
| g-HCH (Lindane) | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Heptachlor | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Heptachlor epoxide | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Hexachlorobenzene | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Methoxychlor | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Toxaphene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Method Blank | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Azinphos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Bolstar | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorfenvinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorpyrifos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorpyrifos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Coumaphos | mg/kg | < 2 | | | 2 | Pass | |
| Demeton-S | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Demeton-O | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Diazinon | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Dichlorvos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Dimethoate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Disulfoton | mg/kg | < 0.2 | | | 0.2 | Pass | |
| EPN | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethoprop | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethyl parathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fenitrothion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fensulfothion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fenthion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Malathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Merphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Methyl parathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Mevinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Monocrotophos | mg/kg | < 2 | | | 2 | Pass | |
| Naled | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Omethoate | mg/kg | < 2 | | | 2 | Pass | |
| Phorate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Pirimiphos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Pyrazophos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ronnel | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Terbufos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Tetrachlorvinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Tokuthion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Trichloronate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Method Blank | | | | | | | |
| BTEX | | | | | | | |
| Benzene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Toluene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Ethylbenzene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| m&p-Xylenes | mg/kg | < 0.2 | | | 0.2 | Pass | |
| o-Xylene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Xylenes - Total* | mg/kg | < 0.3 | | | 0.3 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|-------|----------|--|--|-------------------|-------------|-----------------|
| LCS - % Recovery | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | | |
| Acenaphthene | % | 101 | | | 70-130 | Pass | |
| Acenaphthylene | % | 96 | | | 70-130 | Pass | |
| Anthracene | % | 97 | | | 70-130 | Pass | |
| Benz(a)anthracene | % | 96 | | | 70-130 | Pass | |
| Benzo(a)pyrene | % | 101 | | | 70-130 | Pass | |
| Benzo(b&j)fluoranthene | % | 110 | | | 70-130 | Pass | |
| Benzo(g,h,i)perylene | % | 106 | | | 70-130 | Pass | |
| Benzo(k)fluoranthene | % | 98 | | | 70-130 | Pass | |
| Chrysene | % | 79 | | | 70-130 | Pass | |
| Dibenz(a,h)anthracene | % | 107 | | | 70-130 | Pass | |
| Fluoranthene | % | 104 | | | 70-130 | Pass | |
| Fluorene | % | 117 | | | 70-130 | Pass | |
| Indeno(1,2,3-cd)pyrene | % | 111 | | | 70-130 | Pass | |
| Naphthalene | % | 98 | | | 70-130 | Pass | |
| Phenanthrene | % | 104 | | | 70-130 | Pass | |
| Pyrene | % | 105 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Heavy Metals | | | | | | | |
| Arsenic | % | 114 | | | 80-120 | Pass | |
| Cadmium | % | 108 | | | 80-120 | Pass | |
| Chromium | % | 110 | | | 80-120 | Pass | |
| Copper | % | 106 | | | 80-120 | Pass | |
| Lead | % | 110 | | | 80-120 | Pass | |
| Mercury | % | 93 | | | 80-120 | Pass | |
| Nickel | % | 109 | | | 80-120 | Pass | |
| Zinc | % | 106 | | | 80-120 | Pass | |
| LCS - % Recovery | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | % | 99 | | | 70-130 | Pass | |
| TRH C10-C14 | % | 70 | | | 70-130 | Pass | |
| Naphthalene | % | 127 | | | 70-130 | Pass | |
| TRH C6-C10 | % | 95 | | | 70-130 | Pass | |
| TRH >C10-C16 | % | 70 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | % | 95 | | | 70-130 | Pass | |
| 4,4'-DDD | % | 118 | | | 70-130 | Pass | |
| 4,4'-DDE | % | 97 | | | 70-130 | Pass | |
| 4,4'-DDT | % | 112 | | | 70-130 | Pass | |
| a-HCH | % | 98 | | | 70-130 | Pass | |
| Aldrin | % | 101 | | | 70-130 | Pass | |
| b-HCH | % | 111 | | | 70-130 | Pass | |
| d-HCH | % | 114 | | | 70-130 | Pass | |
| Dieldrin | % | 108 | | | 70-130 | Pass | |
| Endosulfan I | % | 122 | | | 70-130 | Pass | |
| Endosulfan II | % | 113 | | | 70-130 | Pass | |
| Endosulfan sulphate | % | 86 | | | 70-130 | Pass | |
| Endrin | % | 115 | | | 70-130 | Pass | |
| Endrin aldehyde | % | 80 | | | 70-130 | Pass | |
| Endrin ketone | % | 101 | | | 70-130 | Pass | |
| g-HCH (Lindane) | % | 115 | | | 70-130 | Pass | |
| Heptachlor | % | 124 | | | 70-130 | Pass | |

| Test | | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|----------------------------------|---------------|-----------|-------|----------|----------|--|--|-------------------|-------------|-----------------|
| Heptachlor epoxide | | | | % | 118 | | | 70-130 | Pass | |
| Hexachlorobenzene | | | | % | 102 | | | 70-130 | Pass | |
| Methoxychlor | | | | % | 85 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Organophosphorus Pesticides | | | | | | | | | | |
| Diazinon | | | | % | 110 | | | 70-130 | Pass | |
| Dimethoate | | | | % | 88 | | | 70-130 | Pass | |
| Ethion | | | | % | 72 | | | 70-130 | Pass | |
| Fenitrothion | | | | % | 75 | | | 70-130 | Pass | |
| Methyl parathion | | | | % | 86 | | | 70-130 | Pass | |
| Mevinphos | | | | % | 75 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| BTEX | | | | | | | | | | |
| Benzene | | | | % | 108 | | | 70-130 | Pass | |
| Toluene | | | | % | 101 | | | 70-130 | Pass | |
| Ethylbenzene | | | | % | 96 | | | 70-130 | Pass | |
| m&p-Xylenes | | | | % | 97 | | | 70-130 | Pass | |
| o-Xylene | | | | % | 96 | | | 70-130 | Pass | |
| Xylenes - Total* | | | | % | 96 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | Units | Result 1 | | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Spike - % Recovery | | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | Result 1 | | | | | |
| Benzo(g,h,i)perylene | S22-Fe07242 | NCP | % | 109 | | | | 70-130 | Pass | |
| Chrysene | S22-Fe07242 | NCP | % | 113 | | | | 70-130 | Pass | |
| Dibenz(a,h)anthracene | S22-Fe07242 | NCP | % | 117 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Heavy Metals | | | | | Result 1 | | | | | |
| Arsenic | S22-Fe03081 | NCP | % | 114 | | | | 75-125 | Pass | |
| Cadmium | S22-Fe03081 | NCP | % | 112 | | | | 75-125 | Pass | |
| Chromium | S22-Fe03524 | NCP | % | 91 | | | | 75-125 | Pass | |
| Copper | S22-Fe03081 | NCP | % | 114 | | | | 75-125 | Pass | |
| Lead | S22-Fe03081 | NCP | % | 111 | | | | 75-125 | Pass | |
| Mercury | S22-Fe03081 | NCP | % | 99 | | | | 75-125 | Pass | |
| Nickel | S22-Fe03524 | NCP | % | 91 | | | | 75-125 | Pass | |
| Zinc | S22-Fe03081 | NCP | % | 95 | | | | 75-125 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Organochlorine Pesticides | | | | | Result 1 | | | | | |
| Endrin | S22-Fe00015 | NCP | % | 130 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | Result 1 | | | | | |
| Acenaphthene | S22-Fe03213 | CP | % | 111 | | | | 70-130 | Pass | |
| Acenaphthylene | S22-Fe03213 | CP | % | 119 | | | | 70-130 | Pass | |
| Anthracene | S22-Fe03213 | CP | % | 115 | | | | 70-130 | Pass | |
| Benz(a)anthracene | S22-Fe03213 | CP | % | 104 | | | | 70-130 | Pass | |
| Benzo(a)pyrene | S22-Fe03213 | CP | % | 118 | | | | 70-130 | Pass | |
| Benzo(b&j)fluoranthene | S22-Fe03213 | CP | % | 102 | | | | 70-130 | Pass | |
| Benzo(k)fluoranthene | S22-Fe03213 | CP | % | 119 | | | | 70-130 | Pass | |
| Fluoranthene | S22-Fe03213 | CP | % | 109 | | | | 70-130 | Pass | |
| Fluorene | S22-Fe03213 | CP | % | 119 | | | | 70-130 | Pass | |
| Indeno(1,2,3-cd)pyrene | S22-Fe03213 | CP | % | 129 | | | | 70-130 | Pass | |
| Naphthalene | S22-Fe03213 | CP | % | 112 | | | | 70-130 | Pass | |
| Phenanthrene | S22-Fe03213 | CP | % | 103 | | | | 70-130 | Pass | |
| Pyrene | S22-Fe03213 | CP | % | 110 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |

| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|---------------|-----------|-------|----------|--|--|-------------------|-------------|-----------------|
| Organochlorine Pesticides | | | | Result 1 | | | | | |
| Chlordanes - Total | S22-Fe03213 | CP | % | 88 | | | 70-130 | Pass | |
| 4,4'-DDE | S22-Fe03213 | CP | % | 89 | | | 70-130 | Pass | |
| 4,4'-DDT | S22-Fe03213 | CP | % | 109 | | | 70-130 | Pass | |
| a-HCH | S22-Fe03213 | CP | % | 93 | | | 70-130 | Pass | |
| Aldrin | S22-Fe03213 | CP | % | 92 | | | 70-130 | Pass | |
| b-HCH | S22-Fe03213 | CP | % | 100 | | | 70-130 | Pass | |
| d-HCH | S22-Fe03213 | CP | % | 106 | | | 70-130 | Pass | |
| Dieldrin | S22-Fe03213 | CP | % | 101 | | | 70-130 | Pass | |
| Endosulfan I | S22-Fe03213 | CP | % | 109 | | | 70-130 | Pass | |
| Endosulfan II | S22-Fe03213 | CP | % | 107 | | | 70-130 | Pass | |
| Endosulfan sulphate | S22-Fe03213 | CP | % | 73 | | | 70-130 | Pass | |
| Endrin ketone | S22-Fe03213 | CP | % | 93 | | | 70-130 | Pass | |
| g-HCH (Lindane) | S22-Fe03213 | CP | % | 84 | | | 70-130 | Pass | |
| Heptachlor | S22-Fe03213 | CP | % | 113 | | | 70-130 | Pass | |
| Heptachlor epoxide | S22-Fe03213 | CP | % | 111 | | | 70-130 | Pass | |
| Hexachlorobenzene | S22-Fe03213 | CP | % | 96 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | | | | | |
| Diazinon | S22-Fe03213 | CP | % | 118 | | | 70-130 | Pass | |
| Fenitrothion | S22-Fe03213 | CP | % | 130 | | | 70-130 | Pass | |
| Mevinphos | S22-Fe03213 | CP | % | 120 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | Result 1 | | | | | |
| Acenaphthene | S22-Fe03216 | CP | % | 126 | | | 70-130 | Pass | |
| Anthracene | S22-Fe03216 | CP | % | 126 | | | 70-130 | Pass | |
| Benz(a)anthracene | S22-Fe03216 | CP | % | 117 | | | 70-130 | Pass | |
| Benzo(b&j)fluoranthene | S22-Fe03216 | CP | % | 112 | | | 70-130 | Pass | |
| Fluoranthene | S22-Fe03216 | CP | % | 124 | | | 70-130 | Pass | |
| Naphthalene | S22-Fe03216 | CP | % | 127 | | | 70-130 | Pass | |
| Phenanthrene | S22-Fe03216 | CP | % | 115 | | | 70-130 | Pass | |
| Pyrene | S22-Fe03216 | CP | % | 125 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | | | | | |
| Chlordanes - Total | S22-Fe03216 | CP | % | 102 | | | 70-130 | Pass | |
| 4,4'-DDD | S22-Fe03216 | CP | % | 75 | | | 70-130 | Pass | |
| 4,4'-DDE | S22-Fe03216 | CP | % | 103 | | | 70-130 | Pass | |
| 4,4'-DDT | S22-Fe03216 | CP | % | 123 | | | 70-130 | Pass | |
| a-HCH | S22-Fe03216 | CP | % | 107 | | | 70-130 | Pass | |
| Aldrin | S22-Fe03216 | CP | % | 108 | | | 70-130 | Pass | |
| b-HCH | S22-Fe03216 | CP | % | 114 | | | 70-130 | Pass | |
| d-HCH | S22-Fe03216 | CP | % | 118 | | | 70-130 | Pass | |
| Dieldrin | S22-Fe03216 | CP | % | 117 | | | 70-130 | Pass | |
| Endosulfan I | S22-Fe03216 | CP | % | 124 | | | 70-130 | Pass | |
| Endosulfan II | S22-Fe03216 | CP | % | 122 | | | 70-130 | Pass | |
| Endosulfan sulphate | S22-Fe03216 | CP | % | 87 | | | 70-130 | Pass | |
| Endrin ketone | S22-Fe03216 | CP | % | 110 | | | 70-130 | Pass | |
| g-HCH (Lindane) | S22-Fe03216 | CP | % | 126 | | | 70-130 | Pass | |
| Heptachlor | S22-Fe03216 | CP | % | 127 | | | 70-130 | Pass | |
| Heptachlor epoxide | S22-Fe03216 | CP | % | 128 | | | 70-130 | Pass | |
| Hexachlorobenzene | S22-Fe03216 | CP | % | 110 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | | | | | |
| Ethion | S22-Fe03216 | CP | % | 74 | | | 70-130 | Pass | |

| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| Fenitrothion | S22-Fe03216 | CP | % | 71 | | | 70-130 | Pass | |
| Methyl parathion | S22-Fe03216 | CP | % | 81 | | | 70-130 | Pass | |
| Mevinphos | S22-Fe03216 | CP | % | 71 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | | | | | |
| Methoxychlor | S22-Fe08164 | NCP | % | 70 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | | | | | |
| Dimethoate | S22-Fe08164 | NCP | % | 97 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | | | | | |
| TRH C6-C9 | S22-Fe03220 | CP | % | 108 | | | 70-130 | Pass | |
| Naphthalene | S22-Fe03220 | CP | % | 100 | | | 70-130 | Pass | |
| TRH C6-C10 | S22-Fe03220 | CP | % | 109 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| BTEX | | | | Result 1 | | | | | |
| Benzene | S22-Fe03220 | CP | % | 98 | | | 70-130 | Pass | |
| Toluene | S22-Fe03220 | CP | % | 90 | | | 70-130 | Pass | |
| Ethylbenzene | S22-Fe03220 | CP | % | 83 | | | 70-130 | Pass | |
| m&p-Xylenes | S22-Fe03220 | CP | % | 85 | | | 70-130 | Pass | |
| o-Xylene | S22-Fe03220 | CP | % | 85 | | | 70-130 | Pass | |
| Xylenes - Total* | S22-Fe03220 | CP | % | 85 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | | | | | |
| TRH C10-C14 | S22-Fe03222 | CP | % | 89 | | | 70-130 | Pass | |
| TRH >C10-C16 | S22-Fe03222 | CP | % | 85 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | | | | | |
| Endrin aldehyde | S22-Fe03306 | NCP | % | 54 | | | 70-130 | Fail | Q08 |
| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Duplicate | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | Result 2 | RPD | | | |
| TRH C6-C9 | S22-Fe03202 | CP | mg/kg | < 20 | < 20 | <1 | 30% | Pass | |
| Naphthalene | S22-Fe03202 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| TRH C6-C10 | S22-Fe03202 | CP | mg/kg | < 20 | < 20 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| BTEX | | | | Result 1 | Result 2 | RPD | | | |
| Benzene | S22-Fe03202 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Toluene | S22-Fe03202 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Ethylbenzene | S22-Fe03202 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| m&p-Xylenes | S22-Fe03202 | CP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass | |
| o-Xylene | S22-Fe03202 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Xylenes - Total* | S22-Fe03202 | CP | mg/kg | < 0.3 | < 0.3 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| Heavy Metals | | | | Result 1 | Result 2 | RPD | | | |
| Arsenic | S22-Fe03205 | CP | mg/kg | 6.5 | 5.8 | 13 | 30% | Pass | |
| Cadmium | S22-Fe03205 | CP | mg/kg | < 0.4 | < 0.4 | <1 | 30% | Pass | |
| Chromium | S22-Fe03205 | CP | mg/kg | 52 | 49 | 5.0 | 30% | Pass | |
| Copper | S22-Fe03205 | CP | mg/kg | 19 | 18 | 7.0 | 30% | Pass | |
| Lead | S22-Fe03205 | CP | mg/kg | 12 | 11 | 9.0 | 30% | Pass | |
| Mercury | S22-Fe03205 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Nickel | S22-Fe03205 | CP | mg/kg | 42 | 38 | 10 | 30% | Pass | |
| Zinc | S22-Fe03205 | CP | mg/kg | 52 | 50 | 3.0 | 30% | Pass | |

| Duplicate | | | | | | | | |
|----------------------------------|-------------|----|-------|----------|----------|-----|-----|------|
| | | | | Result 1 | Result 2 | RPD | | |
| % Moisture | S22-Fe03205 | CP | % | 7.0 | 6.9 | 2.0 | 30% | Pass |
| Duplicate | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | |
| % Moisture | S22-Fe03215 | CP | % | 3.0 | 3.3 | 7.0 | 30% | Pass |
| Duplicate | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | Result 2 | RPD | | |
| TRH C6-C9 | S22-Fe03216 | CP | mg/kg | < 20 | < 20 | <1 | 30% | Pass |
| Naphthalene | S22-Fe03216 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| TRH C6-C10 | S22-Fe03216 | CP | mg/kg | < 20 | < 20 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| BTEX | | | | Result 1 | Result 2 | RPD | | |
| Benzene | S22-Fe03216 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Toluene | S22-Fe03216 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Ethylbenzene | S22-Fe03216 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| m&p-Xylenes | S22-Fe03216 | CP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| o-Xylene | S22-Fe03216 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Xylenes - Total* | S22-Fe03216 | CP | mg/kg | < 0.3 | < 0.3 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | Result 1 | Result 2 | RPD | | |
| Acenaphthene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Acenaphthylene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Anthracene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Benz(a)anthracene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Benzo(a)pyrene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Benzo(b&j)fluoranthene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Benzo(g,h,i)perylene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Benzo(k)fluoranthene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Chrysene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Dibenz(a,h)anthracene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Fluoranthene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Fluorene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Indeno(1,2,3-cd)pyrene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Naphthalene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Phenanthrene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Pyrene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | Result 2 | RPD | | |
| TRH C10-C14 | S22-Fe03221 | CP | mg/kg | 110 | 81 | 33 | 30% | Fail |
| TRH C15-C28 | S22-Fe03221 | CP | mg/kg | 870 | 680 | 25 | 30% | Pass |
| TRH C29-C36 | S22-Fe03221 | CP | mg/kg | 680 | 600 | 12 | 30% | Pass |
| TRH >C10-C16 | S22-Fe03221 | CP | mg/kg | 120 | 93 | 25 | 30% | Pass |
| TRH >C16-C34 | S22-Fe03221 | CP | mg/kg | 1400 | 1100 | 19 | 30% | Pass |
| TRH >C34-C40 | S22-Fe03221 | CP | mg/kg | 340 | 320 | 5.0 | 30% | Pass |
| Duplicate | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Chlordanes - Total | S22-Fe03221 | CP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| 4,4'-DDD | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 4,4'-DDE | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 4,4'-DDT | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| a-HCH | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Aldrin | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| b-HCH | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| d-HCH | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Dieldrin | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |

| Duplicate | | | | | | | | |
|-----------------------------|-------------|----|-------|----------|----------|-----|-----|------|
| Organochlorine Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Endosulfan I | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Endosulfan II | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Endosulfan sulphate | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Endrin | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Endrin aldehyde | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Endrin ketone | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| g-HCH (Lindane) | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Heptachlor | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Heptachlor epoxide | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Hexachlorobenzene | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Methoxychlor | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Toxaphene | S22-Fe03221 | CP | mg/kg | < 10 | < 10 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Azinphos-methyl | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Bolstar | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Chlorfenvinphos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Chlorpyrifos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Chlorpyrifos-methyl | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Coumaphos | S22-Fe03221 | CP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| Demeton-S | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Demeton-O | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Diazinon | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Dichlorvos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Dimethoate | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Disulfoton | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| EPN | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Ethion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Ethoprop | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Ethyl parathion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Fenitrothion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Fensulfthion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Fenthion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Malathion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Merphos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Methyl parathion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Mevinphos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Monocrotophos | S22-Fe03221 | CP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| Naled | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Omethoate | S22-Fe03221 | CP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| Phorate | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Pirimiphos-methyl | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Pyrazophos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Ronnel | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Terbufos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Tetrachlorvinphos | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Tokuthion | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Trichloronate | S22-Fe03221 | CP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |

Comments

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | No |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Qualifier Codes/Comments

| Code | Description |
|------|--|
| G01 | The LORs have been raised due to matrix interference |
| N01 | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis). |
| N02 | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04 | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes. |
| N07 | Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs |
| Q08 | The matrix spike recovery is outside of the recommended acceptance criteria. An acceptable recovery was obtained for the laboratory control sample indicating a sample matrix interference. |
| Q15 | The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report. |

Authorised by:

| | |
|--------------------|-------------------------------|
| Asim Khan | Analytical Services Manager |
| Andrew Sullivan | Senior Analyst-Organic (NSW) |
| John Nguyen | Senior Analyst-Metal (NSW) |
| Roopesh Rangarajan | Senior Analyst-Volatile (NSW) |



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: **Victor Kirpichnikov (GEOTESTA)**

Report **866406-S**
Project name **ADDITIONAL: 13 L NARROMINE RD DUBBO**
Project ID **NE1167**
Received Date **Feb 23, 2022**

| Client Sample ID | | | DI-3 | DI-5 | DI-5-1 | D-6-2 |
|-----------------------|-----|-------|--------------|--------------|--------------|--------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-Fe51776 | S22-Fe51777 | S22-Fe51778 | S22-Fe51779 |
| Date Sampled | | | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Chromium (hexavalent) | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| % Moisture | 1 | % | 14 | 13 | 11 | 12 |

| Client Sample ID | | | DI-8-1 | DI-10-2 | DI-11-1 | DI-11-2 |
|-----------------------|-----|-------|--------------|--------------|--------------|--------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-Fe51780 | S22-Fe51781 | S22-Fe51782 | S22-Fe51783 |
| Date Sampled | | | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Chromium (hexavalent) | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| % Moisture | 1 | % | 3 | 3.5 | 8.8 | 34 |

| Client Sample ID | | | DI-12-1 | DI-13-1 | DI-7-2 |
|--|------|----------|--------------|--------------|--------------|
| Sample Matrix | | | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-Fe51784 | S22-Fe51785 | S22-Fe51786 |
| Date Sampled | | | Feb 01, 2022 | Feb 01, 2022 | Feb 01, 2022 |
| Test/Reference | LOR | Unit | | | |
| Chromium (hexavalent) | 1 | mg/kg | < 1 | < 1 | - |
| % Moisture | 1 | % | 10 | 5 | 18 |
| % Clay | 1 | % | - | - | 17 |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | 10 | uS/cm | - | - | 190 |
| pH (1:5 Aqueous extract at 25°C as rec.) | 0.1 | pH Units | - | - | 7.0 |
| Cation Exchange Capacity | | | | | |
| Cation Exchange Capacity | 0.05 | meq/100g | - | - | 18 |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|---|--------------|--------------|--------------|
| Chromium (hexavalent) - Method: In-house method E057.2 | Sydney | Feb 25, 2022 | 28 Days |
| % Clay - Method: LTM-GEN-7040 | Brisbane | Feb 28, 2022 | 14 Days |
| pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH by ISE | Sydney | Feb 25, 2022 | 7 Days |
| % Moisture - Method: LTM-GEN-7080 Moisture | Sydney | Mar 01, 2022 | 14 Days |
| Conductivity (1:5 aqueous extract at 25°C as rec.) - Method: LTM-INO-4030 Conductivity | Sydney | Feb 25, 2022 | 7 Days |
| Cation Exchange Capacity - Method: LTM-MET-3060 Cation Exchange Capacity by bases & Exchangeable Sodium Percentage | Melbourne | Feb 28, 2022 | 28 Days |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: ADDITIONAL: 13 L NARROMINE RD DUBBO
Project ID: NE1167

Order No.:
Report #: 866406
Phone: 1300852 216
Fax:

Received: Feb 23, 2022 2:13 PM
Due: Feb 28, 2022
Priority: 3 Day
Contact Name: Victor Kirpichnikov (GEOTESTA)

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | % Clay | Chromium (hexavalent) | pH (1:5 Aqueous extract at 25°C as rec.) | Moisture Set | Cation Exchange Capacity |
|--|-----------|--------------|---------------|--------|-------------|--------|-----------------------|--|--------------|--------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | X | X |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | X | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | |
| External Laboratory | | | | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | |
| 1 | DI-3 | Feb 01, 2022 | | Soil | S22-Fe51776 | | X | | X | |
| 2 | DI-5 | Feb 01, 2022 | | Soil | S22-Fe51777 | | X | | X | |
| 3 | DI-5-1 | Feb 01, 2022 | | Soil | S22-Fe51778 | | X | | X | |
| 4 | D-6-2 | Feb 01, 2022 | | Soil | S22-Fe51779 | | X | | X | |
| 5 | DI-8-1 | Feb 01, 2022 | | Soil | S22-Fe51780 | | X | | X | |
| 6 | DI-10-2 | Feb 01, 2022 | | Soil | S22-Fe51781 | | X | | X | |
| 7 | DI-11-1 | Feb 01, 2022 | | Soil | S22-Fe51782 | | X | | X | |
| 8 | DI-11-2 | Feb 01, 2022 | | Soil | S22-Fe51783 | | X | | X | |
| 9 | DI-12-1 | Feb 01, 2022 | | Soil | S22-Fe51784 | | X | | X | |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: ADDITIONAL: 13 L NARROMINE RD DUBBO
Project ID: NE1167

Order No.:
Report #: 866406
Phone: 1300852 216
Fax:

Received: Feb 23, 2022 2:13 PM
Due: Feb 28, 2022
Priority: 3 Day
Contact Name: Victor Kirpichnikov (GEOTESTA)

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | % Clay | Chromium (hexavalent) | pH (1:5 Aqueous extract at 25°C as rec.) | Moisture Set | Cation Exchange Capacity |
|--|---------|--------------|--|------|-------------|--------|-----------------------|--|--------------|--------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | X | X |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | X | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | |
| External Laboratory | | | | | | | | | | |
| 10 | DI-13-1 | Feb 01, 2022 | | Soil | S22-Fe51785 | | X | | X | |
| 11 | DI-7-2 | Feb 01, 2022 | | Soil | S22-Fe51786 | X | | X | X | X |
| Test Counts | | | | | | 1 | 10 | 1 | 11 | 1 |

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|--|---------------|-----------|--|----------|----------|----------|-----|-------------------|-------------|-----------------|
| Method Blank | | | | | | | | | | |
| Chromium (hexavalent) | | | | mg/kg | < 1 | | | 1 | Pass | |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | | | | uS/cm | < 10 | | | 10 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Chromium (hexavalent) | | | | % | 101 | | | 70-130 | Pass | |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | | | | % | 102 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Spike - % Recovery | | | | | | | | | | |
| | | | | | Result 1 | | | | | |
| Chromium (hexavalent) | S22-Fe51777 | CP | | % | 84 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Duplicate | | | | | | | | | | |
| | | | | | Result 1 | Result 2 | RPD | | | |
| Chromium (hexavalent) | S22-Fe51776 | CP | | mg/kg | < 1 | < 1 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | | |
| | | | | | Result 1 | Result 2 | RPD | | | |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | S22-Fe51786 | CP | | uS/cm | 190 | 170 | 7.7 | 30% | Pass | |
| pH (1:5 Aqueous extract at 25°C as rec.) | S22-Fe51786 | CP | | pH Units | 7.0 | 7.0 | <1 | 30% | Pass | |

Comments

Eurofins | Environment Testing accreditation number 1261, site 18217 is currently in progress of a controlled transition to a new custom built location at 179 Magowar Road, Girraween, NSW 2145. All results on this report denoted as being performed by Eurofins | Environment Testing Unit F3, Building F, 16 Mars road, Lane Cove West, NSW 2066, corporate site 18217, will have been performed on either Lane Cove or new Girraween site

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Authorised by:

| | |
|-----------------|--------------------------------|
| Emma Beesley | Analytical Services Manager |
| Charl Du Preez | Senior Analyst-Inorganic (NSW) |
| Emily Rosenberg | Senior Analyst-Metal (VIC) |
| Jonathon Angell | Senior Analyst-Inorganic (QLD) |



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025—Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: - Mohammad Hossein Bazyar
Report 860033-AID
Project Name 13 L NARROMINE RD DUBBO
Project ID NE1167
Received Date Feb 01, 2022
Date Reported Feb 08, 2022

Methodology:

Asbestos Fibre
 Identification

Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.

NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.

Unknown Mineral
 Fibres

Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.

NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.

Subsampling Soil
 Samples

The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.

NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.

Bonded asbestos-
 containing material
 (ACM)

The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.

NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.

Limit of Reporting

The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).

The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).

NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.

Project Name 13 L NARROMINE RD DUBBO
Project ID NE1167
Date Sampled Feb 01, 2022
Report 860033-AID

| Client Sample ID | Eurofins Sample No. | Date Sampled | Sample Description | Result |
|------------------|---------------------|--------------|--|---|
| ASB-7-1 | 22-Fe03224 | Feb 01, 2022 | Approximate Sample 606g Sample consisted of: Brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected. |
| ASB-11-1 | 22-Fe03225 | Feb 01, 2022 | Approximate Sample 494g Sample consisted of: Red- brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected. |
| ASB12-1 | 22-Fe03226 | Feb 01, 2022 | Approximate Sample 361g Sample consisted of: Brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected. |
| ASB-13-1 | 22-Fe03227 | Feb 01, 2022 | Approximate Sample 442g Sample consisted of: Brown fine-grained clayey soil, cement and rocks | No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected. |
| ASB-14-1 | 22-Fe03228 | Feb 01, 2022 | Approximate Sample 456g Sample consisted of: Brown fine-grained clayey soil, organic debris and rocks | No asbestos detected at the reporting limit of 0.01% w/w. Organic fibre detected. No trace asbestos detected. |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|-------------------------|--------------|--------------|--------------|
| Asbestos - LTM-ASB-8020 | Sydney | Feb 03, 2022 | Indefinite |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: 13 L NARROMINE RD DUBBO
Project ID: NE1167

Order No.:
Report #: 860033
Phone: 1300852 216
Fax:

Received: Feb 1, 2022 4:33 PM
Due: Feb 8, 2022
Priority: 5 Day
Contact Name: - Mohammad Hossein Bazayar

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polyyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|-----------|--------------|---------------|--------|-------------|-------------------|------|---------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | |
| 1 | DI-1-1 | Feb 01, 2022 | | Soil | S22-Fe03201 | | | X | X | | | X | | |
| 2 | DI-2-1 | Feb 01, 2022 | | Soil | S22-Fe03202 | | | | X | | | X | X | |
| 3 | DI-2-3 | Feb 01, 2022 | | Soil | S22-Fe03203 | | | X | X | | | X | | |
| 4 | DI-3 | Feb 01, 2022 | | Soil | S22-Fe03204 | | | | X | | | X | X | |
| 5 | DI-3-2 | Feb 01, 2022 | | Soil | S22-Fe03205 | | | X | X | | | X | | |
| 6 | DI-3-3 | Feb 01, 2022 | | Soil | S22-Fe03206 | | | | X | | | X | X | |
| 7 | DI-4 | Feb 01, 2022 | | Soil | S22-Fe03207 | | | | X | | X | X | | |
| 8 | DI-4-3 | Feb 01, 2022 | | Soil | S22-Fe03208 | | | X | X | | | X | | |
| 9 | DI-5 | Feb 01, 2022 | | Soil | S22-Fe03209 | | | | X | X | | X | | |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: 13 L NARROMINE RD DUBBO
Project ID: NE1167

Order No.:
Report #: 860033
Phone: 1300852 216
Fax:

Received: Feb 1, 2022 4:33 PM
Due: Feb 8, 2022
Priority: 5 Day
Contact Name: - Mohammad Hossein Bazayar

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polycyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|---------|--------------|--|------|-------------|-------------------|------|----------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 10 | DI-5-1 | Feb 01, 2022 | | Soil | S22-Fe03210 | | | | X | | | X | X | |
| 11 | DI-6 | Feb 01, 2022 | | Soil | S22-Fe03211 | | | | X | | X | X | X | |
| 12 | D-6-2 | Feb 01, 2022 | | Soil | S22-Fe03212 | | | | X | | X | X | | |
| 13 | DI-7-1 | Feb 01, 2022 | | Soil | S22-Fe03213 | | | | | | | X | | X |
| 14 | DI-7-2 | Feb 01, 2022 | | Soil | S22-Fe03214 | | | | X | | X | X | | |
| 15 | DI-8-1 | Feb 01, 2022 | | Soil | S22-Fe03215 | | | | X | | | X | X | |
| 16 | DI-9 | Feb 01, 2022 | | Soil | S22-Fe03216 | | | | | | | X | | X |
| 17 | D-9 | Feb 01, 2022 | | Soil | S22-Fe03217 | | | | X | | | X | | |
| 18 | DI-10-1 | Feb 01, 2022 | | Soil | S22-Fe03218 | | | | X | | | X | X | |
| 19 | DI-10-2 | Feb 01, 2022 | | Soil | S22-Fe03219 | | | | X | | X | X | | |
| 20 | DI-11-1 | Feb 01, 2022 | | Soil | S22-Fe03220 | | | | | | | X | | X |

| | | | | | |
|----------------------|---|-------------------|-------------|----------------------|----------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Feb 1, 2022 4:33 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 860033 | Due: | Feb 8, 2022 |
| Project Name: | 13 L NARROMINE RD DUBBO | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1167 | Fax: | | Contact Name: | - Mohammad Hossein Bazayar |

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - AS4964 | HOLD | Polycyclic Aromatic Hydrocarbons | Metals M8 | BTEX | Suite B14: OCP/OPP | Moisture Set | Total Recoverable Hydrocarbons | Eurofins Suite B10 |
|--|----------|--------------|--|------|-------------|-------------------|------|----------------------------------|-----------|------|--------------------|--------------|--------------------------------|--------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 21 | DI-11-2 | Feb 01, 2022 | | Soil | S22-Fe03221 | | | | | | | X | | X |
| 22 | DI-12-1 | Feb 01, 2022 | | Soil | S22-Fe03222 | | | | | | | X | | X |
| 23 | DI-13-1 | Feb 01, 2022 | | Soil | S22-Fe03223 | | | | | | | X | | X |
| 24 | ASB-7-1 | Feb 01, 2022 | | Soil | S22-Fe03224 | X | | | | | | | | |
| 25 | ASB-11-1 | Feb 01, 2022 | | Soil | S22-Fe03225 | X | | | | | | | | |
| 26 | ASB12-1 | Feb 01, 2022 | | Soil | S22-Fe03226 | X | | | | | | | | |
| 27 | ASB-13-1 | Feb 01, 2022 | | Soil | S22-Fe03227 | X | | | | | | | | |
| 28 | ASB-14-1 | Feb 01, 2022 | | Soil | S22-Fe03228 | X | | | | | | | | |
| 29 | D-6 | Feb 01, 2022 | | Soil | S22-Fe03229 | | | | X | | | X | | |
| 30 | DI_14_1 | Feb 01, 2022 | | Soil | S22-Fe03230 | | X | | | | | | | |
| Test Counts | | | | | | 5 | 1 | 4 | 18 | 1 | 5 | 24 | 7 | 6 |

Internal Quality Control Review and Glossary General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. Information identified on this report with the colour **blue** indicates data provided by customer that may have an impact on the results.
5. Information identified on this report with the colour **orange** indicates sections of the report not covered by the laboratory's scope of NATA accreditation.
6. This report replaces any interim results previously issued.

Holding Times

Please refer to the most recent version of the 'Sample Preservation and Container Guide' for holding times (QS3001).

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported. Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

Units

| | |
|--------|--|
| % w/w: | Percentage weight-for-weight basis, e.g. of asbestos in asbestos-containing finds in soil samples (% w/w) |
| F/ffd | Airborne fibre filter loading as Fibres (N) per Fields counted (n) |
| F/mL | Airborne fibre reported concentration as Fibres per millilitre of air drawn over the sampler membrane (C) |
| g, kg | Mass, e.g. of whole sample (M) or asbestos-containing find within the sample (m) |
| g/kg | Concentration in grams per kilogram |
| L, mL | Volume, e.g. of air as measured in AFM (V = r x t) |
| L/min | Airborne fibre sampling Flowrate as litres per minute of air drawn over the sampler membrane (r) |
| min | Time (t), e.g. of air sample collection period |

Calculations

Airborne Fibre Concentration:
$$C = \left(\frac{A}{a}\right) \times \left(\frac{N}{n}\right) \times \left(\frac{1}{V}\right) \times \left(\frac{1}{r}\right) = K \times \left(\frac{N}{n}\right) \times \left(\frac{1}{V}\right)$$

Asbestos Content (as asbestos):
$$\% w/w = \frac{(m \times P_A)}{M}$$

Weighted Average (of asbestos):
$$\%_{WA} = \frac{\sum (m \times P_A) \times x}{x}$$

Terms

| | |
|---------------------------------------|---|
| %asbestos | Estimated percentage of asbestos in a given matrix. May be derived from knowledge or experience of the material, informed by HSG264 <i>Appendix 2</i> , else assumed to be 15% in accordance with WA DOH <i>Appendix 2 (PA)</i> . |
| ACM | Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded (non-friable) condition. For the purposes of the NEPM and WA DOH, ACM corresponds to material larger than 7 mm x 7 mm. |
| AF | Asbestos Fines. Asbestos contamination within a soil sample, as defined by WA DOH. Includes loose fibre bundles and small pieces of friable and non-friable material such as asbestos cement fragments mixed with soil. Considered under the NEPM as equivalent to "non-bonded / friable". |
| AFM | Airborne Fibre Monitoring, e.g. by the MFM. |
| Amosite | Amosite Asbestos Detected. Amosite may also refer to Fibrous Grunerite or Brown Asbestos. Identified in accordance with AS 4964-2004. |
| AS | Australian Standard. |
| Asbestos Content (as asbestos) | Total % w/w asbestos content in asbestos-containing finds in a soil sample (% w/w). |
| Chrysotile | Chrysotile Asbestos Detected. Chrysotile may also refer to Fibrous Serpentine or White Asbestos. Identified in accordance with AS 4964-2004. |
| COC | Chain of Custody. |
| Crocidolite | Crocidolite Asbestos Detected. Crocidolite may also refer to Fibrous Riebeckite or Blue Asbestos. Identified in accordance with AS 4964-2004. |
| Dry | Sample is dried by heating prior to analysis. |
| DS | Dispersion Staining. Technique required for Unequivocal Identification of asbestos fibres by PLM. |
| FA | Fibrous Asbestos. Asbestos containing material that is wholly or in part friable, including materials with higher asbestos content with a propensity to become friable with handling, and any material that was previously non-friable and in a severely degraded condition. For the purposes of the NEPM and WA DOH, FA generally corresponds to material larger than 7 mm x 7 mm, although FA may be more difficult to visibly distinguish and may be assessed as AF. |
| Fibre Count | Total of all fibres (whether asbestos or not) meeting the counting criteria set out in the NOHSC:3003 |
| Fibre ID | Fibre Identification. Unequivocal identification of asbestos fibres according to AS 4964-2004. Includes Chrysotile, Amosite (Grunerite) or Crocidolite asbestos. |
| Friable | Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability. |
| HSG248 | UK HSE HSG248, <i>Asbestos: The Analysts Guide</i> , 2nd Edition (2021). |
| HSG264 | UK HSE HSG264, <i>Asbestos: The Survey Guide</i> (2012). |
| ISO (also ISO/IEC) | International Organization for Standardization / International Electrotechnical Commission. |
| K Factor | Microscope constant (K) as derived from the effective filter area of the given AFM membrane used for collecting the sample (A) and the projected eyepiece graticule area of the specific microscope used for the analysis (a). |
| LOR | Limit of Reporting. |
| MFM (also NOHSC:3003) | Membrane Filter Method. As described by the Australian Government National Occupational Health and Safety Commission, <i>Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres</i> , 2nd Edition [NOHSC:3003(2005)]. |
| NEPM (also ASC NEPM) | National Environment Protection (Assessment of Site Contamination) Measure, (2013, as amended). |
| Organic | Organic Fibres Detected. Organic may refer to Natural or Man-Made Polymeric Fibres. Identified in accordance with AS 4964-2004. |
| PCM | Phase Contrast Microscopy. As used for Fibre Counting according to the MFM. |
| PLM | Polarised Light Microscopy. As used for Fibre Identification and Trace Analysis according to AS 4964-2004. |
| SMF | Synthetic Mineral Fibre Detected. SMF may also refer to Man Made Vitreous Fibres. Identified in accordance with AS 4964-2004. |
| SRA | Sample Receipt Advice. |
| Trace Analysis | Analytical procedure used to detect the presence of respirable fibres (particularly asbestos) in a given sample matrix. |
| UK HSE HSG | United Kingdom, Health and Safety Executive, Health and Safety Guidance, publication. |
| UMF | Unidentified Mineral Fibre Detected. Fibrous minerals that are detected but have not been unequivocally identified by PLM with DS according the AS 4964-2004. May include (but not limited to) Actinolite, Anthophyllite or Tremolite asbestos. |
| WA DOH | Reference document for the NEPM. Government of Western Australia, <i>Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia</i> (updated 2021), including Appendix Four: <i>Laboratory analysis</i> |
| Weighted Average | Combined average % w/w asbestos content of all asbestos-containing finds in the given aliquot or total soil sample (%_{WA}). |

Comments

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | No |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Asbestos Counter/Identifier:

Laxman Dias Senior Analyst-Asbestos (NSW)

Authorised by:

Sayeed Abu Senior Analyst-Asbestos (NSW)



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Attention: - **Mohammad Hossein Bazyar**

Report **859443-W**
Project name **13L NARROMINE ROAD DUBBO**
Project ID **NE1167**
Received Date **Feb 01, 2022**

| | | | |
|---|--------|------|---------------------|
| Client Sample ID | | | W-1 |
| Sample Matrix | | | Water |
| Eurofins Sample No. | | | S22-Ja40054 |
| Date Sampled | | | Feb 01, 2022 |
| Test/Reference | LOR | Unit | |
| Total Recoverable Hydrocarbons | | | |
| TRH C6-C9 | 0.02 | mg/L | < 0.02 |
| TRH C10-C14 | 0.05 | mg/L | < 0.05 |
| TRH C15-C28 | 0.1 | mg/L | < 0.1 |
| TRH C29-C36 | 0.1 | mg/L | < 0.1 |
| TRH C10-C36 (Total) | 0.1 | mg/L | < 0.1 |
| Naphthalene ^{N02} | 0.01 | mg/L | < 0.01 |
| TRH C6-C10 | 0.02 | mg/L | < 0.02 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 0.02 | mg/L | < 0.02 |
| TRH >C10-C16 | 0.05 | mg/L | < 0.05 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 0.05 | mg/L | < 0.05 |
| TRH >C16-C34 | 0.1 | mg/L | < 0.1 |
| TRH >C34-C40 | 0.1 | mg/L | < 0.1 |
| TRH >C10-C40 (total)* | 0.1 | mg/L | < 0.1 |
| Organochlorine Pesticides | | | |
| Chlordanes - Total | 0.002 | mg/L | < 0.002 |
| 4,4'-DDD | 0.0002 | mg/L | < 0.0002 |
| 4,4'-DDE | 0.0002 | mg/L | < 0.0002 |
| 4,4'-DDT | 0.0002 | mg/L | < 0.0002 |
| a-HCH | 0.0002 | mg/L | < 0.0002 |
| Aldrin | 0.0002 | mg/L | < 0.0002 |
| b-HCH | 0.0002 | mg/L | < 0.0002 |
| d-HCH | 0.0002 | mg/L | < 0.0002 |
| Dieldrin | 0.0002 | mg/L | < 0.0002 |
| Endosulfan I | 0.0002 | mg/L | < 0.0002 |
| Endosulfan II | 0.0002 | mg/L | < 0.0002 |
| Endosulfan sulphate | 0.0002 | mg/L | < 0.0002 |
| Endrin | 0.0002 | mg/L | < 0.0002 |
| Endrin aldehyde | 0.0002 | mg/L | < 0.0002 |
| Endrin ketone | 0.0002 | mg/L | < 0.0002 |
| g-HCH (Lindane) | 0.0002 | mg/L | < 0.0002 |
| Heptachlor | 0.0002 | mg/L | < 0.0002 |
| Heptachlor epoxide | 0.0002 | mg/L | < 0.0002 |
| Hexachlorobenzene | 0.0002 | mg/L | < 0.0002 |
| Methoxychlor | 0.0002 | mg/L | < 0.0002 |
| Toxaphene | 0.005 | mg/L | < 0.005 |

| | | | |
|---------------------------------------|--------|----------|---------------------|
| Client Sample ID | | | W-1 |
| Sample Matrix | | | Water |
| Eurofins Sample No. | | | S22-Ja40054 |
| Date Sampled | | | Feb 01, 2022 |
| Test/Reference | LOR | Unit | |
| Organochlorine Pesticides | | | |
| Aldrin and Dieldrin (Total)* | 0.0002 | mg/L | < 0.0002 |
| DDT + DDE + DDD (Total)* | 0.0002 | mg/L | < 0.0002 |
| Vic EPA IWRG 621 OCP (Total)* | 0.002 | mg/L | < 0.002 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.002 | mg/L | < 0.002 |
| Dibutylchlorendate (surr.) | 1 | % | 130 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 89 |
| Organophosphorus Pesticides | | | |
| Azinphos-methyl | 0.002 | mg/L | < 0.002 |
| Bolstar | 0.002 | mg/L | < 0.002 |
| Chlorfenvinphos | 0.02 | mg/L | < 0.02 |
| Chlorpyrifos | 0.002 | mg/L | < 0.002 |
| Chlorpyrifos-methyl | 0.002 | mg/L | < 0.002 |
| Coumaphos | 0.02 | mg/L | < 0.02 |
| Demeton-S | 0.002 | mg/L | < 0.002 |
| Demeton-O | 0.002 | mg/L | < 0.002 |
| Diazinon | 0.002 | mg/L | < 0.002 |
| Dichlorvos | 0.002 | mg/L | < 0.002 |
| Dimethoate | 0.002 | mg/L | < 0.002 |
| Disulfoton | 0.002 | mg/L | < 0.002 |
| EPN | 0.002 | mg/L | < 0.002 |
| Ethion | 0.002 | mg/L | < 0.002 |
| Ethoprop | 0.002 | mg/L | < 0.002 |
| Ethyl parathion | 0.002 | mg/L | < 0.002 |
| Fenitrothion | 0.002 | mg/L | < 0.002 |
| Fensulfothion | 0.002 | mg/L | < 0.002 |
| Fenthion | 0.002 | mg/L | < 0.002 |
| Malathion | 0.002 | mg/L | < 0.002 |
| Merphos | 0.002 | mg/L | < 0.002 |
| Methyl parathion | 0.002 | mg/L | < 0.002 |
| Mevinphos | 0.002 | mg/L | < 0.002 |
| Monocrotophos | 0.002 | mg/L | < 0.002 |
| Naled | 0.002 | mg/L | < 0.002 |
| Omethoate | 0.02 | mg/L | < 0.02 |
| Phorate | 0.002 | mg/L | < 0.002 |
| Pirimiphos-methyl | 0.02 | mg/L | < 0.02 |
| Pyrazophos | 0.002 | mg/L | < 0.002 |
| Ronnel | 0.002 | mg/L | < 0.002 |
| Terbufos | 0.002 | mg/L | < 0.002 |
| Tetrachlorvinphos | 0.002 | mg/L | < 0.002 |
| Tokuthion | 0.002 | mg/L | < 0.002 |
| Trichloronate | 0.002 | mg/L | < 0.002 |
| Triphenylphosphate (surr.) | 1 | % | 101 |
| | | | |
| Biochemical Oxygen Demand (BOD-5 Day) | 5 | mg/L | |
| Conductivity (at 25°C) | 10 | uS/cm | 180 |
| Dissolved Oxygen | 0.01 | mg/L | 8.9 |
| Dissolved Oxygen (% Saturation) | | % | 98 |
| Nitrate & Nitrite (as N) | 0.05 | mg/L | < 0.05 |
| pH (at 25 °C) | 0.1 | pH Units | 5.8 |

| | | | |
|--------------------------------|--------|-----------|-----------------------------|
| Client Sample ID | | | W-1 |
| Sample Matrix | | | Water |
| Eurofins Sample No. | | | S22-Ja40054 |
| Date Sampled | | | Feb 01, 2022 |
| Test/Reference | LOR | Unit | |
| Phosphate total (as P) | 0.01 | mg/L | 0.24 |
| Salinity (expressed as TDS)* | 10 | mg/L | 300 |
| Total Kjeldahl Nitrogen (as N) | 0.2 | mg/L | 2.4 |
| Total Nitrogen (as N)* | 0.2 | mg/L | 2.4 |
| Turbidity | 1 | NTU | 110 |
| Heavy Metals | | | |
| Arsenic | 0.001 | mg/L | 0.002 |
| Cadmium | 0.0002 | mg/L | < 0.0002 |
| Chromium | 0.001 | mg/L | 0.006 |
| Copper | 0.001 | mg/L | 0.011 |
| Lead | 0.001 | mg/L | 0.002 |
| Mercury | 0.0001 | mg/L | < 0.0001 |
| Nickel | 0.001 | mg/L | 0.017 |
| Zinc | 0.005 | mg/L | 0.010 |
| Pathogens | | | |
| E.coli (MPN) | 1 | MPN/100mL | ^{N06} see attached |
| Thermotolerant Coliforms (MPN) | 1 | MPN/100mL | ^{N06} see attached |

LABORATORY

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|---|-----------------|--------------|--------------|
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Melbourne | Feb 02, 2022 | 7 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Melbourne | Feb 02, 2022 | 7 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Melbourne | Feb 02, 2022 | 7 Days |
| Suite B14: OCP/OPP | | | |
| Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water (USEPA 8270) | Melbourne | Feb 02, 2022 | 7 Days |
| Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS (USEPA 8270) | Melbourne | Feb 02, 2022 | 7 Days |
| Biochemical Oxygen Demand (BOD-5 Day) - Method: LTM-INO-4010 Biochemical Oxygen Demand (BOD5) in Water | Melbourne | Feb 02, 2022 | 2 Days |
| Conductivity (at 25°C) - Method: LTM-INO-4030 Conductivity | Melbourne | Feb 02, 2022 | 28 Days |
| Dissolved Oxygen - Method: APHA 4500-O B, C, G using Dissolved Oxygen analyser | Melbourne | Feb 03, 2022 | 28 Days |
| Dissolved Oxygen (% Saturation) - Method: APHA 4500-O B, C, G using Dissolved Oxygen analyser | Melbourne | Feb 03, 2022 | 1 Days |
| pH (at 25 °C) - Method: LTM-GEN-7090 pH in water by ISE | Melbourne | Feb 02, 2022 | 0 Hours |
| Salinity (expressed as TDS)* - Method: LTM-INO-4030 | Melbourne | Feb 02, 2022 | 7 Days |
| Turbidity - Method: Turbidity by classical using APHA 2130B (LTM-INO-4140) | Melbourne | Feb 02, 2022 | 28 Days |
| Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS | Melbourne | Feb 02, 2022 | 28 Days |
| Thermotolerant Coliforms (MPN) - Method: LTM-MIC-6623 Thermotolerant Coliforms by MPN | WaterTestingVic | Feb 01, 2022 | 24 Hours |
| Total Nitrogen Set (as N) | | | |
| Nitrate & Nitrite (as N) - Method: LTM-INO-4120 Analysis of NOx NO2 NH3 by FIA | Melbourne | Feb 02, 2022 | 28 Days |
| Total Kjeldahl Nitrogen (as N) - Method: APHA 4500-Norg B,D Total Kjeldahl Nitrogen by FIA | Melbourne | Feb 02, 2022 | 28 Days |
| Eurofins Suite B19A: Total N (TKN, NOx), Total P Phosphate total (as P) - Method: LTM-INO-4040 Phosphate by CFA | Melbourne | Feb 02, 2022 | 28 Days |

| | | | | | |
|----------------------|---|-------------------|-------------|----------------------|----------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Feb 1, 2022 5:35 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 859443 | Due: | Feb 8, 2022 |
| | | Phone: | 1300852 216 | Priority: | 5 Day |
| | | Fax: | | Contact Name: | - Mohammad Hossein Bazayar |
| Project Name: | 13L NARROMINE ROAD DUBBO | | | | |
| Project ID: | NE1167 | | | | |

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Biochemical Oxygen Demand (BOD-5 Day) | Conductivity (at 25°C) | Dissolved Oxygen | Dissolved Oxygen (% Saturation) | E.coli (MPN) | pH (at 25 °C) | Salinity (expressed as TDS)* | Thermotolerant Coliforms (MPN) | Turbidity | Metals M8 | Suite B14: OCP/OPP | Total Recoverable Hydrocarbons | Eurofins Suite B19A: Total N (TKN, NOx), Total P |
|--|-----------|--------------|---------------|--------|-------------|---------------------------------------|------------------------|------------------|---------------------------------|--------------|---------------|------------------------------|--------------------------------|-----------|-----------|--------------------|--------------------------------|--|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | X | X | X | X | | X | X | | X | X | X | X | X |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | | | | | | | | | | | | | |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | X | | | X | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | | | | | |
| 1 | W-1 | Feb 01, 2022 | | Water | S22-Ja40054 | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Test Counts | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |

Internal Quality Control Review and Glossary

General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
9. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
4. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
5. For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
6. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Method Blank | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | mg/L | < 0.02 | | | 0.02 | Pass | |
| TRH C10-C14 | mg/L | < 0.05 | | | 0.05 | Pass | |
| TRH C15-C28 | mg/L | < 0.1 | | | 0.1 | Pass | |
| TRH C29-C36 | mg/L | < 0.1 | | | 0.1 | Pass | |
| Naphthalene | mg/L | < 0.01 | | | 0.01 | Pass | |
| TRH C6-C10 | mg/L | < 0.02 | | | 0.02 | Pass | |
| TRH >C10-C16 | mg/L | < 0.05 | | | 0.05 | Pass | |
| TRH >C16-C34 | mg/L | < 0.1 | | | 0.1 | Pass | |
| TRH >C34-C40 | mg/L | < 0.1 | | | 0.1 | Pass | |
| Method Blank | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | mg/L | < 0.002 | | | 0.002 | Pass | |
| 4,4'-DDD | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| 4,4'-DDE | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| 4,4'-DDT | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| a-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Aldrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| b-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| d-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Dieldrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan I | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan II | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan sulphate | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin aldehyde | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin ketone | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| g-HCH (Lindane) | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Heptachlor | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Heptachlor epoxide | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Hexachlorobenzene | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Methoxychlor | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Toxaphene | mg/L | < 0.005 | | | 0.005 | Pass | |
| Method Blank | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Azinphos-methyl | mg/L | < 0.002 | | | 0.002 | Pass | |
| Bolstar | mg/L | < 0.002 | | | 0.002 | Pass | |
| Chlorfenvinphos | mg/L | < 0.02 | | | 0.02 | Pass | |
| Chlorpyrifos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Chlorpyrifos-methyl | mg/L | < 0.002 | | | 0.002 | Pass | |
| Coumaphos | mg/L | < 0.02 | | | 0.02 | Pass | |
| Demeton-S | mg/L | < 0.002 | | | 0.002 | Pass | |
| Demeton-O | mg/L | < 0.002 | | | 0.002 | Pass | |
| Diazinon | mg/L | < 0.002 | | | 0.002 | Pass | |
| Dichlorvos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Dimethoate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Disulfoton | mg/L | < 0.002 | | | 0.002 | Pass | |
| EPN | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethoprop | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethyl parathion | mg/L | < 0.002 | | | 0.002 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Fenitrothion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Fensulfothion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Fenthion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Malathion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Merphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Methyl parathion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Mevinphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Monocrotophos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Naled | mg/L | < 0.002 | | | 0.002 | Pass | |
| Omethoate | mg/L | < 0.02 | | | 0.02 | Pass | |
| Phorate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Pirimiphos-methyl | mg/L | < 0.02 | | | 0.02 | Pass | |
| Pyrazophos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ronnel | mg/L | < 0.002 | | | 0.002 | Pass | |
| Terbufos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Tetrachlorvinphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Tokuthion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Trichloronate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Method Blank | | | | | | | |
| Conductivity (at 25°C) | uS/cm | < 10 | | | 10 | Pass | |
| Dissolved Oxygen (% Saturation) | % | 110 | | | | N/A | |
| Nitrate & Nitrite (as N) | mg/L | < 0.05 | | | 0.05 | Pass | |
| Phosphate total (as P) | mg/L | 0.01 | | | 0.01 | Pass | |
| Salinity (expressed as TDS)* | mg/L | < 10 | | | 10 | Pass | |
| Total Kjeldahl Nitrogen (as N) | mg/L | < 0.2 | | | 0.2 | Pass | |
| Method Blank | | | | | | | |
| Heavy Metals | | | | | | | |
| Arsenic | mg/L | < 0.001 | | | 0.001 | Pass | |
| Cadmium | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Chromium | mg/L | < 0.001 | | | 0.001 | Pass | |
| Copper | mg/L | < 0.001 | | | 0.001 | Pass | |
| Lead | mg/L | < 0.001 | | | 0.001 | Pass | |
| Mercury | mg/L | < 0.0001 | | | 0.0001 | Pass | |
| Nickel | mg/L | < 0.001 | | | 0.001 | Pass | |
| Zinc | mg/L | < 0.005 | | | 0.005 | Pass | |
| LCS - % Recovery | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | % | 118 | | | 70-130 | Pass | |
| TRH C10-C14 | % | 79 | | | 70-130 | Pass | |
| Naphthalene | % | 92 | | | 70-130 | Pass | |
| TRH C6-C10 | % | 119 | | | 70-130 | Pass | |
| TRH >C10-C16 | % | 86 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | % | 77 | | | 70-130 | Pass | |
| 4,4'-DDD | % | 80 | | | 70-130 | Pass | |
| 4,4'-DDE | % | 84 | | | 70-130 | Pass | |
| 4,4'-DDT | % | 77 | | | 70-130 | Pass | |
| a-HCH | % | 76 | | | 70-130 | Pass | |
| Aldrin | % | 80 | | | 70-130 | Pass | |
| b-HCH | % | 87 | | | 70-130 | Pass | |
| d-HCH | % | 79 | | | 70-130 | Pass | |
| Dieldrin | % | 90 | | | 70-130 | Pass | |
| Endosulfan I | % | 105 | | | 70-130 | Pass | |

| Test | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|--------------------------------|---------------|-----------|-------|----------|--|--|-------------------|-------------|-----------------|
| Endosulfan II | | | % | 102 | | | 70-130 | Pass | |
| Endosulfan sulphate | | | % | 90 | | | 70-130 | Pass | |
| Endrin | | | % | 78 | | | 70-130 | Pass | |
| Endrin ketone | | | % | 80 | | | 70-130 | Pass | |
| g-HCH (Lindane) | | | % | 76 | | | 70-130 | Pass | |
| Heptachlor | | | % | 78 | | | 70-130 | Pass | |
| Heptachlor epoxide | | | % | 72 | | | 70-130 | Pass | |
| Hexachlorobenzene | | | % | 78 | | | 70-130 | Pass | |
| Methoxychlor | | | % | 86 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | |
| Organophosphorus Pesticides | | | | | | | | | |
| Diazinon | | | % | 114 | | | 70-130 | Pass | |
| Dimethoate | | | % | 95 | | | 70-130 | Pass | |
| Ethion | | | % | 70 | | | 70-130 | Pass | |
| Fenitrothion | | | % | 94 | | | 70-130 | Pass | |
| Methyl parathion | | | % | 70 | | | 70-130 | Pass | |
| Mevinphos | | | % | 92 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | |
| Conductivity (at 25°C) | | | % | 106 | | | 70-130 | Pass | |
| Nitrate & Nitrite (as N) | | | % | 109 | | | 70-130 | Pass | |
| Phosphate total (as P) | | | % | 100 | | | 70-130 | Pass | |
| Total Kjeldahl Nitrogen (as N) | | | % | 98 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | |
| Heavy Metals | | | | | | | | | |
| Arsenic | | | % | 97 | | | 80-120 | Pass | |
| Cadmium | | | % | 98 | | | 80-120 | Pass | |
| Chromium | | | % | 97 | | | 80-120 | Pass | |
| Copper | | | % | 97 | | | 80-120 | Pass | |
| Lead | | | % | 107 | | | 80-120 | Pass | |
| Mercury | | | % | 97 | | | 80-120 | Pass | |
| Nickel | | | % | 97 | | | 80-120 | Pass | |
| Zinc | | | % | 99 | | | 80-120 | Pass | |
| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Spike - % Recovery | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | | | | | |
| TRH C6-C9 | M22-Fe01502 | NCP | % | 104 | | | 70-130 | Pass | |
| TRH C10-C14 | M22-Fe05149 | NCP | % | 93 | | | 70-130 | Pass | |
| Naphthalene | M22-Fe01502 | NCP | % | 76 | | | 70-130 | Pass | |
| TRH C6-C10 | M22-Fe01502 | NCP | % | 105 | | | 70-130 | Pass | |
| TRH >C10-C16 | M22-Fe05149 | NCP | % | 102 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| | | | | Result 1 | | | | | |
| Nitrate & Nitrite (as N) | S22-Fe02403 | NCP | % | 105 | | | 70-130 | Pass | |
| Total Kjeldahl Nitrogen (as N) | M22-Fe04387 | NCP | % | 94 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Heavy Metals | | | | Result 1 | | | | | |
| Arsenic | S22-Fe03944 | NCP | % | 104 | | | 75-125 | Pass | |
| Cadmium | S22-Fe03944 | NCP | % | 82 | | | 75-125 | Pass | |
| Chromium | S22-Fe03944 | NCP | % | 96 | | | 75-125 | Pass | |
| Copper | S22-Fe03944 | NCP | % | 88 | | | 75-125 | Pass | |
| Lead | S22-Fe03944 | NCP | % | 77 | | | 75-125 | Pass | |
| Mercury | S22-Fe03944 | NCP | % | 89 | | | 75-125 | Pass | |
| Nickel | S22-Fe03944 | NCP | % | 93 | | | 75-125 | Pass | |
| Zinc | S22-Fe03944 | NCP | % | 102 | | | 75-125 | Pass | |

| Test | Lab Sample ID | QA Source | Units | Result 1 | Result 2 | RPD | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| Duplicate | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | Result 2 | RPD | | | |
| TRH C6-C9 | M22-Fe01508 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass | |
| TRH C10-C14 | M22-Fe05148 | NCP | mg/L | 12 | 11 | 10 | 30% | Pass | |
| TRH C15-C28 | M22-Fe05148 | NCP | mg/L | 0.5 | 0.2 | 86 | 30% | Fail | Q15 |
| TRH C29-C36 | M22-Fe05148 | NCP | mg/L | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Naphthalene | M22-Fe01508 | NCP | mg/L | < 0.01 | < 0.01 | <1 | 30% | Pass | |
| TRH C6-C10 | M22-Fe01508 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass | |
| TRH >C10-C16 | M22-Fe05148 | NCP | mg/L | 3.6 | 3.0 | 18 | 30% | Pass | |
| TRH >C16-C34 | M22-Fe05148 | NCP | mg/L | 0.2 | < 0.1 | 200 | 30% | Fail | Q15 |
| TRH >C34-C40 | M22-Fe05148 | NCP | mg/L | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | Result 2 | RPD | | | |
| Chlordanes - Total | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| 4,4'-DDD | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| 4,4'-DDE | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| 4,4'-DDT | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| a-HCH | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Aldrin | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| b-HCH | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| d-HCH | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Dieldrin | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endosulfan I | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endosulfan II | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endosulfan sulphate | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endrin | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endrin aldehyde | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Endrin ketone | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| g-HCH (Lindane) | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Heptachlor | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Hexachlorobenzene | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Methoxychlor | L22-Fe01310 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass | |
| Toxaphene | L22-Fe01310 | NCP | mg/L | < 0.005 | < 0.005 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | | |
| Azinphos-methyl | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Bolstar | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Chlorfenvinphos | L22-Fe01310 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass | |
| Chlorpyrifos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Chlorpyrifos-methyl | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Coumaphos | L22-Fe01310 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass | |
| Demeton-S | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Demeton-O | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Diazinon | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Dichlorvos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Dimethoate | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Disulfoton | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| EPN | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Ethion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Ethoprop | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Ethyl parathion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Fenitrothion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Fensulfthion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |
| Fenthion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass | |

| Duplicate | | | | | | | | |
|---------------------------------|-------------|-----|----------|----------|----------|------|-----|------|
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Malathion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Merphos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Methyl parathion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Mevinphos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Monocrotophos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Naled | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Omethoate | L22-Fe01310 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Phorate | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Pirimiphos-methyl | L22-Fe01310 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Pyrazophos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Ronnel | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Terbufos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Tetrachlorvinphos | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Tokuthion | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Trichloronate | L22-Fe01310 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | |
| Conductivity (at 25°C) | M22-Fe00576 | NCP | uS/cm | < 10 | < 10 | <1 | 30% | Pass |
| Dissolved Oxygen | S22-Ja16511 | NCP | mg/L | 8.9 | 8.8 | 2.0 | 30% | Pass |
| Dissolved Oxygen (% Saturation) | S22-Ja40054 | CP | % | 98 | 97 | 2.0 | 30% | Pass |
| Nitrate & Nitrite (as N) | S22-Fe02403 | NCP | mg/L | < 0.05 | < 0.05 | <1 | 30% | Pass |
| pH (at 25 °C) | M22-Fe00576 | NCP | pH Units | 5.0 | 5.0 | pass | 30% | Pass |
| Phosphate total (as P) | B22-Ja38001 | NCP | mg/L | 0.07 | 0.08 | 10 | 30% | Pass |
| Total Kjeldahl Nitrogen (as N) | B22-Fe00402 | NCP | mg/L | 0.3 | 0.4 | 40 | 30% | Fail |
| Duplicate | | | | | | | | |
| Heavy Metals | | | | Result 1 | Result 2 | RPD | | |
| Arsenic | S22-Fe03944 | NCP | mg/L | 0.002 | 0.002 | 8.0 | 30% | Pass |
| Cadmium | S22-Fe03944 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Chromium | S22-Fe03944 | NCP | mg/L | 0.003 | 0.003 | 12 | 30% | Pass |
| Copper | S22-Fe03944 | NCP | mg/L | 0.017 | 0.017 | 4.0 | 30% | Pass |
| Lead | S22-Fe03944 | NCP | mg/L | 0.010 | 0.010 | 2.0 | 30% | Pass |
| Mercury | S22-Fe03944 | NCP | mg/L | < 0.0001 | < 0.0001 | <1 | 30% | Pass |
| Nickel | S22-Fe03944 | NCP | mg/L | 0.007 | 0.007 | 4.0 | 30% | Pass |
| Zinc | S22-Fe03944 | NCP | mg/L | 0.030 | 0.031 | 2.0 | 30% | Pass |

Comments

E.coli and Thermotolerant Coliforms analysed by: Eurofins Food Testing Australia Pty Ltd, NATA Accreditation number: 20293, report reference AR-22-NV-001350-01.

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Qualifier Codes/Comments

| Code | Description |
|------|--|
| N01 | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis). |
| N02 | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04 | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes. |
| N06 | This result has been produced by a third-party laboratory and is not covered by Eurofins Environment Testing lab ISO/IEC 17025 accreditation. |
| Q15 | The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report. |

Authorised by:

| | |
|-----------------|--------------------------------|
| Emily Rosenberg | Senior Analyst-Metal (VIC) |
| Joseph Edouard | Senior Analyst-Organic (VIC) |
| Scott Beddoes | Senior Analyst-Inorganic (VIC) |
| Vivian Wang | Senior Analyst-Volatile (VIC) |

Glenn Jackson
General Manager

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

CLIENT DETAILS

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
NATA is a signatory to the ILAC Mutual Recognition
Arrangement for the mutual recognition of the
equivalence of testing, medical testing, calibration,
inspection, proficiency testing scheme providers and
reference materials producers reports and certificates.

Attention: Victor Kirpichnikov (GEOTESTA)

Report 889035-S
Project name LOT 7 DP223428 NARROMINE ROAD
Project ID NE1295
Received Date May 13, 2022

| Client Sample ID | | | EBH1 | EBH2 | EBH3 | EBH4 |
|---|-----|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038531 | S22-My0038532 | S22-My0038533 | S22-My0038534 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C10-C14 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C15-C28 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C29-C36 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C10-C36 (Total) | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| Naphthalene ^{N02} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH >C10-C16 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C16-C34 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C34-C40 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C10-C40 (total)* | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Toluene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| o-Xylene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | < 0.3 | < 0.3 | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | 105 | 89 | 85 | 99 |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | 0.6 | 0.6 | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | 1.2 | 1.2 | 1.2 |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Chrysene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |

| Client Sample ID | | | EBH1 | EBH2 | EBH3 | EBH4 |
|---|------|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038531 | S22-My0038532 | S22-My0038533 | S22-My0038534 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Fluorene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Indeno(1.2.3-cd)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Naphthalene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Total PAH* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | 92 | 67 | 93 | 89 |
| p-Terphenyl-d14 (surr.) | 1 | % | 100 | 105 | 95 | 87 |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 4.4'-DDD | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4.4'-DDE | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4.4'-DDT | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| a-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Aldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| b-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| d-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Dieldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan I | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan II | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan sulphate | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin aldehyde | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin ketone | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| g-HCH (Lindane) | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor epoxide | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Hexachlorobenzene | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Methoxychlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Toxaphene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchlorodate (surr.) | 1 | % | 68 | 79 | 78 | 75 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 78 | 82 | 76 | 73 |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Bolstar | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorfenvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Coumaphos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Demeton-S | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Demeton-O | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Diazinon | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dichlorvos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dimethoate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |

| Client Sample ID | | | EBH1 | EBH2 | EBH3 | EBH4 |
|------------------------------------|-----|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038531 | S22-My0038532 | S22-My0038533 | S22-My0038534 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Organophosphorus Pesticides | | | | | | |
| Disulfoton | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| EPN | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethoprop | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenitrothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fensulfothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Malathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Merphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Methyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Mevinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Monocrotophos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Naled | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Omethoate | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Phorate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pirimiphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pyrazophos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ronnel | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Terbufos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tetrachlorvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tokuthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Trichloronate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Triphenylphosphate (surr.) | 1 | % | 115 | 95 | 99 | 94 |
| Polychlorinated Biphenyls | | | | | | |
| Aroclor-1016 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1221 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1232 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1242 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1248 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1254 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1260 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Total PCB* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchlorendate (surr.) | 1 | % | 68 | 79 | 78 | 75 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 78 | 82 | 76 | 73 |
| Phenols (Halogenated) | | | | | | |
| 2-Chlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4,5-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,4,6-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,6-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Chloro-3-methylphenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Pentachlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Tetrachlorophenols - Total | 10 | mg/kg | < 10 | < 10 | < 10 | < 10 |
| Total Halogenated Phenol* | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |

| Client Sample ID Sample Matrix Eurofins Sample No. Date Sampled Test/Reference | LOR | Unit | EBH1 Soil S22-My0038531 May 12, 2022 | EBH2 Soil S22-My0038532 May 12, 2022 | EBH3 Soil S22-My0038533 May 12, 2022 | EBH4 Soil S22-My0038534 May 12, 2022 |
|--|-----|-------|---|---|---|---|
| Phenols (non-Halogenated) | | | | | | |
| 2-Cyclohexyl-4.6-dinitrophenol | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| 2-Methyl-4.6-dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Nitrophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2.4-Dimethylphenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2.4-Dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Methylphenol (o-Cresol) | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| 3&4-Methylphenol (m&p-Cresol) | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Total cresols* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Nitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| Dinoseb | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| Phenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenol-d6 (surr.) | 1 | % | 97 | 87 | 83 | 94 |
| Total Non-Halogenated Phenol* | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 3.3 | 3.3 | 2.1 | 2.8 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 140 | 140 | 37 | 80 |
| Copper | 5 | mg/kg | 35 | 53 | 12 | 24 |
| Lead | 5 | mg/kg | < 5 | < 5 | 7.1 | 7.8 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 130 | 180 | 23 | 60 |
| Zinc | 5 | mg/kg | 52 | 70 | 19 | 34 |
| | | | | | | |
| % Moisture | 1 | % | 19 | 20 | 16 | 25 |

| Client Sample ID Sample Matrix Eurofins Sample No. Date Sampled Test/Reference | LOR | Unit | EBH5 Soil S22-My0038535 May 12, 2022 | EBH6 Soil S22-My0038536 May 12, 2022 | EBH7 Soil S22-My0038537 May 12, 2022 | EBH8 Soil S22-My0038538 May 12, 2022 |
|--|-----|-------|---|---|---|---|
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C10-C14 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C15-C28 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C29-C36 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C10-C36 (Total) | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| Naphthalene ^{N02} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH >C10-C16 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C16-C34 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C34-C40 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C10-C40 (total)* | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |

| Client Sample ID | | | EBH5 | EBH6 | EBH7 | EBH8 |
|---|------|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038535 | S22-My0038536 | S22-My0038537 | S22-My0038538 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Toluene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| o-Xylene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | < 0.3 | < 0.3 | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | 98 | 93 | 94 | 90 |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | 0.6 | 0.6 | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | 1.2 | 1.2 | 1.2 |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(b&j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Chrysene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Fluorene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Indeno(1,2,3-cd)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Naphthalene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Total PAH* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | 89 | 88 | 92 | 96 |
| p-Terphenyl-d14 (surr.) | 1 | % | 90 | 87 | 102 | 107 |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 4,4'-DDD | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4,4'-DDE | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4,4'-DDT | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| a-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Aldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| b-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| d-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Dieldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan I | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan II | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan sulphate | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin aldehyde | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin ketone | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| g-HCH (Lindane) | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor epoxide | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |

| Client Sample ID | | | EBH5 | EBH6 | EBH7 | EBH8 |
|-------------------------------------|------|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038535 | S22-My0038536 | S22-My0038537 | S22-My0038538 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Organochlorine Pesticides | | | | | | |
| Hexachlorobenzene | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Methoxychlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Toxaphene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchlorendate (surr.) | 1 | % | 67 | 69 | 122 | 123 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 74 | 72 | 134 | 136 |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Bolstar | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorfenvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Coumaphos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Demeton-S | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Demeton-O | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Diazinon | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dichlorvos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dimethoate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Disulfoton | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| EPN | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethoprop | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenitrothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fensulfothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Malathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Merphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Methyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Mevinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Monocrotophos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Naled | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Omethoate | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Phorate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pirimiphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pyrazophos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ronnel | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Terbufos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tetrachlorvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tokuthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Trichloronate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Triphenylphosphate (surr.) | 1 | % | 78 | 86 | 100 | 92 |

| Client Sample ID | | | EBH5 | EBH6 | EBH7 | EBH8 |
|--|------|----------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038535 | S22-My0038536 | S22-My0038537 | S22-My0038538 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Polychlorinated Biphenyls | | | | | | |
| Aroclor-1016 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1221 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1232 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1242 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1248 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1254 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1260 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Total PCB* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchloredate (surr.) | 1 | % | 67 | 69 | 122 | 123 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 74 | 72 | 134 | 136 |
| Phenols (Halogenated) | | | | | | |
| 2-Chlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4,5-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,4,6-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,6-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Chloro-3-methylphenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Pentachlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Tetrachlorophenols - Total | 10 | mg/kg | < 10 | < 10 | < 10 | < 10 |
| Total Halogenated Phenol* | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Phenols (non-Halogenated) | | | | | | |
| 2-Cyclohexyl-4,6-dinitrophenol | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| 2-Methyl-4,6-dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Nitrophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,4-Dimethylphenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4-Dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Methylphenol (o-Cresol) | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| 3&4-Methylphenol (m&p-Cresol) | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Total cresols* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Nitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| Dinoseb | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| Phenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenol-d6 (surr.) | 1 | % | 89 | 92 | 146 | 130 |
| Total Non-Halogenated Phenol* | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 2.6 | 2.5 | 3.3 | 4.8 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 82 | 250 | 60 | 110 |
| Copper | 5 | mg/kg | 19 | 44 | 13 | 31 |
| Lead | 5 | mg/kg | 7.4 | 5.0 | 6.8 | 9.3 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 52 | 230 | 52 | 77 |
| Zinc | 5 | mg/kg | 26 | 52 | 34 | 41 |
| | | | | | | |
| % Moisture | 1 | % | 17 | 22 | 16 | 22 |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | 10 | uS/cm | < 10 | - | - | - |
| pH (1:5 Aqueous extract at 25°C as rec.) | 0.1 | pH Units | 7.0 | - | - | - |
| Cation Exchange Capacity | | | | | | |
| Cation Exchange Capacity | 0.05 | meq/100g | 13 | - | - | - |

| Client Sample ID | | | EBH9 | EBH10 | EBH11 | EBH12 |
|---|------|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038539 | S22-My0038540 | S22-My0038541 | S22-My0038542 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C10-C14 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C15-C28 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C29-C36 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH C10-C36 (Total) | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| Naphthalene ^{N02} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| TRH >C10-C16 | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 50 | mg/kg | < 50 | < 50 | < 50 | < 50 |
| TRH >C16-C34 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C34-C40 | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| TRH >C10-C40 (total)* | 100 | mg/kg | < 100 | < 100 | < 100 | < 100 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Toluene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| o-Xylene | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Xylenes - Total* | 0.3 | mg/kg | < 0.3 | < 0.3 | < 0.3 | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | 137 | 68 | 64 | 67 |
| Polycyclic Aromatic Hydrocarbons | | | | | | |
| Benzo(a)pyrene TEQ (lower bound) * | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene TEQ (medium bound) * | 0.5 | mg/kg | 0.6 | 0.6 | 0.6 | 0.6 |
| Benzo(a)pyrene TEQ (upper bound) * | 0.5 | mg/kg | 1.2 | 1.2 | 1.2 | 1.2 |
| Acenaphthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Acenaphthylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benz(a)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(a)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(b,j)fluoranthene ^{N07} | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(g,h,i)perylene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Benzo(k)fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Chrysene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Dibenz(a,h)anthracene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Fluoranthene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Fluorene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Indeno(1,2,3-cd)pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Naphthalene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenanthrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Pyrene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Total PAH* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2-Fluorobiphenyl (surr.) | 1 | % | 88 | 85 | 95 | 83 |
| p-Terphenyl-d14 (surr.) | 1 | % | 92 | 86 | 107 | 97 |
| Organochlorine Pesticides | | | | | | |
| Chlordanes - Total | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| 4,4'-DDD | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4,4'-DDE | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| 4,4'-DDT | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |

| Client Sample ID | | | EBH9 | EBH10 | EBH11 | EBH12 |
|-------------------------------------|------|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038539 | S22-My0038540 | S22-My0038541 | S22-My0038542 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Organochlorine Pesticides | | | | | | |
| a-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Aldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| b-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| d-HCH | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Dieldrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan I | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan II | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endosulfan sulphate | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin aldehyde | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Endrin ketone | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| g-HCH (Lindane) | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Heptachlor epoxide | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Hexachlorobenzene | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Methoxychlor | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Toxaphene | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Aldrin and Dieldrin (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| DDT + DDE + DDD (Total)* | 0.05 | mg/kg | < 0.05 | < 0.05 | < 0.05 | < 0.05 |
| Vic EPA IWRG 621 OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchlorendate (surr.) | 1 | % | 101 | 106 | 108 | 94 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 121 | 117 | 131 | 122 |
| Organophosphorus Pesticides | | | | | | |
| Azinphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Bolstar | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorfenvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Chlorpyrifos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Coumaphos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Demeton-S | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Demeton-O | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Diazinon | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dichlorvos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Dimethoate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Disulfoton | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| EPN | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethoprop | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ethyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenitrothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fensulfothion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Fenthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Malathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Merphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Methyl parathion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Mevinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Monocrotophos | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Naled | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |

| Client Sample ID Sample Matrix Eurofins Sample No. Date Sampled Test/Reference | LOR | Unit | EBH9 Soil S22- My0038539 May 12, 2022 | EBH10 Soil S22- My0038540 May 12, 2022 | EBH11 Soil S22- My0038541 May 12, 2022 | EBH12 Soil S22- My0038542 May 12, 2022 |
|--|-----|-------|---|--|--|--|
| Organophosphorus Pesticides | | | | | | |
| Omethoate | 2 | mg/kg | < 2 | < 2 | < 2 | < 2 |
| Phorate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pirimiphos-methyl | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Pyrazophos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Ronnel | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Terbufos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tetrachlorvinphos | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Tokuthion | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Trichloronate | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| Triphenylphosphate (surr.) | 1 | % | 93 | 97 | 73 | 70 |
| Polychlorinated Biphenyls | | | | | | |
| Aroclor-1016 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1221 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1232 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1242 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1248 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1254 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Aroclor-1260 | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Total PCB* | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Dibutylchlorendate (surr.) | 1 | % | 101 | 106 | 108 | 94 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 121 | 117 | 131 | 122 |
| Phenols (Halogenated) | | | | | | |
| 2-Chlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4,5-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,4,6-Trichlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,6-Dichlorophenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Chloro-3-methylphenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Pentachlorophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Tetrachlorophenols - Total | 10 | mg/kg | < 10 | < 10 | < 10 | < 10 |
| Total Halogenated Phenol* | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| Phenols (non-Halogenated) | | | | | | |
| 2-Cyclohexyl-4,6-dinitrophenol | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| 2-Methyl-4,6-dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Nitrophenol | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| 2,4-Dimethylphenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 2,4-Dinitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| 2-Methylphenol (o-Cresol) | 0.2 | mg/kg | < 0.2 | < 0.2 | < 0.2 | < 0.2 |
| 3&4-Methylphenol (m&p-Cresol) | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Total cresols* | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| 4-Nitrophenol | 5 | mg/kg | < 5 | < 5 | < 5 | < 5 |
| Dinoseb | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |
| Phenol | 0.5 | mg/kg | < 0.5 | < 0.5 | < 0.5 | < 0.5 |
| Phenol-d6 (surr.) | 1 | % | 135 | 113 | 126 | 110 |
| Total Non-Halogenated Phenol* | 20 | mg/kg | < 20 | < 20 | < 20 | < 20 |

| Client Sample ID | | | EBH9 | EBH10 | EBH11 | EBH12 |
|---------------------|-----|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038539 | S22-My0038540 | S22-My0038541 | S22-My0038542 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 2.8 | 6.1 | 2.3 | 2.7 |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | < 0.4 | < 0.4 |
| Chromium | 5 | mg/kg | 78 | 64 | 110 | 130 |
| Copper | 5 | mg/kg | 16 | 16 | 32 | 30 |
| Lead | 5 | mg/kg | 7.1 | 8.0 | 7.6 | 6.3 |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | < 0.1 | < 0.1 |
| Nickel | 5 | mg/kg | 55 | 49 | 98 | 96 |
| Zinc | 5 | mg/kg | 29 | 35 | 50 | 39 |
| | | | | | | |
| % Moisture | 1 | % | 23 | 17 | 21 | 19 |

| Client Sample ID | | | BD1 | EIL | TRIP SPIKE | TRIP BLANK |
|--|-----|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-My0038543 | S22-My0038544 | S22-My0038545 | S22-My0038546 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Total Recoverable Hydrocarbons | | | | | | |
| TRH C6-C9 | 20 | mg/kg | - | - | - | < 20 |
| Naphthalene ^{N02} | 0.5 | mg/kg | - | - | - | < 0.5 |
| TRH C6-C10 | 20 | mg/kg | - | - | - | < 20 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 20 | mg/kg | - | - | - | < 20 |
| BTEX | | | | | | |
| Benzene | 0.1 | mg/kg | - | - | - | < 0.1 |
| Toluene | 0.1 | mg/kg | - | - | - | < 0.1 |
| Ethylbenzene | 0.1 | mg/kg | - | - | - | < 0.1 |
| m&p-Xylenes | 0.2 | mg/kg | - | - | - | < 0.2 |
| o-Xylene | 0.1 | mg/kg | - | - | - | < 0.1 |
| Xylenes - Total* | 0.3 | mg/kg | - | - | - | < 0.3 |
| 4-Bromofluorobenzene (surr.) | 1 | % | - | - | - | 96 |
| Heavy Metals | | | | | | |
| Arsenic | 2 | mg/kg | 3.5 | < 2 | - | - |
| Cadmium | 0.4 | mg/kg | < 0.4 | < 0.4 | - | - |
| Chromium | 5 | mg/kg | 100 | 38 | - | - |
| Copper | 5 | mg/kg | 20 | 5.7 | - | - |
| Lead | 5 | mg/kg | 5.5 | < 5 | - | - |
| Mercury | 0.1 | mg/kg | < 0.1 | < 0.1 | - | - |
| Nickel | 5 | mg/kg | 67 | 11 | - | - |
| Zinc | 5 | mg/kg | 42 | 8.8 | - | - |
| | | | | | | |
| % Moisture | 1 | % | 17 | 13 | - | - |
| TRH C6-C10 | 1 | % | - | - | 83 | - |
| Total Recoverable Hydrocarbons | | | | | | |
| Naphthalene | 1 | % | - | - | 77 | - |
| TRH C6-C9 | 1 | % | - | - | 82 | - |

| Client Sample ID Sample Matrix Eurofins Sample No. Date Sampled Test/Reference | LOR | Unit | BD1 Soil S22- My0038543 May 12, 2022 | EIL Soil S22- My0038544 May 12, 2022 | TRIP SPIKE Soil S22- My0038545 May 12, 2022 | TRIP BLANK Soil S22- My0038546 May 12, 2022 |
|--|-----|------|--|--|---|---|
| BTEX | | | | | | |
| Benzene | 1 | % | - | - | 84 | - |
| Ethylbenzene | 1 | % | - | - | 81 | - |
| m&p-Xylenes | 1 | % | - | - | 82 | - |
| o-Xylene | 1 | % | - | - | 83 | - |
| Toluene | 1 | % | - | - | 84 | - |
| Xylenes - Total | 1 | % | - | - | 82 | - |
| 4-Bromofluorobenzene (surr.) | 1 | % | - | - | 77 | - |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|---|--------------|--------------|--------------|
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 14 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 14 Days |
| Total Recoverable Hydrocarbons - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 14 Days |
| BTEX - Method: LTM-ORG-2010 BTEX and Volatile TRH | Sydney | May 20, 2022 | 14 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 14 Days |
| Polycyclic Aromatic Hydrocarbons - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water | Sydney | May 20, 2022 | 14 Days |
| Phenols (Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water | Sydney | May 20, 2022 | 14 Days |
| Phenols (non-Halogenated) - Method: LTM-ORG-2130 PAH and Phenols in Soil and Water | Sydney | May 20, 2022 | 14 Days |
| Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS | Sydney | May 20, 2022 | 28 Days |
| Eurofins Suite B15 | | | |
| Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water | Sydney | May 20, 2022 | 14 Days |
| Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS | Sydney | May 20, 2022 | 14 Days |
| Polychlorinated Biphenyls - Method: LTM-ORG-2220 OCP & PCB in Soil and Water | Sydney | May 20, 2022 | 28 Days |
| % Moisture - Method: LTM-GEN-7080 Moisture | Sydney | May 17, 2022 | 14 Days |
| Conductivity (1:5 aqueous extract at 25°C as rec.) - Method: LTM-INO-4030 Conductivity | Sydney | May 20, 2022 | 7 Days |
| Cation Exchange Capacity - Method: LTM-MET-3060 Cation Exchange Capacity by bases & Exchangeable Sodium Percentage | Melbourne | May 20, 2022 | 28 Days |
| pH (1:5 Aqueous extract at 25°C as rec.) - Method: LTM-GEN-7090 pH by ISE | Sydney | May 20, 2022 | 7 Days |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | May 13, 2022 4:00 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 889035 | Due: | May 20, 2022 |
| Project Name: | LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | | Asbestos - W/A guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|-----------|--------------|---------------|--------|---------------|---------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | |
| 1 | EBH1 | May 12, 2022 | | Soil | S22-My0038531 | X | | | X | X | | X | | |
| 2 | EBH2 | May 12, 2022 | | Soil | S22-My0038532 | X | | | X | X | | X | | |
| 3 | EBH3 | May 12, 2022 | | Soil | S22-My0038533 | X | | | X | X | | X | | |
| 4 | EBH4 | May 12, 2022 | | Soil | S22-My0038534 | X | | | X | X | | X | | |
| 5 | EBH5 | May 12, 2022 | | Soil | S22-My0038535 | X | X | | X | X | X | X | | |
| 6 | EBH6 | May 12, 2022 | | Soil | S22- | X | | | X | X | | X | | |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: LOT 7 DP223428 NARROMINE ROAD
Project ID: NE1295

Order No.:
Report #: 889035
Phone: 1300852 216
Fax:

Received: May 13, 2022 4:00 PM
Due: May 20, 2022
Priority: 5 Day
Contact Name: Victor Kirpichnikov (GEOTESTA)

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - WA guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|-------|--------------|--|------|---------------|--------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| | | | | | My0038536 | | | | | | | | | |
| 7 | EBH7 | May 12, 2022 | | Soil | S22-My0038537 | X | | | X | X | | X | | |
| 8 | EBH8 | May 12, 2022 | | Soil | S22-My0038538 | X | | | X | X | | X | | |
| 9 | EBH9 | May 12, 2022 | | Soil | S22-My0038539 | X | | | X | X | | X | | |
| 10 | EBH10 | May 12, 2022 | | Soil | S22-My0038540 | X | | | X | X | | X | | |
| 11 | EBH11 | May 12, 2022 | | Soil | S22-My0038541 | X | | | X | X | | X | | |
| 12 | EBH12 | May 12, 2022 | | Soil | S22-My0038542 | X | | | X | X | | X | | |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | May 13, 2022 4:00 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 889035 | Due: | May 20, 2022 |
| Project Name: | LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | | Asbestos - W/A guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|------------|--------------|--|------|---------------|---------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 13 | BD1 | May 12, 2022 | | Soil | S22-My0038543 | | | X | | X | | | | |
| 14 | EIL | May 12, 2022 | | Soil | S22-My0038544 | | | X | | X | | | | |
| 15 | TRIP SPIKE | May 12, 2022 | | Soil | S22-My0038545 | | | | | | | | | X |
| 16 | TRIP BLANK | May 12, 2022 | | Soil | S22-My0038546 | | | | | | | | X | |
| Test Counts | | | | | | 12 | 1 | 2 | 12 | 14 | 1 | 12 | 1 | 1 |

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|-------|----------|--|--|-------------------|-------------|-----------------|
| Method Blank | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | mg/kg | < 20 | | | 20 | Pass | |
| TRH C10-C14 | mg/kg | < 20 | | | 20 | Pass | |
| TRH C15-C28 | mg/kg | < 50 | | | 50 | Pass | |
| TRH C29-C36 | mg/kg | < 50 | | | 50 | Pass | |
| Naphthalene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| TRH C6-C10 | mg/kg | < 20 | | | 20 | Pass | |
| TRH >C10-C16 | mg/kg | < 50 | | | 50 | Pass | |
| TRH >C16-C34 | mg/kg | < 100 | | | 100 | Pass | |
| TRH >C34-C40 | mg/kg | < 100 | | | 100 | Pass | |
| Method Blank | | | | | | | |
| BTEX | | | | | | | |
| Benzene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Toluene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Ethylbenzene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| m&p-Xylenes | mg/kg | < 0.2 | | | 0.2 | Pass | |
| o-Xylene | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Xylenes - Total* | mg/kg | < 0.3 | | | 0.3 | Pass | |
| Method Blank | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | | |
| Acenaphthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Acenaphthylene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benz(a)anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(a)pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(b&j)fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(g,h,i)perylene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Benzo(k)fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Chrysene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Dibenz(a,h)anthracene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Fluoranthene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Fluorene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Indeno(1,2,3-cd)pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Naphthalene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Phenanthrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Pyrene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Total PAH* | mg/kg | - | | | 0.5 | N/A | |
| Method Blank | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | mg/kg | < 0.1 | | | 0.1 | Pass | |
| 4,4'-DDD | mg/kg | < 0.05 | | | 0.05 | Pass | |
| 4,4'-DDE | mg/kg | < 0.05 | | | 0.05 | Pass | |
| 4,4'-DDT | mg/kg | < 0.05 | | | 0.05 | Pass | |
| a-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Aldrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| b-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| d-HCH | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Dieldrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endosulfan I | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endosulfan II | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endosulfan sulphate | mg/kg | < 0.05 | | | 0.05 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Endrin | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endrin aldehyde | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Endrin ketone | mg/kg | < 0.05 | | | 0.05 | Pass | |
| g-HCH (Lindane) | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Heptachlor | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Heptachlor epoxide | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Hexachlorobenzene | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Methoxychlor | mg/kg | < 0.05 | | | 0.05 | Pass | |
| Toxaphene | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Method Blank | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Azinphos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Bolstar | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorfenvinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorpyrifos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Chlorpyrifos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Coumaphos | mg/kg | < 2 | | | 2 | Pass | |
| Demeton-S | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Demeton-O | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Diazinon | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Dichlorvos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Dimethoate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Disulfoton | mg/kg | < 0.2 | | | 0.2 | Pass | |
| EPN | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethoprop | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ethyl parathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fenitrothion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fensulfothion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Fenthion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Malathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Merphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Methyl parathion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Mevinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Monocrotophos | mg/kg | < 2 | | | 2 | Pass | |
| Naled | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Omethoate | mg/kg | < 2 | | | 2 | Pass | |
| Phorate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Pirimiphos-methyl | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Pyrazophos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Ronnel | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Terbufos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Tetrachlorvinphos | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Tokuthion | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Trichloronate | mg/kg | < 0.2 | | | 0.2 | Pass | |
| Method Blank | | | | | | | |
| Polychlorinated Biphenyls | | | | | | | |
| Aroclor-1016 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1221 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1232 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1242 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1248 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1254 | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Aroclor-1260 | mg/kg | < 0.1 | | | 0.1 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|--|----------|----------|--|--|-------------------|-------------|-----------------|
| Total PCB* | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Method Blank | | | | | | | |
| Phenols (Halogenated) | | | | | | | |
| 2-Chlorophenol | mg/kg | < 0.5 | | | 0.5 | Pass | |
| 2,4-Dichlorophenol | mg/kg | < 0.5 | | | 0.5 | Pass | |
| 2,4,5-Trichlorophenol | mg/kg | < 1 | | | 1 | Pass | |
| 2,4,6-Trichlorophenol | mg/kg | < 1 | | | 1 | Pass | |
| 2,6-Dichlorophenol | mg/kg | < 0.5 | | | 0.5 | Pass | |
| 4-Chloro-3-methylphenol | mg/kg | < 1 | | | 1 | Pass | |
| Pentachlorophenol | mg/kg | < 1 | | | 1 | Pass | |
| Tetrachlorophenols - Total | mg/kg | < 10 | | | 10 | Pass | |
| Method Blank | | | | | | | |
| Phenols (non-Halogenated) | | | | | | | |
| 2-Cyclohexyl-4,6-dinitrophenol | mg/kg | < 20 | | | 20 | Pass | |
| 2-Methyl-4,6-dinitrophenol | mg/kg | < 5 | | | 5 | Pass | |
| 2-Nitrophenol | mg/kg | < 1 | | | 1 | Pass | |
| 2,4-Dimethylphenol | mg/kg | < 0.5 | | | 0.5 | Pass | |
| 2,4-Dinitrophenol | mg/kg | < 5 | | | 5 | Pass | |
| 2-Methylphenol (o-Cresol) | mg/kg | < 0.2 | | | 0.2 | Pass | |
| 3&4-Methylphenol (m&p-Cresol) | mg/kg | < 0.4 | | | 0.4 | Pass | |
| 4-Nitrophenol | mg/kg | < 5 | | | 5 | Pass | |
| Dinoseb | mg/kg | < 20 | | | 20 | Pass | |
| Phenol | mg/kg | < 0.5 | | | 0.5 | Pass | |
| Total Non-Halogenated Phenol* | mg/kg | < 0 | | | 20 | Pass | |
| Method Blank | | | | | | | |
| Heavy Metals | | | | | | | |
| Arsenic | mg/kg | < 2 | | | 2 | Pass | |
| Cadmium | mg/kg | < 0.4 | | | 0.4 | Pass | |
| Chromium | mg/kg | < 5 | | | 5 | Pass | |
| Copper | mg/kg | < 5 | | | 5 | Pass | |
| Lead | mg/kg | < 5 | | | 5 | Pass | |
| Mercury | mg/kg | < 0.1 | | | 0.1 | Pass | |
| Nickel | mg/kg | < 5 | | | 5 | Pass | |
| Zinc | mg/kg | < 5 | | | 5 | Pass | |
| Method Blank | | | | | | | |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | uS/cm | < 10 | | | 10 | Pass | |
| Method Blank | | | | | | | |
| Cation Exchange Capacity | | | | | | | |
| Cation Exchange Capacity | meq/100g | < 0.05 | | | 0.05 | Pass | |
| LCS - % Recovery | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | % | 77 | | | 70-130 | Pass | |
| TRH C10-C14 | % | 85 | | | 70-130 | Pass | |
| Naphthalene | % | 97 | | | 70-130 | Pass | |
| TRH C6-C10 | % | 76 | | | 70-130 | Pass | |
| TRH >C10-C16 | % | 84 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| BTEX | | | | | | | |
| Benzene | % | 103 | | | 70-130 | Pass | |
| Toluene | % | 107 | | | 70-130 | Pass | |
| Ethylbenzene | % | 99 | | | 70-130 | Pass | |
| m&p-Xylenes | % | 100 | | | 70-130 | Pass | |
| o-Xylene | % | 101 | | | 70-130 | Pass | |
| Xylenes - Total* | % | 100 | | | 70-130 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|-------|----------|--|--|-------------------|-------------|-----------------|
| LCS - % Recovery | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | | | |
| Acenaphthene | % | 92 | | | 70-130 | Pass | |
| Acenaphthylene | % | 94 | | | 70-130 | Pass | |
| Anthracene | % | 77 | | | 70-130 | Pass | |
| Benz(a)anthracene | % | 76 | | | 70-130 | Pass | |
| Benzo(a)pyrene | % | 87 | | | 70-130 | Pass | |
| Benzo(b&j)fluoranthene | % | 76 | | | 70-130 | Pass | |
| Benzo(g,h,i)perylene | % | 75 | | | 70-130 | Pass | |
| Benzo(k)fluoranthene | % | 107 | | | 70-130 | Pass | |
| Chrysene | % | 80 | | | 70-130 | Pass | |
| Dibenz(a,h)anthracene | % | 98 | | | 70-130 | Pass | |
| Fluoranthene | % | 81 | | | 70-130 | Pass | |
| Fluorene | % | 91 | | | 70-130 | Pass | |
| Indeno(1,2,3-cd)pyrene | % | 93 | | | 70-130 | Pass | |
| Naphthalene | % | 85 | | | 70-130 | Pass | |
| Phenanthrene | % | 89 | | | 70-130 | Pass | |
| Pyrene | % | 78 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | % | 105 | | | 70-130 | Pass | |
| 4,4'-DDD | % | 86 | | | 70-130 | Pass | |
| 4,4'-DDE | % | 84 | | | 70-130 | Pass | |
| 4,4'-DDT | % | 73 | | | 70-130 | Pass | |
| a-HCH | % | 96 | | | 70-130 | Pass | |
| Aldrin | % | 97 | | | 70-130 | Pass | |
| b-HCH | % | 87 | | | 70-130 | Pass | |
| d-HCH | % | 87 | | | 70-130 | Pass | |
| Dieldrin | % | 96 | | | 70-130 | Pass | |
| Endosulfan I | % | 84 | | | 70-130 | Pass | |
| Endosulfan II | % | 101 | | | 70-130 | Pass | |
| Endosulfan sulphate | % | 100 | | | 70-130 | Pass | |
| Endrin | % | 115 | | | 70-130 | Pass | |
| Endrin aldehyde | % | 118 | | | 70-130 | Pass | |
| Endrin ketone | % | 84 | | | 70-130 | Pass | |
| g-HCH (Lindane) | % | 90 | | | 70-130 | Pass | |
| Heptachlor | % | 114 | | | 70-130 | Pass | |
| Heptachlor epoxide | % | 116 | | | 70-130 | Pass | |
| Hexachlorobenzene | % | 99 | | | 70-130 | Pass | |
| Methoxychlor | % | 83 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Diazinon | % | 117 | | | 70-130 | Pass | |
| Dimethoate | % | 82 | | | 70-130 | Pass | |
| Ethion | % | 127 | | | 70-130 | Pass | |
| Fenitrothion | % | 124 | | | 70-130 | Pass | |
| Methyl parathion | % | 119 | | | 70-130 | Pass | |
| Mevinphos | % | 76 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Polychlorinated Biphenyls | | | | | | | |
| Aroclor-1016 | % | 92 | | | 70-130 | Pass | |
| Aroclor-1260 | % | 97 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Phenols (Halogenated) | | | | | | | |

| Test | | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|--|---------------|-----------|---|-------|----------|--|--|-------------------|-------------|-----------------|
| 2-Chlorophenol | | | | % | 89 | | | 25-140 | Pass | |
| 2,4-Dichlorophenol | | | | % | 85 | | | 25-140 | Pass | |
| 2,4,5-Trichlorophenol | | | | % | 70 | | | 25-140 | Pass | |
| 2,4,6-Trichlorophenol | | | | % | 86 | | | 25-140 | Pass | |
| 2,6-Dichlorophenol | | | | % | 87 | | | 25-140 | Pass | |
| 4-Chloro-3-methylphenol | | | | % | 94 | | | 25-140 | Pass | |
| Pentachlorophenol | | | | % | 89 | | | 25-140 | Pass | |
| Tetrachlorophenols - Total | | | | % | 83 | | | 25-140 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Phenols (non-Halogenated) | | | | | | | | | | |
| 2-Methyl-4,6-dinitrophenol | | | | % | 75 | | | 25-140 | Pass | |
| 2-Nitrophenol | | | | % | 85 | | | 25-140 | Pass | |
| 2,4-Dimethylphenol | | | | % | 91 | | | 25-140 | Pass | |
| 2-Methylphenol (o-Cresol) | | | | % | 92 | | | 25-140 | Pass | |
| 3&4-Methylphenol (m&p-Cresol) | | | | % | 94 | | | 25-140 | Pass | |
| 4-Nitrophenol | | | | % | 80 | | | 25-140 | Pass | |
| Dinoseb | | | | % | 73 | | | 25-140 | Pass | |
| Phenol | | | | % | 70 | | | 25-140 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Heavy Metals | | | | | | | | | | |
| Arsenic | | | | % | 81 | | | 80-120 | Pass | |
| Cadmium | | | | % | 90 | | | 80-120 | Pass | |
| Chromium | | | | % | 96 | | | 80-120 | Pass | |
| Copper | | | | % | 102 | | | 80-120 | Pass | |
| Lead | | | | % | 87 | | | 80-120 | Pass | |
| Mercury | | | | % | 101 | | | 80-120 | Pass | |
| Nickel | | | | % | 100 | | | 80-120 | Pass | |
| Zinc | | | | % | 100 | | | 80-120 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Conductivity (1:5 aqueous extract at 25°C as rec.) | | | | % | 99 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Spike - % Recovery | | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | Result 1 | | | | | |
| TRH C6-C9 | S22-My0031974 | NCP | % | 70 | | | | 70-130 | Pass | |
| TRH C10-C14 | S22-My0029530 | NCP | % | 87 | | | | 70-130 | Pass | |
| Naphthalene | S22-My0031974 | NCP | % | 113 | | | | 70-130 | Pass | |
| TRH C6-C10 | S22-My0036868 | NCP | % | 70 | | | | 70-130 | Pass | |
| TRH >C10-C16 | S22-My0029530 | NCP | % | 87 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| BTEX | | | | | Result 1 | | | | | |
| Benzene | S22-My0031974 | NCP | % | 98 | | | | 70-130 | Pass | |
| Toluene | S22-My0036868 | NCP | % | 97 | | | | 70-130 | Pass | |
| Ethylbenzene | S22-My0031974 | NCP | % | 90 | | | | 70-130 | Pass | |
| m&p-Xylenes | S22-My0031974 | NCP | % | 96 | | | | 70-130 | Pass | |
| o-Xylene | S22-My0031974 | NCP | % | 100 | | | | 70-130 | Pass | |
| Xylenes - Total* | S22-My0031974 | NCP | % | 97 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | | Result 1 | | | | | |
| Acenaphthene | S21-No14133 | NCP | % | 85 | | | | 70-130 | Pass | |
| Pyrene | S21-No14133 | NCP | % | 86 | | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Organochlorine Pesticides | | | | | Result 1 | | | | | |
| Chlordanes - Total | S21-No14133 | NCP | % | 71 | | | | 70-130 | Pass | |
| 4,4'-DDD | S21-No14133 | NCP | % | 76 | | | | 70-130 | Pass | |

| Test | Lab Sample ID | QA Source | Units | Result 1 | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|---------------|-----------|-------|----------|--|-------------------|-------------|-----------------|
| 4,4'-DDE | S21-No14133 | NCP | % | 76 | | 70-130 | Pass | |
| 4,4'-DDT | S21-No14147 | NCP | % | 76 | | 70-130 | Pass | |
| a-HCH | S21-No14133 | NCP | % | 72 | | 70-130 | Pass | |
| Aldrin | S21-No14133 | NCP | % | 76 | | 70-130 | Pass | |
| b-HCH | S21-No14133 | NCP | % | 71 | | 70-130 | Pass | |
| d-HCH | S21-No14133 | NCP | % | 72 | | 70-130 | Pass | |
| Dieldrin | S21-No14133 | NCP | % | 72 | | 70-130 | Pass | |
| Endosulfan I | S21-No14133 | NCP | % | 72 | | 70-130 | Pass | |
| Endosulfan II | S21-No14133 | NCP | % | 78 | | 70-130 | Pass | |
| Endosulfan sulphate | S21-No14147 | NCP | % | 75 | | 70-130 | Pass | |
| Endrin | S21-No14133 | NCP | % | 73 | | 70-130 | Pass | |
| Endrin ketone | S21-No14147 | NCP | % | 73 | | 70-130 | Pass | |
| g-HCH (Lindane) | S21-No14133 | NCP | % | 75 | | 70-130 | Pass | |
| Heptachlor | S21-No14133 | NCP | % | 77 | | 70-130 | Pass | |
| Heptachlor epoxide | S21-No14133 | NCP | % | 70 | | 70-130 | Pass | |
| Hexachlorobenzene | S21-No14133 | NCP | % | 76 | | 70-130 | Pass | |
| Methoxychlor | S21-No14133 | NCP | % | 83 | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | | | | |
| Diazinon | S21-No14133 | NCP | % | 108 | | 70-130 | Pass | |
| Dimethoate | S21-No14133 | NCP | % | 108 | | 70-130 | Pass | |
| Ethion | S21-No14133 | NCP | % | 130 | | 70-130 | Pass | |
| Fenitrothion | S21-No14133 | NCP | % | 118 | | 70-130 | Pass | |
| Mevinphos | S21-No14133 | NCP | % | 120 | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | |
| Heavy Metals | | | | Result 1 | | | | |
| Chromium | S22-My0014481 | NCP | % | 111 | | 75-125 | Pass | |
| Copper | S22-My0047608 | NCP | % | 93 | | 75-125 | Pass | |
| Zinc | S22-My0014481 | NCP | % | 108 | | 75-125 | Pass | |
| Spike - % Recovery | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | Result 1 | | | | |
| Acenaphthylene | S22-My0041423 | NCP | % | 101 | | 70-130 | Pass | |
| Anthracene | S22-My0041423 | NCP | % | 91 | | 70-130 | Pass | |
| Benz(a)anthracene | S22-My0041422 | NCP | % | 105 | | 70-130 | Pass | |
| Benzo(a)pyrene | S22-My0041422 | NCP | % | 115 | | 70-130 | Pass | |
| Benzo(b&j)fluoranthene | S22-My0041422 | NCP | % | 108 | | 70-130 | Pass | |
| Benzo(g,h,i)perylene | S22-My0041422 | NCP | % | 119 | | 70-130 | Pass | |
| Benzo(k)fluoranthene | S22-My0041423 | NCP | % | 92 | | 70-130 | Pass | |
| Chrysene | S22-My0041423 | NCP | % | 70 | | 70-130 | Pass | |
| Dibenz(a,h)anthracene | S22-My0041423 | NCP | % | 71 | | 70-130 | Pass | |
| Fluoranthene | S22-My0041422 | NCP | % | 98 | | 70-130 | Pass | |
| Fluorene | S22-My0041423 | NCP | % | 87 | | 70-130 | Pass | |
| Indeno(1,2,3-cd)pyrene | S22-My0041422 | NCP | % | 118 | | 70-130 | Pass | |
| Naphthalene | S22-My0041423 | NCP | % | 90 | | 70-130 | Pass | |
| Phenanthrene | S22-My0041423 | NCP | % | 91 | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | |
| Phenols (Halogenated) | | | | Result 1 | | | | |
| 2-Chlorophenol | S22-My0035430 | NCP | % | 83 | | 30-130 | Pass | |
| 2,4,6-Trichlorophenol | S22-My0035430 | NCP | % | 92 | | 30-130 | Pass | |
| 2,6-Dichlorophenol | S22-My0035430 | NCP | % | 74 | | 30-130 | Pass | |
| 4-Chloro-3-methylphenol | S22-My0035430 | NCP | % | 71 | | 30-130 | Pass | |
| Spike - % Recovery | | | | | | | | |
| Phenols (non-Halogenated) | | | | Result 1 | | | | |
| 2-Nitrophenol | S22-My0035430 | NCP | % | 72 | | 30-130 | Pass | |

| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| 2,4-Dimethylphenol | S22-My0035430 | NCP | % | 84 | | | 30-130 | Pass | |
| 2-Methylphenol (o-Cresol) | S22-My0035430 | NCP | % | 80 | | | 30-130 | Pass | |
| 3&4-Methylphenol (m&p-Cresol) | S22-My0035430 | NCP | % | 79 | | | 30-130 | Pass | |
| Phenol | S22-My0035430 | NCP | % | 92 | | | 30-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Heavy Metals | | | | Result 1 | | | | | |
| Arsenic | S22-My0038538 | CP | % | 88 | | | 75-125 | Pass | |
| Cadmium | S22-My0038538 | CP | % | 100 | | | 75-125 | Pass | |
| Lead | S22-My0038538 | CP | % | 97 | | | 75-125 | Pass | |
| Mercury | S22-My0038538 | CP | % | 111 | | | 75-125 | Pass | |
| Nickel | S22-My0038538 | CP | % | 89 | | | 75-125 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | | | | | |
| Endrin aldehyde | S22-My0041423 | NCP | % | 82 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | | | | | |
| Methyl parathion | S22-My0041423 | NCP | % | 80 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | |
| Polychlorinated Biphenyls | | | | Result 1 | | | | | |
| Aroclor-1016 | S22-My0041423 | NCP | % | 93 | | | 70-130 | Pass | |
| Aroclor-1260 | S22-My0041423 | NCP | % | 100 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Duplicate | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | Result 1 | Result 2 | RPD | | | |
| TRH C6-C9 | S22-My0031993 | NCP | mg/kg | < 20 | < 20 | <1 | 30% | Pass | |
| TRH C10-C14 | S22-My0037633 | NCP | mg/kg | < 20 | < 20 | <1 | 30% | Pass | |
| TRH C15-C28 | S22-My0037633 | NCP | mg/kg | < 50 | < 50 | <1 | 30% | Pass | |
| TRH C29-C36 | S22-My0037633 | NCP | mg/kg | < 50 | < 50 | <1 | 30% | Pass | |
| Naphthalene | S22-My0031993 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| TRH C6-C10 | S22-My0031993 | NCP | mg/kg | < 20 | < 20 | <1 | 30% | Pass | |
| TRH >C10-C16 | S22-My0037633 | NCP | mg/kg | < 50 | < 50 | <1 | 30% | Pass | |
| TRH >C16-C34 | S22-My0037633 | NCP | mg/kg | < 100 | < 100 | <1 | 30% | Pass | |
| TRH >C34-C40 | S22-My0037633 | NCP | mg/kg | < 100 | < 100 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| BTEX | | | | Result 1 | Result 2 | RPD | | | |
| Benzene | S22-My0031993 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Toluene | S22-My0031993 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Ethylbenzene | S22-My0031993 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| m&p-Xylenes | S22-My0031993 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass | |
| o-Xylene | S22-My0031993 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Xylenes - Total* | S22-My0031993 | NCP | mg/kg | < 0.3 | < 0.3 | <1 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| Polycyclic Aromatic Hydrocarbons | | | | Result 1 | Result 2 | RPD | | | |
| Acenaphthene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Acenaphthylene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Anthracene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Benz(a)anthracene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Benzo(a)pyrene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Benzo(b&j)fluoranthene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Benzo(g,h,i)perylene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Benzo(k)fluoranthene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Chrysene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Dibenz(a,h)anthracene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |
| Fluoranthene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass | |

| Duplicate | | | | | | | | |
|----------------------------------|-------------|-----|-------|----------|----------|-----|-----|------|
| Polycyclic Aromatic Hydrocarbons | | | | Result 1 | Result 2 | RPD | | |
| Fluorene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Indeno(1.2.3-cd)pyrene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Naphthalene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Phenanthrene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Pyrene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Organochlorine Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Chlordanes - Total | S21-No14141 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| 4,4'-DDD | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| 4,4'-DDE | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| 4,4'-DDT | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| a-HCH | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Aldrin | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| b-HCH | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| d-HCH | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Dieldrin | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endosulfan I | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endosulfan II | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endosulfan sulphate | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endrin | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endrin aldehyde | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Endrin ketone | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| g-HCH (Lindane) | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Heptachlor | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Heptachlor epoxide | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Hexachlorobenzene | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Methoxychlor | S21-No14141 | NCP | mg/kg | < 0.05 | < 0.05 | <1 | 30% | Pass |
| Toxaphene | S21-No14141 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Azinphos-methyl | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Bolstar | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Chlorfenvinphos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Chlorpyrifos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Chlorpyrifos-methyl | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Coumaphos | S21-No14141 | NCP | mg/kg | < 2 | < 2 | <1 | 30% | Pass |
| Demeton-S | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Demeton-O | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Diazinon | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Dichlorvos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Dimethoate | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Disulfoton | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| EPN | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Ethion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Ethoprop | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Ethyl parathion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Fenitrothion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Fensulfthion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Fenthion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Malathion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Merphos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Methyl parathion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Mevinphos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Monocrotophos | S21-No14141 | NCP | mg/kg | < 2 | < 2 | <1 | 30% | Pass |

| Duplicate | | | | | | | | |
|--|---------------|-----|----------|----------|----------|-----|-----|------|
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Naled | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Omethoate | S21-No14141 | NCP | mg/kg | < 2 | < 2 | <1 | 30% | Pass |
| Phorate | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Pirimiphos-methyl | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Pyrazophos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Ronnel | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Terbufos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Tetrachlorvinphos | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Tokuthion | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Trichloronate | S21-No14141 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Polychlorinated Biphenyls | | | | Result 1 | Result 2 | RPD | | |
| Aroclor-1016 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1221 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1232 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1242 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1248 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1254 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Aroclor-1260 | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Total PCB* | S22-My0036776 | NCP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | |
| % Moisture | S22-My0040221 | NCP | % | 14 | 12 | 13 | 30% | Pass |
| Duplicate | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | |
| pH (1:5 Aqueous extract at 25°C as rec.) | S22-My0038064 | NCP | pH Units | 3.8 | 3.9 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Cation Exchange Capacity | | | | Result 1 | Result 2 | RPD | | |
| Cation Exchange Capacity | M22-My0037871 | NCP | meq/100g | 20 | 26 | 23 | 30% | Pass |
| Duplicate | | | | | | | | |
| Phenols (Halogenated) | | | | Result 1 | Result 2 | RPD | | |
| 2-Chlorophenol | S22-My0035429 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 2,4-Dichlorophenol | S22-My0035429 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 2,4,5-Trichlorophenol | S22-My0035429 | NCP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| 2,4,6-Trichlorophenol | S22-My0035429 | NCP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| 2,6-Dichlorophenol | S22-My0035429 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 4-Chloro-3-methylphenol | S22-My0035429 | NCP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| Pentachlorophenol | S22-My0035429 | NCP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| Tetrachlorophenols - Total | S22-My0035429 | NCP | mg/kg | < 10 | < 10 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Phenols (non-Halogenated) | | | | Result 1 | Result 2 | RPD | | |
| 2-Cyclohexyl-4,6-dinitrophenol | S22-My0035429 | NCP | mg/kg | < 20 | < 20 | <1 | 30% | Pass |
| 2-Methyl-4,6-dinitrophenol | S22-My0035429 | NCP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| 2-Nitrophenol | S22-My0035429 | NCP | mg/kg | < 1 | < 1 | <1 | 30% | Pass |
| 2,4-Dimethylphenol | S22-My0035429 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |
| 2,4-Dinitrophenol | S22-My0035429 | NCP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| 2-Methylphenol (o-Cresol) | S22-My0035429 | NCP | mg/kg | < 0.2 | < 0.2 | <1 | 30% | Pass |
| 3&4-Methylphenol (m&p-Cresol) | S22-My0035429 | NCP | mg/kg | < 0.4 | < 0.4 | <1 | 30% | Pass |
| 4-Nitrophenol | S22-My0035429 | NCP | mg/kg | < 5 | < 5 | <1 | 30% | Pass |
| Dinoseb | S22-My0035429 | NCP | mg/kg | < 20 | < 20 | <1 | 30% | Pass |
| Phenol | S22-My0035429 | NCP | mg/kg | < 0.5 | < 0.5 | <1 | 30% | Pass |

| Duplicate | | | | | | | | | |
|--------------|---------------|----|-------|----------|----------|-----|-----|------|-----|
| Heavy Metals | | | | Result 1 | Result 2 | RPD | | | |
| Arsenic | S22-My0038537 | CP | mg/kg | 3.3 | 4.6 | 34 | 30% | Fail | Q15 |
| Cadmium | S22-My0038537 | CP | mg/kg | < 0.4 | < 0.4 | <1 | 30% | Pass | |
| Chromium | S22-My0038537 | CP | mg/kg | 60 | 76 | 24 | 30% | Pass | |
| Copper | S22-My0038537 | CP | mg/kg | 13 | 15 | 16 | 30% | Pass | |
| Lead | S22-My0038537 | CP | mg/kg | 6.8 | 8.1 | 16 | 30% | Pass | |
| Mercury | S22-My0038537 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Nickel | S22-My0038537 | CP | mg/kg | 52 | 62 | 18 | 30% | Pass | |
| Zinc | S22-My0038537 | CP | mg/kg | 34 | 47 | 31 | 30% | Fail | Q15 |
| Duplicate | | | | | | | | | |
| Heavy Metals | | | | Result 1 | Result 2 | RPD | | | |
| Arsenic | S22-My0038539 | CP | mg/kg | 2.8 | 2.7 | 4.0 | 30% | Pass | |
| Cadmium | S22-My0038539 | CP | mg/kg | < 0.4 | < 0.4 | <1 | 30% | Pass | |
| Chromium | S22-My0038539 | CP | mg/kg | 78 | 74 | 6.0 | 30% | Pass | |
| Copper | S22-My0038539 | CP | mg/kg | 16 | 17 | 1.0 | 30% | Pass | |
| Lead | S22-My0038539 | CP | mg/kg | 7.1 | 7.1 | <1 | 30% | Pass | |
| Mercury | S22-My0038539 | CP | mg/kg | < 0.1 | < 0.1 | <1 | 30% | Pass | |
| Nickel | S22-My0038539 | CP | mg/kg | 55 | 59 | 6.0 | 30% | Pass | |
| Zinc | S22-My0038539 | CP | mg/kg | 29 | 29 | 1.0 | 30% | Pass | |

Comments

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Qualifier Codes/Comments

| Code | Description |
|------|--|
| N01 | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis). |
| N02 | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04 | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes. |
| N07 | Please note:- These two PAH isomers closely co-elute using the most contemporary analytical methods and both the reported concentration (and the TEQ) apply specifically to the total of the two co-eluting PAHs |
| Q15 | The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report. |

Authorised by:

| | |
|--------------------|----------------------------------|
| Asim Khan | Analytical Services Manager |
| Charl Du Preez | Senior Analyst-Sample Properties |
| Dilani Samarakoon | Senior Analyst-Inorganic |
| Gabriele Cordero | Senior Analyst-Metal |
| Roopesh Rangarajan | Senior Analyst-Organic |
| Roopesh Rangarajan | Senior Analyst-Volatile |
| Sayeed Abu | Senior Analyst-Asbestos |
| Scott Beddoes | Senior Analyst-Metal |



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: **Victor Kirpichnikov (GEOTESTA)**

Report **897298-S**
Project name **ADDITIONAL - LOT 7 DP223428 NARROMINE ROAD**
Project ID **ADDITIONAL - NE1295**
Received Date **Jun 14, 2022**

| Client Sample ID | | | EBH1 | EBH2 | EBH6 | EBH8 |
|-----------------------|-----|-------|---------------|---------------|---------------|---------------|
| Sample Matrix | | | Soil | Soil | Soil | Soil |
| Eurofins Sample No. | | | S22-Jn0030239 | S22-Jn0030240 | S22-Jn0030241 | S22-Jn0030242 |
| Date Sampled | | | Jun 08, 2022 | Jun 08, 2022 | Jun 08, 2022 | Jun 08, 2022 |
| Test/Reference | LOR | Unit | | | | |
| Chromium (hexavalent) | 1 | mg/kg | < 1 | < 1 | < 1 | < 1 |
| % Moisture | 1 | % | 17 | 21 | 23 | 20 |

| Client Sample ID | | | EBH11 | EBH12 |
|-----------------------|-----|-------|---------------|---------------|
| Sample Matrix | | | Soil | Soil |
| Eurofins Sample No. | | | S22-Jn0030243 | S22-Jn0030244 |
| Date Sampled | | | Jun 08, 2022 | Jun 08, 2022 |
| Test/Reference | LOR | Unit | | |
| Chromium (hexavalent) | 1 | mg/kg | < 1 | < 1 |
| % Moisture | 1 | % | 22 | 19 |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|----------------------------------|--------------|--------------|--------------|
| Chromium (hexavalent) | Sydney | Jun 14, 2022 | 28 Days |
| - Method: In-house method E057.2 | | | |
| % Moisture | Sydney | Jun 14, 2022 | 14 Days |
| - Method: LTM-GEN-7080 Moisture | | | |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Jun 14, 2022 2:59 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 897298 | Due: | Jun 15, 2022 |
| Project Name: | ADDITIONAL - LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 1 Day |
| Project ID: | ADDITIONAL - NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | | Chromium (hexavalent) | Moisture Set |
|--|-----------|--------------|---------------|--------|---------------|-----------------------|--------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | |
| External Laboratory | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | |
| 1 | EBH1 | Jun 08, 2022 | | Soil | S22-Jn0030239 | X | X |
| 2 | EBH2 | Jun 08, 2022 | | Soil | S22-Jn0030240 | X | X |
| 3 | EBH6 | Jun 08, 2022 | | Soil | S22-Jn0030241 | X | X |
| 4 | EBH8 | Jun 08, 2022 | | Soil | S22-Jn0030242 | X | X |
| 5 | EBH11 | Jun 08, 2022 | | Soil | S22-Jn0030243 | X | X |
| 6 | EBH12 | Jun 08, 2022 | | Soil | S22- | X | X |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | Jun 14, 2022 2:59 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 897298 | Due: | Jun 15, 2022 |
| Project Name: | ADDITIONAL - LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 1 Day |
| Project ID: | ADDITIONAL - NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | Chromium (hexavalent) | Moisture Set |
|--|--|--|--|-----------|-----------------------|--------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | |
| External Laboratory | | | | | | |
| | | | | Jn0030244 | | |
| Test Counts | | | | | 6 | 6 |

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|-------------------------|---------------|-----------|-------|----------|----------|-----|-------------------|-------------|-----------------|
| Method Blank | | | | | | | | | |
| Chromium (hexavalent) | | | mg/kg | < 1 | | | 1 | Pass | |
| LCS - % Recovery | | | | | | | | | |
| Chromium (hexavalent) | | | % | 92 | | | 70-130 | Pass | |
| Test | Lab Sample ID | QA Source | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Duplicate | | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | | |
| % Moisture | S22-Jn0030239 | CP | % | 17 | 18 | 1.0 | 30% | Pass | |
| Duplicate | | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | | |
| Chromium (hexavalent) | S22-Jn0030241 | CP | mg/kg | < 1 | < 1 | <1 | 30% | Pass | |

Comments

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Authorised by:

Asim Khan
Ryan Phillips

Analytical Services Manager
Senior Analyst-Inorganic



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025—Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: Victor Kirpichnikov (GEOTESTA)
Report 889035-AID
Project Name LOT 7 DP223428 NARROMINE ROAD
Project ID NE1295
Received Date May 13, 2022
Date Reported Jun 16, 2022

Methodology:

Asbestos Fibre
 Identification

Conducted in accordance with the Australian Standard AS 4964 – 2004: Method for the Qualitative Identification of Asbestos in Bulk Samples and in-house Method LTM-ASB-8020 by polarised light microscopy (PLM) and dispersion staining (DS) techniques.

NOTE: Positive Trace Analysis results indicate the sample contains detectable respirable fibres.

Unknown Mineral
 Fibres

Mineral fibres of unknown type, as determined by PLM with DS, may require another analytical technique, such as Electron Microscopy, to confirm unequivocal identity.

NOTE: While Actinolite, Anthophyllite and Tremolite asbestos may be detected by PLM with DS, due to variability in the optical properties of these materials, AS4964 requires that these are reported as UMF unless confirmed by an independent technique.

Subsampling Soil
 Samples

The whole sample submitted is first dried and then passed through a 10mm sieve followed by a 2mm sieve. All fibrous matter greater than 10mm, greater than 2mm as well as the material passing through the 2mm sieve are retained and analysed for the presence of asbestos. If the sub 2mm fraction is greater than approximately 30 to 60g then a sub-sampling routine based on ISO 3082:2009(E) is employed.

NOTE: Depending on the nature and size of the soil sample, the sub-2 mm residue material may need to be sub-sampled for trace analysis, in accordance with AS 4964-2004.

Bonded asbestos-
 containing material
 (ACM)

The material is first examined and any fibres isolated for identification by PLM and DS. Where required, interfering matrices may be removed by disintegration using a range of heat, chemical or physical treatments, possibly in combination. The resultant material is then further examined in accordance with AS 4964 - 2004.

NOTE: Even after disintegration it may be difficult to detect the presence of asbestos in some asbestos-containing bulk materials using PLM and DS. This is due to the low grade or small length or diameter of the asbestos fibres present in the material, or to the fact that very fine fibres have been distributed intimately throughout the materials. Vinyl/asbestos floor tiles, some asbestos-containing sealants and mastics, asbestos-containing epoxy resins and some ore samples are examples of these types of material, which are difficult to analyse.

Limit of Reporting

The performance limitation of the AS 4964 (2004) method for non-homogeneous samples is around 0.1 g/kg (equivalent to 0.01% (w/w)). Where no asbestos is found by PLM and DS, including Trace Analysis, this is considered to be at the nominal reporting limit of 0.01% (w/w).

The NEPM screening level of 0.001% (w/w) is intended as an on-site determination, not a laboratory Limit of Reporting (LOR), per se. Examination of a large sample size (e.g. 500 mL) may improve the likelihood of detecting asbestos, particularly AF, to aid assessment against the NEPM criteria. Gravimetric determinations to this level of accuracy are outside of AS 4964 and hence NATA Accreditation does not cover the performance of this service (non-NATA results shown with an asterisk).

NOTE: NATA News March 2014, p.7, states in relation to AS 4964: "This is a qualitative method with a nominal reporting limit of 0.01 % " and that currently in Australia "there is no validated method available for the quantification of asbestos". This report is consistent with the analytical procedures and reporting recommendations in the NEPM and the WA DoH.

Project Name LOT 7 DP223428 NARROMINE ROAD
Project ID NE1295
Date Sampled May 12, 2022
Report 889035-AID

| Client Sample ID | Eurofins Sample No. | Date Sampled | Sample Description | Result |
|------------------|---------------------|--------------|--|---|
| EBH1 | 22-My0038531 | May 12, 2022 | Approximate Sample 439g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH2 | 22-My0038532 | May 12, 2022 | Approximate Sample 382g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH3 | 22-My0038533 | May 12, 2022 | Approximate Sample 562g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH4 | 22-My0038534 | May 12, 2022 | Approximate Sample 465g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH5 | 22-My0038535 | May 12, 2022 | Approximate Sample 400g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH6 | 22-My0038536 | May 12, 2022 | Approximate Sample 426g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH7 | 22-My0038537 | May 12, 2022 | Approximate Sample 508g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH8 | 22-My0038538 | May 12, 2022 | Approximate Sample 563g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |

| Client Sample ID | Eurofins Sample No. | Date Sampled | Sample Description | Result |
|------------------|---------------------|--------------|---|---|
| EBH9 | 22-My0038539 | May 12, 2022 | Approximate Sample 513g Sample consisted of: Red- brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH10 | 22-My0038540 | May 12, 2022 | Approximate Sample 582g Sample consisted of: Red- brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH11 | 22-My0038541 | May 12, 2022 | Approximate Sample 604g Sample consisted of: Red- brown fine-grained clayey soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |
| EBH12 | 22-My0038542 | May 12, 2022 | Approximate Sample 550g Sample consisted of: Red- brown coarse-grained soil and rocks | No asbestos detected at the reporting limit of 0.001% w/w.* Organic fibre detected. No trace asbestos detected. |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|-------------------------|--------------|--------------|--------------|
| Asbestos - LTM-ASB-8020 | Sydney | May 17, 2022 | Indefinite |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | May 13, 2022 4:00 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 889035 | Due: | May 20, 2022 |
| Project Name: | LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | | Asbestos - W/A guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|-----------|--------------|---------------|--------|---------------|---------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | |
| 1 | EBH1 | May 12, 2022 | | Soil | S22-My0038531 | X | | | X | X | | X | | |
| 2 | EBH2 | May 12, 2022 | | Soil | S22-My0038532 | X | | | X | X | | X | | |
| 3 | EBH3 | May 12, 2022 | | Soil | S22-My0038533 | X | | | X | X | | X | | |
| 4 | EBH4 | May 12, 2022 | | Soil | S22-My0038534 | X | | | X | X | | X | | |
| 5 | EBH5 | May 12, 2022 | | Soil | S22-My0038535 | X | X | | X | X | X | X | | |
| 6 | EBH6 | May 12, 2022 | | Soil | S22- | X | | | X | X | | X | | |

| | | | | | |
|---|---|-------------------|-------------|----------------------|--------------------------------|
| Company Name: | Geotesta Pty Ltd (NSW) | Order No.: | | Received: | May 13, 2022 4:00 PM |
| Address: | Unit 6, 20/22 Foundry Road Seven Hills NSW 2147 | Report #: | 889035 | Due: | May 20, 2022 |
| Project Name: | LOT 7 DP223428 NARROMINE ROAD | Phone: | 1300852 216 | Priority: | 5 Day |
| Project ID: | NE1295 | Fax: | | Contact Name: | Victor Kirpichnikov (GEOTESTA) |
| Eurofins Analytical Services Manager : Asim Khan | | | | | |

| Sample Detail | | | | | | Asbestos - WA guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|-------|--------------|--|------|---------------|--------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| | | | | | My0038536 | | | | | | | | | |
| 7 | EBH7 | May 12, 2022 | | Soil | S22-My0038537 | X | | | X | X | | X | | |
| 8 | EBH8 | May 12, 2022 | | Soil | S22-My0038538 | X | | | X | X | | X | | |
| 9 | EBH9 | May 12, 2022 | | Soil | S22-My0038539 | X | | | X | X | | X | | |
| 10 | EBH10 | May 12, 2022 | | Soil | S22-My0038540 | X | | | X | X | | X | | |
| 11 | EBH11 | May 12, 2022 | | Soil | S22-My0038541 | X | | | X | X | | X | | |
| 12 | EBH12 | May 12, 2022 | | Soil | S22-My0038542 | X | | | X | X | | X | | |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: LOT 7 DP223428 NARROMINE ROAD
Project ID: NE1295

Order No.:
Report #: 889035
Phone: 1300852 216
Fax:

Received: May 13, 2022 4:00 PM
Due: May 20, 2022
Priority: 5 Day
Contact Name: Victor Kirpichnikov (GEOTESTA)

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Asbestos - W/A guidelines | pH (1:5 Aqueous extract at 25°C as rec.) | Metals M8 | Eurofins Suite B15 | Moisture Set | Cation Exchange Capacity | Eurofins Suite B7A | BTEXN and Volatile TRH | BTEXN and Volatile TRH |
|--|------------|--------------|--|------|---------------|---------------------------|--|-----------|--------------------|--------------|--------------------------|--------------------|------------------------|------------------------|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | | | | | | X | | | |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | X | X | X | X | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | | | | | |
| 13 | BD1 | May 12, 2022 | | Soil | S22-My0038543 | | | X | | X | | | | |
| 14 | EIL | May 12, 2022 | | Soil | S22-My0038544 | | | X | | X | | | | |
| 15 | TRIP SPIKE | May 12, 2022 | | Soil | S22-My0038545 | | | | | | | | | X |
| 16 | TRIP BLANK | May 12, 2022 | | Soil | S22-My0038546 | | | | | | | | X | |
| Test Counts | | | | | | 12 | 1 | 2 | 12 | 14 | 1 | 12 | 1 | 1 |

Internal Quality Control Review and Glossary General

1. QC data may be available on request.
2. All soil results are reported on a dry basis, unless otherwise stated.
3. Samples were analysed on an 'as received' basis.
4. Information identified on this report with the colour **blue** indicates data provided by customer that may have an impact on the results.
5. Information identified on this report with the colour **orange** indicates sections of the report not covered by the laboratory's scope of NATA accreditation.
6. This report replaces any interim results previously issued.

Holding Times

Please refer to the most recent version of the 'Sample Preservation and Container Guide' for holding times (QS3001).

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported. Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

Units

| | |
|--------|--|
| % w/w: | Percentage weight-for-weight basis, e.g. of asbestos in asbestos-containing finds in soil samples (% w/w) |
| F/ffd | Airborne fibre filter loading as Fibres (N) per Fields counted (n) |
| F/mL | Airborne fibre reported concentration as Fibres per millilitre of air drawn over the sampler membrane (C) |
| g, kg | Mass, e.g. of whole sample (M) or asbestos-containing find within the sample (m) |
| g/kg | Concentration in grams per kilogram |
| L, mL | Volume, e.g. of air as measured in AFM (V = r x t) |
| L/min | Airborne fibre sampling Flowrate as litres per minute of air drawn over the sampler membrane (r) |
| min | Time (t), e.g. of air sample collection period |

Calculations

Airborne Fibre Concentration:
$$C = \left(\frac{A}{a}\right) \times \left(\frac{N}{n}\right) \times \left(\frac{1}{V}\right) \times \left(\frac{1}{r}\right) = K \times \left(\frac{N}{n}\right) \times \left(\frac{1}{V}\right)$$

Asbestos Content (as asbestos):
$$\% w/w = \frac{(m \times P_A)}{M}$$

Weighted Average (of asbestos):
$$\%_{wA} = \frac{\sum (m \times P_A) \times x}{x}$$

Terms

| | |
|---------------------------------------|---|
| %asbestos | Estimated percentage of asbestos in a given matrix. May be derived from knowledge or experience of the material, informed by HSG264 <i>Appendix 2</i> , else assumed to be 15% in accordance with WA DOH <i>Appendix 2 (PA)</i> . |
| ACM | Asbestos Containing Materials. Asbestos contained within a non-asbestos matrix, typically presented in bonded (non-friable) condition. For the purposes of the NEPM and WA DOH, ACM corresponds to material larger than 7 mm x 7 mm. |
| AF | Asbestos Fines. Asbestos contamination within a soil sample, as defined by WA DOH. Includes loose fibre bundles and small pieces of friable and non-friable material such as asbestos cement fragments mixed with soil. Considered under the NEPM as equivalent to "non-bonded / friable". |
| AFM | Airborne Fibre Monitoring, e.g. by the MFM. |
| Amosite | Amosite Asbestos Detected. Amosite may also refer to Fibrous Grunerite or Brown Asbestos. Identified in accordance with AS 4964-2004. |
| AS | Australian Standard. |
| Asbestos Content (as asbestos) | Total % w/w asbestos content in asbestos-containing finds in a soil sample (% w/w). |
| Chrysotile | Chrysotile Asbestos Detected. Chrysotile may also refer to Fibrous Serpentine or White Asbestos. Identified in accordance with AS 4964-2004. |
| COC | Chain of Custody. |
| Crocidolite | Crocidolite Asbestos Detected. Crocidolite may also refer to Fibrous Riebeckite or Blue Asbestos. Identified in accordance with AS 4964-2004. |
| Dry | Sample is dried by heating prior to analysis. |
| DS | Dispersion Staining. Technique required for Unequivocal Identification of asbestos fibres by PLM. |
| FA | Fibrous Asbestos. Asbestos containing material that is wholly or in part friable, including materials with higher asbestos content with a propensity to become friable with handling, and any material that was previously non-friable and in a severely degraded condition. For the purposes of the NEPM and WA DOH, FA generally corresponds to material larger than 7 mm x 7 mm, although FA may be more difficult to visibly distinguish and may be assessed as AF. |
| Fibre Count | Total of all fibres (whether asbestos or not) meeting the counting criteria set out in the NOHSC:3003 |
| Fibre ID | Fibre Identification. Unequivocal identification of asbestos fibres according to AS 4964-2004. Includes Chrysotile, Amosite (Grunerite) or Crocidolite asbestos. |
| Friable | Asbestos-containing materials of any size that may be broken or crumbled by hand pressure. For the purposes of the NEPM, this includes both AF and FA. It is outside of the laboratory's remit to assess degree of friability. |
| HSG248 | UK HSE HSG248, <i>Asbestos: The Analysts Guide</i> , 2nd Edition (2021). |
| HSG264 | UK HSE HSG264, <i>Asbestos: The Survey Guide</i> (2012). |
| ISO (also ISO/IEC) | International Organization for Standardization / International Electrotechnical Commission. |
| K Factor | Microscope constant (K) as derived from the effective filter area of the given AFM membrane used for collecting the sample (A) and the projected eyepiece graticule area of the specific microscope used for the analysis (a). |
| LOR | Limit of Reporting. |
| MFM (also NOHSC:3003) | Membrane Filter Method. As described by the Australian Government National Occupational Health and Safety Commission, <i>Guidance Note on the Membrane Filter Method for Estimating Airborne Asbestos Fibres</i> , 2nd Edition [NOHSC:3003(2005)]. |
| NEPM (also ASC NEPM) | National Environment Protection (Assessment of Site Contamination) Measure, (2013, as amended). |
| Organic | Organic Fibres Detected. Organic may refer to Natural or Man-Made Polymeric Fibres. Identified in accordance with AS 4964-2004. |
| PCM | Phase Contrast Microscopy. As used for Fibre Counting according to the MFM. |
| PLM | Polarised Light Microscopy. As used for Fibre Identification and Trace Analysis according to AS 4964-2004. |
| SMF | Synthetic Mineral Fibre Detected. SMF may also refer to Man Made Vitreous Fibres. Identified in accordance with AS 4964-2004. |
| SRA | Sample Receipt Advice. |
| Trace Analysis | Analytical procedure used to detect the presence of respirable fibres (particularly asbestos) in a given sample matrix. |
| UK HSE HSG | United Kingdom, Health and Safety Executive, Health and Safety Guidance, publication. |
| UMF | Unidentified Mineral Fibre Detected. Fibrous minerals that are detected but have not been unequivocally identified by PLM with DS according the AS 4964-2004. May include (but not limited to) Actinolite, Anthophyllite or Tremolite asbestos. |
| WA DOH | Reference document for the NEPM. Government of Western Australia, <i>Guidelines for the Assessment, Remediation and Management of Asbestos-Contaminated Sites in Western Australia</i> (updated 2021), including Appendix Four: <i>Laboratory analysis</i> |
| Weighted Average | Combined average % w/w asbestos content of all asbestos-containing finds in the given aliquot or total soil sample (%wA). |

Comments

22-My0038531, 22-My0038532, 22-My0038534, 22-My0038535 and 22-My0038536: Samples received were less than the nominal 500mL as recommended in Section 4.10 of the NEPM Schedule B1 - Guideline on Investigation Levels for Soil and Groundwater.

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Asbestos Counter/Identifier:

Laxman Dias Senior Analyst-Asbestos

Authorised by:

Sayed Abu Senior Analyst-Asbestos



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.

Geotesta Pty Ltd (NSW)
Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147



NATA Accredited
Accreditation Number 1261
Site Number 18217

Accredited for compliance with ISO/IEC 17025 – Testing
 NATA is a signatory to the ILAC Mutual Recognition
 Arrangement for the mutual recognition of the
 equivalence of testing, medical testing, calibration,
 inspection, proficiency testing scheme providers and
 reference materials producers reports and certificates.

Attention: - **Mohammad Hossein Bazayr**

Report **888819-W**
Project name **NARROMINE ROAD DUBBO**
Project ID **NE1295**
Received Date **May 13, 2022**

| Client Sample ID | | | W-1 | W-2 | W-3 |
|---|--------|------|---------------|---------------|---------------|
| Sample Matrix | | | Water | Water | Water |
| Eurofins Sample No. | | | S22-My0036962 | S22-My0036963 | S22-My0036964 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | |
| Total Recoverable Hydrocarbons | | | | | |
| TRH C6-C9 | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| TRH C10-C14 | 0.05 | mg/L | < 0.05 | < 0.05 | < 0.05 |
| TRH C15-C28 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| TRH C29-C36 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| TRH C10-C36 (Total) | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| Naphthalene ^{N02} | 0.01 | mg/L | < 0.01 | < 0.01 | < 0.01 |
| TRH C6-C10 | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| TRH C6-C10 less BTEX (F1) ^{N04} | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| TRH >C10-C16 | 0.05 | mg/L | < 0.05 | < 0.05 | < 0.05 |
| TRH >C10-C16 less Naphthalene (F2) ^{N01} | 0.05 | mg/L | < 0.05 | < 0.05 | < 0.05 |
| TRH >C16-C34 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| TRH >C34-C40 | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| TRH >C10-C40 (total)* | 0.1 | mg/L | < 0.1 | < 0.1 | < 0.1 |
| Organochlorine Pesticides | | | | | |
| Chlordanes - Total | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| 4,4'-DDD | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| 4,4'-DDE | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| 4,4'-DDT | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| a-HCH | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Aldrin | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| b-HCH | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| d-HCH | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Dieldrin | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endosulfan I | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endosulfan II | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endosulfan sulphate | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endrin | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endrin aldehyde | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Endrin ketone | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| g-HCH (Lindane) | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Heptachlor | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Heptachlor epoxide | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Hexachlorobenzene | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Methoxychlor | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Toxaphene | 0.005 | mg/L | < 0.005 | < 0.005 | < 0.005 |

| Client Sample ID | | | W-1 | W-2 | W-3 |
|---------------------------------------|--------|----------|---------------|---------------|---------------|
| Sample Matrix | | | Water | Water | Water |
| Eurofins Sample No. | | | S22-My0036962 | S22-My0036963 | S22-My0036964 |
| Date Sampled | | | May 12, 2022 | May 12, 2022 | May 12, 2022 |
| Test/Reference | LOR | Unit | | | |
| Organochlorine Pesticides | | | | | |
| Aldrin and Dieldrin (Total)* | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| DDT + DDE + DDD (Total)* | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Vic EPA IWRG 621 OCP (Total)* | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Vic EPA IWRG 621 Other OCP (Total)* | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Dibutylchlorendate (surr.) | 1 | % | 60 | 135 | 104 |
| Tetrachloro-m-xylene (surr.) | 1 | % | 132 | Q09INT | Q09INT |
| Organophosphorus Pesticides | | | | | |
| Azinphos-methyl | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Bolstar | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Chlorfenvinphos | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| Chlorpyrifos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Chlorpyrifos-methyl | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Coumaphos | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| Demeton-S | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Demeton-O | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Diazinon | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Dichlorvos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Dimethoate | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Disulfoton | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| EPN | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Ethion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Ethoprop | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Ethyl parathion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Fenitrothion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Fensulfothion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Fenthion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Malathion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Merphos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Methyl parathion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Mevinphos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Monocrotophos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Naled | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Omethoate | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| Phorate | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Pirimiphos-methyl | 0.02 | mg/L | < 0.02 | < 0.02 | < 0.02 |
| Pyrazophos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Ronnel | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Terbufos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Tetrachlorvinphos | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Tokuthion | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Trichloronate | 0.002 | mg/L | < 0.002 | < 0.002 | < 0.002 |
| Triphenylphosphate (surr.) | 1 | % | 143 | Q09INT | Q09INT |
| | | | | | |
| Biochemical Oxygen Demand (BOD-5 Day) | 5 | mg/L | 5.6 | < 5 | < 5 |
| Conductivity (at 25°C) | 10 | uS/cm | 72 | 63 | 89 |
| Dissolved Oxygen | 0.01 | mg/L | 9.2 | 8.6 | 9.2 |
| Dissolved Oxygen (% Saturation) | | % | 100 | 95 | 100 |
| Nitrate & Nitrite (as N) | 0.05 | mg/L | 0.19 | 0.20 | 0.12 |
| pH (at 25 °C) | 0.1 | pH Units | 6.8 | 6.9 | 7.2 |

| Client Sample ID Sample Matrix Eurofins Sample No. Date Sampled Test/Reference | LOR | Unit | W-1 Water S22- My0036962 May 12, 2022 | W-2 Water S22- My0036963 May 12, 2022 | W-3 Water S22- My0036964 May 12, 2022 |
|--|--------|-----------|---|---|---|
| Phosphate total (as P) | 0.01 | mg/L | 0.39 | < 0.01 | 0.31 |
| Salinity (determined from EC)* | 0.1 | mg/L | 39 | 35 | 46 |
| Total Kjeldahl Nitrogen (as N) | 0.2 | mg/L | 0.4 | 0.3 | 0.4 |
| Total Nitrogen (as N)* | 0.2 | mg/L | 0.59 | 0.5 | 0.52 |
| Turbidity | 1 | NTU | 92 | 60 | 110 |
| Heavy Metals | | | | | |
| Arsenic | 0.001 | mg/L | < 0.001 | < 0.001 | < 0.001 |
| Cadmium | 0.0002 | mg/L | < 0.0002 | < 0.0002 | < 0.0002 |
| Chromium | 0.001 | mg/L | 0.010 | 0.007 | 0.013 |
| Copper | 0.001 | mg/L | 0.005 | 0.004 | 0.007 |
| Lead | 0.001 | mg/L | 0.002 | 0.001 | 0.003 |
| Mercury | 0.0001 | mg/L | < 0.0001 | < 0.0001 | < 0.0001 |
| Nickel | 0.001 | mg/L | 0.011 | 0.007 | 0.015 |
| Zinc | 0.005 | mg/L | 0.015 | 0.015 | 0.020 |
| Pathogens | | | | | |
| E.coli (MPN) | 1 | MPN/100mL | see attached | see attached | see attached |
| Thermotolerant Coliforms (MPN) | 1 | MPN/100mL | see attached | see attached | see attached |

Sample History

Where samples are submitted/analysed over several days, the last date of extraction is reported.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

| Description | Testing Site | Extracted | Holding Time |
|---|-----------------|--------------|--------------|
| Total Recoverable Hydrocarbons - 1999 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 7 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 19, 2022 | 7 Days |
| Total Recoverable Hydrocarbons - 2013 NEPM Fractions - Method: LTM-ORG-2010 TRH C6-C40 | Sydney | May 20, 2022 | 7 Days |
| Organochlorine Pesticides - Method: LTM-ORG-2220 OCP & PCB in Soil and Water | Sydney | May 20, 2022 | 7 Days |
| Organophosphorus Pesticides - Method: LTM-ORG-2200 Organophosphorus Pesticides by GC-MS | Sydney | May 20, 2022 | 7 Days |
| Biochemical Oxygen Demand (BOD-5 Day) - Method: LTM-INO-4010 Biochemical Oxygen Demand (BOD5) in Water | Melbourne | May 17, 2022 | 2 Days |
| Conductivity (at 25°C) - Method: LTM-INO-4030 Conductivity | Sydney | May 19, 2022 | 28 Days |
| Dissolved Oxygen - Method: APHA 4500-O B, C, G using Dissolved Oxygen analyser | Melbourne | May 18, 2022 | 28 Days |
| Dissolved Oxygen (% Saturation) - Method: APHA 4500-O B, C, G using Dissolved Oxygen analyser | Melbourne | May 18, 2022 | 1 Days |
| pH (at 25 °C) - Method: LTM-GEN-7090 pH in water by ISE | Sydney | May 19, 2022 | 0 Hour |
| Salinity (determined from EC)* - Method: LTM-INO-4030 | Sydney | May 19, 2022 | 0 Days |
| Turbidity - Method: LTM-INO-4140 Turbidity by Nephelometric Method | Sydney | May 19, 2022 | 2 Days |
| Metals M8 - Method: LTM-MET-3040 Metals in Waters, Soils & Sediments by ICP-MS | Sydney | May 19, 2022 | 28 Days |
| Thermotolerant Coliforms (MPN) - Method: subcontracted to Eurofins Food Testing | WaterTestingVic | May 16, 2022 | 24 Hours |
| Total Nitrogen Set (as N) Nitrate & Nitrite (as N) - Method: LTM-INO-4120 Analysis of NOx NO2 NH3 by FIA | Melbourne | May 17, 2022 | 28 Days |
| Total Kjeldahl Nitrogen (as N) - Method: APHA 4500-Norg B,D Total Kjeldahl Nitrogen by FIA | Melbourne | May 17, 2022 | 28 Days |
| Eurofins Suite B19A: Total N (TKN, NOx), Total P Phosphate total (as P) - Method: E052 Total Phosphate (as P) | Sydney | May 19, 2022 | 28 Days |

Company Name: Geotesta Pty Ltd (NSW)
Address: Unit 6, 20/22 Foundry Road
Seven Hills
NSW 2147

Project Name: NARROMINE ROAD DUBBO
Project ID: NE1295

Order No.:
Report #: 888819
Phone: 1300852 216
Fax:

Received: May 13, 2022 3:00 PM
Due: May 20, 2022
Priority: 5 Day
Contact Name: - Mohammad Hossein Bazayar

Eurofins Analytical Services Manager : Asim Khan

| Sample Detail | | | | | | Biochemical Oxygen Demand (BOD-5 Day) | Conductivity (at 25°C) | Dissolved Oxygen | Dissolved Oxygen (% Saturation) | E.coli (MPN) | pH (at 25 °C) | Salinity (determined from EC)* | Thermotolerant Coliforms (MPN) | Turbidity | Metals M8 | Suite B14: OCP/OPP | Total Recoverable Hydrocarbons | Eurofins Suite B19A: Total N (TKN, NOx), Total P |
|--|-----------|--------------|---------------|--------|---------------|---------------------------------------|------------------------|------------------|---------------------------------|--------------|---------------|--------------------------------|--------------------------------|-----------|-----------|--------------------|--------------------------------|--|
| Melbourne Laboratory - NATA # 1261 Site # 1254 | | | | | | X | | X | X | | | | | | | | X | X |
| Sydney Laboratory - NATA # 1261 Site # 18217 | | | | | | | X | | | | X | X | | X | X | X | X | X |
| Brisbane Laboratory - NATA # 1261 Site # 20794 | | | | | | | | | | | | | | | | | | |
| Mayfield Laboratory - NATA # 1261 Site # 25079 | | | | | | | | | | | | | | | | | | |
| Perth Laboratory - NATA # 2377 Site # 2370 | | | | | | | | | | | | | | | | | | |
| External Laboratory | | | | | | | | | | X | | | X | | | | | |
| No | Sample ID | Sample Date | Sampling Time | Matrix | LAB ID | | | | | | | | | | | | | |
| 1 | W-1 | May 12, 2022 | | Water | S22-My0036962 | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 2 | W-2 | May 12, 2022 | | Water | S22-My0036963 | X | X | X | X | X | X | X | X | X | X | X | X | X |
| 3 | W-3 | May 12, 2022 | | Water | S22-My0036964 | X | X | X | X | X | X | X | X | X | X | X | X | X |
| Test Counts | | | | | | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |

Internal Quality Control Review and Glossary

General

- Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
- All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
- All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
- Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
- Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
- SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
- Samples were analysed on an 'as received' basis.
- Information identified on this report with blue colour, indicates data provided by customer that may have an impact on the results.
- This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

Units

| | | |
|--|---|--|
| mg/kg: milligrams per kilogram | mg/L: milligrams per litre | µg/L: micrograms per litre |
| ppm: parts per million | ppb: parts per billion | %: Percentage |
| org/100 mL: Organisms per 100 millilitres | NTU: Nephelometric Turbidity Units | MPN/100 mL: Most Probable Number of organisms per 100 millilitres |

Terms

| | |
|-------------------------|---|
| APHA | American Public Health Association |
| COC | Chain of Custody |
| CP | Client Parent - QC was performed on samples pertaining to this report |
| CRM | Certified Reference Material (ISO17034) - reported as percent recovery. |
| Dry | Where a moisture has been determined on a solid sample the result is expressed on a dry basis. |
| Duplicate | A second piece of analysis from the same sample and reported in the same units as the result to show comparison. |
| LOR | Limit of Reporting. |
| LCS | Laboratory Control Sample - reported as percent recovery. |
| Method Blank | In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water. |
| NCP | Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within. |
| RPD | Relative Percent Difference between two Duplicate pieces of analysis. |
| SPIKE | Addition of the analyte to the sample and reported as percentage recovery. |
| SRA | Sample Receipt Advice |
| Surr - Surrogate | The addition of a like compound to the analyte target and reported as percentage recovery. |
| TBTO | Tributyltin oxide (<i>bis</i> -tributyltin oxide) - individual tributyltin compounds cannot be identified separately in the environment however free tributyltin was measured and its values were converted stoichiometrically into tributyltin oxide for comparison with regulatory limits. |
| TCLP | Toxicity Characteristic Leaching Procedure |
| TEQ | Toxic Equivalency Quotient or Total Equivalence |
| QSM | US Department of Defense Quality Systems Manual Version 5.4 |
| US EPA | United States Environmental Protection Agency |
| WA DWER | Sum of PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA |

QC - Acceptance Criteria

The acceptance criteria should be used as a guide only and may be different when site specific Sampling Analysis and Quality Plan (SAQP) have been implemented

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR: No Limit

Results between 10-20 times the LOR: RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

NOTE: pH duplicates are reported as a range not as RPD

Surrogate Recoveries: Recoveries must lie between 20-130% for Speciated Phenols & 50-150% for PFAS

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.4 where no positive PFAS results have been reported have been reviewed and no data was affected.

QC Data General Comments

- Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
- Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
- pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore, laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
- Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of recovery the term "INT" appears against that analyte.
- For Matrix Spikes and LCS results a dash "-" in the report means that the specific analyte was not added to the QC sample.
- Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Method Blank | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | mg/L | < 0.02 | | | 0.02 | Pass | |
| TRH C10-C14 | mg/L | < 0.05 | | | 0.05 | Pass | |
| TRH C15-C28 | mg/L | < 0.1 | | | 0.1 | Pass | |
| TRH C29-C36 | mg/L | < 0.1 | | | 0.1 | Pass | |
| Naphthalene | mg/L | < 0.01 | | | 0.01 | Pass | |
| TRH C6-C10 | mg/L | < 0.02 | | | 0.02 | Pass | |
| TRH >C10-C16 | mg/L | < 0.05 | | | 0.05 | Pass | |
| TRH >C16-C34 | mg/L | < 0.1 | | | 0.1 | Pass | |
| TRH >C34-C40 | mg/L | < 0.1 | | | 0.1 | Pass | |
| Method Blank | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| Chlordanes - Total | mg/L | < 0.002 | | | 0.002 | Pass | |
| 4,4'-DDD | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| 4,4'-DDE | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| 4,4'-DDT | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| a-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Aldrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| b-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| d-HCH | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Dieldrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan I | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan II | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endosulfan sulphate | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin aldehyde | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Endrin ketone | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| g-HCH (Lindane) | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Heptachlor | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Heptachlor epoxide | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Hexachlorobenzene | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Methoxychlor | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Toxaphene | mg/L | < 0.005 | | | 0.005 | Pass | |
| Method Blank | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Azinphos-methyl | mg/L | < 0.002 | | | 0.002 | Pass | |
| Bolstar | mg/L | < 0.002 | | | 0.002 | Pass | |
| Chlorfenvinphos | mg/L | < 0.02 | | | 0.02 | Pass | |
| Chlorpyrifos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Chlorpyrifos-methyl | mg/L | < 0.002 | | | 0.002 | Pass | |
| Coumaphos | mg/L | < 0.02 | | | 0.02 | Pass | |
| Demeton-S | mg/L | < 0.002 | | | 0.002 | Pass | |
| Demeton-O | mg/L | < 0.002 | | | 0.002 | Pass | |
| Diazinon | mg/L | < 0.002 | | | 0.002 | Pass | |
| Dichlorvos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Dimethoate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Disulfoton | mg/L | < 0.002 | | | 0.002 | Pass | |
| EPN | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethoprop | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ethyl parathion | mg/L | < 0.002 | | | 0.002 | Pass | |

| Test | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|-------|----------|--|--|-------------------|-------------|-----------------|
| Fenitrothion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Fensulfothion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Fenthion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Malathion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Merphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Methyl parathion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Mevinphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Monocrotophos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Naled | mg/L | < 0.002 | | | 0.002 | Pass | |
| Omethoate | mg/L | < 0.02 | | | 0.02 | Pass | |
| Phorate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Pirimiphos-methyl | mg/L | < 0.02 | | | 0.02 | Pass | |
| Pyrazophos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Ronnel | mg/L | < 0.002 | | | 0.002 | Pass | |
| Terbufos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Tetrachlorvinphos | mg/L | < 0.002 | | | 0.002 | Pass | |
| Tokuthion | mg/L | < 0.002 | | | 0.002 | Pass | |
| Trichloronate | mg/L | < 0.002 | | | 0.002 | Pass | |
| Method Blank | | | | | | | |
| Biochemical Oxygen Demand (BOD-5 Day) | mg/L | < 5 | | | 5 | Pass | |
| Conductivity (at 25°C) | uS/cm | < 10 | | | 10 | Pass | |
| Dissolved Oxygen (% Saturation) | % | 110 | | | | N/A | |
| Nitrate & Nitrite (as N) | mg/L | < 0.05 | | | 0.05 | Pass | |
| Phosphate total (as P) | mg/L | < 0.01 | | | 0.01 | Pass | |
| Total Kjeldahl Nitrogen (as N) | mg/L | < 0.2 | | | 0.2 | Pass | |
| Turbidity | NTU | < 1 | | | 1 | Pass | |
| Method Blank | | | | | | | |
| Heavy Metals | | | | | | | |
| Arsenic | mg/L | < 0.001 | | | 0.001 | Pass | |
| Cadmium | mg/L | < 0.0002 | | | 0.0002 | Pass | |
| Chromium | mg/L | < 0.001 | | | 0.001 | Pass | |
| Copper | mg/L | < 0.001 | | | 0.001 | Pass | |
| Lead | mg/L | < 0.001 | | | 0.001 | Pass | |
| Mercury | mg/L | < 0.0001 | | | 0.0001 | Pass | |
| Nickel | mg/L | < 0.001 | | | 0.001 | Pass | |
| Zinc | mg/L | < 0.005 | | | 0.005 | Pass | |
| LCS - % Recovery | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | | | |
| TRH C6-C9 | % | 85 | | | 70-130 | Pass | |
| TRH C10-C14 | % | 105 | | | 70-130 | Pass | |
| Naphthalene | % | 105 | | | 70-130 | Pass | |
| TRH C6-C10 | % | 86 | | | 70-130 | Pass | |
| TRH >C10-C16 | % | 106 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organochlorine Pesticides | | | | | | | |
| 4,4'-DDT | % | 125 | | | 70-130 | Pass | |
| Endrin | % | 118 | | | 70-130 | Pass | |
| Endrin ketone | % | 130 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |
| Organophosphorus Pesticides | | | | | | | |
| Dimethoate | % | 103 | | | 70-130 | Pass | |
| Fenitrothion | % | 122 | | | 70-130 | Pass | |
| Mevinphos | % | 129 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | |

| Test | | | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
|---------------------------------------|---------------|-----------|------|----------|----------|----------|-----|-------------------|-------------|-----------------|
| Biochemical Oxygen Demand (BOD-5 Day) | | | | % | 115 | | | 85-115 | Pass | |
| Conductivity (at 25°C) | | | | % | 97 | | | 70-130 | Pass | |
| Nitrate & Nitrite (as N) | | | | % | 91 | | | 70-130 | Pass | |
| Phosphate total (as P) | | | | % | 96 | | | 70-130 | Pass | |
| Total Kjeldahl Nitrogen (as N) | | | | % | 86 | | | 70-130 | Pass | |
| Turbidity | | | | % | 85 | | | 70-130 | Pass | |
| LCS - % Recovery | | | | | | | | | | |
| Heavy Metals | | | | | | | | | | |
| Arsenic | | | | % | 80 | | | 80-120 | Pass | |
| Cadmium | | | | % | 106 | | | 80-120 | Pass | |
| Chromium | | | | % | 83 | | | 80-120 | Pass | |
| Copper | | | | % | 86 | | | 80-120 | Pass | |
| Lead | | | | % | 84 | | | 80-120 | Pass | |
| Mercury | | | | % | 114 | | | 80-120 | Pass | |
| Nickel | | | | % | 84 | | | 80-120 | Pass | |
| Zinc | | | | % | 86 | | | 80-120 | Pass | |
| Test | Lab Sample ID | QA Source | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Spike - % Recovery | | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | Result 1 | | | | | |
| TRH C10-C14 | N22-My0044665 | NCP | % | | 116 | | | 70-130 | Pass | |
| TRH >C10-C16 | N22-My0044665 | NCP | % | | 113 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| | | | | | Result 1 | | | | | |
| Phosphate total (as P) | S22-My0038597 | NCP | % | | 71 | | | 70-130 | Pass | |
| Total Kjeldahl Nitrogen (as N) | M22-My0040271 | NCP | % | | 70 | | | 70-130 | Pass | |
| Spike - % Recovery | | | | | | | | | | |
| Heavy Metals | | | | | Result 1 | | | | | |
| Arsenic | S22-My0042499 | NCP | % | | 86 | | | 75-125 | Pass | |
| Cadmium | S22-My0042499 | NCP | % | | 87 | | | 75-125 | Pass | |
| Chromium | S22-My0042499 | NCP | % | | 90 | | | 75-125 | Pass | |
| Copper | S22-My0042499 | NCP | % | | 91 | | | 75-125 | Pass | |
| Lead | S22-My0042499 | NCP | % | | 85 | | | 75-125 | Pass | |
| Mercury | S22-My0042499 | NCP | % | | 118 | | | 75-125 | Pass | |
| Nickel | S22-My0042499 | NCP | % | | 90 | | | 75-125 | Pass | |
| Zinc | S22-My0042499 | NCP | % | | 95 | | | 75-125 | Pass | |
| Test | Lab Sample ID | QA Source | | Units | Result 1 | | | Acceptance Limits | Pass Limits | Qualifying Code |
| Duplicate | | | | | | | | | | |
| Total Recoverable Hydrocarbons | | | | | Result 1 | Result 2 | RPD | | | |
| TRH C10-C14 | S22-My0047305 | NCP | mg/L | < 0.05 | < 0.05 | < 1 | 30% | Pass | | |
| TRH C15-C28 | S22-My0047305 | NCP | mg/L | < 0.1 | < 0.1 | < 1 | 30% | Pass | | |
| TRH C29-C36 | S22-My0047305 | NCP | mg/L | < 0.1 | < 0.1 | < 1 | 30% | Pass | | |
| TRH >C10-C16 | S22-My0047305 | NCP | mg/L | < 0.05 | < 0.05 | < 1 | 30% | Pass | | |
| TRH >C16-C34 | S22-My0047305 | NCP | mg/L | < 0.1 | < 0.1 | < 1 | 30% | Pass | | |
| TRH >C34-C40 | S22-My0047305 | NCP | mg/L | < 0.1 | < 0.1 | < 1 | 30% | Pass | | |
| Duplicate | | | | | | | | | | |
| Organochlorine Pesticides | | | | | Result 1 | Result 2 | RPD | | | |
| Chlordanes - Total | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | < 1 | 30% | Pass | | |
| 4,4'-DDD | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |
| 4,4'-DDE | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |
| 4,4'-DDT | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |
| a-HCH | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |
| Aldrin | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |
| b-HCH | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | < 1 | 30% | Pass | | |

| Duplicate | | | | | | | | |
|-----------------------------|---------------|-----|------|----------|----------|-----|-----|------|
| Organochlorine Pesticides | | | | Result 1 | Result 2 | RPD | | |
| d-HCH | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Dieldrin | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endosulfan I | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endosulfan II | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endosulfan sulphate | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endrin | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endrin aldehyde | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Endrin ketone | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| g-HCH (Lindane) | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Heptachlor | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Heptachlor epoxide | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Hexachlorobenzene | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Methoxychlor | N22-My0044656 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Toxaphene | N22-My0044656 | NCP | mg/L | < 0.005 | < 0.005 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| Organophosphorus Pesticides | | | | Result 1 | Result 2 | RPD | | |
| Azinphos-methyl | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Bolstar | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Chlorfenvinphos | N22-My0044656 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Chlorpyrifos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Chlorpyrifos-methyl | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Coumaphos | N22-My0044656 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Demeton-S | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Demeton-O | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Diazinon | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Dichlorvos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Dimethoate | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Disulfoton | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| EPN | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Ethion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Ethoprop | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Ethyl parathion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Fenitrothion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Fensulfotthion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Fenthion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Malathion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Merphos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Methyl parathion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Mevinphos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Monocrotophos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Naled | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Omethoate | N22-My0044656 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Phorate | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Pirimiphos-methyl | N22-My0044656 | NCP | mg/L | < 0.02 | < 0.02 | <1 | 30% | Pass |
| Pyrazophos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Ronnel | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Terbufos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Tetrachlorvinphos | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Tokuthion | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |
| Trichloronate | N22-My0044656 | NCP | mg/L | < 0.002 | < 0.002 | <1 | 30% | Pass |

| Duplicate | | | | | | | | |
|---------------------------------------|---------------|-----|-------|----------|----------|-----|-----|------|
| | | | | Result 1 | Result 2 | RPD | | |
| Conductivity (at 25°C) | S22-My0049239 | NCP | uS/cm | 320 | 320 | <1 | 30% | Pass |
| Dissolved Oxygen | R22-My0027658 | NCP | mg/L | 9.0 | 8.8 | 2.0 | 30% | Pass |
| Dissolved Oxygen (% Saturation) | S22-My0036962 | CP | % | 100 | 100 | 3.0 | 30% | Pass |
| Nitrate & Nitrite (as N) | M22-My0047157 | NCP | mg/L | 11 | 11 | 63 | 30% | Fail |
| Phosphate total (as P) | S22-My0039327 | NCP | mg/L | 0.06 | 0.05 | 19 | 30% | Pass |
| Total Kjeldahl Nitrogen (as N) | M22-My0035850 | NCP | mg/L | 1.1 | 0.4 | 14 | 30% | Pass |
| Turbidity | S22-My0054803 | NCP | NTU | 3.3 | 3.4 | 4.0 | 30% | Pass |
| Duplicate | | | | | | | | |
| Heavy Metals | | | | Result 1 | Result 2 | RPD | | |
| Arsenic | S22-My0042498 | NCP | mg/L | < 0.001 | < 0.001 | <1 | 30% | Pass |
| Cadmium | S22-My0042498 | NCP | mg/L | < 0.0002 | < 0.0002 | <1 | 30% | Pass |
| Chromium | S22-My0042498 | NCP | mg/L | < 0.001 | < 0.001 | <1 | 30% | Pass |
| Copper | S22-My0042498 | NCP | mg/L | < 0.001 | < 0.001 | <1 | 30% | Pass |
| Lead | S22-My0042498 | NCP | mg/L | < 0.001 | < 0.001 | <1 | 30% | Pass |
| Mercury | S22-My0042498 | NCP | mg/L | < 0.0001 | < 0.0001 | <1 | 30% | Pass |
| Nickel | S22-My0042498 | NCP | mg/L | < 0.001 | < 0.001 | <1 | 30% | Pass |
| Zinc | S22-My0042498 | NCP | mg/L | < 0.005 | < 0.005 | <1 | 30% | Pass |
| Duplicate | | | | | | | | |
| | | | | Result 1 | Result 2 | RPD | | |
| Biochemical Oxygen Demand (BOD-5 Day) | S22-My0036964 | CP | mg/L | < 5 | < 5 | <1 | 30% | Pass |

Comments

E.coli and Thermotolerant Coliforms analysed by: Eurofins Food Testing Australia Pty Ltd, NATA Accreditation number: 20293, report reference AR-22-NV-006265-01.

Sample Integrity

| | |
|---|-----|
| Custody Seals Intact (if used) | N/A |
| Attempt to Chill was evident | Yes |
| Sample correctly preserved | Yes |
| Appropriate sample containers have been used | Yes |
| Sample containers for volatile analysis received with minimal headspace | Yes |
| Samples received within HoldingTime | Yes |
| Some samples have been subcontracted | No |

Qualifier Codes/Comments

| Code | Description |
|------|--|
| N01 | F2 is determined by arithmetically subtracting the "naphthalene" value from the ">C10-C16" value. The naphthalene value used in this calculation is obtained from volatiles (Purge & Trap analysis). |
| N02 | Where we have reported both volatile (P&T GCMS) and semivolatile (GCMS) naphthalene data, results may not be identical. Provided correct sample handling protocols have been followed, any observed differences in results are likely to be due to procedural differences within each methodology. Results determined by both techniques have passed all QAQC acceptance criteria, and are entirely technically valid. |
| N04 | F1 is determined by arithmetically subtracting the "Total BTEX" value from the "C6-C10" value. The "Total BTEX" value is obtained by summing the concentrations of BTEX analytes. The "C6-C10" value is obtained by quantitating against a standard of mixed aromatic/aliphatic analytes. |
| Q09 | The Surrogate recovery is outside of the recommended acceptance criteria due to matrix interference. Acceptance criteria were met for all other QC |
| Q15 | The RPD reported passes Eurofins Environment Testing's QC - Acceptance Criteria as defined in the Internal Quality Control Review and Glossary page of this report. |

Authorised by:

| | |
|--------------------|-----------------------------|
| Robert Biviano | Analytical Services Manager |
| Caitlin Breeze | Senior Analyst-Inorganic |
| Charl Du Preez | Senior Analyst-Metal |
| Dilani Samarakoon | Senior Analyst-Inorganic |
| Roopesh Rangarajan | Senior Analyst-Organic |
| Roopesh Rangarajan | Senior Analyst-Volatile |
| Ryan Phillips | Senior Analyst-Inorganic |
| Scott Beddoes | Senior Analyst-Inorganic |



Glenn Jackson
General Manager

Final Report – this report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.