

## Gateway Determination

**Planning proposal (Department Ref: PP-2023-2555):** rezone land at 20-24 Lockyer Street Goulburn

I, the Manager at the Department of Planning, Housing and Infrastructure, as delegate of the Minister for Planning and Public Spaces, have determined under section 3.34(2) of the *Environmental Planning and Assessment Act 1979* (the Act) that an amendment to the Goulburn Mulwaree Local Environmental Plan 2009 to rezone land at 20-24 Lockyer Street Goulburn should proceed subject to the following

The Council as planning proposal authority is authorised to exercise the functions of the local plan-making authority under section 3.36(2) of the Act subject to the following:

- (a) the planning proposal authority has satisfied all the conditions of the gateway determination;
- (b) the planning proposal is consistent with applicable directions of the Minister under section 9.1 of the Act or the Secretary has agreed that any inconsistencies are justified; and
- (c) there are no outstanding written objections from public authorities.

The LEP should be completed on or before 19 December 2025.

### Gateway Conditions

1. Consultation with the NSWRFs is required prior to community consultation to affirm consistency with Direction 4.3 Planning for Bushfire Protection.
2. Public exhibition is required under section 3.34(2)(c) and clause 4 of Schedule 1 to the Act as follows:
  - (a) the planning proposal is categorised as standard as described in the *Local Environmental Plan Making Guideline* (Department of Planning and Environment, August 2023) and must be made publicly available for a minimum of 20 working days; and
  - (b) the planning proposal authority must comply with the notice requirements for public exhibition of planning proposals and the specifications for material that must be made publicly available along with planning proposals as identified in *Local Environmental Plan Making Guideline* (Department of Planning and Environment, August 2023).

Public exhibition is not required under section 3.34(2)(c) and clause 4 of Schedule 1 to the Act.

3. Consultation is required with the following public authorities and government agencies under section 3.34(2)(d) of the Act and/or to comply with the requirements of applicable directions of the Minister under section 9 of the Act:

- DCCEEW – Flooding
- DCCEWW – Biodiversity, Conservation and Science
- Heritage NSW
- NSW RFS
- WaterNSW
- DPI Agriculture


Consultation is also required with the following organisations

- Local Aboriginal Land Council

Each public authority is to be provided with a copy of the planning proposal and any relevant supporting material via the NSW Planning Portal and given at least 30 working days to comment on the proposal.

4. A public hearing is not required to be held into the matter by any person or body under section 3.34(2)(e) of the Act. This does not discharge Council from any obligation it may otherwise have to conduct a public hearing (for example, in response to a submission or if reclassifying land).

Dated 12 February 2025



**Graham Towers**  
**Manager**  
**Southern, Western and Macarthur**  
**Department of Planning, Housing and**  
**Infrastructure**

**Delegate of the Minister for Planning**  
**and Public Spaces**