Landscape Code Amendment

Amendment to Sydney Landscape Code

- 1. Insert tree species selection schedule similar to the sample provided
- 2. Insert species planting selection for developments mapped on the DCP Biodiversity Maps similar to the sample provided
- 3. Insert a habit selection schedule for developments mapped on the DCP Biodiversity Maps similar to the sample provided
- 4. Insert a DA checklist for developments mapped on the DCP Biodiversity Maps similar to the sample provided
- a. Insert tree species selection schedule similar to the sample provided

Sample tree species schedule

| | | | | | | | City of S | Sydney - Ex | ample tree | species | list | | | | | | | | |
|---------------|-------------------|--------------------|-------------|-----------------------------|-----------------------|----------------------------|-------------------------------|--|------------------------------|----------------|-----------------------------|---------------------|------------------------|-------------|----------------------|----------------------|-------------------------|------------------------------|------------------------------|
| | | Namin | ıg + Origin | | | | Size | | | Character | istics | | Growing Considerations | | | | | | |
| Family | Genus | Species | Variety | Common Name | Origin | Size Classificatio n | Nominal Height (metrer) | Nominal Spread (diameter in metres) | Shape | Growth Rate | Special Amenity Value | Dormancy | Light | Exposure | Soil Moistur e | Reliability | Availability | Climate Readiness 2050 | Climate Readiness 2070 |
| Fabaceae | Calliandra | haematocephal a | | Red Powder Puff | Exotic | Small | 4 | 4 | Spreading | Moderate | Prominent Flowers | Evergreen | | | | Somewhat Reliable | Common | | |
| Proteaceae | Banksia | marginata | | Silver Banksia | Locally Indigenous | Small + | 6 | 5 | Spreading | Fast | Prominent Flowers | Evergreen | | | | Somewhat Reliable | Common | | |
| Myrtaceae | Callistemon | citrinus | | Crimson Bottlebrush | Australian Native | Small + | 6 | 4 | Rounded | Moderate | Prominent Flowers | Evergreen | | Wind | Wet | Very Reliable | Common | | |
| Malvaceae | Hibiscus | syriacus | | Syrian Ketmia | Exotic | Small + | 5 | 3 | Conical/Columnar/ Upright | Moderate | Prominent Flowers | Deciduous Winter | | | | Very Reliable | Advanced Procurement | | |
| Proteaceae | Buckinghamia | celsissima | | Ivory Curl | Australian Native | Medium | 8 | 5 | Rounded | Moderate | Prominent Flowers | Evergreen | Part Shade | | | Very Reliable | Common | | |
| Lythraceae | Lagerstroemi a | indica | | Crepe Myrtle | Exotic | Medium | 8 | 8 | Vase | Moderate | Prominent Flowers | Deciduous Winter | | | Dry | Very Reliable | Common | | |
| Myrtaceae | Melaleuca | styphelioides | | Prickly-Leaved Paperbark | Locally Indigenous | Medium | 10 | 8 | Rounded | Fast | Interesting Bark | Evergreen | | Salt + Wind | Wet | Very Reliable | Common | | |
| Araucariaceae | Agathis | robusta | | Queensland Kauri | Australian Native | Large + | 25 | 8 | Conical/Columnar/ Upright | Moderate | Interesting Bark | Evergreen | | Salt + Wind | Dry | Very Reliable | Common | | |
| Myrtaceae | Eucalyptus | punctata | | Grey Gum | Locally Indigenous | Large + | 25 | 15 | Open | Fast | Interesting Bark | Evergreen | | | | Very Reliable | Common | | |
| Salicaceae | Populus | deltoides | | Cottonwood | Exotic | Large + | 25 | 15 | Spreading | Moderate | | Deciduous Winter | | | Wet | Somewhat Reliable | Advanced Procurement | | |
| Myrtaceae | Angophora | costata | | Sydney Red Gum | Locally Indigenous | Large | 20 | 12 | Irregular | Moderate | Interesting Bark | Evergreen | | Salt + Wind | Dry | Very Reliable | Common | | |
| Magnoliaceae | Liriodendron | tulipifera | | Tulip Tree | Exotic | Large | 18 | 8 | Conical/Columnar/ Upright | Moderate | Interesting Foliage | Deciduous Winter | | | | Very Reliable | Common | | |
| Myrtaceae | Lophostemon | confertus | | Brush Box | Australian Native | Large | 20 | 12 | Rounded | Moderate | | Evergreen | Part Shade | Wind | Dry | Very Reliable | Common | | |

b. Insert species planting selection for developments mapped on the DCP Biodiversity Maps similar to the sample provided

Sample species planting schedule

| TALL SHRUBS | | | | | | | | | | | |
|---|----------------|-----------|------------------------------|-----------------------|---|-------|----------------------|---------|--------------|--|--|
| Name / Common Name | Flowering Time | Soil Type | Position | Tolerates Moisture | Other Attributes | Photo | Maintenance Level | Density | Native/Local | | |
| Acacia falcata / Sickle Wattle | Apr – Aug | any | sun | | fast growing; nitrogen-fixing; short- lived (4–10 years) | | Low | | Native | | |
| Acacia terminalis / Sunshine Wattle | Feb – Oct | sand | sun | | fast growing; nitrogen-fixing; short- lived (4–10 years) | | Low | | Local | | |
| Allocasuarina littoralis / Black She-oak | May – May | sand | sun | | | | Low | | Native | | |
| Breynia oblongifolia / Coffee Bush | Sep – Feb | any | dappled light or shade | • | has a tendency to sucker | | Low | | Native | | |
| Bursaria spinosa / Sweet Bursaria | all year | any | sun | | very hardy | | Low | | Local | | |
| Ceratopetalum gummiferum / NSW Christmas Bush | Nov – Jan | sand | sun or dappled light | | requires very well-drained soil | | Average | | Local | | |
| Grevillea longifolia / Fern-leaf Spider Flower | Aug – Nov | any | sun | | various cultivars available | | Low | | Local | | |
| Leptospermum laevigatum / Coast Tea Tree | Aug – Oct | sand | sun | • | very hardy; salt and wind tolerant | | Low | | Native | | |
| Melaleuca nodosa / Ball Honey Myrtle | Sep – Feb | any | sun or dappled light | • | tolerant of sea spray and poor drainage | | Low | | Local | | |
| Synoum glandulosum / Scentless Rosewood | all year | any | dappled light or shade | • | limited availability | | Low | | Native | | |
| Viminaria juncea / Native Broom | Sep – Nov | sand | sun | • | prefers moist soil | | Average | | Native | | |
| Elaeocarpus reticulatus / Blueberry Ash | Sep – Nov | any | sun or dappled light | | adaptable, fast growing and hardy | | Low | | Local | | |
| Banksia integrifolia / Coast Banksia | Mar - Nov | any | sun | | salt and temperature tolerant | | Low | | Local | | |

| | | | | | MEDIUM S | SHRUBS | | | | |
|--|--|-------------------|-----------|------------------------------|-----------------------|--|-------|-----------------------|---------|--------------|
| Name ł Common Name | Flower Description | Flowering Time | Soil Type | Positio n | Tolerates Moisture | Other Attributes | Photo | Maintenanc e Level | Density | Native/Local |
| Acacia longifolia / Sydney Golden Wattle | yellow flowers | Jun - Oct | sand | sun | | fast-growing; nitrogen-fixing; short-lived (4-10 years) | | Low | | Local |
| Acacia linifolia / White Wattle | yellow flowers | Allyear | sand | sun | | fast-growing; nitrogen-fixing; short-lived (4-10 years) | | Low | | Local |
| Acacia myrtifolia / Myrtle Wattle | yellow flowers | Jun - Oet | sand | sun | | fast-growing; nitrogen-fixing; short-lived (4-10 years) | | Low | | Local |
| Acacia suaveolens / Sweet Wattle | creamy-yellow flowers | Apr - Sept | sand | sun | | fast-growing; nitrogen-fixing; short-lived (4-10 years) | | Low | | Local |
| Acacia ulicifolia / Prickly Moses | pale yellow flowers; spiky leaves | Apr - Oct | sand | sun | | fast-growing; nitrogen-fixing; short-lived (4-10 years) | | Low | | Native |
| Allocasuarina distyla / Scrub She-oak | woody cone | Apr - Sept | sand | sun | | salt tolerant | | Low | | Native |
| Banksia ericifolia / Heath- leaved Banksia | orange-red flowers; dainty leaves yellow-golden | Apr - Aug | sand | sun | | salt tolerant | | Low | | Local |
| Banksia robur / Swamp Banksia | brown flowers; large ornamental | Jan - Jul | sand | sun | | requires well-drained moist soil | | Average | | Local |
| Banksia spinulosa / Hairpin Banksia | yellow-orange flowers; dainty leaves | Apr - Aug | sand | sun | | requires well-drained soil | | Average | | Local |
| Bauera rubioides / River Rose | pink flowers | Sept-Feb | sand | dappled light or shade | | rambling shrub; good hedge plant; grows via suckers; prefers moist soil | | Average | | Native |
| Callistemon citrinus / Crimson Bottlebrush | bright red flowers | Nov - Mar | sand | sun | | very hardy | | Low | | Local |
| Ozothamnus diosmifolius / Sago Bush | flowers; foliage emits pleasant | Aug - Nov | sand | sun | | tolerates well drain soil, full sun and moderate frost | | High | | Local |
| Pomaderris ferruginea / Rusty Pomaderris | flowers; new growth rusty | Sep - Oct | sand | sun | | can tolerate dry soil for extended periods | | Low | | Native |
| Pultenaea daphnoides / Bush Pea | yellow and red flowers | Aug - Nov | sand | sun | | tolerates drought, lime and moderate frost | | Low | | Native |
| Telopea speciosissima / Waratah | red flowers | Oct - Nov | sand | sun or dappled light | | requires well-drained soil and watering during prolonged dry conditions; prune vigorously after flowering | | High | | Local |
| Buddleja species / Butterfly Bush | purple flowers | Varies | any | sun or dappled light | | not native; prefers moist soil | | Average | | Exotic |
| Lemon and other Citrus | white flowers | Varies | any | sun | | not native | | High | | Exotic |
| Plumbago auriculata / Plumbago | pale blue flowers | Nov - Mar | any | sun | | good hedge plant; not native | | High | | Exotic |
| Callistemon linearis / Narrow- leaved Bottlebrush | pale red flowers | Sep - Nov | sand | sun | | tolerates acidic, moist and well-drained soils | | Average | | Native |
| Dodonaea triquetra / Large- leaf Hop-bush | fruit is green or reddish | Jun - Oct | any | sun | | very hardy; fast-growing; short-lived | | Low | | Native |
| Eriostemon australasius / Pink Wax Flower | pink flowers | Sep - Nov | sand | sun | | tolerates light frost | | Low | | Local |
| Grevillea linearifolia /White Spider Flower | white flowers | July - Oct | sand | sun | | frost hardy | | Low | | Local |
| Hakea dactyloides / Finger Hakea | cream-white flowers | Sept - Oct | any | sun | | good hedge plant | | Low | | Local |
| Hakea sericea / Silky Hakea | prickly leaves | Jun - Sep | any | sun | | tolerates drought and moderate frost | | Low | | Local |
| Hakea teretifolia / Needlebush | prickly leaves | Aug - Oct | sand | sun | | suitable to well-drained sites | | Average | | Native |
| Indigofera australis / Austral Indigo | pink-purple flowers | Sep-Nov | any | sun | | nitrogen fixing | | High | | Native |
| Kunzea ambigua / White Kunzea | white flowers with honey-like fragrance | Sep-Nov | any | sun | | can grow on rock shelves and shallow soils | | Low | | Local |
| Leptospermum polygalifolium / Tantoon | white flowers | Sep-Dec | clay | sun | | well-suited to areas that are temporarily inundated | | Average | | Local |
| Leptospermum squarrosum / Peach Blossom Tea-tree | pale-deep pink flowers; prickly leaves | Mar - Sep | sand | sun | | salt tolerant | | Low | | Native |
| Olearia microphylla / Small- leaved Daisy Bush | white flowers | Jun - Oct | any | sun | | tolerates light frost | | Low | | Native |

| SMALL SHRUBS | | | | | | | | | | | | |
|---|--|--------------------------|-----------|----------------------------|-----------------------|--|-------|-----------------------|---------|--------------|--|--|
| Name / Common Name | Flower Description | Flowering Time | Soil Type | Positio n | Tolerates Moisture | Other Attributes | Photo | Maintenanc e Level | Density | Native/Local | | |
| Correa alba / White Correa | white flowers | Apr - Jun | sand | sun | | salt tolerant | | Low | | Native | | |
| Correa reflexa / Common Correa | red and green flowers | May - Nov | sand | sun | | tolerates extended dry periods once established | | Low | | Local | | |
| Crinum pedunculatum Swamp Lily | white flowers | Aug - Jan | any | sun | | will grow in large pot if watered regularly; prefers moist or wet soil | | High | | Native | | |
| Dilllwynia retorta / Egg and Bacon | yellow and red flowers | Jul - Sept | sand | sun | | prefers light well-drained soild in open sunny position | | High | | Local | | |
| Goodenia ovata / Hop Goodenia | yellow flowers | Oct - Mar | any | sun or shade | | copes with temporary inundation | | Low | | Native | | |
| Grevillea buxifolia / Grey Spider Flower | grey flowers | Aug - Apr | sand | sun | | tolerates extended dry periods and moderate frost | | Low | | Local | | |
| Grevillea sericea / Pink Spider Flower | pink flowers | Aug-Dec | any | sun | | once established adaptable to full sun to part shade and prefers well- drained soil | | High | | Local | | |
| Red Spider Flower Grevillea speciosa | red flowers | Aug - Nov | sand | sun | | prefers well-drained soil | | Average | | Local | | |
| Melaleuca thymifolia / Thyme Honeymyrtle | purple flowers; flowers frequently | Nov - Jul | any | sun | | long-lived | | Low | | Native | | |
| Westringia fruticosa / Coast Rosemary | white flowers | Most of the year | sand | sun | | good hedge plant | | Low | | Native | | |
| Zieria smithii / Sandfly Zieria | white flowers | Sept - Nov, Mar - May | sand | sun or dappled light | | natural insect repellent | | Average | | Native | | |
| Lavandula spp. / Lavender | blue-purple flowers | Jun - Jul | any | sun | | good hedge plant; not native | | Low | | Exotic | | |
| Lambertia Formosa / Mountain Devil | red flowers | Allyear | sand | sun or dappled light | | frost hardy | | Low | | Local | | |
| Woollsia pungens / Snow Wreath | white flowers | Jun - Nov | sand | sun or appled light | | prefers well-drained soil with regular moisture | | Average | | Native | | |
| Bossiaea heterophylla / Variable Bossiaea | yellow flowers | Apr - May | any | sun or dappled light | | thrives in dry, sandy and rocky locations | | Low | | Native | | |
| Philotheca buxifolia / Box- leaf Waxflower | pink flowers | Aug - Nov | sand | sun or appled light | | suits rocky or sandy locations | | Low | | Native | | |

| GRASSES | | | | | | | | | | | | |
|--|--------------------------------------|-------------------|-----------|------------------------------|-----------------------|---|-------|----------------------|---------|--------------|--|--|
| Name / Common Name | Flower Description | Flowering Time | Soil Type | Position | Tolerates Moisture | Other Attributes | Photo | Maintenance Level | Density | Native/Local | | |
| Aristida vagans / Three-awned Speargrass | | Dec – Feb | sand | sun | | grows indifficult soils | | Low | | Local | | |
| Rytidosperma tenuius / Wallaby Grass | | Oct – Jan | any | sun | | very hardy and persistent | | Low | | Native | | |
| Cymbopogon refractus / Barbed Wire Grass | | Sept – May | any | sun | | can survive long periods of drought | | Low | | Local | | |
| Dichelachne crinita / Long-hair Plume Grass | pale fluffy flower head | Sept – Nov | sand | sun | | prefers well-watered sites | | Low | | Native | | |
| Dichelachne micrantha / Short- hair Plume Grass | pale fluffy flower head | Sept – Nov | any | sun | | tolerates high winds and light frost | | Low | | Local | | |
| Echinopogon ovatus / Forest Hedgehog Grass | | Sept – Nov | clay | dappled light or shade | | shady areas under trees | | Low | | Native | | |
| Entolasia marginata / Right Angle Grass | | Most of the year | sand | sun or shade | | limited availaibility | | Low | | Native | | |
| Imperata cylindrica / Blady Grass | pale fluffy flower head | Dec – Feb | any | sun | | spreads readily, via rhizomes as well as seed | | Low | | Native | | |
| Weeping Grass Microlaena stipoides | | Sept – Feb | any | dappled light or shade | | tolerates heavy shading | | Low | | Native | | |
| Oplismenus imbecillis / Creeping Beard Grass | | Most of the year | any | dappled light or shade | | suitable for no-mow lawn | | Low | | Native | | |
| Poa affinis / Tussock Grass | | Oct - Feb | sand | sun or shade | | low maintenance and no irrigation once established | | Low | | Native | | |
| Themeda australis / Kangaroo Grass | rusty red flower head | Sept - Mar | any | sun | | grows in full to part sun on sandy and clay soils and need minimal watering once established | | Low | | Local | | |
| Lomandra longifolia / Basket Grass | pale yellow spikey flower head | Aug - Nov | any | sun or shade | | tolerates dryness and all soil types | | Low | | Native | | |
| Xanthorrhoea resinosa / Dwarf Tree Grass | | | any | sun or shade | | drought tolerant | | Low | | Native | | |
| Baumea juncea / Bare Twig- rush | fluffy brown flower head | Sep - Apr | any | sun or shade | • | ideal planting around ponds and coastal landscapes | | Low | | Native | | |
| Baumea articulata / Jointed Rush | fluffy brown flower head | | any | sun or shade | • | ideal planting around ponds and coastal landscapes | | Low | | Native | | |

| HERBS & GROUNDCOVERS | | | | | | | | | | | | |
|--|---|-------------------|-----------|------------------------------|-----------------------|---|-------|----------------------|---------|--------------|--|--|
| Name / Common Name | Flower Description | Flowering Time | Soil Type | Position | Tolerates Moisture | Other Attributes | Photo | Maintenance Level | Density | Native/Local | | |
| Actinotus helianthi / Flannel Flower | creamy white flowers | Sep – Feb | any | sun | | tolerates mild frost once established | | Low | | Native | | |
| Centella asiatica / Centella | white pink (very small) | Jul – Aug | any | shade | | suitable for no-mow lawn; edible | | Average | | Native | | |
| Dianella caerulea / Blue Flax-lily | blue flowers; edible purple berries | Sep – Nov | any | sun or shade | • | very hardy; spreads readily via rhizomes as well as seed; various cultivars available | | Low | | Native | | |
| Dianella revoluta / Black-anther Flax-lily | blue flowers; edible purple berries | Sep – Nov | any | sun or shade | • | very hardy; spreads readily via rhizomes as well as seed; various cultivars available | | Low | | Native | | |
| Dichondra repens / Kidney Weed | white | Most of the year | any | dappled light or shade | ٠ | suitable for no-mow lawn | | Low | | Local | | |
| Hydrocotyle peduncularis / Pennywort | very small | Dec – Feb | any | dappled light or shade | • | suitable for no-mow lawn | | Low | | Native | | |
| Lobelia purpurascens / White Root | white flowers | Sep – Jan | any | dappled light or shade | • | suitable for no-mow lawn | | Low | | Native | | |
| Lomandra longifolia / Spiny Headed Mat Rush | prickly flower heads | Sep – Nov | any | sun or shade | • | very hardy; various cultivars available | | Low | | Native | | |
| Plectranthus parviflorus / Cockspur Flower | peppermint- like fragrance | Most of the year | any | shade | • | avoid direct sunlight | | Low | | Native | | |
| Viola hederacea / Native Violet | white and purple flowers | All year | any | dappled light or shade | | suitable for no-mow lawn; edible flowers | | Low | | Local | | |
| Wahlenbergia gracilis / Sprawling Bluebell | pale pink- mauve flowers | Sep – Feb | any | sun or shade | | grows well in rockeries | | Low | | Local | | |
| Gonocarpus teucrioides / Raspwort | red flowers | Oct - Jan | sand | semi shade | • | prefers well-drained soils in semi shade | | Low | | Native | | |
| Pomax umbellata | red flowers | Aug - Dec | sand | sun | | prefers sandy and stony soils | | Low | | Native | | |
| Dampiera stricta / Blue Dampiera | blue flowers | All year | sand | sun or shade | | Lepidosperma laterale / Sword Sedge | | Low | | Local | | |
| Haemodorum planifolium / Blood Rot | | | sand | sun | | drought tolerant | | Low | | Native | | |
| Lepidosperma laterale / Sword Sedge | | | sand | sun | | prefers well-drained sandy soils and rocky hillside locations | | Low | | Native | | |
| Xanthosia pilosa / Woolly Xanthosia | pale yellow flowers | Aug - Feb | sand | sun | | prefers well-drained sandy soils and rocky hillside locations | | Low | | Local | | |

| CLIMBERS | | | | | | | | | | | | |
|--|--|----------------|-----------|---------------------------|-----------------------|--|-------|----------------------|---------|--------------|--|--|
| Name / Common Name | Flower Description | Flowering Time | Soil Type | Position | Tolerates Moisture | Other Attributes | Photo | Maintenance Level | Density | Native/Local | | |
| Clematis aristata /Old Man's Beard | white flowers | Oct – Nov | sand | sun or dappled light | | prefers moist to wet well-drained soil in cool forests and gullies | | Average | | Native | | |
| Clematis glycinoides / Forest Clematis | prolific white flowers | Aug – Oct | sand | dappled light or shade | | prefers moist soil moist soil and semi shade to dappled shade | | Average | | Native | | |
| Hardenbergia violacea / False Sarsparilla | purple flowers | Sep – Oct | sand | sun | | very hardy; also grows as a groundcover | | Low | | Native | | |
| Hibbertia dentata / Guinea Flower | yellow flowers | Sep – Dec | sand | sun or dappled light | | also grows as a groundcover | | Low | | Native | | |
| Hibbertia scandens / Climbing Guinea Flower | yellow flowers | Sep – Jan | any | sun | | also grows as a groundcover | | Low | | Native | | |
| Kennedia rubicunda / Dusky Coral Pea | red and black flowers | Sep – Nov | any | sun | | grows vigorously; short-lived | | Average | | Native | | |
| Pandorea pandorana / Wonga Wonga Vine | prolific white flowers (cultivars available with pinkish flowers) | Sep – Nov | any | sun or dappled light | • | tolerates light frost | | Low | | Native | | |
| Bougainvillea glabra / Bougainvillea | pink-red-purple flowers | Oct – Jan | sand | sun | | not native | | Low | | Exotic | | |
| Trachelospermum jasminoides / Star Jasmine | white flowers with pleasant fragrance | Oct – Dec | any | sun or shade | | not native | | Low | | Exotic | | |
| Cissus antarctica / Kangaroo Vine | very small cream flowers with a small grape-like berry (not edible) | Sep- May | any | dappled light or shade | | hardy and fast growing; can be used as a groundcover or climber; also good for containers and indoors | | Low | | Native | | |
| Passiflora spp. / Passionfruit | white flowers | Nov – Feb | any | sun | | not native | | Average | | Exotic | | |
| Roses — various climbing varieties | various | Varies | any | sun | | not native, need rich soils — if planting in sand, add mulch; not native | | High | | Exotic | | |
| Wisteria sp. / Wisteria | mauve flowers | Sept – Feb | any | sun | • | not native; prefers moist soil | | Average | | Exotic | | |
| Parsonsia straminea / Silkpod | white flowers | Sep - Dec | - | shade | • | grows in shady spots as well as floodplains and sandstone-based soil | | Average | | Native | | |
| Stephania japonica / Snake Vine | white flowers | all year | any | sun or shade | | not native | | Average | | Exotic | | |

| FERNS | | | | | | | | | | | | |
|--|---------------------------|-----------------------|--|-------|----------------------|---------|--------------|--|--|--|--|--|
| Name / Common Name | Position | Tolerates Moisture | Other Attributes | Photo | Maintenance Level | Density | Native/Local | | | | | |
| Adiantum aethiopicum / Common Maidenhair Fern | dappled light or shade | • | spreads readily; prefers moist soil | | Average | | Native | | | | | |
| Calochlaena dubia / Common Ground Fern | dappled light or shade | • | once established, can be spread by dividing clumps; prefers moist soil | | Average | | Native | | | | | |
| Cyathea australis / Rough Tree Fern | dappled light or shade | • | limited availability; can tolerate full sun if soil is permanently moist | | Average | | Native | | | | | |
| Cyathea cooperi / Coopers Tree Fern | dappled light or shade | • | can tolerate full sun if soil is permanently moist | | Average | | Native | | | | | |
| Doodia aspera / Prickly Rasp Fern | dappled light or shade | • | once established, can be spread by dividing clumps; prefers moist soil | | Average | | Native | | | | | |
| Hypolepis muelleri / Ground Fern | dappled light or shade | • | spreads readily; prefers moist soil | | Average | | Native | | | | | |
| Blechnum indicum / Swamp Water Fern | dappled light or shade | • | frost hardy | | Low | | Native | | | | | |

| BIODIVERSE ROOF | | | | | | | | | | | |
|---|-----------------------------------|----------|-----------------------|------------|-------|----------------------|---------|--------------|--|--|--|
| Name / Common Name | Flower Description | Position | Tolerates Moisture | Attributes | Photo | Maintenance Level | Density | Native/Local | | | |
| Senecio serpens / Blue Chalksticks | - | sun | | full sun | | Low | | Exotic | | | |
| Mesembryanthemum orange / Pigface | orange flowers | sun | | full sun | | Low | | Native | | | |
| Echeveria agavoides / Molded Wax Agave | - | sun | | full sun | | Low | | Native | | | |
| Gazania 'Double Gold'/ Double Gold | yellow flowers | sun | | full sun | | Low | | Native | | | |
| Chrysocephalum apiculatum / Everlasting Daisy | yellow flowers | sun | | full sun | | Low | | Native | | | |
| Carpobrotus edulis / Hottentot-fig | purple flowers | sun | | full sun | | Low | | Native | | | |
| Lampranthus / Dewplant | pruple flowers | sun | | full sun | | Low | | Native | | | |
| Convolvulus sabatius / New Blue Moon | pruple flowers | sun | | full sun | | Low | | Native | | | |
| Crassula falcata / Airplane Plant | red flwoers | sun | • | full sun | | Low | | Exotic | | | |
| Brachyscome multifida / Rock Daisy | purple, pink or white dflowers | sun | | full sun | | Low | | Native | | | |
| Poa labillardieri / Tussock Grass | - | sun | • | full sun | | Low | | Native | | | |
| Lomandrta longifolia tanika / Lomandra Tanika | - | sun | • | full sun | | Low | | Native | | | |
| Westringia fruticosa 'mundi' / Westringia Mundi | small white flowers | sun | • | full sun | | Low | | Native | | | |
| Themeda triandra 'Mingo' / Kangaroo Grass | - | sun | • | full sun | | Low | | Native | | | |
| Imperata cylindrica 'Yalba'/ Yalba Imperata | - | sun | • | full sun | | Low | | Native | | | |
| Austrodanthonia racemosa / Slender Wallaby-grass | - | sun | | full sun | | Low | | Native | | | |
| Carpobrotus glaucescens / Angular sea-fig | purple flowers | sun | | full sun | | Low | | Native | | | |

| | | RIPARIAN | | | | |
|---|----------------|--|-------|----------------------|---------|--------------|
| Name / Common Name | Flowering Time | Attributes | Photo | Maintenance Level | Density | Native/Local |
| Nymphoides crenata / Crenated Water Fringe | Sep – May | native to western NSW | | Low | | Native |
| Nymphaea Gigantea / Giant Water Lily | Varies | native to western NSW | | Low | | Native |
| Ottelia ovalifolia / Swamp Lily | Nov – Mar | | | Average | | Native |
| Myriophyllum caput-medusae / Coarse Water- milfoil | All year | spreads readily; clear periodically to maintain open water | | Average | | Native |
| Myriophyllum tenellum / Slender Water-milfoil | All year | spreads readily; clear periodically to maintain open water | | Average | | Native |
| Myriophyllum verrucosum / Red Water-milfoil | All year | spreads readily; clear periodically to maintain open water | | Average | | Native |
| Carex appressa / Tall Sedge | - | very hardy; also tolerates periods of wet and dry | | Low | | Native |
| Carex fascicularis / Knob Sedge | - | needs standing water | | Average | | Native |
| Caustis flexuosa / Curly Wig | - | | | Low | | Local |
| Ficinia nodosa / Knobby Club Rush | - | very hardy; salt tolerant; also tolerates periods of wet and dry | | Low | | Native |
| Lythrum salicaria / Purple Loosestrife | - | very hardy, tolerates temporary inundation; prefers moist soil | | Low | | Native |
| Philydrum lanuginosum / Frogsmouth | - | standing water | | Low | | Native |
| Gahnia sieberiana / Red-fruit Saw-sedge | - | also tolerates periods of wet and dry | | Low | | Native |
| Gahnia clarkei / Tall Saw-sedge | - | also tolerates periods of wet and dry | | Low | | Native |
| Juncus continuus / Sand Rush | - | also tolerates periods of wet and dry | | Low | | Native |
| Juncus usitatus / Common rush | - | also tolerates periods of wet and dry | | Low | | Native |
| Phragmites australis / Common Reed | - | also tolerates periods of wet and dry | | Low | | Native |
| Entolasia marginata / Bordered Panic Grass | - | - | | Low | | Native |
| Triglochin procera / Water Ribbons | Summer | Oxygenator - helps maintain a clean and healthy pond | | Low | | Native |
| Gahnia sieberiana / Red-fruit Saw-sedge | - | Popular feeding for insect larvae | | Low | | Native |
| Gonocarpus micranthus / creeping Raspwort | Oct - Feb | Perennial. Moist peaty soils and boggy ground in a range of habitats. Tolerates dry periods. | | Low | | Native |
| Lomandra Longifolia / Spiny-headed Mat-rush | Sep - March | Strap-like leaves with distinctive ragged notched tip, often dry and brownish. Lightly scented flowers. | | Low | | Native |
| Lomandra hystrix / Tropic Belle | Sept - Nov | clumping grass-like perennial with broad shiny green foliage and masses of fragrant yellow flowers in Spring | | Low | | Native |
| Imperata cyclindical / Blady Grass | - | vigorously spreading | | Low | | Native |
| Dichelachne micrantha / Longhair Plumegrass | Oct - Dec | sparse open tufted grass with plume like flower stems | | Low | | Native |
| Banksia robur / Swamp Banksia | Apr - Aug | needs full sun for best flowering | | Low | | Local |
| Doryanthes excelsa / Gymea Lily | Sept - Apr | upright, clumping growth habit and large sword shapes leaves | | Low | | Native |
| Melaleuca thymifolia / Thyme honey-myrtle | All year | low maintenance, tolerates frost and drought | | Low | | Native |
| Acmena smithiii / Lily pilly | Sept - Nov | fast growing shrub | | Low | | Native |
| Correa alba / White Correa | Mar - Aug | suits sandy soils and salty winds | | Low | | Native |
| Callistemon / Bottlebrush | All year | grows on a range of soil types and positions | | Low | | Local |
| Westringia fruticosa / Native Rosemary | Sep - Mar | adaptable and extremely tough | | Low | | Native |

| C. | Insert a habit selection list for developments mapped on the DCP Biodiversity Maps |
|----|--|
| | similar to the sample provided |

Sample habitat selection list

Bird box

| Bat box | | | | | | | | | | |
|---|--|-----|----|-----|------------------|--|--|--|--|--|
| Beehives | | | | | | | | | | |
| Insect nest blocks | | | | | | | | | | |
| Ponds | | | | | | | | | | |
| Log piles | | | | | | | | | | |
| Rock piles | | | | | | | | | | |
| Bird baths | | | | | | | | | | |
| d. Insert a DA checklist for developments mapped on the DCP Biodiversity Maps similar to the sample provided Sample significant habitat DA checklist The Significant Habitat Checklist is used to ensure that a development area has been inspected, and all habitat features that make up a significant urban habitat have been accounted for. | | | | | | | | | | |
| Inspection details | | | | | | | | | | |
| Date of inspection: | | | | | | | | | | |
| Inspection completed by: | | | | | | | | | | |
| Position title: | | | | | | | | | | |
| Proposed development: | | | | | | | | | | |
| Site location: | | | | | | | | | | |
| Site Area (m2) | | | | | | | | | | |
| | | | | | | | | | | |
| PART A – Desk top inspection If yes to questions below, then site may be considered to have significant habitat value. | | | | | | | | | | |
| Habitat features | | Yes | No | N/A | Additional Notes | | | | | |
| Is the site representative of Endangered Ecological Con | | | | | | | | | | |

| Are threatened/endangered fauna or flora species known to be found on the site? | | |
|---|--|--|
| Are priority fauna (as listed in the UESAP) known to be found on the site? | | |
| Does the development impact upon any trees, as registered as Significant Trees under the City's Tree management Plan? | | |
| Is the site within an identified biodiversity connectivity corridor as per figure 17 in the UESAP. | | |
| Is there connectivity with neighbouring sites with significant habitat values i.e. parks, reserves. | | |

PARTB – Site Inspection Please assess what habitat features are present: Rank Not **Habitat features** Observed Count Comments observed 4 \boxtimes Tall trees > 20 m 3 Small trees 2-20 m 2 Shrubs <2 m 4 Tree hollows 2 Standing and/or fallen trees 2 Nest boxes Ephemeral creek/flow paths 4 4 Permeant pond/waterbody Macro fauna observed 4 Rock piles 2 4 Approx. area Sandstone outcropping

| Logs > 10 cm diameter | 2 | | | |
|--|---|--|-------------------|--|
| Is vegetation primarily composed of exotic weed species. | 1 | | % cover | |
| Presence of fungi/lichen/moss | 2 | | | |
| Native grass/groundcover | 3 | | | |
| Leaf litter | 2 | | % ground cover | |
| Other | | | | |

| Conservation value of habitat features ranking | | | | | |
|--|-------|--|--|--|--|
| Conservation Value | Score | Description | | | |
| High/Priority | 4 | Feature must be conserved, as feature cannot be replaced or recreated | | | |
| Moderate | 3 | Feature should be conserved, but could be replaced or recreated | | | |
| Low | 2 | Feature could be replaced and/or recreated | | | |
| Limited | 1 | Feature can be replaced, and could be improved to offer better habitat value | | | |

| Person conducting inspection to sign off and confirm the inspection is complete: | | | | | |
|--|--|-------|--|--|--|
| Signature: | | Date: | | | |