Taylor Thomson Whitting (NSW) Pty Ltd Consulting Engineers ACN 113 578 377
48 Chandos Street St Leonards NSW 2065 PO Box 738 Crows Nest NSW 1585
T 61 2 9439 7288 F 61 2 9439 3146 ttwsyd@ttw.com.au www.ttw.com.au

TaylorThomsonWhitting

Document Issue Transmittal

Date: 12/03/2015
Job No.: 111110 PA
Issue No.: 1

Project: RTA Works, San Hospital, Wahroonga

Reason for Issue: Information

Sent Via:

Distribution	Attention
Johnstaff Projects Level 12, 70 Pitt Street Sydney NSW 2000	**Tom Bitmead** 1 PAPER and PDF & DWG copies

Drawing No.	Title	Issue
C500	Notes and Legend Sheet	07
C501	Overall Plan	05
C502	Siteworks Plan Sheet 1	11
C503	Siteworks Plan Sheet 2	10
C505	Signals Plan	07
C507	Services Plan Sheet 1	09
C508	Services Plan Sheet 2	07
C510	Details Sheet	04
C520	Sections Sheet 1	05
C521	Sections Sheet 2	05
C522	Sections Sheet 3	05
C540	Signage and Linemarking Plan Sheet 1	05
C541	Signage and Linemarking Plan Sheet 2	03
C545	No Stopping Signage - Fox Valley Road Sheet 1	03
C546	No Stopping Signage - Fox Valley Road Sheet 2	02
C547	No Stopping Signage - Fox Valley Road Sheet 3	02
C548	No Stopping Signage - Fox Valley Road Sheet 4	02
Surv_01	Survey_Commercial Area.dwg	01
Surv_02	Survey_Roadworks.dwg	01

SENT BY: WATERS S

Documents provided are for use on the intended project only. Files provided in a modifiable format are considered to be NOT CONTROLLED and TTW takes no responsibility for their use, accuracy or reproduction. TTW takes no responsibility for the accuracy of data derived from files supplied by external agencies. It is your responsibility to check any attachments for viruses and defects before opening or sending them on.

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation

SAN HOSPITAL RMS ROAD WORKS
COMENARRA PARKWAY / FOX VALLEY ROAD

GENERAL NOTES

1. Contractor must verify all dimensions and existing levels on site prior to commencement of works. Any discrepancies to be reported to the Engineer
2. Strip all topsoil from the construction area. All stripped topsoil shall be disposed of off-site unless directed otherwise.
3. Make smooth connection with all existing works
4. Compact subgrade under buildings and pavements to minimum 98% standard maximum dry density in accordance with AS 1289 5.1.1. Compaction under buildings to extend 2m minimum beyond building footprint
5. All work on public property, property which is to become public property, or any work which is to come under the control of the Statutory Authority is to be carried out in accordance with the requirements of the relevant Authority. The Contractor shall obtain these requirements from the Authority. Where the requirements of the Authority are different to the drawings and specifications, the requirements of the Authority shall be applicable.
6. For all temporary batters refer to geotechnical recommendations

REFERENCE DRAWINGS

1. These drawings have been based from, and to be read in conjunction with the following Consultants drawings. Any conflict to the drawings must be notified immediately to the Engineer

Consultant	Dwg Title	Dwg No	Rev	Date
Ireslev	Detail Survey	F69159 A2	1	18.08.11
Locatiers Utility	Sub-Surface Utility	L1102-30	D1	16.08.11
S.P Site Survey	House Ernest Levels	051_001	D1	10.08.11
Ireslev	Details on/Levels Over Intersection	C8105 M_ADJ		07.10.12

BULK EARTHWORKS NOTES

1. All bulk earthworks setout from grid lines U.N.O.
2. All batters at a slope of 2 (H) : 1 (V) U.N.O.
3. Excavated material may be used as standard fill provided,
   (i) It complies with the specification requirements for fill material
   (ii) the placement moisture content complies with the Geotechnical Consultants requirements and where fill is to be placed and proofrolled in accordance with the specification. Where necessary the Contractor must moisture condition the excavated material to meet these requirements
4. Compact fill areas and subgrade to not less than

Location	Standard dry density (AS 1289 5.1.1)	Moisture (OMC)
Under building slabs on ground.	98%	±2%
Under roads and carparks	98%	±2%
Landscaped areas	95%	±2%

5. Before placing fill, proof roll exposed subgrade with a 10 tonne minimum roller to test subgrade and then remove soft spots (areas with more than 2mm movement under roller). Soft spots to be replaced with select fill U.N.O.
6. Contractor shall place safety barriers around excavations in accordance with relevant safety regulations
7. For interpretation of bulk earthworks test grid lies shown on the bulk earthworks drawings refer to the bulk earthworks construction legend.
8. Bulk earthwork drawings are not to be used for detailed excavation.
9. Refer to Geotechnical Report prepared by – Coffey Geotechnics – Geotechnical Investigation and Report for SAH Hospital – GEOTLCONG34624AA-AD dated 29.04.2008

SITEWORKS NOTES

1. All basecourse material to comply with RTA specification No 3051 and compacted to minimum 98% modified standard dry density in accordance with AS 1289 5.2.1.
2. All trench backfill material shall be compacted to the same density as the adjacent material
3. All service trenches under vehicular pavements shall be backfilled with an approved select material and compacted to a minimum 98% standard maximum dry density in accordance with AS 1289 5.1.1

BOUNDARY AND EASEMENT NOTE

The property boundary and easement locations shown on Taylor Thomson Whitting drawing's have been based from information received from S.P. SITE SURVEY Pty. Ltd. and Ireslev's survey.

Taylor Thomson Whitting makes no guarantee that the box, kidney or easement information shown is correct.

Taylor Thomson Whitting will accept no liabilities for boundary encroachment. The contractor/builder is advised to check/confirm all boundaries in relation to all proposed work prior to the commencement of construction. Boundary encroachments found are to be reported to the superintendent prior to construction starting.

STORMWATER DRAINAGE NOTES

1. Stormwater Design Criteria
   (A) Average recurrence interval –
   1:100 years for roof drainage to first external pit
   1:20 years for paved and landscaped areas
   (B) Rainfall intensities –
   Time of concentration: 6 minutes
   1:100 years = 229 mm/hr
   1:20 years = 177 mm/hr
   (C) Runoff coefficients –
   Roof areas Cw = 1.0
   Roads and paved areas: Cw = 0.90
   Landscaped areas Cw = 0.30
2. Pipes 300 dia and larger to be reinforced concrete Class "2" approved spigot and socket, with rubber ring joints U.N.O
3. Pipes up to 300 dia shall be sewer grade uPVC with solvent welded joints.
4. Equivalent strength RCP or FRP pipes may be used subject to approval.
5. Percoil pits may be used external to the building subject to approval by
6. Enlargers, connections and junctions to be manufactured fittings where pipes are less than 300 dia.
7. Where subsoil drains pass under floor slabs and vehicular pavements, unslotted uPVC sewer grade pipe is to be used
8. Grates and covers shall conform with AS 3996-2006, and AS 3996-1 for access requirements.
9. Pipes are to be installed in accordance with AS 3725. All bedding to be type H2 U.N.O.
10. Pipes are to be laid with levels of stormwater lines. Grades shown are not to be reduced without approval
11. All stormwater pipes to be 150 dia or 1.175 mm bell U.N.O
12. Subsoil drains to be slotted flexible uPVC U.N.O
13. Adopt invert levels for pipe installation (grades shown are only nominal).

KERBING NOTES

Includes all kerbs, gutters, dish drains, crossings and edges.

1. All kerbs, gutters, dish drains and crossings to be constructed on minimum 75mm granular basecourse compacted to minimum 98% modified maximum dry density in accordance with AS 1289 5.2.1.
2. Expansion joints (EJ) to be formed from 10mm compressible cork filler board for the full depth of the section and cut to profile. Expansion joints to be located at drainage pits, on tangent points of curves and elsewhere at 12m centres except for integral kerbs where the expansion joints are to match the joint locations in slabs.
3. Weakened plane joints to be min 3mm wide and spaced at 3m centres except for integral kerbs where weakened plane joints are to match the joint locations in slabs.
4. Broomed finished to all ramped and vehicular crossings, all other kerbs or dish drains to be steel float finished.
5. In the replacement of kerbs –
   Existing road pavement is to be sawcut 500mm from lip of gutter. Upon completion of new kerbs, new basecourse and surface is to be laid 500mm wide to match existing materials and thicknesses.
   Existing stormwater drainage pipes are to be built into the new kerb with a 150mm dia tube.
   Existing kerbs are to be completely removed where new kerbs are shown.

SURVEY AND SERVICES INFORMATION

SURVEY

Origin of levels	PM 44960 Adopted AS PL158 (AHD)
Datum of levels	AHD AUSTRALIAN HEIGHT DATUM
Coordinate system	MGA
Survey prepared by	Western InSite
Setout Points	CONTACT THE SURVEYOR

Taylor Thomson Whitting does not guarantee that the survey information shown on these drawings is accurate and will accept no liability for any inaccuracies in the survey information provided to us from any cause whatsoever.

UNDERGROUND SERVICES - WARNING

The locations of underground services shown on Taylor Thomson Whitting drawings have been plotted from diagrams provided by service authorities. This information has been prepared solely for the authorities own use and may not necessarily be updated or accurate.

The provision of services as recorded by the authority at the time of installation may not reflect changes in the physical environment subsequent to installation.

Taylor Thomson Whitting does not guarantee that the services information shown on these drawings shows more than the presence or absence of services, and will accept no liability for inaccuracies in the services information shown from any cause whatsoever.

The Contractor must confirm the exact location and extent of services prior to construction and notify any conflict with the drawings immediately to the Engineer/Superintendent.

The contractor is to get approval from the relevant state survey department, to remove/adjust any survey mark. This includes but is not limited to, State Survey Marks (SSM), Permanent Marks (PM), control reference marks or any other survey mark which is to be removed or adjusted in any way.

Taylor Thomson Whitting plans do not indicate the presence of any survey mark. The contractor is to undertake their own search.

CONCRETE FINISHING NOTES

1. All exposed concrete pavements are to be broomed finished
2. All edges of the concrete pavement including keyed and dowelled joints are to be finished with an edging tool
3. Concrete pavements with grades greater than 10 % shall be heavily broomed finished
4. Contractors to be advised to all floor heads and ramped crossings U.N.O

SIGNS AND LINE MARKING NOTES

1. Pavement marking and sign posting on public roads shall be in accordance with the requirements of the relevant Road Authority. The contractor must obtain these requirements from the Road Authority.
2. Contractor is to provide guide posts, spaced in accordance with AS 1742.2. They are to be located near all road ends and pipe outlets.
3. Painted pavement markers to be in accordance with AS1742.2
4. Where existing pavement marking conflicts with proposed, it is to be removed.
5. Line marking do not include width of gutter.
6. Line marking plan does not define boundaries.
7. Erect temporary signs changed traffic conditions ahead 120m ahead of lane ends in both directions.
8. Establish the location of existing utility services and locate new signs clear of these installations.
9. The raised face of the 'B' median kerbs which adjoin through lanes are to be painted white in lieu of an E3 edge line. The reflective pavement markers normally associated with an E3 edge line are to be located on the pavement adjacent to the 'B' kerb.
10. Bicycle pavement markings and sign posting to be in accordance with Australia Standards.

CONCRETE NOTES

EXPOSURE CLASSIFICATION: (Internal B)

CONCRETE

Place concrete of the following characteristic compressive strength f'c as defined in AS 1379

Member	AS 1379 f'c MPa at 28 days	Specified Slump	Nominal Agg. Size
Footpaths, pits, kerbs	25	80	20
Footings	32	80	20
Vehicle Pavements	32	80	20

1. Use Type 'GP' cement, unless otherwise specified
2. All concrete shall be subject to project assessment and testing to AS 1379.
3. Compacted by mechanical vibrator. Core all concrete surfaces as detailed in the Specification.
4. For all kerb in sub, drip grooves, rebates chamfers etc refer to Architects drawings and specifications
5. Unless shown on the drawings, the location of all construction joints shall be submitted to Engineer for review
6. No holes or chases shall be made in the slab without the approval of the Engineer
7. Conduits and pipes are to be fixed to the underside of the top reinforcement layer
8. Slurry used to lubricate concrete pump lines is not to be used in any structural members
9. All slabs cast on ground require sand blinding with a Concrete Vibrating

FORMWORK

1. The design, certification, construction and performance of the formwork, falsework and backpropping shall be the responsibility of the contractor. Proposed methods of installation and removal of formwork is to be submitted to the superintendent for comment prior to work being carried out.

REINFORCEMENT NOTES

1. Fix reinforcement as shown on drawings. The type and grade is indicated by a symbol as shown below. On the drawings this is followed by a numeral which indicates the size or reference of the reinforcement
   N Hot rolled ribbed bar grade 500N
   R Plain round bar grade R250N
   SL Square mesh grade 500L
   RL Rectangular mesh grade 500L
2. Provide bar supports or spacers to give the following concrete cover to all reinforcement unless otherwise noted on drawings
   Footings – 40 top, 40 bottom, 40 sides
   Slabs – 40 top, 40 bottom, 40
   – 40 when exposed to weather or ground.
   Walls – 40 generally
   – 40 when cast in forms but later exposed to weather or ground.
   – 40 when cast directly or contact with ground.
3. Cover to reinforcement ends to be 50 mm u.n.o
4. Provide N12-400 support bars for top reinforcement as required, lap 400. U.N.O
5. Maintain cover to all pipes, conduits, reglets, drip grooves etc
6. Laps in reinforcement shall be made only where shown on the drawings unless otherwise approved. Lap lengths shall be 40 bar dia unless noted otherwise
7. All caps to be standard caps unless noted otherwise.
8. Fabric and cold rolled bars are to be placed strictly in accordance with the manufacturers requirements to self-cover a full bender lap. Fabric shall be laid so that there is a maximum of 2 layers at any location

FABRIC LAPS

SITEWORKS LEGEND

- F22.20 — Finished surface level
- 72.00 — Finished contour
- KAC — Kerb and gutter
- KO — Kerb only
- KOT — Kerb only type 1
- FK — Flush kerb
- DD — Dish drain
- TE — Thickened edge
- 1:100 RCP 'T' 1.250 D=345 L/A 1.5/0.5 — Stormwater pit: flow direction and line with; invert level upstream; Pipe size and class; Pipe grade; Flow (Litres per second); Invert level downstream
- GD — Grated drain
- IP — Intermediate pipe with subsoil drainage line (100 dia)
- FP — Flushing point with subsoil drainage line (100 dia)
- SP — Sewer pipe
- Concrete encased stormwater line
- Stormwater line with pipe taper and flow direction; Taper kerb to zero height over 500 mm; Wheelstop
- RW — Brickwork retaining wall
- DEJ — Dowelled expansion joint
- SJ — Sawn joint
- KJ — Keyed construction joint
- WPJ — Weakened plane joint
- EJ — Expansion joint
- Gross catch drain
- Overland flow path
- Guard Rail Armco-W Beam as per RTA Standard
- EP — Cycle Posts
- Bollards
- EP — Electrical Items (refer to Electrical engineer's drawings and details)

PAVEMENT LEGEND

NOTES

1. Asphaltic concrete shall conform to AS2150 and the specification
2. Pavement based on geotechnical report by

- P1 — 30mm Thickness asphaltic concrete (AC14) with polymer modified (AC10) on 150mm Thickness asphaltic concrete (AC20) with polymer modified (AC10) on 200mm DR Dense Graded compacted thickness fine crushed rock (DGB20)
- P2 — 120mm Thickness concrete (f'c=28MPa) with SL82 fabric (40 top cover) on 100mm Compacted thickness fine crushed rock (DGB 20)
- P3 — 30mm AC and Prelmed asphaltic concrete (AC14) with polymer modified (AC10)

PIT SCHEDULE

Note: Grate size does not necessarily reflect pit size, refer pit type details, shown on detail sheets - C7310
Field entered pit dimensions are to comply with AS2200

Type	Description	Cover (Clear Opening)	Number
A	Kerb inlet pit 1800 inlet	450 x 900 Class B galvanized mild steel grate hinged fin frame	1,2,3,7,2, 12,14,15
B	Easiway pit. to remain		4,11

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

CIVIL DRAWING LIST

Drawing No	Drawing Title
C500	NOTES AND LEGENDS SHEET
C501	OVERALL SITEWORKS PLAN
C502	COMENARRA AND FOX VALLEY ROAD INTERSECTION SITEWORKS PLAN SHEET 1
C503	COMENARRA AND FOX VALLEY ROAD INTERSECTION SITEWORKS PLAN SHEET 2
~~C504~~	~~FOX VALLEY ROAD SITEWORKS PLAN SHEET 1~~
C505	COMENARRA AND FOX VALLEY ROAD SIGNALS PLAN
~~C506~~	~~FOX VALLEY ROAD SIGNALS PLAN~~
C507	COMENARRA AND FOX VALLEY ROAD INTERSECTION SERVICES PLAN SHEET 1
C508	COMENARRA AND FOX VALLEY ROAD INTERSECTION SERVICES PLAN SHEET 2
~~C509~~	~~FOX VALLEY ROAD INTERSECTION SERVICES PLAN SHEET 1~~
C510	DETAILS SHEET 1
C520	SECTIONS SHEET 1
C521	SECTIONS SHEET 2
C522	SECTIONS SHEET 3
~~C680~~	~~CHAINAGES AND SETOUT PLAN SHEET 1~~
~~C681~~	~~CHAINAGES AND SETOUT PLAN SHEET 2~~
~~C682~~	~~CHAINAGES AND SETOUT PLAN SHEET 3~~
C540	SIGNAGE AND LINEMARKING PLAN SHEET 1
C541	SIGNAGE AND LINEMARKING PLAN SHEET 2
~~C542~~	~~SIGNAGE AND LINEMARKING PLAN SHEET 3~~

MBMC
MORRIS BRAY MARTIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9436 4673

TaylorThomsonWhitting
Consulting Engineers
45 Clarence Street Bi Lesonsis NSW 2065
T +61 2 9290 7200 F +61 2 9290 7215 tnsw@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject: NOTES AND LEGENDS SHEET

Scale: @1	Drawn	Authorised
-	MS	

Job No	Part Code	Drawing No	Revision
111110	D	C500	07

Plot File Created: Mar 13 2015 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be taken without authorisation



Rev	Description	Drg	Chkd	Date
06	ISSUE FOR CONSTRUCTION	SH	MS	18.12.13
05	ISSUE FOR INFORMATION	SH	MS	20.11.13
04	ISSUE FOR INFORMATION	SH	MS	12.08.13
03	ISSUE FOR INFORMATION	SH	MS	24.05.13
02	ISSUE FOR APPROVAL	SH	MS	13.12.11
01	ISSUE FOR APPROVAL	SH	MS	28.10.11

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMC
MORRIS-BRAY MARTIN OLLMANN
109 - 109 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9436 6632 (F) 02 9436 4673

TaylorThomsonWhitting
Consulting Engineers
15 Glendon Street St Leonards NSW 2065
T +61 2 9439 7288 F +61 2 9439 2149 hsnsw@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Drawn Subject
OVERALL PLAN

Scale 1:1000 | Drawn MS | Authorised

Job No 111110 | Part Code D | Drawing No C501 | Revision 06

Plot File Created: Nov 12 2013 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation.



Rev	Description	Drn	Chk	Date
06	ISSUE FOR CONSTRUCTION	SV	MS	18.12.12
05	ISSUE FOR INFORMATION	SV	MS	28.11.12
04	ISSUE FOR INFORMATION	SV	MS	13.09.12
03	ISSUE FOR INFORMATION	SV	MS	24.08.12
02	ISSUE FOR APPROVAL	SV	MS	13.03.11
01	ISSUE FOR APPROVAL	SV	MS	28.02.11

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMC
MORRIS BRAY MARTIN OLIMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T (61) 2 9439 7288 F +61 2 9439 2148 tsw@tsw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
OVERALL PLAN

Scale @ A1: 1:1000
Drawn: MS
Authorised:

Job No	Part Code	Drawing No	Revision
111110	D	C501	06

Plot File Created: Mar 12 2013 - 4:30pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITING (NSW) Pty Ltd and must not be used without authorisation

PAVEMENT LEGEND

NOTES
1. Asphaltic concrete shall conform to AS2150 and the specification
2. Pavement based on geotechnical report by

P1	30mm Thickness asphaltic concrete (AC14) with polymer modified (AC10) on 150mm Thickness asphaltic concrete (AC20) with polymer modified (AC10) on 300mm DS Cement Stabilised sub-base/sub-base fine crushed rock (DGS40)
P2	150mm Thickness concrete (F'c=32MPa) with SL82 fibre (40 top cover) on 100mm Compacted fine crushed rock (DGS 20)
P3	30mm AB and flashed asphaltic concrete (AC14) with polymer modified (AC10)

EXISTING LEGEND

	EXISTING STORMWATER
	EXISTING SEWER
	EXISTING TELSTRA
	EXISTING WATER
	EXISTING SYDNEY WATER MAIN
	EXISTING RTA ELECTRICAL
	EXISTING ELECTRICAL
	EXISTING HIGH VOLTAGE
	EXISTING GAS (JEMENA)

PROPOSED LEGEND

	PROPOSED TELSTRA
	PROPOSED GAS (JEMENA)
	LINE TO BE REMOVED
	PROPOSED STORMWATER

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS



Rev	Description	Eng	Draft	Date	Rev	Description	Eng	Draft	Date	Rev	Description	Eng	Draft	Date
08	ISSUE FOR INFORMATION	TW	JC	13.10.12										
09	ISSUE FOR INFORMATION	TW	MS	12.06.12	C	ISSUE FOR APPROVAL	TW	MS	20.06.12					
0A	ISSUE FOR INFORMATION	TW	MS	24.08.12	D	ISSUE FOR APPROVAL	TW	MS	19.08.12					
0B	ISSUE FOR APPROVAL	TW	MS	12.12.12	0A	ISSUE FOR INFORMATION	TW	MS	28.12.12					
0C	ISSUE FOR APPROVAL	TW	MS	02.01.13	0B	ISSUE FOR INFORMATION	TW	MS	14.01.13					
0D	ISSUE FOR APPROVAL	TW	MS	28.01.13	0C	ISSUE FOR INFORMATION	TW	MS	04.02.13					

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMC
MORRIS BRAY MARTIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9438 6622 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
18 Chandos Street St.Leonards NSW 2065
T +61 2 9439 7280 F +61 2 9439 5146 Email@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Drawn Subject
COMENARRA PARKWAY AND FOX VALLEY ROAD INTERSECTION
SITEWORKS PLAN SHEET 1

Scale: B1	Drawn	Authorised
1:250	MS	

Job No	Part Code	Drawing No	Revision
111110	D	C502	11

Plot File Created: Mar 12 2013 - 4:32pm

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS

EXISTING LEGEND

SW	EXISTING STORMWATER
S	EXISTING SEWER
T	EXISTING TELSTRA
W	EXISTING WATER
WM	EXISTING SYDNEY WATER MAIN
RTA	EXISTING RTA ELECTRICAL
E	EXISTING ELECTRICAL
EHV	EXISTING HIGH VOLTAGE
GM	EXISTING GAS (JEMENA)

PROPOSED LEGEND

T	PROPOSED TELSTRA
PGas	PROPOSED GAS (JEMENA)
T	LINE TO BE REMOVED
	PROPOSED STORMWATER

PAVEMENT LEGEND

NOTES
1. Asphaltic concrete shall conform to AS2150 and the specification
2. Pavement based on geotechnical report by

P1 — 30mm Thickness asphaltic concrete (AC14) with polymer modified (AC15) on 130mm Thickness asphaltic concrete (AC20) with polymer modified (AC15) on 200mm 5% Cement Stabilised compacted thickness fine crushed rock (CBR40)

P2 — 150mm Thickness concrete (32+32MPa) with SL92 fabric (40 top cover) on 100mm Compacted thickness fine crushed rock (CBR 35)

P3 — 30mm Mill and Replace asphaltic concrete (AC14) with polymer modified (AC15)



No	Description	Drg	Chkd	Date
16	ISSUE FOR INFORMATION	SB	JJ	13.12.12
15	ISSUE FOR INFORMATION	SB	MS	13.09.12
14	ISSUE FOR INFORMATION	SB	MS	24.05.12
13	ISSUE FOR APPROVAL	SB	MS	18.04.12
12	ISSUE FOR APPROVAL	SB	MS	12.12.11
11	ISSUE FOR APPROVAL	SB	MS	02.12.11
10	ISSUE FOR INFORMATION	SB	MS	18.10.11
09	ISSUE FOR APPROVAL	SB	MS	28.10.11
07	ISSUE FOR INFORMATION	SB	MS	04.10.11

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect: MBMC MORRIS BRAY MARTIN GILLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6822 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T +61 2 9439 7288 F +61 2 9439 5149 Email@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Title: COMENARRA PARKWAY AND FOX VALLEY ROAD INTERSECTION SITEWORKS PLAN SHEET 2

Scale: 1:250 | Drawn: MS | Authorised:

Job No	Plan Code	Drawing No	Revision
111110	D	C503	10

Plot File Created: Mar 17 2015 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITING (NSW) Pty Ltd and must not be used without authorisation

7000.238.VV.1310

DRAWN BY CADD
DO NOT AMEND MANUALLY

DATE IN SERVICE : 11/01/77
DATE RECONSTRUCTED : 00/00/00

Transport Roads & Maritime Services





NOTES:

SIGNAL GROUP PHASE CHART

DETECTOR SPECIFICATION SCHEDULE

Detector	Specifications				
E-F					

POSTS

A ORIGINAL ISSUE

APPROVED

RECOMMENDED

ACCEPTED

ROADS AND MARITIME SERVICES

KU-RING-GAI COUNCIL AREA
TRAFFIC SIGNALS AT THE INTERSECTION OF THE COMENARRA PARKWAY AND FOX VALLEY ROAD
WAHROONGA

DESIGN LAYOUT

TCS No. 1310

EXISTING ☐ PROPOSED ☒

CADD FILE: VV1310_12A.dgn

SCALE

FILE 238 TS 265

REGN. 7000.238.VV.1310

A

12

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMO
MORRIS BRAY MARTIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 0822 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
49 Chandos Street St Leonards NSW 2065
T +61 2 9439 7288 F +61 2 9439 2146 tttsyd@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject: COMENARRA PARKWAY AND FOX VALLEY ROAD SIGNALS PLAN

Scale: B1 1:250 | Drawn: MS | Authorised:

Job No.	Part Code	Drawing No.	Revision
111110	D	C505	07

Plot File Created: Nov 17 2015 @ 4:34pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and shall not be used without authorisation



NOTE:
THIS DRAWING HAS BEEN PREPARED USING COLOUR AND MAY BE INCOMPLETE IF COPIED/PLOTTED TO BLACK & WHITE

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS

Rev	Description	Drn	Chk	Date
08	ISSUE FOR INFORMATION	TW	MS	19.12.13
09	ISSUE FOR INFORMATION	TW	MS	13.08.13
10	ISSUE FOR CC SIGNAGE	TW	MS	24.03.14
11	ISSUE FOR APPROVAL	TW	MS	13.12.11
12	ISSUE FOR APPROVAL	TW	MS	12.12.11
13	ISSUE FOR APPROVAL	TW	MS	28.11.11
06	ISSUE FOR APPROVAL	TW	MS	19.08.13
07	ISSUE FOR APPROVAL	TW	MS	19.08.13
07	ISSUE FOR INFORMATION	TW	MS	20.12.13

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMO
MORRIS-BEALY MARTIN OLSMANN
166 - 168 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
15 Glenview Street, St Leonards, NSW 2065
T: +61 2 9420 7288 F: +61 2 9439 3148 sydney@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Drawn Subject
COMENARRA PARKWAY AND FOX VALLEY ROAD INTERSECTION
SERVICES PLAN SHEET 1

Scale: 1:250 | Drawn: MS | Authorised:

Job No	Part Code	Drawing No	Revision
111110	D	C507	09

Plot File Created: Mar 12 2015 - 1:32am

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS

EXISTING LEGEND

- EXISTING STORMWATER
- EXISTING SEWER
- EXISTING TELSTRA
- EXISTING WATER
- EXISTING SYDNEY WATER MAIN
- EXISTING RTA ELECTRICAL
- EXISTING ELECTRICAL
- EXISTING HIGH VOLTAGE
- EXISTING GAS (ARMENA)

PROPOSED LEGEND

- PROPOSED TELSTRA
- PROPOSED GAS (ARMENA)
- LINE TO BE REMOVED
- PROPOSED STORMWATER

NOTE:
THIS DRAWING HAS BEEN PREPARED USING COLOUR AND MAY BE INCOMPLETE IF COPIED/PLOTTED TO BLACK & WHITE

FOR CONTINUATION REFER TO DRAWING NAC507



Rev	Description	Drn	Chkd	Date
08	ISSUE FOR INFORMATION	TW	MS	20.02.12
07	ISSUE FOR INFORMATION	TW	MS	13.02.12
06	ISSUE FOR APPROVAL	TW	MS	24.01.12
05	ISSUE FOR APPROVAL	TW	MS	12.01.12
04	ISSUE FOR APPROVAL	TW	MS	22.12.11
03	ISSUE FOR APPROVAL	TW	MS	28.11.11
02	ISSUE FOR APPROVAL	TW	MS	18.08.12
01	ISSUE FOR APPROVAL	TW	MS	10.04.12

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect: MBMC MORRIS BRAY MARTIN OLLMANN
166-168 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6822 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T +612 9439 7288 F +612 9439 2118 Email@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject: COMENARRA PARKWAY AND FOX VALLEY ROAD INTERSECTION SERVICES PLAN SHEET 2

Scale: 1:250 | Drawn: MS | Authorised: K.

Job No	Plan Code	Drawing No	Revision
111110	D	C508	07

Plan File Created: Mar 12 2015 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITING (NSW) PTY. LTD. and shall not be used without authorisation

RTA KERB TYPE – SM
SCALE 1: 10



RTA KERB TYPE – SA
SCALE 1: 10



SECTION 1
SCALE 1:20



SECTION 2
SCALE 1:20



DETAIL D
SCALE 1: 10



DETAIL E
SCALE 1: 10



200 WALL RW1
SCALE 1: 20



PLAN
SCALE 1:20

PIT TYPE A



SECTION 3
SCALE 1:20



PIT ACCESS STEP DETAIL
SCALE 1: 10



SAWN CONTROL JOINT (SJ)
SCALE 1: 20



SUBSOIL IN LANDSCAPED AREAS
SCALE 1: 10



SUBSOIL IN PAVED AREAS
SCALE 1: 10



FLUSHING POINT (FP)
SCALE 1: 10
NOTE: SLOTTED RIGID PVC PIPE AND FITTINGS MAY BE USED



INTERMEDIATE RISER (IR)
SCALE 1: 10
NOTE: SLOTTED RIGID PVC PIPE AND FITTINGS MAY BE USED



WEAKENED PLANE JOINT (WPJ)
SCALE 1: 20



MASS ROCK RETAINING WALL
SCALE 1: 20
FOR REPLACEMENT OF EXISTING ROCKWALL



EXPANSION JOINT (EJ)
SCALE 1: 20

Rev	Description	Drn	Chkd	Date
04	ISSUE FOR APPROVAL	SH	MS	19.04.13
03	ISSUE FOR INFORMATION	SH	MS	24.03.13
02	ISSUE FOR APPROVAL	SH	MS	12.03.13
01	ISSUE FOR APPROVAL	SH	MS	08.03.13

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMO
MORRIS BRAY MARSH OLLMANN
16b - 18B WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T: +61 2 9439 7266 F: +61 2 9439 5148 Sydney@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject: DETAILS SHEET

Scale: NT | Drawn: MS | Authorised: -

Job No. 111110 | Part Code D | Drawing No. C510 | Revision 04

Plot File Created: Mar 12 2015 - 4:52pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation



THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMC
ARCHITECTS BEAT MARTIN OLLMANN
186 – 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 5822 (F) 02 9436 4673

TaylorThomsonWhitting
Consulting Engineers
45 Clarence Street, St Leonards NSW 2065
T +61 2 9439 7266 F +61 2 9439 7118 trisyd@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
SECTIONS SHEET 1

Scale: 01 1:100 vertical 1:100 horizontal
Drawn: MS
Authorised:

Job No.	Part Code	Drawing No.	Revision
111110	D	C520	05

File: File Creation: Mar 12, 2013 - 4:32pm

This drawing is copyright and is the property of IAN DR THOMSON WHITING (NSW) Pty Ltd and must not be used without authorisation.



ROAD 001 – COMENARRA PARKWAY

Rev	Description	By	Chk	Date
05	ISSUE FOR INFORMATION	SB	MG	03.06.15
04	ISSUE FOR INFORMATION	SB	MG	30.03.15
03	ISSUE FOR INFORMATION	SB	MG	04.03.15
02	ISSUE FOR APPROVAL	SB	MG	12.02.15
01	ISSUE FOR APPROVAL	SB	MG	02.12.14

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect: MBMC MORRIS BEAU MARTIN COLMAN
156 - 158 WALLGOCHEY RD CHOWS NEST NSW 2087
(T) 02 9439 5622 (F) 02 9436 4873

Consultant: TaylorThomsonWhitting
Consulting Engineers
48 Clarence Street St Leonards NSW 2065
T: +61 2 9439 7288 F: +61 2 9439 3145 thetw@ttw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject: SECTIONS SHEET 2

Scale: B1 1:100 vertical 1:100 horizontal
Drawn: NG
Authorised:

Job No	Part Code	Drawing No	Revision
111110	D	C521	05

Plot File Created: Mar 12, 2015 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation.



ROAD 002 – FOX VALLEY ROAD



KERB RETURNS

D	ISSUE FOR INFORMATION	TW	MS	26.09.13
C	ISSUE FOR INFORMATION	TW	MS	30.07.13
B	ISSUE FOR INFORMATION	TW	MS	24.06.13
A	ISSUE FOR APPROVAL	TW	MS	13.05.13
	ISSUE FOR APPROVAL	TW	MS	02.05.13

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMO
MORRIS BRAY MARSIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T +61 2 9432 7288 F +61 2 9432 2148 tttsydney@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
SECTIONS SHEET 3

Scale: B1 1:100 vertical 1:100 horizontal
Drawn MS
Authorised

Job No	Part Code	Drawing No	Revision
111110	D	C522	05

Plot File Created Mar 12 2015 - 1:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation

LEGEND

- PROPOSED SIGNAGE
- EXISTING SIGNAGE TO BE RELOCATED
- EXISTING SIGNAGE TO BE REMOVED
- SIGNPOST

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS



D	ISSUE FOR APPROVAL	SW	MS	30.07.13	
C	ISSUE FOR APPROVAL	SW	MS	23.08.13	
B	ISSUE FOR APPROVAL	SW	MS	13.09.13	
A	ISSUE FOR INFORMATION	SW	MS	26.12.13	
0	ISSUE FOR APPROVAL	SW	MS	20.10.13	

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect
MBMO
MORRIS BRAY MARTIN OFTEMANN
188 - 189 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 8622 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street Pt Leonards NSW 2065
T +61 2 9906 2266 F +61 2 9439 2148 sydney@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
SIGNAGE AND LINEMARKING PLAN
SHEET 1

Scale: @1 1:250 | Drawn: MS | Authorised:

Job No	Part Code	Drawing No	Revision
111110	D	C540	05

Plot File Created Mar 12 2015 - 4:33pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation

NOTE:
- ALLOW TO RELOCATE ALL SIGNAGE AND LIGHTING AS REQUIRED
- ALLOW TO ADJUST ALL SERVICES AND SERVICE PITS AS REQUIRED BY THE WORKS

LEGEND

- PROPOSED SIGNAGE
- EXISTING SIGNAGE TO BE RELOCATED
- EXISTING SIGNAGE TO BE REMOVED
- SIGNPOST



Rev	Description	Drn	Chkd	Date
C	ISSUE FOR APPROVAL	TW	MG	10.04.13
B	ISSUE FOR INFORMATION	TW	MG	26.03.13
A	ISSUE FOR APPROVAL	TW	MG	20.03.13

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

Architect: MBMC MORRIS BRAY MARTIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6822 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
45 Grandes Street St Leonards NSW 2065
T: +61 2 9437 7200 F: +61 2 9437 2148 tsw@tw.com.au

Project: SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Drawn Subject: TRAFFIC AND LINEMARKING SHEET 2

Scale: 1:250 | Drawn: MG | Authorised:

Job No.	Part Code	Drawing No.	Revision
111110	D	C504	03

Plot File Created: Mar 12 2013 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation





LEGEND

- NO STOPPING
- NO PARKING
- NO PARKING AM+PM
- BUS ZONE



KEY PLAN

FOR APPROVAL

Rev	Description	Drn	Chkd	Date
03	ISSUE FOR APPROVAL			
02	ISSUE FOR APPROVAL			
01	ISSUE FOR APPROVAL			

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMC
MORRIS BRAY MARTIN OLIMANN
198 - 198 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9436 8622 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
48 Charles Street St Leonards NSW 2065
T +61 2 9439 7288 F +61 2 9439 2118 Email@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Drawn Subject
NO STOPPING SIGNAGE
FOX VALLEY ROAD

Scale: B1 1:250 | Drawn MS | Authorised

Job No	Part Code	Drawing No	Revision
111110	D	C545	03

Plot File Created: Mar 12 2015 - 4:32pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITING (NSW) Pty Ltd and must not be used without authorisation





LEGEND

- NO STOPPING
- NO PARKING
- NO PARKING AM+PM
- BUS ZONE



KEY PLAN
NTS

FOR APPROVAL

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMC
MOORE REAL MARSH GILMANI
198 - 198 WILLOUGHBY RD CROWS NEST NSW 2067
(T) 02 9439 8822 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
(T) 61 2 9439 2200 (F) 61 2 9439 3115 Email@ttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
NO STOPPING SIGNAGE
FOX VALLEY ROAD
SHEET 2

Scale: B1 1:250
Drawn: MS
Authorised:

Job No.	Part Code	Drawing No.	Revision
111110	D	C546	02

Rev	Description	Drg	Drawn	Date
D	ISSUE FOR APPROVAL	TT	TT	09.09.14
C	ISSUE FOR APPROVAL	TT	MS	18.07.14

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation.





FOR APPROVAL

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING C500

MBMC
MOORE BRAY MARTIN OLLMANN
188 - 186 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 6622 (F) 02 9438 4873

TaylorThomsonWhitting
Consulting Engineers
48 Chandos Street St Leonards NSW 2065
T +61 2 9437 7188 F +61 2 9437 5118 email@tttw.com.au

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
NO STOPPING SIGNAGE
FOX VALLEY ROAD
SHEET 3

Scale @ A1	Drawn	Authorised
1:250	NS	

Job No	Part Code	Drawing No	Revision
111110	D	C547	02

This File Created Mar 17 2016 - 4:30pm

This drawing is copyright and is the property of TAYLOR THOMSON WHITTING (NSW) Pty Ltd and must not be used without authorisation





LEGEND

- NO STOPPING
- NO PARKING
- NO PARKING AM+PM
- BUS ZONE



KEY PLAN
NTS

FOR APPROVAL

03	ISSUE FOR APPROVAL	TB	09.05.14
02	ISSUE FOR APPROVAL	TB	18.03.14
Rev	Description	Eng	Draft / Date

THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT NOTES ON DRAWING CS00

Architect
MBMO
MORRIS-BRAY MARTIN OLLMANN
186 - 188 WILLOUGHBY RD CROWS NEST NSW 2065
(T) 02 9439 0622 (F) 02 9436 4873

TaylorThomsonWhitting
Consulting Engineers
49 Chandos Street St Leonards NSW 2065
T +61 2 9439 7288 F +61 2 9439 5118 Nsw@ttw.com.au
Sydney Newcastle Wollongong Canberra Melbourne

Project
SYDNEY ADVENTIST HOSPITAL
FOX VALLEY ROAD
WAHROONGA

Sheet Subject
NO STOPPING SIGNAGE
FOX VALLEY ROAD
SHEET 4

Scale: @ A1 1:250 | Drawn MS | Authorised

Job No	Part Code	Drawing No	Revision
111110	D	C548	02

Plan File Created Mar 13 2015 - 4:32pm

CHAPARRAL
PARKWAY