

Our Ref | HOG12/62291

Your Ref | DA/634/2012

The General Manager Parramatta City Council PO Box 32 Parramatta NSW 2124

Attention: Katherine Lafferty

2 2 NOV 2012
Initials



Dear Ms Lafferty,

CROWN DEVELOPMENT APPLICATION DA/634/2012 – Demolition of existing structures and the construction of an 8x2 bedroom and 2x1 bedroom seniors living multi-unit housing development Lots 50-52 DP35665 – 8-12 Bungaree Road Toongabbie

Reference is made to Council's letter dated 7 November 2012 seeking additional information to be addressed and submitted to Council to enable further consideration of the abovementioned development application. The Land and Housing Corporation (L&HC) have noted the issues raised by Council and responds as follows:

1. Clarification of Plans:

<u>Comment:</u> An incorrect set of plans referring to the ARH SEPP were inadvertently enclosed. Please find enclosed four copies of the ABSA stamped plans with correct reference to the Seniors SEPP under which this application is now being made, for Council's consideration.

2. Privacy and Overlooking:

<u>Comment:</u> Council raises concern that the first floor rear balconies to units 2, 4 and 10 may create privacy impacts on adjoining properties and within the development. Each of the issues raised are addressed as follows:

Unit 2 balconv:

As detailed in the submitted survey and architectural plans, Unit 2 balcony is sited 5.1metres from the western side boundary; and approximately 9metres from the side elevation of the neighbouring dwelling at number 21 Willmot Avenue. It is also noted that the balcony does not directly face windows in the adjoining dwelling.

In addition, a privacy screen is proposed to the western edge of the balcony facing the side boundary.

Given the setback to the side boundary and resulting building separation; and the proposed privacy screen, it is considered that there will not be any unreasonable overlooking / privacy impacts on the adjoining dwelling at number 21 Willmot Avenue.

In terms of privacy impacts within the development, a suitable privacy screen is proposed to the eastern edge of the balcony as shown on the submitted architectural plans. The proposed privacy screen is considered sufficient to prevent overlooking within the development from the balcony of Unit 2.

Accordingly, we request that the balcony remain in the location as proposed in the submitted development application.

Unit 4 balcony:

A suitable privacy screen is proposed to the northern edge of the balcony to prevent overlooking of unit 6 balcony.

Unit 10 balcony:

As detailed in the submitted survey and architectural plans, Unit 10 balcony is sited 6metres from the northern side boundary; and approximately 10metres from the side elevation of the neighbouring dwelling at number 6 Bungaree Road. It is also noted that the balcony does not directly face windows in the adjoining dwelling.

However, Land and Housing Corporation will agree to a suitable privacy screen to be added to the northern edge of the balcony via the imposition of an appropriate condition of consent.

Accordingly, we request that the balcony remain in the location as proposed in the submitted development application, subject to the inclusion of a suitable privacy screen.

3. Revised Waste Management Plan

Please find enclosed 3 copies of the operational waste management plan for Councils consideration.

A CD containing the electronic versions of the DA documents is also enclosed. I trust the above information satisfies Council's request for additional information to allow assessment to continue for this important housing project.

Any enquiries or correspondence concerning this development should initially be directed to Howard Taylor, Planner, who can be contacted by telephone on 8753-8036 or by email at howard.taylor@services.nsw.gov.au

Yours sincerely

Lindsay Dunstan

Manager Planning, Technical Services

16 November 2012



Our Ref | HOG12/62291

Your Ref | DA/634/2012

The General Manager Parramatta City Council PO Box 32 Parramatta NSW 2124

Attention: Katherine Lafferty

Dear Ms Lafferty,

CROWN DEVELOPMENT APPLICATION DA/634/2012 — Demolition of existing structures and the construction of an 8x2 bedroom and 2x1 bedroom seniors living multi-unit housing development Lots 50-52 DP35665 — 8-12 Bungaree Road Toongabbie

Reference is made to Council's letter dated 7 November 2012 seeking additional information to be addressed and submitted to Council to enable further consideration of the abovementioned development application. The Land and Housing Corporation (L&HC) have noted the issues raised by Council and responds as follows:

1. Clarification of Plans:

<u>Comment:</u> An incorrect set of plans referring to the ARH SEPP were inadvertently enclosed. Please find enclosed four copies of the ABSA stamped plans with correct reference to the Seniors SEPP under which this application is now being made, for Council's consideration.

2. Privacy and Overlooking:

<u>Comment:</u> Council raises concern that the first floor rear balconies to units 2, 4 and 10 may create privacy impacts on adjoining properties and within the development. Each of the issues raised are addressed as follows:

Unit 2 balcony:

As detailed in the submitted survey and architectural plans, Unit 2 balcony is sited 5.1metres from the western side boundary; and approximately 9metres from the side elevation of the neighbouring dwelling at number 21 Willmot Avenue. It is also noted that the balcony does not directly face windows in the adjoining dwelling.

In addition, a privacy screen is proposed to the western edge of the balcony facing the side boundary.

Given the setback to the side boundary and resulting building separation; and the proposed privacy screen, it is considered that there will not be any unreasonable overlooking / privacy impacts on the adjoining dwelling at number 21 Willmot Avenue.

In terms of privacy impacts within the development, a suitable privacy screen is proposed to the eastern edge of the balcony as shown on the submitted architectural plans. The proposed privacy screen is considered sufficient to prevent overlooking within the development from the balcony of Unit 2.

Accordingly, we request that the balcony remain in the location as proposed in the submitted development application.

Unit 4 balcony:

A suitable privacy screen is proposed to the northern edge of the balcony to prevent overlooking of unit 6 balcony.

Unit 10 balcony:

As detailed in the submitted survey and architectural plans, Unit 10 balcony is sited 6metres from the northern side boundary; and approximately 10metres from the side elevation of the neighbouring dwelling at number 6 Bungaree Road. It is also noted that the balcony does not directly face windows in the adjoining dwelling.

However, Land and Housing Corporation will agree to a suitable privacy screen to be added to the northern edge of the balcony via the imposition of an appropriate condition of consent.

Accordingly, we request that the balcony remain in the location as proposed in the submitted development application, subject to the inclusion of a suitable privacy screen.

3. Revised Waste Management Plan

Please find enclosed 3 copies of the operational waste management plan for Councils consideration.

A CD containing the electronic versions of the DA documents is also enclosed. I trust the above information satisfies Council's request for additional information to allow assessment to continue for this important housing project.

Any enquiries or correspondence concerning this development should initially be directed to Howard Taylor, Planner, who can be contacted by telephone on 8753-8036 or by email at howard taylor@services.nsw.gov.au

Yours sincerely

Lindsay Dunstan

Manager Planning, Technical Services

16 November 2012

WASTE MANAGEMENT PLAN

DEMOLITION, CONSTRUCTION AND USE OF PREMISES

The applicable sections of this table must be completed and submitted with your Development Application.

Completing this table will assist you in identifying the type of waste that will be generated and will advise Council of how you intend to reuse, recycle or dispose of the waste.

The information provided on the form (and on submitted plans) will be assessed against the objectives of the DCP.

If space is insufficient in the table please provide attachments.

Dutline of Proposa	
Site Address: 8 -	12 BUNGAREE ROAD, TOON GABBIE
	d address:
applicant's name an	u address.
The second	
Phone:	Fax:
Building and other s	tructures currently on the site:
and the second	
Brief description of F	Proposal: 8X2 BED & 2X 1 BED UNITS
UNPER SE	NIORS LIVING SEPP
to making par	
	And the latest the lat
The details provided	on this form are the intentions of managing waste relating to
his project.	on the form the file internation of managing waste folding to
Signature of Applica	nt:Date:Date

STAGE ONE - DEMOLITION

This is the stage with the greatest potential for waste minimisation, particularly in Sydney where there are high levels of development, relatively high tipping charges and where alternative quarry materials are located on the outskirts.

Applicants should consider is whether it is possible to re-use existing buildings, or parts thereof, for the proposed use.

With careful onsite sorting and storage and by staging work programs it is possible to re-use many materials, either on-site or off-site.

Council is seeking to move from the attitude of straight demolition to a process of selected deconstruction, ie. total reuse and recycling both off-site and on-site. This could require a number of colour-coded or clearly labelled bins onsite (rather than one size fits all).

Applicants should demonstrate project management which seeks to:

- re-use of excavated material on-site and disposal of any excess to an approved site;
- greenwaste mulched and re-used in landscaping either on-site or off-site;
- bricks, tiles and concrete re-used on-site as appropriate, or recycled off-site;
- plasterboard re-used in landscaping on-site, or returned to supplier for recycling;
- framing timber re-used on-site or recycled elsewhere;
- windows, doors and joinery recycled off-site;
- plumbing, fittings and metal elements recycled off-site;
- All asbestos, hazardous and/or intractable wastes are to be disposed of in accordance with Workcover Authority and EPA requirements;
- Locations of on-site storage facilities for material to be reused on-site, or separated for recycling off-site; and
- Destination and transportation routes of all materials to be either recycled or disposed of off-site.

The following table should be completed by applicants proposing any demolition work. The following details should be shown on your plans.

- Location of on-site storage space for materials (for re-use) and containers for recycling and disposal.
- Vehicle access to the site and to storage and container areas.

Demolition Stage One - To be completed for proposals involving demolition

Materials On-Site		REUSE & RECYCL	DESTINATION	DISPOSAL
Type of Material	Estimated	ON-SITE	OFF-SITE	DISPOSAL
Type of Waterial	Volume (m3) or Area (m2) or weight (t)	Specify how materials will be reused or recycled on-site	Specify the contractor and recycling outlet	Specify the contractor and landfill site
EXAMPLE *e.g. bricks	*e.g. 2m3	*e.g. clean & reuse for footings and broken bricks behind retaining walls	*e.g. sent by XYZ Demolishers to ABC Recycling Company	*e.g. nil to landfill
Excavation Material				
Green Waste				
Bricks				
Tíles				
Concrete				
Timber – please specify				
Plasterboard				
Metals				
Asbestos				
Other waste e.g. ceramic tiles, paints, plastics, PVC tubing, cardboard.				

Demolition Stage One - continued

How will waste be separated and/or stored onsite for reuse and recycling? How will site operations be managed to ensure minimal waste creation and maximum reuse and recycling?

upervisors, separate area set aside f	vith sub-contractors, on-going checks by site for sorted wastes, clear signage for waste areas etc.
The state of the s	
and the second s	

Note: Details of the site area to be used for on-site separation, treatment and storage (including weather protection) should be provided on plan drawings accompanying your application.

STAGE TWO - CONSTRUCTION

Stage Two - Potential for Waste Minimisation During Construction Stage

- Consider the following measures that may also save resources and minimise waste at the construction stage:
 - Purchasing Policy i.e. Ordering the right quantities of materials and prefabrication of materials where possible;
 - · Reusing formwork;
 - Minimising site disturbance, limiting unnecessary excavation;
 - Careful source separation of off-cuts to facilitate re-use, resale or efficient recycling;
 - · Co-ordination/sequencing of various trades.

How to Estimate Quantities of Waste

 There are many simple techniques to estimate volumes of construction and demolition waste. The information below can be used as a guide by builders, developers & homeowners when completing a waste management plan:

To estimate Your Waste:

ii. Quantify materials for the project

iii. Use margin normally allowed in ordering

iv. Copy these amount of waste into your waste management plan

 When estimating waste the following percentages are building "rule of thumb" and relate to <u>renovations</u> and <u>small home building:</u>

Material	Waste as a Percent of the Total Material Ordered	
Timber	5-7%	
Plasterboard	5-20%	
Concrete	3-5%	
Bricks	5-10%	
Tiles	2-5%	

Converting Volume into Tonnes: A Guide for Conversion

Timber = 0.5 tonnes per m3	
Concrete = 2.4 tonne per m3	
Bricks = 1.0 tonne per m3	
Tiles = 0.75 tonne per m3	
Steel = 2.4 tonne per m3	

- To improve provide more reliable figures:
 - Compare your projected waste quantities with actual waste produced;
 - Conduct waste audits of current projects;
 - Note waste generated and disposal methods;
 - · Look at past waste disposal receipts;
 - Record this information to help estimate future waste management plans.
- On a waste management plan amounts of waste may be stated in m2 or m3 or tonnes (t).

Construction Stage Two – for proposals involving construction

Materials On-Site		DESTINATION			
		REUSE & RECYCL	ING	DISPOSAL	
Type of Material	Estimated Volume (m3) or Area (m2) or weight (t)	ON-SITE Specify how materials will be reused or recycled on-site	OFF-SITE Specify the contractor and recycling outlet	Specify the contractor and landfill site	
EXAMPLE *e.g. bricks	*e.g. 2m3	*e.g. clean & reuse for footings and broken bricks behind retaining walls	*e.g. sent by XYZ Demolishers to ABC Recycling Company	*e.g. nil to landfill	
Excavation Material					
Green Waste					
Bricks					
Tiles	on the framework		la marie		
Concrete					
Timber – please specify	September 1997 to 1997	ensonal anno 3.			
Plasterboard					
Metals	Little officery total			Completed at the complete at t	
Other waste e.g. ceramic tiles, paints, plastics, PVC tubing, cardboard.					

reuse and recycling?		
e.g. Staff training, selected deconstruction v. straight demolition, waste management requirements stipulated in contracts with sub-contractors, on-going checks by site supervisors, separate area set aside for sorted wastes, clear signage for waste areas etc.		
The American World Control of the Co		
ENGLISHED STREET		
	ALCOHOLDS	
TOTAL		

How will waste be separated and/or stored onsite for reuse and recycling?

How will site operations be managed to ensure minimal waste creation and maximum

Note: Details of the site area to be used for on-site separation, treatment and storage (including weather protection) should be provided on plan drawings accompanying your application.

STAGE THREE - DESIGN OF FACILITIES

- The following details should be shown on your plans:
 - · Location of temporary storage space within each dwelling unit;
 - Location of Waste Storage and recycling Area(s), per dwelling unit or located communally onsite. In the latter case this could be a Garbage & Recycling Room;
 - Details of design for Waste Storage and Recycling Area(s) or Garbage and Recycling Room(s) and any conveyance or volume reduction equipment; and
 - Location of communal composting area.
 - · Access for vehicles.
- Every builder shall be provided with a Waste Storage and Recycling Area which is
 flexible in size and layout to cater for future changes in use. The size is to be calculated
 on the basis of waste generation rates and proposed bin sizes.

Stage 3 – Design of Facilities – To be completed if designing waste facilities for the proposed development

VOLUME PER WEEK	PROPOSED ON-SITE STORAGE AND TREATMENT FACILITIES	DESTINATION
Litre or m3	For example: • waste storage & recycling area • garbage chute • on-site composting • compaction equipment	recyclingdisposalspecifycontractor
140 Litre Per UNIT TOTAL 10 UNITS 1400 Litres	10 BING (1401) AS SHOWNON SITE PLAN (RED)	COUNCIV GARBAGE SBRVICE
120 Litre per UNIT TOTAL LOUNTES 1200 Litres	8 BINS (240 L) AS SHOWN ON SITE PLAN (YELLOW)	LOUNGIL BARBAGE SERVICE
	VOLUME PER WEEK Litre or m3 LAO LITTE PER UNIT TOTAL IOUNITS LAOO LITTE PER UNIT	Litre or m3 For example: waste storage & recycling area garbage chute on-site composting compaction equipment IAO LITTE POR UNIT TOTAL IO UNITS IAOO LITTE PLAN (PED) 120 LITTE \$ BINS (240 L) AS STOUN ON STAL IOUNITS STOUN ON STAL IOUNITS STOUN ON SITE PLAN STAL IOUNITS STOUN ON SITE PLAN STAL IOUNITS STOUN ON SITE PLAN SITE PLAN

Note: details of on-site waste management facilities should be provided on plan drawings accompanying your application.

ON-GOING MANAGEMENT

Describe how you intend to ensure on-going management of waste on-site (eg. lease conditions, caretaker/manager on-site).		
*		

Thank you for the information.

ESSENTIALS FOR WASTE MANAGEMENT IN MULTI UNIT DWELLINGS (M.U.D)

Many of the issues for good waste management are common across all M.U.D. The following is the bare minimum that needs to be considered for all M.U.D.

1. Council

- a. What regulations apply?
- b. What are the current Council garbage and recycling services?
 - i. Will Council service the development?
 - If No seek consultation through a Private Contractor for the best solution for development.
- c. Are the plans to change the service in the future?
- d. Include waste management plan in the DA pre-lodgement meetings.

2. Space

- a. The anticipated volume of waste must be calculated and appropriate waste service selected.
- b. Sufficient space must be allocated for the containers and for manoeuvring bins, including frontage area, etc.

3. Access - for residents and collectors

- a. Collection vehicles must be able to service the development efficiently and effectively from kerb within confines of the allotment frontage with no need to reverse.
- b. The maximum carting distance between the storage and collection points must be no more than 75m, and no more than 50m for aged persons and persons with a disability.
- c. The bin carting grade must not exceed 1:14.
- d. Bins must not need to be wheeled over steps.
- e. Bulk bins must not need to be manually manoeuvred by a single person to be serviced.

4. Amenity

- Noise and odour must be minimised.
- b. Waste areas must be able to be washed, with wash water discharging to sewer.
- c. Vermin must be prevented from entering waste areas and containers.
- d. Equipment must be protected from theft and vandalism.
- e. Waste storage areas must blend in with the development.

5. Management

- a. Signage must be posted in all communal waste storage areas.
- b. Bins must be clearly and correctly labelled.
- Responsibility for cleaning of waste storage areas must be determined when designing the system.
- d. Responsibility for transfer of bins must be determined when designing the system.

Council's regulations

Council will only service up to 30 units/townhouses.

Council supplies 1 x 140 litre bin for general waste (1 bin per unit/townhouse)

Council supplies 1 x 240 litre bin for recycling to be shared (1 between 2 unit/townhouse)

A 240 litre bin is provided for green waste – upon request from strata management.

No services are available to private roads.

Commercial Services

Under the current contract Council does not automatically offer services to this industry & is not in the business of removing trade waste.

Services are available to small business where a limited amount of waste is generated. Option of 140 or 240 litre bins.

CBD is serviced 6 days/per week, however, charges are calculated on the number of weekly services.

Retail & Food industries that generate large volumes of waste generally use the services of private contractors.

No Council recycling services are available to this sector under the current contract, however, this could change from 1/7/06.

Council's waste service collection

General waste collected weekly.
Recycling collected alternate fortnights.
Green waste alternate fortnights.

Standard general waste bin size can be increased to a 240 litre bin, however will incur an additional charge and is required in writing from the strata management or owner.

Bin dimensions:

140 litre bin:

Normal volume:

Net weight:

Maximum load:

Permitted total weight:

Height

Width

Depth

140 litres

approx 10.4 kg

56 kg

70 kg

925mm

535mm

615mm

240 litre bin:

Normal volume: 240 litres
Net weight: approx 12.3 kg
Maximum load: 96 kg
Permitted total weight: 110 kg
Height 1060mm
Width 585mm
Depth 730mm

