

1. ALL HEATED AND COLD WATER SERVICE PIPES (INCLUDING FIRE) INSTALLED TO BE INSULATED IN ACCORDANCE WITH THE REQUIREMENTS OF AS3500: PLUMBING AND DRAINAGE.






PROPOSED WATER CYCLE SCHEMATIC

GENERAL NOTES

- A. FIGURED DIMENSIONS TO BE GIVEN PREFERENCE OVER SCALE.
- B. DO NOT SCALE DRAWINGS
- C. BUILDER AND SUB-CONTRACTORS TO VERIFY ALL DIMENSIONS AND LEVELS ON-SITE AND FORMALLY NOTIFY OWNER OR OWNERS REPRESENTATIVE OF ANY DISCREPANCIES BEFORE STARTING WORK
- D. BUILDER TO VERIFY AVAILABILITY OF STORAGE, SANITARY ACCOMMODATION, WATER, POWER AND PROVIDE STORMWATER ABATEMENT AND WASTE DISPOSAL TO AUTHORITY REQUIREMENTS
- E. BUILDER TO MAINTAIN SAFE ACCESS, ENSURE SAFETY, AND PRESERVE STRUCTURE IN A STABLE CONDITION AT ALL TIMES
- F. ALL BUILDING WORK TO BE CARRIED OUT IN A WORKMANSHIP-LIKE MANNER IN ACCORDANCE WITH BUILDING CODE OF AUSTRALIA, LOCAL COUNCIL OR AUTHORITY REQUIREMENTS, AUSTRALIAN STANDARDS, AND MANUFACTURERS RECOMMENDATIONS
- G. BUILDER TO PROTECT, DIVERT, SEAL AND RELOCATE EXISTING SERVICES AS REQUIRED
- H. BUILDER TO PROVIDE WEATHER, DUST, DIRT, WATER PROTECTION, AND MAKE GOOD TO EXISTING PREMISES
- NOTES ON ANY DRAWINGS ARE APPLICABLE TO ALL DRAWINGS FOR ALL
- STRUCTURAL DETAILS REFER TO ENGINEERS DESIGN, DRAWINGS AND CERTIFICATION J. PROVIDE EMERGENCY LIGHTING, EXIT SIGNS, PORTABLE FIRE EXTINGUISHERS, ARTIFICIAL LIGHTING AND MECHANICAL VENTILATION AS PER BCA COMPLIANCE
- REQUIREMENT OR GREATER K. CONNECT ALL ROOF STORMWATER TO SERVICES AS PER THE PROPOSED WATER CYCLE SCHEMATIC



SUEZ Recycling & Recovery Australia



MSA & associates Pty Ltd Suite 104, 43-57 Townshend Street Phillip ACT 2606 msa@apex.net.au


Date 27 OCT 2016

Reviewed/Authorised for DEVELOPMENT APPLICATION Sign MIKE STAR

170-192 GILMORE ROAD SECTION QUEANBEYAN

ADDRESS

Drawn Sheet Size PB A2 CADD File Name Plot Date 271016



PROJECT WASTE OR RESOURCE MANAGEMENT FACILITY GILMORE ROAD QUEANBEYAN DRAWING TITLE

Sheet No. A1_01 Amendment

Project No.

16 - 28

ph (02) 6260 4691, fax (02) 6260 4694

TRANSFER STATION FLOOR PLAN