









REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS
P1	06.05.16	For Information
P2	23.05.16	For Coordination
A	16.06.16	For DA
B	13.03.17	DA Amendments

REFER TO LP07 FOR NOTES AND SPECIFICATION  
REFER TO LP07 FOR LEGEND  
REFER TO LP07 FOR PLANT SCHEDULE



NORTH



... black beetle  
Landscape Architecture and Design  
Black Beetle pty ltd  
63 Stella Street, Collaroy Plateau NSW 2097  
Tel: 0422 104 416  
email: blackbeetle@blackbeetle.com.au

PROJECT

**MIXED USE RESIDENTIAL**  
395-397 Princes Highway  
Rockdale, NSW 2216

DRAWING TITLE

**Landscape Plan - First Floor**

Drawn IK / GB

Architect Authorised

IK / GB

Client

Rockdale ONE Pty Ltd

JOB NUMBER

BB 1148

Date 28.04.16

Scale

1:100 @ A1

Status

Development Application

DRAWING NUMBER / ISSUE

LP02/ B

DO NOT SCALE OFF THIS DRAWING - USE DIMENSIONS ON SITE - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES WITH BLACK BEETLE BEFORE PROCEEDING - COPYRIGHT OF THIS DRAWING AND THE DESIGN EXECUTED REMAIN VESTED IN BLACK BEETLE





Magnolia exmouth 'Little Gem'

PEBBLE ROOF, REFER TO ARCHITECTS DOCUMENTATION  
1050MM RENDER AND PAINTED PLANTER WALL  
800MM HIGH BBQ END

Magnolia exmouth 'Little Gem'

UNDERSTOREY PLANTING INCLUDING SPILLOVER PLANTING  
*Lomandra Verday*  
*Zamia furluracea*  
*Isolepis nodosa*  
*Crassula ovata*  
*Viburnum odoratissimum*  
*Philodendron Xanadu*  
*Chryscephalum apiculatum*

*Tristanopsis laurina*

SPILLOVER PLANTING  
*Pandorea jasminoides*  
*Mandevilla 'White'*  
*Russelia equisetiformis*  
*Casuarina 'Cousin it'*  
*Dichondra 'Silver Falls'*

PARAPET WALL REFER TO ARCHITECTS DOCUMENTATION

+27.24

600MM HIGH RENDERED AND PAINTED PLANTER WALLS

*Lomandra verday*  
*Blechnum nudum 'Silver Lady'*  
*Philodendron Xanadu*  
*Philodendron Congo*  
*Calathea zebrina*  
*Aspidistra elatior*  
*Cissus rhombifolia*


600MM HIGH RENDERED AND PAINTED PLANTER WALLS

500MM HIGH CONCRETE BENCHES/PODS

FREE STANDING POTS VARYING SIZES  
*Philodendron Xanadu*  
*Philodendron Congo*  
*Calathea zebrina*  
*Dichondra Silver Falls' (SPILLOVER)*  
*Epipremnum aureum (SPILLOVER)*

REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS
P1	06.05.16	For Information
P2	23.05.16	For Coordination
A	16.06.16	For DA
B	20.06.16	For DA
C	13.03.17	DA Amendments

REFER TO LP07 FOR NOTES AND SPECIFICATION  
REFER TO LP07 FOR LEGEND  
REFER TO LP07 FOR PLANT SCHEDULE




... black beetle  
Landscape Architecture and Design  
Black Beetle pty ltd  
63 Stella Street, Collaroy Plateau NSW 2097  
Tel: 0422 104 416  
email: blackbeetle@blackbeetle.com.au

PROJECT
<b>MIXED USE RESIDENTIAL</b> 395-397 Princes Highway Rockdale, NSW 2216
DRAWING TITLE
<b>Landscape Plan - Fourth Floor</b>

Drawn IK / GB	Date 28.04.16
Architect Authorised IK /GB	Scale 1:100 @ A1
Client Rockdale ONE Pty Ltd	Status Development Application
JOB NUMBER BB 1148	DRAWING NUMBER /ISSUE LP03/ C





NOT FOR CONSTRUCTION

REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS	REFER TO LP07 FOR NOTES AND SPECIFICATION REFER TO LP07 FOR LEGEND REFER TO LP07 FOR PLANT SCHEDULE	<div><div><div>• • •</div><div>black beetle</div><div>Landscape Architecture and Design</div></div><div>Black Beetle Pty Ltd 395-397 Princes Highway Rockdale, NSW 2216 Tel: 0422 104 416 email: blackbeetle@blackbeetle.com.au</div></div> <div><div>PROJECT</div><div>MIXED USE RESIDENTIAL</div><div>Client Rockdale One Pty Ltd</div><div>DRAWING TITLE Landscape Section</div></div> <div><div>Drawn IK / GB Architect Authorised IK /GB</div><div>Client Rockdale One Pty Ltd</div><div>JOB NUMBER BB 1148</div></div> <div><div>Date 28.04.16</div><div>Scale 1:100 @ A1</div><div>Development Application</div><div>DRAWING NUMBER / ISSUE LP04/ B</div></div>
P1	08.05.16	For Information		
P2	23.05.16	For Coordination		
A	16.06.16	For DA		
B	13.03.17	DA Amendments		


01257

01257

0 1 2 5 7.5

1:100 @ A1






NOT FOR CONSTRUCTION


REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS	REFER TO LP07 FOR NOTES AND SPECIFICATION REFER TO LP07 FOR LEGEND REFER TO LP07 FOR PLANT SCHEDULE	<div>••• black beetle</div> <div>Landscape Architecture and Design</div> <div>Black Beetle ply Ltd</div> <div>63 Stella Street, Collaroy Plateau NSW 2097</div> <div>Tel: 0422 104 416</div> <div>email: blackbeetle@blackbeetle.com.au</div>	PROJECT	Drawn IK / GB	Date 28.04.16
P1	23.05.16	For Coordination			<b>MIXED USE RESIDENTIAL</b>	Architect Authorised IK / GB	Scale 1:100 @ A1
A	16.06.16	For DA			395-397 Princes Highway	Client Rockdale ONE Pty Ltd	Status Development Application
B	13.03.17	DA Amendments			Rockdale, NSW 2216	DO NOT SCALE OFF THIS DRAWING - USE DIMENSIONS ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES WITH BLACK BEETLE BEFORE PROCEEDING. COPYRIGHT OF THIS DRAWING AND THE DESIGNER EXCEPT REMAIN VESTED IN BLACK BEETLE	
					<b>DRAWING TITLE</b>	<b>JOB NUMBER</b>	<b>DRAWING NUMBER / ISSUE</b>
					<b>Landscape Section</b>	<b>BB 1148</b>	<b>LP05/ B</b>








01 SECTION  
Scale 1:100 @ A1



02 GARDEN ON STRUCTION - TYPICAL DETAIL  
Scale 1:10 @ A1



03 TURF PAVE - TYPICAL DETAIL  
Scale 1:20 @ A1

REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS	REFER TO LP07 FOR NOTES AND SPECIFICATION REFER TO LP07 FOR LEGEND REFER TO LP07 FOR PLANT SCHEDULE	<div><div>•••black beetle</div><div>Landscape Architecture and Design</div><div>Black Beetle pty ltd</div><div>63 Stella Street, Collaroy Plateau NSW 2097</div><div>Tel: 0422 104 416</div><div>email: blackbeetle@blackbeetle.com.au</div></div>	PROJECT	Drawn IK / GB Architect Authorised IK /GB Client Rockdale ONE Pty Ltd	Date 28.04.16 Scale as shown @ A1 Status Development Application
P1	23.05.16	For Coordination			<b>MIXED USE RESIDENTIAL</b> 395-397 Princes Highway Rockdale, NSW 2216		
A	16.06.16	For DA					
B	17.03.17	DA Amendments					
					<b>DRAWING TITLE</b> Landscape Sections and Details	<b>JOB NUMBER</b> BB 1148	<b>DRAWING NUMBER /ISSUE</b> LP06/ B



GENERAL NOTES / SPECIFICATION

1. DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL AND ENGINEERING DRAWINGS. NOTE ALL LANDSCAPE HARDWORKS INCLUDING PAVING, STEPS, RETAINING WALLS AND FENCES TO ARCHITECTS DOCUMENTATION .
2. ALL PLANTING AREAS TO BE MULCHED, TYPICALLY 75MM DEPTH. ORGANIC MULCH TO CONFORM TO AS 4454-2003 COMPOST, SOIL CONDITIONERS AND MULCHES.

FERTILISER SHALL BE A SLOW RELEASE PELLETISED FORM SUITABLE FOR USE WITH AUSTRALIAN NATIVE PLANTS APPLIED AT THE MANUFACTURES RECOMMENDED RATE.

SOIL WETTING AGENT SHALL BE "AQUASOIL" OR "WETTASOIL" APPLIED AT A RATE OF 1 LITRE/ 1000 LITRES OF WATER OR EQUIVALENT.

3. SOILS TO CONFORM TO AS 4419-2003 SOILS FOR LANDSCAPING AND GARDENS USE.
- SOIL DEPTHS- PLANTING AREAS VARIES (300MIN - 900MM SOIL DEPTH)
- ON STRUCTURE - MINIMUM 1000MM FOR TREE PLANTING
  - ON STRUCTURE - MINIMUM 500MM FOR GROUND COVERS, VEGETABLES AND SHRUBS
  - ON GRADE GARDEN - 300MM

GARDEN SOIL SHALL HAVE A PH BETWEEN 5.5 AND 7.0, EC< 1.2DS/M: 2-5CG/MG RATIO, 5-20MEQ % CEC, AND NUTRIENTS TO AS 3743 POTTING MIXES.

ALL PLANTING SOIL SHALL BE FREE OF RUBBISH, DEBRIS AND SUBSTANCES THAT ARE TOXIC TO LIVING ORGANISMS, OR WOULD OTHERWISE BE DECLARED CONTAMINATED. ALL IMPORTED GARDEN SOIL SHALL BE FREE OF WEED SEEDS.

PLANTING SOIL SHALL NOT BE WATER REPELLENT AND IT SHALL TAKE LESS THAN 53 SECONDS FOR A WATER DROPLET TO SOAK INTO DRY SOIL.(REFERENCE: HANDRECK & BLACK).

THE CONTRACTOR SHALL ENSURE ANY INSTALLED SUB GRADES ARE NOT TOXIC TO NORMAL PLANT GROWTH OR UNNATURALLY OVERLY COMPACTED. ENSURE EXISTING SUB SOIL IS NOT TOXIC TO PLANT GROWTH, AND NOTIFY SUPERINTENDENT IMMEDIATELY IF THERE ARE ANY CONCERNS WITH REGARD TO THE SUB SOIL CONDITIONS.

ALL PLANTING SOIL TO BE CONSOLIDATED BUT NOT COMPACTED AND HAVE PARTICLE SIZES GREATER THAN THE SUBSOIL.

4. PLANT SUPPLY - THE PLANTS ARE TO BE VIGOROUS AND APPROPRIATELY ACCLIMATISED WITH A ROOTBALL THAT IS FULL BUT NOT RESTRAINED. TREE STOCK ARE TO BE GROWN AND CERTIFIED AS COMPLYING WITH NATSPEC'S "SPECIFYING TREES - A GUIDE TO ASSESSMENT OF TREE QUALITY", SECOND EDITION 2003 BY ROSS CLARK

PLANT INSTALLATION - THE TOPS OF ROOT BALLS ARE TO BE LEVEL WITH OR UP TO 50MM HIGHER THAN THE SURROUNDING SOIL LEVEL.. CREATE WATERING 'SAUCERS' AROUND ALL PLANTS FROM POTS LARGER THAN 5 LITRE (IE 200MM DIAMETER). DO NOT PILE UP MULCH AGAINST THE BASE OF THE PLANT STEM/TRUNK.

STAKING - REMOVE ALL NURSERY STAKES, TIES AND LABELS. THE ROOT BALL AND CANOPY ARE TO BE BALANCED AND THE STEM / TRUNK SUFFICIENTLY DEVELOPED SO THAT THE PLANTS STAY UPRIGHT WITHOUT THE NEED TO BE STAKED. DO NOT STAKE PLANTS UNLESS SPECIFICALLY NOTED TO DO SO OR UNLESS SPECIAL CIRCUMSTANCES REQUIRE A PLANT TO BE TEMPORARILY STAKED FOR STABILITY.

ALL PLANTS ARE TO BE THOROUGHLY WATERED NOT MORE THAN 3 HOURS PRIOR TO PLANTING. DO NOT STAKE TREES OR SHRUBS UNLESS NOTED OR DIRECTED OTHERWISE BY THE LANDSCAPE ARCHITECT.

5. ALL PLANTING AREAS TO HAVE DRIP IRRIGATION SYSTEM WITH BACK UP PROTECTION TO THE MAIN SUPPLY, TO ALL CURRENT SYDNEY WATERS REQUIREMENTS AND RELEVANT AUSTRALIAN STANDARDS

SUPPLY - DESIGN, SUPPLY AND INSTALL A PERMANENT AUTOMATED SUB-SURFACE IRRIGATION SYSTEM USING ON-SITE RAINWATER COLLECTION TANK WATER.

EXTENT - THE SYSTEM IS TO COVER ALL NEW GARDENS AND LAWN AREAS. WATER IS TO BE DELIVERED VIA SUBSURFACE DRIP LINES BURIED BELOW THE FINISHED GROUND LEVEL TO GARDENS AND TREES AND VIA POPUP SPRAYS ON FLEXIBLE ARMS TO THE LAWN AREA.

CAPACITY - THE SYSTEM IS TO BE CAPABLE OF SUPPLYING 32MM OF WATER/WEEK OVER ALL AREAS. IT IS TO BE DESIGNED TO OPERATE FOR 10 YEARS (MIN).

INSTALLATION - VALVE PITS ARE TO BE SET ON A 200MM DEEP BED OF GRAVEL FOR DRAINAGE. PIT COVERS ARE TO BE LEVEL WITH THE SOIL SURFACE. INCLUDE PLUMBING CONNECTION TO THE MAIN LINE, ALL VALVES AND BACKFLOW PREVENTION. LOCATE A CENTRAL MULTI-STATION CONTROLLER IN A LOCKABLE BOX AS DIRECTED BY THE PROJECT MANAGER. ALLOCATE 1 STATION FOR THE COMMUNAL LAWN, 1 FOR EACH PRIVATE GARDEN AREA AND SEVERAL FOR THE DIFFERENT COMMUNAL GARDEN AREAS TO ACCOMMODATE DIFFERENT MICROCLIMATES AND PLANT WATER REQUIREMENTS. A DEDICATED GPO IS TO BE PROVIDED BY THE BUILDER FOR THE CONTROLLER TO BE PLUGGED INTO.

6. MAINTAIN ALL WORKS DURING THE CONTRACT PERIOD FOR 52 WEEKS FROM THE DATE OF PRACTICAL COMPLETION INCLUDING, BUT NOT LIMITED TO WATERING, MOWING, WEEDING, RUBBISH REMOVAL, REPLACEMENT PLANTING, DISEASE AND PEST CONTROL, PRUNING, SOIL AND MULCH CONTROL REINSTATEMENT.

7. PROTECT ALL ADJOINING PROPERTY BUILDINGS, WALLS, FENCES AND PAVING. DAMAGED ELEMENTS ARE TO BE REPLACED.

8. THERE ARE TO BE NO SHARP PROTRUSIONS OR ABRASIVE EDGES, OBTUSIVE FITTINGS OR FIXTURES.

9. GENERALLY PAVEMENTS ARE TO FALL AT 1% TO 2% UNLESS NOTED OTHERWISE.

10. PROVIDE CONDUITS THROUGH WALLS / PAVEMENTS AS REQUIRED FOR SERVICES.

11. ALL STRUCTURAL DETAILS OF FOOTINGS, SLABS, WALLS AND THE LIKE ARE TO BE REFERRED TO AN ENGINEER TO PROVIDE DETAILS AND SPECIFICATION .

12. LEVELS SHOWN ARE FINISHED SURFACE LEVELS. GRADE AND TRIM LOCALLY TO ENSURE THE FINISHED SURFACE DRAINS.

13. SOIL LEVELS IN GARDEN AREAS TO FINISH 50MM BELOW ADJACENT WALLS/ PAVEMENTS UNLESS NOTED OTHERWISE.

14. MATERIAL SAMPLES AND PRODUCT INFORMATION- MATERIALS AND WORKMANSHIP ARE TO CONFORM TO THE CURRENT EDITION OF APPLICABLE REQUIREMENTS OF AUSTRALIAN STANDARD SPECIFICATIONS AND CODES.

SAMPLES, PRODUCT DETAILS AND TECHNICAL INFORMATION FOR ALL MATERIALS AND PROPRIETARY ITEMS ARE TO BE SUBMITTED TO THE PROJECT MANAGER OR LANDSCAPE ARCHITECT FOR APPROVAL PRIOR TO INCLUSION INTO THE WORKS. OBTAIN AND SUBMIT REPORTS ON RELEVANT TESTS BY AN INDEPENDENT TESTING AUTHORITY AS REQUESTED BY THE SUPERINTENDENT.

15. WORKMANSHIP & INSTALLATION SAMPLES ANY WORK OR MATERIALS, WHICH, IN THE OPINION OF THE SUPERINTENDENT OR LANDSCAPE ARCHITECT/ARBORIST, DO NOT MEET APPROPRIATE INDUSTRY STANDARDS OF WORKMANSHIP OR QUALITY, SHALL BE REJECTED. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO REMOVE REJECTED WORK AND REINSTALL IT TO AN ACCEPTABLE STANDARD AT NO ADDITIONAL COST TO THE PRINCIPAL/CLIENT.

MATERIALS AND WORKMANSHIP ARE TO CONFORM TO THE CURRENT EDITION OF APPLICABLE AUSTRALIAN STANDARD SPECIFICATIONS AND CODES.

PROVIDE SAMPLES OF FINISHED INSTALLED WORKS FOR APPROVAL BY THE PROJECT MANAGER PRIOR TO PROCEEDING. IF NOT APPROVE, SAMPLES ARE TO BE RECTIFIED OR REMOVED AND REPLACED AS REQUIRED BY THE PROJECT MANAGER. IF APPROVED SAMPLES MAY BE RETAINED TO FORM A PART OF THE COMPLETED WORKS. FOLLOWING APPROVAL, ALL REMAINING WORKS ARE TO MEET AND MATCH THE QUALITY OF THE SAMPLE PROVIDED.

MAINTENANCE PLAN

THE OBJECTIVE OF THIS MAINTENANCE PLAN IS TO OUTLINE THE MAINTENANCE REQUIREMENTS OF THE DEVELOPMENT AND ENABLE A DEFINED SCOPE OF MAINTENANCE ACTIVITIES TO BE REGULARLY UNDERTAKEN. A DETAILED MAINTENANCE PLAN TO BE PREPARED AS PART OF THE CONSTRUCTION CERTIFICATE DOCUMENTATION.

MAINTENANCE INCLUDE WATERING, WEEDING, MOWING PEST AND DISEASE CONTROL, REPLACING FAILED PLANTS, SOIL AND MULCH REPLENISHMENT, CULTIVATING, PRUNING, REPAIRING EROSION AND RECTIFYING STORM DAMAGE. SWEEP AND/OR REMOVE FALLEN BRANCHES AND LEAF LITTERINCLUDING THE AUTUMN LEAF DROP) AND OTHER GARDEN DEBRIS. MAINTENANCE OF THE SITE IS TO ALSO INCLUDE THE PUBLIC DOMAIN

IT IS EXPECTED THAT THE CONTRACTOR SHALL TAKE A PROACTIVE AND DILIGENT APPROACH TO ALL MAINTENANCE ACTIVITIES AND ENCOURAGE ALL STAFF AND SUB-CONTRACTORS TO PICKUP ANY OBVIOUS LITTER FOUND THROUGHOUT THE MAINTAINED AREAS. SIMILARLY BE VIGILANT IN LOOKING FOR AND REPORTING ANY NOTED INCIDENCE OF VANDALISM, BREAKAGES, DAMAGE AND GRAFFITI ETC.

LOG BOOK  
KEEP A LOGBOOK RECORDING WHEN AND WHAT MAINTENANCE WORK HAS BEEN DONE AND WHAT MATERIALS, INCLUDING TOXIC MATERIALS, HAVE BEEN USED. THIS LOG BOOK IS TO BE GIVEN TO THE PROJECT MANAGER/ OR COMMUNITY ASSOCIATION AND MADE AVAILABLE FOR INSPECTION ON REQUEST.

PROGRAM  
AT LEAST TWO WEEKS PRIOR TO PRACTICAL COMPLETION SUBMIT A PROGRAM OUTLINING PROPOSED MAINTENANCE REGIME DURING THE PLANT ESTABLISHMENT PERIOD, INCLUDING ANTICIPATED FREQUENCY AND DURATION OF INDIVIDUAL TASKS. REVISE PROGRESSIVELY TO ENSURE THE OPTIMAL MAINTENANCE REGIME IS IMPLEMENTED AND SUBMIT ON A MONTHLY BASIS.

ALL PLANTED AREAS SHALL BE ADEQUATELY WATERED TO KEEP THEM HEALTHY AND GROWING VIGOROUSLY. THE MINIMUM ACCEPTABLE WATERING REQUIREMENT SHALL EQUAL 25 MM OF NATURAL RAINFALL OR ITS APPLIED EQUIVALENT, OR A COMBINATION OF BOTH, DURING EACH PERIOD OF ONE WEEK, EXCEPT IN PERIODS OF HEAVY RAIN. VARY THE WATERING REQUIREMENT TO SUIT SEASONAL CONDITIONS AND MAINTAIN HEALTHY PLANT MATERIAL AND GRASS AREAS IN OPTIMUM CONDITION.

PEST AND DISEASE  
ALL LANDSCAPE AREAS INCLUDING TREES ARE TO BE VISUALLY INSPECTED FOR THE PRESENCE OF PERSISTENT AND DAMAGING INSECT PESTS OR DISEASES. THE CONTRACTOR SHALL REPORT ANY INCIDENCE OF INSECT ATTACK OR EVIDENCE OF DISEASE AMONGST PLANT MATERIAL ALONG WITH A RECOMMENDED CONTROL AND ACTION TO BE UNDERTAKEN

FERTILISING  
FERTILIZER SHALL BE SUPPLIED AND APPLIED EVENLY TO ALL LANDSCAPE AREAS ENSURE OPTIMUM PLANT GROWTH, HEALTH AND DISEASE RESISTANCE THROUGH THE PROVISION OF ALL ESSENTIAL MACRO AND MICRO NUTRIENTS COMMONLY REQUIRED BY PLANTS AND THEREBY PREVENT ANY SYMPTOMS ASSOCIATED WITH NUTRIENT DEFICIENCIES.


EXTENT AND TASK  
THE CONTRACTOR SHALL MONITOR ALL TREE AND ASSOCIATED LANDSCAPE WORKS FOR THE DURATION OF THE MAINTENANCE PERIOD. THIS WILL GENERALLY INCLUDING WATERING, FAILED PLANT REPLACEMENT , PEST AND DISEASE CONTROL , PRUNING, SOIL CONTROL, MOWING, WEED CONTROL. SOIL PH CORRECTION AND FERTILIZATION. CARRY OUT MAINTENANCE ACTIVITIES FOR ALL NEW GARDEN AREAS AS REQUIRED TO ENSURE THE PLANT BECOME ESTABLISHED WITHIN THE MAINTENANCE PERIOD AND ARE KEPT IN A HEALTHY AND TIDY STATE IN ACCORDANCE WITH BEST HORTICULTURAL PRACTICES.

PLANT REPLACEMENT  
SHALL BE UNDERTAKEN WITHIN 7 DAYS OF PLANT BEING IDENTIFIED AS FAILED OR UNACCEPTABLY DAMAGED. NOTE, SERVE WILTING OR WATER LOGGING LEADING TO DEATH OF FOLIAGE, BREAKAGE OR WOUNDING OF MAIN STEM, DAMAGE OF APICAL LEADERS OR DAMAGE TO SIGNIFICANT ORDER OF BRANCHES SHALL BE DEEMED TO CONSTITUTE FAILURE.

HARDSCAPE / FURNITURE AND FIXINGS  
ENSURE ALL EXTERNAL HARDSCAPE AREAS INCLUDING FURNITURE AND FIXINGS ARE MAINTAINED IN A SAFE, CLEAN, NEAT AND TIDY CONDITION THAT PROMOTES THEIR USE AND ENJOYMENT. INSPECT ALL HARDSCAPE AND FURNITURE AND FIXTURES ITEMS FOR DAMAGE OR VANDALISM AND REPORT ANY FAULTS OR DAMAGE. MAKE ARRANGEMENT TO FIX ANY MINOR ISSUES.

IRRIGATION  
REGULARLY INSPECT, MONITOR AND ADJUST IRRIGATION AND WATERING SYSTEM TO ENSURE PROPER OPERATION AND COVERAGE AND RECTIFY ANY LEAKS, BLOCKAGES OR BREAKAGES IN A TIMELY FASHION. IF REQUIRED, UNDERTAKE PRESSURE TESTING OR FLUSHING TO IDENTIFY AND/OR ADDRESS ANY SYSTEM MALFUNCTION. THE CONTRACTOR SHALL REPAIR THE SYSTEM DUE TO VANDALISM, UNAUTHORIZED USE AND BREAKAGE. IF VANDALISM OR BREAKAGE IS A PERSISTENT OR A LARGE-SCALE PROBLEM, THE CONTRACTOR SHALL KEEP A RECORD OF COMPONENTS REPLACED OR RECTIFIED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SUPPLEMENTARY WATERING DUE TO ANY INADEQUACIES WITH THE SYSTEM, AND ADDRESS LEAKS IMMEDIATELY.

LEGEND



PLANT SCHEDULE

BOTANICAL NAME	COMMON NAME	HEIGHT	POT SIZE	PLANT DENSITIES
<b>TREES / PALMS / FERNS</b>				
<i>Archontophoenix cunninghamiana</i>	Bungaalow Palm	15M	2-5M CTH	as shown
<i>Cyathea cooperi</i>	Coin Spot Tree Fern	8M	1-4M CTH	as shown
<i>Elaeocarpus eumundi</i>	Eumundi Quandong	8M	100L	as shown
<i>Elaeocarpus reticulatus</i>	Blueberry Ash	8M	100L	as shown
<i>Howea forsteriana</i>	Kentia Palm	20M	2-5M CTH	as shown
<i>Maanolia 'Little Gem'</i>	Little Gem maanolia	7M	100L	as shown
<i>Plumeria acutifolia</i>	Francipani	5M	100L	as shown
<i>Tristania laurina</i>	Water Gum	8M	100L	as shown
<i>Ulmus parvifolia</i>	Chinese Elm	10M	200L	as shown
<b>SHRUBS / GROUNDCOVERS / GRASSES/ CLIMBERS</b>				
<i>Aspidistra elatior</i>	Cast Iron Plant	1M	200MM	3/m2
<i>Asplenium 'Osaka'</i>	Birds Nest Fern	1.5M	200MM	4/m2
<i>Beschorneria yuccoides</i>	Mexican Lily	0.8M	200MM	4/m2
<i>Blechnum 'Silver Lady'</i>	Gristle Fern	1M	200MM	5/m2
<i>Calathea zebrina</i>	Calathea	0.7M	200MM	4/m2
<i>Casuarina 'Cousin It'</i>	Cousin It	0.3M	200MM	4/m2
<i>Chrysocepalum aliculatum</i>	Yellow Butons	1M	200MM	4/m2
<i>Cissus rhombifolia</i>	Kangaroo Vine	4M	200MM	2/m2
<i>Crassula ovata</i>	Jade Plant	1M	200MM	3/m2
<i>Correa alba</i>	White Correa	1.5M	200MM	2/m2
<i>Dianella Cassa Blue</i>	Cassa Blue	0.5M	150MM	7/m2
<i>Dianella tasmanica 'Emerald Arch'</i>	Emerald Arch	0.5M	150MM	7/m2
<i>Dichondra repens</i>	Kidney Weed	0.2M	150MM	7/m2
<i>Dichondra Silver Falls</i>	Silver Falls Kidney Weed	0.2M	150MM	7/m2
<i>Doranthus excelsa</i>	Gynema Lily	1.5M	300MM	2/m2
<i>Epioremmum aureum</i>	Devils Ivy	1.5M	200MM	4/m2
<i>Isolepis nodosa</i>	Knobby Club Rush	0.8M	150MM	6/m2
<i>Lomandra Verday</i>	Verday	0.6M	150MM	6/m2
<i>Myoporum parvifolium</i>	Creeping Boobialla	0.3M	200MM	2/m2
<i>Mandevilla 'White'</i>	Chilean Jasmine	0.3M	200MM	2/m2
<i>Pandorea jasminoides</i>	Bower of Beauty Vine	0.3M	200MM	2/m2
<i>Philodendron Congo</i>	Congo Philodendron	1M	200MM	4/m2
<i>Philodendron Lnette</i>	Lvnette Philodendron	1M	200MM	4/m2
<i>Philodendron Xanadu</i>	Xanadu	1M	200MM	5/m2
<i>Pittosporum Miss Muffet</i>	Miss muffet	1M	200MM	4/m2
<i>Russelia eaulsetiformis</i>	Coral Plant	0.6M	200MM	4/m2
<i>Trachelospermum jasminoides</i>	Star Jasmine	3M	200MM	2/m2
<i>Viburnum odoratissimum</i>	Sweet Viburnum	3M	300MM	2/m2
<i>Viola hederacea</i>	Viola	0.2M	100MM	7/m2
<i>Zamia furfuracea</i>	Paper Cycad	1.5M	200MM	3/m2

REV:	DATE:	DOCUMENT STATUS/ AMENDMENTS	<div><div><div><div><div><div></div></div></div><div><div><div></div></div></div><div><div><div></div></div></div></div><div>black beetle</div><div>Landscape Architecture and Design</div><div>Black Beetle pty ltd</div><div>63 Stella Street, Collaroy Plateau NSW 2097</div><div>Tel: 0422 104 416</div><div>email: blackbeetle@blackbeetle.com.au</div></div></div>	PROJECT	Drawn IK / GB	Date 28.04.16
P1	23.05.16	For Coordination		Architect Authorised	Scale	1:100 @ A1
A	16.06.16	For DA		IK/GB	Status	Development Application
B	13.03.17	DA Amendments		Client	Rockdale ONE Pty Ltd	
				DO NOT SCALE OFF THIS DRAWING - USE DIMENSION LINES ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES WITH BLACK BEETLE BEFORE PROCEEDING - COPYRIGHT OF THIS DRAWING AND THE DESIGN EXECUTED REMAIN VESTED IN BLACK BEETLE		
			DRAWING TITLE	JOB NUMBER	DRAWING NUMBER / ISSUE	
			Landscape Notes	BB 1148	LP07/ B	