BASIX[°]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 633546M_03

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 18/09/2014 published by the Department. This document is available at www.basix.nsw.gov.au

This certificate is a revision of certificate number 633546M lodged with the consent authority or certifier on 24 June 2015 with application 687/2015.

It is the responsibility of the applicant to verify with the consent authority that the original, or any revised certificate, complies with the requirements of Schedule 1 Clause 2A, 4A or 6A of the Environmental Planning and Assessment Regulation 2000

Secretary

Date of issue: Monday, 08 May 2017 To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary	
Project name	141 WALDRON ROAD CHESTER HILL_03
Street address	141 Waldron Road Chester Hill 2162
Local Government Area	Bankstown City Council
Plan type and plan number	deposited 840852
Lot no.	1
Section no.	-
No. of residential flat buildings	1
No. of units in residential flat buildings	100
No. of multi-dwelling houses	0
No. of single dwelling houses	0
Project score	
Water	V 40 Target 40
Thermal Comfort	V Pass Target Pass
Energy	V 27 Target 20

Certificate Prepared by
Name / Company Name: Building & Energy Consultants Australia
ABN (if applicable): 92122407783

Description of project

Project address

141 WALDRON ROAD CHESTER HILL_03
141 Waldron Road Chester Hill 2162
Bankstown City Council
deposited 840852
1
-
1
100
0
0
2392
1259.3
160.0
95
12

Common area landscape		
Common area lawn (m ²)	0.0	
Common area garden (m ²)	132.4	
Area of indigenous or low water use species (m ²)	-	
Assessor details		
Assessor number	BDAV/12/1456	
Certificate number	0001463450	
Climate zone	56	
Project score		
Water	V 40 Target 4	0
Thermal Comfort	V Pass Target F	Pass
Energy	V 27 Target 2	20

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building1, 100 dwellings, 8 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
1.01	1	39.5	3.7	0.0	-	1.02	1	35.8	3.6	0.0	-	1.03	1	41.1	0.0	5.5	-	1.04	1	50.5	0.0	3.6	-
1.05	2	71.6	0.0	3.4	-	1.06	2	79.6	0.0	4.3	-	1.07	1	40.5	0.0	3.9	-	1.08	1	50.5	0.0	4.4	-
1.09	2	71.6	0.0	3.4	-	1.10	2	79.6	0.0	4.8	-	1.11	1	40.5	0.0	3.9	-	1.12	1	70.1	0.0	4.3	-
1.13	2	51.0	0.0	0.0	-	1.14	3	96.9	4.8	0.0	-	1.15	3	97.4	4.8	6.0	-	1.16	2	85.0	0.0	0.0	0.0
1.17	2	85.0	0.0	0.0	-	1.18	1	85.0	0.0	0.0	-	2.01	1	43.3	0.0	0.0	-	2.02	2	82.4	4.4	1.0	-
2.03	1	50.5	0.0	3.2	-	2.04	2	71.6	0.0	0.0	-	2.05	2	79.6	0.0	0.0	-	2.06	1	50.5	0.0	0.0	-
2.07	1	50.5	0.0	0.0	-	2.08	2	71.6	0.0	0.0	-	2.09	2	79.6	0.0	0.0	-	2.10	1	48.8	0.0	0.0	-
2.11	1	50.5	0.0	0.0	-	2.12	2	70.1	0.0	0.0	0.0	2.13	3	96.9	4.8	0.0	-	2.14	3	97.4	4.8	0.0	-
3.01	1	43.3	0.0	0.0	-	3.02	2	86.8	4.4	2.0	-	3.03	1	50.5	0.0	3.1	-	3.04	2	69.5	0.0	0.0	-
3.05	2	79.6	0.0	0.0	-	3.06	1	48.8	0.0	0.0	-	3.07	1	50.5	0.0	0.0	-	3.08	2	71.6	0.0	0.0	-
3.09	2	79.6	0.0	0.0	-	3.10	1	48.8	0.0	0.0	-	3.11	1	50.5	0.0	0.0	-	3.12	2	70.1	0.0	0.0	0.0
3.13	3	96.9	4.8	0.0	-	3.14	1	97.4	4.8	0.0	-	4.01	1	39.5	3.7	0.0	-	4.02	2	82.4	4.4	2.0	-
4.03	1	50.5	0.0	3.1	-	4.04	2	69.5	0.0	0.0	-	4.05	2	79.6	0.0	0.0	-	4.06	1	48.8	2.0	0.0	-
4.07	1	50.5	0.0	0.0	-	4.08	2	71.6	0.0	0.0	-	4.09	2	79.6	0.0	0.0	-	4.10	1	48.8	0.0	0.0	-
4.11	1	50.5	0.0	0.0	-	4.12	2	70.1	0.0	0.0	0.0	4.13	3	96.9	4.8	0.0	-	4.14	3	97.4	4.8	0.0	-
5.01	1	39.5	3.7	0.0	-	5.02	2	82.4	4.4	2.0	-	5.03	1	50.5	0.0	3.1	-	5.04	2	69.5	0.0	0.0	-
5.05	2	79.6	0.0	0.0	-	5.06	1	78.8	0.0	0.0	-	5.07	1	50.5	0.0	0.0	-	5.08	2	71.6	0.0	0.0	-
5.09	2	79.6	0.0	0.0	-	5.10	1	48.8	0.0	0.0	-	5.11	1	50.5	0.0	0.0	-	5.12	2	70.1	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	nditione a (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	dit a (r	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
5.13	3	96.9	4.8	0.0	-	5.14	3	97.4	4.8	0.0	-	6.01	1	39.5	3.7	0.0	-	6.02	2	86.8	0.0	2.0	-
6.03	1	50.5	0.0	3.1	-	6.04	2	69.5	0.0	0.0	-	6.05	2	79.6	0.0	0.0	-	6.06	1	48.8	0.0	0.0	-
6.07	1	50.5	0.0	0.0	-	6.08	2	71.6	0.0	0.0	-	6.09	2	79.6	0.0	0.0	-	6.10	1	48.8	0.0	0.0	-
6.11	1	50.5	0.0	0.0	-	6.12	1	70.1	0.0	0.0	0.0	6.13	3	96.9	4.8	0.0	-	6.14	3	97.4	4.8	0.0	-
7.01	1	39.5	3.7	0.0	-	7.02	2	82.4	4.4	2.0	-	7.03	1	50.5	0.0	3.1	-	7.04	2	69.5	0.0	0.0	-
7.05	2	79.6	0.0	0.0	-	7.06	1	50.5	0.0	0.0	-	7.07	2	71.6	0.0	0.0	-	7.08	2	79.6	0.0	0.0	-
7.09	1	50.5	0.0	0.0	-	7.10	2	71.6	2.0	0.0	-	7.11	3	96.9	4.8	0.0	-	7.12	3	97.4	4.8	0.0	0.0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building1

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Car park area B1 & B2	4072.0	Car park area Ground Floor	429.0	Lift car (No. 1)	-
Lift car (No. 2)	-	Lift car (No. 3)	-	Lift car (No. 4)	-
Residential waste area 1 & 2	81.4	Services	41.7	Ground floorLobbys	183.4
Hallway/lobbys	748.4	L			ł

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building1

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Comfort

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for multi-dwelling houses

3. Commitments for single dwelling houses

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building1

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		 	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		 Image: A second s	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		 Image: A set of the set of the	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		 Image: A set of the set of the	
(g) The pool or spa must be located as specified in the table.	~	 Image: A set of the set of the	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures				Appliances			Individual pool				Individual spa		
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	-	4 star	-	-	-	-	-	-	-

			Alternative water sou	rce				
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		~	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		~	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		~	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	gas instantaneous 5 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off

	Coc	oling	Hea	ting			Artificia	l lighting			Natural lig	hting
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
1.01, 1.02	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	1	1	yes	yes	yes	yes	1	no
1.14, 3.11	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	3	1	yes	yes	yes	yes	1	no
2.11, 4.11, 5.11, 6.11, 7.11	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	3	1	yes	yes	yes	yes	1	yes
1.15, 2.12, 3.12, 4.12, 5.12, 6.12, 7.12	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	3	1	yes	yes	yes	yes	2	no
1.05, 1.09, 1.10, 1.13, 2.03, 3.03, 4.03, 5.03, 6.03, 7.03	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	2	1	yes	yes	yes	yes	0	no

	Coc	oling	Hea	ting			Artificia	l lighting	Artificial lighting				
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitche	
1.06, 1.11, 1.16, 1.17, 1.18, 2.07, 2.13, 3.07, 3.13, 4.07, 4.13, 5.07, 5.13, 6.07, 6.13, 7.07	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	2	1	yes	yes	yes	yes	0	yes	
2.02, 2.06, 2.10, 3.02, 3.06, 3.10, 4.02, 4.06, 4.10, 5.02, 5.06, 5.10, 6.02, 6.06, 6.10, 7.02, 7.06, 7.10	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	2	1	yes	yes	yes	yes	1	no	
All other dwellings	1-phase airconditioning EER 3.0 - 3.5	-	1-phase airconditioning EER 3.0 - 3.5	-	1	1	yes	yes	yes	yes	0	no	

	Individual p	ool	Individual	spa	Appliances & other efficiency measures							
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	-	-	3.5 star	-	-	no	-

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.			
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.			
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	~

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
1.01	40.9	39.6
1.02	16.8	28.8
1.03	29.9	56.5
1.04	39.6	16.1
1.05	42.6	14.3
1.06	47.9	11.6
1.07	54.3	13.2
1.08	53.3	13.9
1.09	38.3	15.0
1.10	40.4	11.6
1.11	54.4	13.2
1.12	28.5	15.6
1.13	45.4	14.5
1.14	41.2	10.2
1.16	28.6	47.3
1.17	27.5	45.8
1.18	34.2	49.9
2.01	38.8	44.0
2.02	24.9	30.6
2.03	25.1	15.1
2.04	25.4	16.5
2.05	39.5	12.2
2.06	31.2	15.9
2.07	44.9	16.4
2.08	26.6	15.7
2.09	33.3	13.0
2.10	28.3	15.8

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
2.11	22.5	18.7
2.12	36.3	15.6
2.13	31.1	11.0
3.01	44.4	34.3
3.02	28.1	22.5
3.03	32.1	13.9
3.04	32.3	14.8
3.05	35.9	10.5
3.06	36.4	13.0
3.07	30.6	15.4
3.08	30.9	14.5
3.09	38.5	10.0
3.10	14.8	16.5
3.11	26.7	18.2
3.12	41.7	14.4
3.13	35.6	8.8
3.14	36.9	20.6
4.01	45.3	32.8
4.02	28.9	21.6
4.03	30.4	13.7
4.04	33.1	14.8
4.05	37.9	10.0
4.06	19.1	13.1
4.07	31.5	15.4
4.08	31.6	14.3
4.09	38.9	9.9
4.10	19.1	13.2

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
4.11	27.5	17.9
4.12	42.5	14.1
4.13	36.3	8.6
4.14	37.6	18.5
5.01	46.2	31.7
5.02	29.3	21.4
5.03	31.1	13.8
5.04	33.9	14.9
5.05	38.8	9.7
5.06	19.6	13.0
5.07	32.3	15.5
5.08	32.5	14.6
5.10	19.6	13.1
5.11	28.2	17.7
5.12	43.1	14.0
5.13	37.0	8.8
5.14	37.5	18.5
6.01	46.8	31.6
6.02	29.8	21.3
6.03	31.6	13.8
6.04	34.5	14.6
6.05	39.3	9.5
6.07	32.8	15.9
6.08	33.1	14.5
6.11	28.8	17.7
6.12	43.8	13.8
6.13	37.4	8.7

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
6.14	38.7	18.6
7.01	52.9	33.2
7.02	38.6	22.6
7.03	35.1	16.5
7.04	44.3	14.9
7.05	52.5	12.9
7.06	40.8	19.0
7.07	42.6	14.6
7.08	47.8	12.0
7.09	31.5	17.2
7.10	44.9	14.9
7.11	51.0	10.2
7.12	44.9	21.9
1.15, 2.14	32.4	26.3
5.09, 6.09	39.6	9.5
All other dwellings	30.2	14.4

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	3 star	3 star	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for)
Fire sprinkler system (No. 1)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

Common area ventilation system		Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Car park area B1 & B2	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	fluorescent	motion sensors	No
Car park area Ground Floor	no mechanical ventilation	-	fluorescent	motion sensors	No
Lift car (No. 1)	-	-	light-emitting diode	connected to lift call button	No
Lift car (No. 2)	-	-	light-emitting diode	connected to lift call button	No
Lift car (No. 3)	-	-	light-emitting diode	connected to lift call button	No
Lift car (No. 4)	-	-	light-emitting diode	connected to lift call button	No
Residential waste area 1 & 2	ventilation exhaust only	-	fluorescent	motion sensors	No
Services	ventilation supply only	interlocked to light	fluorescent	manual on / manual off	No
Ground floorLobbys	no mechanical ventilation	-	fluorescent	motion sensors	No
Hallway/lobbys	no mechanical ventilation	-	fluorescent	motion sensors	No

Central energy systems	Туре	Specification
Lift (No. 1)	gearless traction with V V V F motor	Number of levels (including basement): 10
Lift (No. 2)	gearless traction with V V V F motor	Number of levels (including basement): 10

Central energy systems	Туре	Specification
Lift (No. 3)	gearless traction with V V V F motor	Number of levels (including basement): 10
Lift (No. 4)	gearless traction with V V V F motor	Number of levels (including basement): 10

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		v	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	3 star	3 star	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for)
Reticulated alternative water supply	-	Installation of plumbing to make provision for connection to No scheme found reticulated alternative water supply.	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

1. In these commitments, "applicant" means the person ca	arrying out the development.
	common area listed in this certificate, on the plans accompanying any development application, and on the plans and struction certificate / complying development certificate, for the proposed development, using the same identifying letter or non area in this certificate.
	the erection of a building for both residential and non-residential purposes (or the change of use of a building for both ts in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of purposes.
	for a dwelling or building, and that system will also service any other dwelling or building within the development, then that ately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this	s is a minimum rating.
	e commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: cycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for y.
egend	

2. Commitments identified with a " " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

3. Commitments identified with a " " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).



NatHERS - THERMAL COMFORT SUMMARY



Address: 141 Waldron F	Road Chester Hill 2162	Date: 08/05/2017	
Software: BERS 4.3.0.2	Certificate No: 0	001463450 Average star rating: 5.9	
Building Elements	Material	Detail	
External walls	Concrete + furring channel + plasterboard	R1.5 bulk Insulation	
Common walls between units and corridors	Concrete + furring channel + plasterboard	R1.5 bulk Insulation	
Internal walls within units	Plasterboard on studs	-	
Common walls between Units	Concrete	-	
Common walls between Units and fire stairs/lifts	Concrete + furring channel + plasterboard	R1.5 bulk Insulation	
Ceilings	Plasterboard	-	
Roof	Concrete	R2.5 bulk insulation to concrete roof	
Floors	Concrete	 R1.5 bulk Insulation to all of the suspended floors of the first floor units. Excludes: Floor between units and retail tenancies 	
Windows	Aluminium framed, single glazed clear, sliding windows and doors	U value 6.70 or less and a SHGC of 0.70 +/- 5%	
	Aluminium framed, single glazed clear, awning windows	U value 6.70 or less and a SHGC of 0.57 +/- 5%	
Lighting: Units have been rated w	th non-ventilated LED downlights –	as per NatHERS certificates	
Bathroom and Laundry Exhaust fa	ns to have self-closing dampers insta	alled	

Note: If any of the elements nominated above change after the DA (Development Application) has been issued, a revised assessment should be undertaken prior to the Construction Certificate being issued with Construction drawings



Nationwide House Energy Rating Scheme* — Class 2 summary

Certificate number: 0001463450

Certificate Date:

08 May 2017



Assessor details

Accreditation number:	VIC/BDAV/12/1456
Name:	Thomas Ruck
Organisation:	Building Energy Consultants Australia
Email:	thomas@beca.net.au
Phone:	9533 2588
Declaration	None
of interest:	
Software:	BERS Pro v4.3.0.2 (3.13)
AAO:	BDAV

Dwelling details

Street:141 Waldron RoadSuburb:Chester HillState:NSWPostcode:2162


Scan to access this certificate online and confirm this is valid.



Summary of all dwellings

Certificate Details

Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0001462308	1.01	41	40	81	4.3
0001462316	1.02	17	29	46	6.4
0001462340	1.03	30	56	86	4.1
001462373	1.04	40	16	56	5.7
0001462407	1.05	43	14	57	5.6
0001462431	1.06	48	11	59	5.4
0001462464	1.07	54	13	67	4.9
001462498	1.08	53	14	67	4.9
001462522	1.09	38	15	53	5.9
001462555	1.10	40	12	52	5.9
001462589	1.11	54	13	68	4.9
001462613	1.12	28	16	44	6.6
001462290	1.13	45	14	60	5.4
001462332	1.14	41	10	51	5.9
001462357	1.15	36	26	62	5.3



Average Star rating: 5.9

* Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au

Summary of all dwellings continued

Certificate Details						
Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating	
0001462381	1.16	29	47	76	4.4	
0001462415	1.17	27	46	73	4.6	
0001462449	1.18	34	50	84	4.2	
0001462472	2.01	39	44	83	4.2	
0001462506	2.02	25	31	56	5.7	
0001462530	2.03	25	15	40	6.9	
0001462563	2.04	25	16	42	6.8	
0001462597	2.05	40	12	52	5.9	
0001462605	2.06	31	16	47	6.4	
0001462282	2.07	45	16	61	5.3	
0001462324	2.08	27	16	42	6.8	
0001462365	2.09	33	13	46	6.4	
0001462399	2.10	28	16	44	6.6	
0001462423	2.11	22	19	41	6.9	
0001462456	2.12	36	16	52	5.9	
0001462480	2.13	31	11	42	6.8	
0001462514	2.14	32	26	59	5.4	
0001462548	3.01	44	34	79	4.4	
0001462571	3.02	28	23	51	6.1	
0001462621	3.03	32	14	46	6.4	
0001462662	3.04	32	15	47	6.4	
0001462696	3.05	36	10	46	6.4	
0001462720	3.06	21	13	34	7.4	
0001462753	3.07	31	15	46	6.4	
0001462795	3.08	31	15	45	6.4	
0001462803	3.09	39	10	48	6.3	
0001462837	3.10	18	14	32	7.5	
0001462860	3.11	27	18	45	6.5	
0001462894	3.12	42	14	56	5.7	
0001462928	3.13	36	9	44	6.6	
0001462969	3.14	37	21	58	5.6	
0001462993	4.01	45	33	78	4.4	
0001463033	4.02	29	22	50	6.1	
0001463041	4.03	30	14	44	6.6	
0001463090	4.04	33	15	48	6.3	
0001463108	4.05	38	10	48	6.3	
0001463157	4.06	19	13	32	7.4	
0001463173	4.07	31	15	47	6.4	
0001463215	4.08	32	14	46	6.4	
0001463231	4.09	39	10	49	6.2	
0001463264	4.10	19	13	32	7.4	
0001463272	4.11	27	18	45	6.4	
0001462647	4.12	43	14	57	5.6	
			•••			

Summary of all dwellings continued

Certificate Details					
Certificate number	Unit number	Heating load	Cooling load	Total load	Star Rating
0001462670	4.13	36	9	45	6.5
0001462704	4.14	38	18	56	5.7
0001462738	5.01	46	32	78	4.4
0001462761	5.02	29	21	51	6.1
0001462779	5.03	31	14	45	6.5
0001462811	5.04	34	15	49	6.2
0001462845	5.05	39	10	49	6.3
0001462878	5.06	20	13	33	7.4
0001462910	5.07	32	15	48	6.3
0001462944	5.08	33	15	47	6.4
0001462977	5.09	40	9	49	6.2
0001463009	5.10	20	13	33	7.4
0001463025	5.11	28	18	46	6.4
0001463066	5.12	43	14	57	5.6
0001463074	5.13	37	9	46	6.4
0001463116	5.14	38	19	56	5.7
0001463132	6.01	47	32	78	4.4
0001463165	6.02	30	21	51	5.9
0001463207	6.03	32	14	45	6.4
0001463249	6.04	35	15	49	6.2
0001463256	6.05	39	9	49	6.2
0001463280	6.06	30	14	45	6.6
0001462639	6.07	33	16	49	6.2
0001462654	6.08	33	14	48	6.3
0001462688	6.09	40	9	49	6.2
0001462712	6.10	30	14	45	6.6
0001462746	6.11	29	18	46	6.4
0001462787	6.12	44	14	58	5.6
0001462829	6.13	37	9	46	6.4
0001462852	6.14	39	19	57	5.6
0001462886	7.01	53	33	86	4.1
0001462902	7.02	39	23	61	5.4
0001462936	7.03	35	17	52	5.9
0001462951	7.04	44	15	59	5.4
0001462985	7.05	53	13	65	5.1
0001463017	7.06	41	19	60	5.4
0001463058	7.07	43	15	57	5.6
0001463082	7.08	48	12	60	5.4
0001463124	7.09	31	17	49	6.2
0001463140	7.10	45	15	60	5.4
0001463181	7.11	 51	10	61	5.3
0001463199	7.12	45	22	67	4.9
0001700133	1.14	-10	<i>LL</i>	01	ט.ד