

The information contained in this document is copyright and may not be used or reproduced for any other project or purpose.

Verify all dimensions and levels on site and report any discrepancies to dwp for direction prior to the commencement of work.

Drawings are to be read in conjunction with all other contract documents. Use figured dimensions only. Do not scale from drawings. dwp cannot guarantee the accuracy of content and format for copies of drawings issued electronically. The completion of the Issue Details Checked and Authorised section is

confirmation of the status of the drawing. The drawing shall not be used for construction unless endorsed 'For Construction' and authorised for issue. © dwp Australia Pty Ltd Registered Business Name dwp Australia ABN 37 169 328 018 David Rose Nominated Architect NSW ARB 4882

MATERIAL LEGEND
TAG DESCRIPTION

PEDESTRIAN PATHS TYPE 1 / CONCRETE FRAMING (TRIANGLES) TO RETAIL 2 AND 3

CON CONCRETE - COLOURED OXIDE O1 COLOUR: GREY RETAIL 1 AND SERVICE CENTRE

EXTERIOR CLADDING PROPRIETARY EQUITONE LINEA

FC 3050mm X 1220mm X 10mm 01 COLOUR: LT20 GREY REFER TO ELEVATIONS FOR HORIZONTAL OR VERTICAL PATTERN

HORIZONTAL OR VERTICAL PATTERN

RETAIL 2 AND 3 FRONT FACADE EXTERIOR CLADDING

PROPRIETARY EQUITONE LINEA 3050mm X 1220mm X 10mm COLOUR: LT60 EARTH/BROWN REFER TO ELEVATIONS FOR

GALV 01 STRUCTURAL FRAMING TO RETAIL 1 HOT DIP GALVANISED STEEL

PFC'S (AWNING, SLAB EDGES AND ARTICULATION), ALUMINIUM GLAZING MULLIONS/SYSTEMS

POWDERCOATED - DULUX 01 COLOUR: ZEUS BLACK

> PERFORATED METAL CLADDING TO RETAIL 1

PROPRIETARY LOCKER GROUP PMC PERFORATED METAL SCREEN 3050mm X 1220mm, 'PRISM' PATTERN, 62% OPEN AREA FINISH: STEEL HOT-DIPPED

PAINTED CONCRETE WALLS TO RETAIL 2/3, PAINTED FC LINING TO SERVICE CENTRE

GALVANISED POST PERFORATION

PAINT TYPE 01 - DULUX 01 COLOUR: LEXICON HALF

PT PAINT TYPE 02 - DULUX 02 COLOUR: STEPNEY

PT PAINT TYPE 03 - DULUX 03 COLOUR: STONE RIVER

ROOFS AND AWNINGS METAL ROOF CLADDING

COLOUR: WOODLAND GREY WALLS TO PODIUM OF RETAIL 1

RENDERED CONCRETE BLOCKWORK - COLOURED OXIDE COLOUR: OCHRE EARTH

AWNING SOFFIT AND UNDERSIDE

OF EXTERNAL RETAIL 1 SLAB VEN PROPRIETARY KNOTWOOD 150mm SOFFIT CLADDING SYSTEM TIMBEE VENEER ON ALUMINIUM EXTRUSION COLOUR: SPOTTED GUM EXTERIOR RANGE

ABBREVIATIONS AW FG AWNING

FIXED GLASS LOUVRE MTR ELECTRICAL METERING PLD PANEL LIFT DOOR

NOTE: PLANTING NOT SHOWN FOR CLARITY

PRELIMINARY NOT TO BE USED DURING CONSTRUCTION

G	REVISED DA ISSUE	14.12.18	DR	СВ
F	ISSUE FOR COUNCIL INFORMATION	01.12.2017	JR	CB
E	DA ISSUE FOR CLIENT REVIEW	13.06.2017	JR	JR
D	ISSUE FOR COORDINATION	10.05.2017	JR	CB
C	ISSUE FOR COORDINATION	04.05.2017	JR	CB
В	PRELIMINARY ISSUE FOR CLIENT REVIEW	11.04.2017	JR	СВ
Α	PRELIMINARY DA ISSUE FOR CLIENT REVIEW	05.04.2017	JR	СВ
Issue	Description	Date	Chk	Auth
Archit	ect			
dwb	Australia			
WWW	v.dwp.com			
	v.dwp.com			
	<u> </u>			
Proje	<u> </u>			
Proje	erdeen Valley Fair			
Project	erdeen Valley Fair			
Project Abe	erdeen Valley Fair			
Project Abe	erdeen Valley Fair			
Project Abe	erdeen Valley Fair on rdeen Valley Fair, rdeen NSW 2336			
Abe Locat Abe Client	erdeen Valley Fair on rdeen Valley Fair, rdeen NSW 2336			
Abe Locat Abe Client	erdeen Valley Fair rdeen Valley Fair, rdeen NSW 2336 ef Investments Pty Ltd			

Date Printed

14-Dec-18 11:48:16 AM


As indicated @ A1





Project Number

Drawing Number A010

203596







RETAIL 2 - 3D

The information contained in this document is copyright and may not be used or reproduced for any other project or purpose.

Verify all dimensions and levels on site and report any discrepancies to

dwp for direction prior to the commencement of work.

Drawings are to be read in conjunction with all other contract documents. Use figured dimensions only. Do not scale from drawings. dwp cannot guarantee the accuracy of content and format for copies of drawings issued electronically.

The completion of the Issue Details Checked and Authorised section is confirmation of the status of the drawing. The drawing shall not be used for construction unless endorsed 'For Construction' and authorised for issue. © dwp Australia Pty Ltd Registered Business Name dwp Australia ABN 37 169 328 018

MATERIAL LEGEND TAG DESCRIPTION

David Rose Nominated Architect NSW ARB 4882

PEDESTRIAN PATHS TYPE 1 / CONCRETE FRAMING (TRIANGLES) TO RETAIL 2 AND 3

CON CONCRETE - COLOURED OXIDE COLOUR: GREY

RETAIL 1 AND SERVICE CENTRE

EXTERIOR CLADDING PROPRIETARY EQUITONE LINEA FC 3050mm X 1220mm X 10mm

01 COLOUR: LT20 GREY REFER TO ELEVATIONS FOR HORIZONTAL OR VERTICAL PATTERN

RETAIL 2 AND 3 FRONT FACADE

EXTERIOR CLADDING PROPRIETARY EQUITONE LINEA FC 3050mm X 1220mm X 10mm 02 COLOUR: LT60 EARTH/BROWN

REFER TO ELEVATIONS FOR

GALV 01 STRUCTURAL FRAMING TO RETAIL 1 HOT DIP GALVANISED STEEL

HORIZONTAL OR VERTICAL PATTERN

PFC'S (AWNING, SLAB EDGES AND

ARTICULATION), ALUMINIUM GLAZING MULLIONS/SYSTEMS POWDERCOATED - DULUX

COLOUR: ZEUS BLACK

PERFORATED METAL CLADDING TO RETAIL 1

PROPRIETARY LOCKER GROUP PERFORATED METAL SCREEN 3050mm X 1220mm, 'PRISM' PATTERN, 62% OPEN AREA

FINISH: STEEL HOT-DIPPED GALVANISED POST PERFORATION

PAINTED CONCRETE WALLS TO RETAIL 2/3, PAINTED FC LINING TO SERVICE CENTRE PT PAINT TYPE 01 - DULUX

PT PAINT TYPE 02 - DULUX

01 COLOUR: LEXICON HALF

02 COLOUR: STEPNEY

PT PAINT TYPE 03 - DULUX 03 COLOUR: STONE RIVER

ROOFS AND AWNINGS

METAL ROOF CLADDING 01 COLOUR: WOODLAND GREY

WALLS TO PODIUM OF RETAIL 1 RENDERED CONCRETE BLOCKWORK

- COLOURED OXIDE

COLOUR: OCHRE EARTH

AWNING SOFFIT AND UNDERSIDE OF EXTERNAL RETAIL 1 SLAB

PROPRIETARY KNOTWOOD 150mm SOFFIT CLADDING SYSTEM TIMBEE VENEER ON ALUMINIUM EXTRUSION

COLOUR: SPOTTED GUM EXTERIOR RANGE

ABBREVIATIONS AWNING

FIXED GLASS LOUVRE

MTR ELECTRICAL METERING

PLD PANEL LIFT DOOR

NOTE: PLANTING NOT SHOWN FOR CLARITY

PRELIMINARY NOT TO BE USED DURING CONSTRUCTION

dwp	Australia			
Archit	ect			
Issue	Description	Date	Chk	Auth
Α	PRELIMINARY DA ISSUE FOR CLIENT REVIEW	05.04.2017	JR	СВ
В	PRELIMINARY ISSUE FOR CLIENT REVIEW	11.04.2017	JR	CB
С	ISSUE FOR COORDINATION	04.05.2017	JR	CB
D	DA ISSUE FOR CLIENT REVIEW	13.06.2017	JR	JR
Ε	ISSUE FOR COUNCIL INFORMATION	01.12.2017	JR	CB
F	ISSUE FOR COUNCIL INFORMATION	05.12.2017	JR	CB
G	REVISED DA ISSUE	14.12.18	DR	CB

www.dwp.com


Aberdeen Valley Fair

Aberdeen Valley Fair, Aberdeen NSW 2336

Project Number 203596 Drawing Number



Enef Investments Pty Ltd ELEVATIONS - RETAIL 2 + SERVICE CENTRE Date Printed 14-Dec-18 11:49:43 AM As indicated @ A1



The information contained in this document is copyright and may not be used or reproduced for any other project or purpose.

Verify all dimensions and levels on site and report any discrepancies to

dwp for direction prior to the commencement of work.

Drawings are to be read in conjunction with all other contract documents. Use figured dimensions only. Do not scale from drawings. dwp cannot guarantee the accuracy of content and format for copies of drawings issued

electronically. The completion of the Issue Details Checked and Authorised section is confirmation of the status of the drawing. The drawing shall not be used for construction unless endorsed 'For Construction' and authorised for issue. © dwp Australia Pty Ltd

Registered Business Name dwp Australia ABN 37 169 328 018

David Rose Nominated Architect NSW ARB 4882 MATERIAL LEGEND
TAG DESCRIPTION PEDESTRIAN PATHS TYPE 1 / CONCRETE

FRAMING (TRIANGLES) TO RETAIL 2 AND 3 CON CONCRETE - COLOURED OXIDE COLOUR: GREY

> RETAIL 1 AND SERVICE CENTRE EXTERIOR CLADDING

PROPRIETARY EQUITONE LINEA FC 3050mm X 1220mm X 10mm COLOUR: LT20 GREY REFER TO ELEVATIONS FOR

HORIZONTAL OR VERTICAL PATTERN

RETAIL 2 AND 3 FRONT FACADE EXTERIOR CLADDING

PROPRIETARY EQUITONE LINEA 3050mm X 1220mm X 10mm 02 COLOUR: LT60 EARTH/BROWN REFER TO ELEVATIONS FOR HORIZONTAL OR VERTICAL PATTERN

GALV STRUCTURAL FRAMING TO RETAIL 1 01 HOT DIP GALVANISED STEEL

PFC'S (AWNING, SLAB EDGES AND ARTICULATION), ALUMINIUM GLAZING MULLIONS/SYSTEMS

PC POWDERCOATED - DULUX 01 COLOUR: ZEUS BLACK

PERFORATED METAL CLADDING

TO RETAIL 1 PROPRIETARY LOCKER GROUP PMC PERFORATED METAL SCREEN 3050mm X 1220mm, 'PRISM' PATTERN, 62% OPEN AREA

> FINISH: STEEL HOT-DIPPED GALVANISED POST PERFORATION

PAINTED CONCRETE WALLS TO RETAIL 2/3,

PAINTED FC LINING TO SERVICE CENTRE PT PAINT TYPE 01 - DULUX

01 COLOUR: LEXICON HALF

PT PAINT TYPE 02 - DULUX 02 COLOUR: STEPNEY

PT PAINT TYPE 03 - DULUX 03 COLOUR: STONE RIVER

ROOFS AND AWNINGS

METAL ROOF CLADDING 01 COLOUR: WOODLAND GREY

WALLS TO PODIUM OF RETAIL 1

RENDERED CONCRETE BLOCKWORK - COLOURED OXIDE

COLOUR: OCHRE EARTH

AWNING SOFFIT AND UNDERSIDE

OF EXTERNAL RETAIL 1 SLAB VEN PROPRIETARY KNOTWOOD 150mm

SOFFIT CLADDING SYSTEM TIMBEE VENEER ON ALUMINIUM EXTRUSION **COLOUR: SPOTTED GUM EXTERIOR RANGE**

ABBREVIATIONS

AWNING FG FIXED GLASS

LOUVRE MTR ELECTRICAL METERING PLD PANEL LIFT DOOR

NOTE: PLANTING NOT SHOWN FOR CLARITY

PRELIMINARY NOT TO BE USED DURING CONSTRUCTION

F	DEVICED DA ICCUE	14.12.18	DD	CD
F E	REVISED DA ISSUE ISSUE FOR COUNCIL INFORMATION	01.12.2017	DR JR	CB CB
D	DA ISSUE FOR CLIENT REVIEW	13.06.2017	JR	JR
С	ISSUE FOR COORDINATION	04.05.2017	JR	CB
В	PRELIMINARY ISSUE FOR CLIENT REVIEW		JR	CB
A	PRELIMINARY DA ISSUE FOR CLIENT REVIEW	05.04.2017	JR	СВ
Issue	Description	Date	Chk	Auth
Archit	ect			
dwp	Australia			
	v.dwp.com			
Projec	ct care			
	erdeen Valley Fair			
	erdeen Valley Fair			
Abe	erdeen Valley Fair			
Abe	erdeen Valley Fair			
Abe Locati Abe	erdeen Valley Fair rdeen Valley Fair, rdeen NSW 2336			
Abe	erdeen Valley Fair rdeen Valley Fair, rdeen NSW 2336			
Abe Locati Abe Abe	erdeen Valley Fair rdeen Valley Fair, rdeen NSW 2336			
Abe Locati Abe Abe	erdeen Valley Fair rdeen Valley Fair, rdeen NSW 2336 ef Investments Pty Ltd			

Date Printed

14-Dec-18 11:50:55 AM

As indicated @ A1



AMENITIES

Project Number

Drawing Number A012

203596