LEGEND & SCHEDULE

1. ALL FINAL PLANT QUANTITIES INDICATED ON PLANS SHALL BE CHECKED AND VERIFIED BY SUCCESSFUL LANDSCAPE CONTRACTOR. 2. ANY PLANT SUBSTITUTES REQUIRED DUE TO UNAVAILABILITY SHALL BE RECOMMENDED BY THE LANDSCAPE CONTRACTOR TO BEST MATCH SUBSTITUTED PLANTS

AND APPROVED PRIOR TO PURCHASING BY THE LANDSCAPE ARCHITECT

- 3. WORKS CERTIFIED FOR FINAL OCCUPANCY CERTIFICATE ARE TO MATCH APPROVED LANDSCAPE PLANS.
- 4. LANDSCAPE CONTRACTOR SHALL LOCATE AND AVOID SITE STORM WATER & DRAINAGE SERVICES. LOCATE TREES A MINIMUM 1.25M FROM PITS 5. ALL PLANTING AROUND EXISTING TREES SHALL BE ADJUSTED TO AVOID DAMAGE AND CLASHING WITH SURFACE ROOTS

TREES



Botanical Name: Magnolia grandiflora 'Little Gem' **Common Name:** Bull Bay Magnolia (Exotic) 100Lt Pot size: Mature H x S: 6m x 3m Qty Required: 6 **Botanical Name:** *Pyrus calleryana 'Chanticleer'* **Common Name:** Chanticleer Pear (Exotic) Pot size: 200Lt Mature H x S: 11m x 5m Qty Required: 3 **Botanical Name:** Acer palmatum 'Atropurpureum'

Common Name: Purple Japanese maple (Exotic)

100Lt

Botanical Name: Waterhousia 'Sweeper'

Common Name: Weeping Myrtle (Native)

100Lt

Botanical Name: Syzygium australe 'Pinnacle'

Common Name: Pinnacle Lilly Pilly (Native)

200mm

300mm

3

Mature H x S: 6m x 5m Qty Required: 4

Mature H x S: 6-8m x 3-4m

Mature H x S: 6-8m x 1-1.5m

Mature H x S: 1.5m x 1m

Qty Required: 31

Qty Required: 23

Pot size:

Pot size:

SHRUBS AND HEDGES

Pot size:

Pot size:

Pot size:

Pot size:

Qty Required:





S + GROUN	DCOVERS
Botanical Name:	<i>Dianella tasmanica 'Tasred'</i>
Common Name:	Tasred Flax Lily (Native)
Pot size:	150mm
Mature H x S:	0.6m x 0.65m
Qty Required:	22
Botanical Name:	<i>Dietes grandiflora</i>
Common Name:	Fortnight Lily (Exotic)
Pot size:	140mm
Mature H x S:	0.9m x 0.8m
Qty Required:	80
Botanical Name:	<i>Trachelospermum Jasminoides</i>
Common Name:	Star Jasmine (Exotic)
Pot size:	140mm
Mature H x S:	0.3m x 0.6m
Qty Required:	5/m2 (45.4m2 total)
Shade Groundco Ophiopogon japon Viola hederacea Dichondra repens Pot size: Mature H x S: Qty Required:	
	Botanical Name: Common Name: Pot size: Mature H x S: Qty Required: Botanical Name: Common Name: Pot size: Mature H x S: Qty Required: Botanical Name: Common Name: Pot size: Mature H x S: Qty Required: Shade Groundco Ophiopogon japon Viola hederacea Dichondra repens Pot size: Mature H x S:

EXISTING VEGETATION



Existing trees proposed to be retained and protected

MATERIAL FINISHES

Architect



Retaining / raised planter wall - refer detail

BBQ facility - refer detail

Picnic Table Set - refer detail

Composite timber decking to manu. spec

-7 A. 'Hedge Master' - 6 D. excelsa - 8 A. imperialis 'Rubra'

> - 30 m2 T. iasminoides - 9 z. furfuracea

- 3 A.imperialis 'Rubra'

- 1.2m2 T. jasminoides

- 5 Euphorbia 'Firesticks'

Planting to pedestrian path:

in paving

planter:

- 4 A. palmatum

- 20 C. 'Grey Star'

- 32 D. grandiflora

- 9 z. furfuracea

raised planter:

raised planter: - 3 W. 'Sweeper'

- 16 C. 'Grey Star'

- 11 R. excelsa

- 6 z. furfuracea

COS to include:

- Picnic table set

- BBQ facility

raised planter

raised planter:

- 3 P. 'Chanticleer

- 18 P. 'Xanadu'

- 6 m2 T. jasminoides

Screen planting in higher

Mass planting in lower COS

- 11 S. australe 'Pinnacle'

-Composite timber decking

- Integrated bench seat to

Mass planting in higher COS

- 48 D. grandiflora

raised planter:

Accent planting in top

- 5 Euphorbia 'Firesticks'

- 3 m2 T. jasminoides

TAKE

ATED GATE



SETBACK





Plumeria acutifolia





RCHITE

PTW

Automatic irrigation shall be installed for raised planter area to ensure a sustainable landscape is achieved. Shop drawing to be provided by licensed irrigation consultants

GENERAL NOTE:

igured dimensions take preference to scale readings. Verify all dimensions on If so, Conzept is not liable for any loss, damage, harm or inju site. PDF'd plans may vary slightly in Scale for that indicated on plans. Report any whether special, consequential, direct or indirect, suffered by repancies to the Landscape Architect before proceeding with the work. you or any other person as a result of your use of this drawing C Copyright R. L Frew Landscape Architectural Services T/A CONZEPT for construction purposes. This drawing is protected by copyright. All rights are reserved. Unless permitted under the Copyright Act 1968, no part of this drawing may in any form or by any means he reproduced unlikehot broadcast or transmitted without the norice. means be reproduced, published, broadcast or transmitted without the prior retain the right to withdraw this information from the Iteration be reproduced, published, and an analysis of the status of this drawing is not signed off For Construction it may be subject the notification period.

to change, alteration or amendment at the discretion of our office.

rocess if such payments are not made following AILA Associate



Bar S	Scale				
0	2	4	6	8	10n









LANDSCAPE PLAN NOTES

This plan should be read in conjunction with the architectural and hydraulics plans. Work specific to these plans should be prepared in accordance to these plans, including specification and details prior to the installation of landscaping, and should not be altered or compromised during landscape construction. Retaining wall

details to engineers design. Elements such as drainage swales may be incorporated in garden bed areas (using non-floatable mulch) without compromising the capacity or form.

This plan has been prepared for DA approval only, not for construction.

This plan has been prepared with reference to *Marrickbille* Councils Landscaping Guidelines & requirements. Planting proposed using commercially available plant species selected from local planting lists and the BASIX local plant list and from Sydney Waters "Plant Selector" web site one-drip rated native plants (acceptable for Basix planting).

The Design & location of new letter boxes shall be in accordance with Australia Post's "Requirements for Delivery of Mail to Residential Premises" published Feb '97. All noxious weeds listed in Councils weed lists & located on the site shall be continually removed & suppressed. Reinstate all boundary fencing in poor condition with Council approved 1.8m fencing to rear of building line, rake to 1m forward of BL. Pollution, sediment & erosion control devices as specified shall be in place, and maintained for the duration of the construction period. Proposed excavation near existing established trees to be supervised by arborist.

D.A approved landscape plan's are required to be constructed as approved to obtain occupancy certificate. *Permeable areas may* be indicated to achieve site coverage restrictions & should be constructed as drawn on this plan.

Botanical Name: Acmena smithii 'Hedge Master' **Common Name:** Lilly Pilly (Native) **Botanical Name:** Doryanthes excelsa

ACCENT PLANTS



Botanical Name: Euphorbia tirucalli 'Firesticks' Pot size:

Common Name: Firesticks (Exotic) 300mm Mature H x S: 0.7m x 0.7m Qty Required: 24

Common Name: Never-never Plant (Exotic) 300mm Mature H x S: 0.5m x 0.5m

Botanical Name: Alcantarea imperialis 'Rubra' **Common Name:** Ruby Imperial Bromeliad (Exotic) 300mm Mature H x S: 0.8m x 0.9m

Botanical Name: *Philodendron 'Xanadu'* **Common Name:** Xanadu Plant (Exotic) 200mm Mature H x S: 0.7m x 0.7m

Botanical Name: Rhaphis excelsa **Common Name:** Rhaphis Palm (Exotic) 200mm

Botanical Name: Zamia furfuracea **Common Name:** Cardboard Palm (Exotic) 200mm

Pot size: **Mature H x S:** 3m x 1.5m Qty Required: 41







Pot size: Mature H x S: 1m x 1.25m Qty Required: 31

Pot size:





Pot size:

Qty Required: 25

Mature H x S: 1.1m x 1m

Common Name: Gymea Lily (Native)

45L

Botanical Name: Ctenanthe setosa 'Grey Star'

Qty Required: 51

Qty Required: 47



Trees proposed to be removed and replaced with new landscaping

Paving - Finishes to be nom by















Acer palmatum 'Atropurpureum'

	TITLE:		STATUS:	
	LANDSCAPE PLAN [GROUND FLOOR]		DEVELOPMENT APPLICATION	
			SCALE:	DATE:
			1:150 @ A1	OCTOBER 2015
	DWG.No:	PAGE NUMBER:	DRAWN:	CHECKED:
	LPDA 16 - 202	1	E.W/D.K	R.F

LEGEND & SCHEDULE

NOTES:

1. ALL FINAL PLANT QUANTITIES INDICATED ON PLANS SHALL BE CHECKED AND VERIFIED BY SUCCESSFUL LANDSCAPE CONTRACTOR.

- 2. ANY PLANT SUBSTITUTES REQUIRED DUE TO UNAVAILABILITY SHALL BE
- RECOMMENDED BY THE LANDSCAPE CONTRACTOR TO BEST MATCH SUBSTITUTED PLANTS AND APPROVED PRIOR TO PURCHASING BY THE

LANDSCAPE ARCHITECT.

- 3. WORKS CERTIFIED FOR FINAL OCCUPANCY CERTIFICATE ARE TO MATCH
- APPROVED LANDSCAPE PLANS. 4. LANDSCAPE CONTRACTOR SHALL LOCATE AND AVOID SITE STORM WATER &
- DRAINAGE SERVICES. LOCATE TREES A MINIMUM 1.25M FROM PITS
- 5. ALL PLANTING AROUND EXISTING TREES SHALL BE ADJUSTED TO AVOID DAMAGE AND CLASHING WITH SURFACE ROOTS

TREES



Botanical Name: Plumeria acutifolia Common Name: Frangipani (Exotic) Pot size: 75Lt Mature H x S: 5m x 4m Qty Required: 5 Botanical Name: Banksia serrata **Common Name:** Old Man Banksia (Native) Pot size: 45Lt

Mature H x S: 5m x 3m Qty Required: 5

SHRUBS AND HEDGES

Pot size:



Botanical Name:	<i>Metrosideros</i> 'Fiji Fire'
Common Name:	NZ Christmas Bush (Exotic)
Pot size:	300mm
Mature H x S:	2.5m x 1m
Qty Required:	7
	<i>Westringia 'Mundi'</i> 'Mundi' Westringia (Native)

200mm Mature H x S: 0.4m x 0.5m Qty Required: 73

Botanical Name: Banksia spinulosa 'Birthday Candles' **Common Name:** Banksia Birthday Candles (Native) 200mm Pot size: Mature H x S: 0.6m x 0.9m Qty Required: 47

ACCENT PLANTS

Pot size:

Pot size:



Botanical Name: Cordyline 'Red Fountain' **Common Name:** Red Fountain Cordyline (Exotic) 200mm Mature H x S: 800mm x 800mm Qty Required: 24 Botanical Name: Strelitzia juncea

Common Name: Rush-leaved Strelitzia (Exotic) 200mm Mature H x S: 1.5m x 1m Qty Required: 42

GRASSES + GROUNDCOVERS



Common Name: Aussie Rambler Pigface (Native) 140mm Mature H x S: 0.25m x spreading Qty Required: 7/m2 (143m2 total)

MATERIAL FINISHES



Paving - refer detail

Retaining / raised planter wall - refer detail

Bench seat - refer detail



Picnic Table Set - refer detail

Timber seat fixed to raised planter - refer detail

Selected moveable contemporary outdoor leisure

lounge & stools to Manu. spec

Automatic irrigation shall be installed for raised planter area to ensure a sustainable landscape is achieved. Shop drawing to be provided by licensed irrigation consultants

GENERAL NOTE: Figured dimensions take preference to scale readings. Verify all dimensions on If so, Conzept is not liable for any loss, damage, harm or inju site. PDF'd plans may vary slightly in Scale for that indicated on plans. Report any whether special, consequential, direct or indirect, suffered by epancies to the Landscape Architect before proceeding with the work. you or any other person as a result of your use of the C Copyright R. L Frew Landscape Architectural Services T/A CONZEPT for construction purposes. This drawing is protected by copyright. All rights are reserved. Unless permitted under the Copyright Act 1968, no part of this drawing may in any form or by any list of this drawing may in any form or by any means be reproduced, published, broadcast or transmitted without the prior written permission of the copyright owner. If the Status of this drawing is not signed off For Construction it may be subject

to change, alteration or amendment at the discretion of our office.

These plans and associated IP remain the prop until such time as all agreed payments are made in full. We retain the right to withdraw this information from the assessment process if such payments are not made following the notification period.





LANDSCAPE PLAN NOTES

This plan should be read in conjunction with the architectural and hydraulics plans. Work specific to these plans should be prepared in accordance to these plans, including specification and details prior to the installation of landscaping, and should not be altered or compromised during landscape construction. Retaining wall details to engineers design.

This plan has been prepared for DA approval only, not for construction.

This plan has been prepared with reference to *Marrickbille Councils* Landscaping Guidelines & requirements. Planting proposed using commercially available plant species selected

The Design & location of new letter boxes shall be in accordance with Australia Post's "Requirements for Delivery of Mail to Residential Premises" published Feb '97. All noxious weeds listed in Councils weed lists & located on the site shall be continually removed & suppressed. Reinstate all boundary fencing in poor condition with Council approved 1.8m fencing to rear of building line, rake to 1m forward of BL. Pollution, sediment & erosion control devices as specified shall be in place, and maintained for the duration of the construction period. Proposed excavation near existing established trees to be supervised by arborist.

D.A approved landscape plan's are required to be constructed as approved to obtain occupancy certificate. *Permeable areas may be indicated to achieve site coverage* restrictions & should be constructed as drawn on this plan.









Banksia serrata

REV DATE



PROJECT

Strelitzia juncea

NOTATION/AMENDMENT

Carpobrotus 'Aussie Rambler'



COUNCIL MARRICKBILLE Suit 101, 506 Miller Street, MERAY NSW 2062 Phone: 9922 5312 CLIENT Mob: 0413 861 351 www.conzept.net.au nquiries@conzept.net.au

McGILL ADVANCE MANAGEMENT

A 30.10.15 Preliminary DA prepared for review B 27.01.17 Co-ordinated with new Architectural C 03.03.17 Co-ordinated with new Architectural D 10.03.17 Revised Landscape to comply with preliminary letter E 26.05.17 Revised Landscape concept F 07.11.17 Revised Landscape concept

4-12 McGILL STREET, LEWISHAM NSW

DEVELOPEMNT

PROPOSED APARTMENT



LANDSCAPE PLAN		DEVELOPMENT APPLICATION	
[BUILDING A	ROOFTOP]	scale: 1:100 @ A1	date: MAY 2016
DWG.No:	PAGE NUMBER:	DRAWN:	CHECKED:
LPDA 16 - 202	2	E.W/D.K	R.F

LANDSCAPE WORK SPECIFICATION

PRELIMINARIES

1.01 GENERAL

The following general conditions should be considered prior to the commencement of landscape works

- The landscape plans should be read in conjunction with the architectural plans, hydraulic plans, service plans and survey prepared for the proposed development. All services including existing drainage should be accurately located prior to the commencement of landscape
- installation. Any proposed tree planting which falls close to services will be relocated on site under the instruction of the landscape architect. Installation of conduit for required irrigation, electrical and other services shall be completed prior to the
- commencement of hardscape works and hardstand pours. All outdoor lighting specified by architect or client to be installed by qualified electrician
- Anomalies that occur in these plans should be brought to our immediate attention. Where an Australian Standard applies for any landscape material testing or installation technique, that

standard shall be followed.

1.02 PROTECTION OF ADJACENT FINISHES

The Contractor shall take all precautions to prevent damage to all or any adjacent finishes by providing adequate protection to these areas / surfaces prior to the commencement of the Works

1.03 PROTECTION OF EXISTING TREES

Existing trees identified to be retained shall be done so in accordance with NATSPEC Guide 2 "A Guide to Assessing

Tree Quality". Where general works are occurring around such trees, or pruning is required, a qualified Arborist shall be engaged to oversee such works and manage tree health. Existing trees designated on the drawing for retention shall be protected at all times during the construction period. Any

soil within the drip-line of existing trees shall be excavated and removed by hand only. No stockpiling shall occur within the root zone of existing trees to be retained.

Any roots larger in diameter than 50mm shall only be severed under instruction by a qualified arborist. Roots smaller than 50mm diameter shall be cut cleanly with a saw.

Temporary fencing shall be installed around the base of all trees to be retained prior to the commencement of landscape works. Where possible this fencing will be located around the drip line of these trees, or a minimum of 3m from the trunk. The fencing shall be maintained for the full construction period.

1.04 EROSION & POLLUTION CONTROL

The Contractor shall take all proper precautions to prevent the erosion of soil from the subject site. The contractor shall install erosion & sediment control barriers and as required by council, and maintain these barriers throughout the construction period. Note that the sediment control measures adopted should reflect the soil type and erosion characteristics of the site.

Erosion & pollution control measures shall incorporate the following:

- Construction of a sediment trap at the vehicle access point to the subject site. - Sediment fencing using a geotextile filter fabric in the location indicated on the erosion control plan or as instructed on site by the landscape architect

- Earth banks to prevent scour of stockpiles Sandbag kerb sediment traps

- Straw bale & geotextile sediment filter.

- Exposed banks shall be pegged with an approved Jute matting in preparation for mass planting

Refer to "Sitewise Reference Kit" as prepared by DLWC & WSROC (1997) for construction techniques SOIL WORKS

2.01 MATERIALS

Specified Soil Conditioner (Generally to improve site soil)

The specified soil conditioner for site top-soil improvement shall be an organic mix, equal to "Botany Humus", as supplied by ANL. Note that for sites where soil testing indicates toxins or extremes in pH, or soils that are extremely poor, allow to excavate and supply 300mm of imported soil mix.

New gardens & proposed Planting

New garden and planting areas shall consist of a 50/50 mix of clean site soil (refer d) below) and imported "Organic Garden Mix" as supplied by ANL or approved equal. All mixes are to comply with AS 4419 Soils for landscaping & garden use, & AS 4454 Composts, Soil conditioners & mulches.

Specified Soil Mix - Tur

The specified soil mix for all turf areas shall be a min 75mm layer of imported soil mix consisting of 80% washed river sand (reasonably coarse), and 20% composted organic matter equivalent to mushroom compost or soil conditioner, or other approved lawn top dress.

Site Topsoil

Site topsoil is to be clean and free of unwanted matter such as gravel, clay lumps, grass, weeds, tree roots, sticks, rubbish and plastics, and any deleterious materials and materials toxic to plants. The topsoil must have a pH of between 5.5 and 7. Use 100% imported soil mix when site when site topsoil runs out.

2.02 INSTALLATION

a) Testing

All testing is to be conducted in accordance with AS 1289 Methods for testing soils for engineering purposes. Site soil shall be given a pH test prior to modifying to ensure conditions are appropriate for planting as stated above. Tests shall be taken in several areas where planting is proposed, and the pH shall be adjusted accordingly with sulphur or lime to

Note that a soil test conducted by the "Sydney Soil Lab" or approved equal shall be prepared for all commercial, industrial and multi-unit residential sites. The successful landscape contractor shall implement the recommendations of this test.

b) Set Out of Individual Trees & Mass Planting Areas

All individual tree planting positions and areas designated for mass planting shall be set out with stakes or another form of marking, ready for inspection and approval. Locate all services.

c) Establishing Subgrade Levels

Subgrade levels are defined as the finished base levels prior to the placement of the specified material (i.e. soil

conditioner). The following subgrade levels shall apply: Mass Planting Beds - 300mm below existing levels with specified imported soil mix. •

Turf areas - 100mm below finished surface level. Note that all subgrades shall consist of a relatively free draining natural material, consisting of site topsoil placed previously by the Civil Contractor. No builders waste material shall be acceptable.

d) Subgrade Cultivation

Cultivate all subgrades to a minimum depth of 100mm in all planting beds and all turf areas, ensuring a thorough breakup of the subgrade into a reasonably coarse tilth. Grade subgrades to provide falls to surface and subsurface drains, prior to the placement of the final specified soil mix.

e) Drainage Works

Install surface and subsurface drainage where required and as detailed on the drawing. Drain subsurface drains to outlets provided, with a minimum fall of 1:100 to outlets and / or service pits.

f) Placement and Preparation of Specified Soil Conditioner & Mixes. Trees in turf & beds - Holes shall be twice as wide as root ball and minimum 100mm deeper - backfill hole with •

50/50 mix of clean site soil and imported "Organic Garden Mix" as supplied by ANL or approved equal Mass Planting Beds - Install specified soil conditioner to a compacted depth of 100mm

Place the specified soil conditioner to the required compacted depth and use a rotary hoe to thoroughly mix the conditioner into the top 300mm of garden bed soil. Ensure thorough mixing and the preparation of a reasonably fine tilth and good growing medium in preparation for planting.

Turf Areas - Install specified soil mix to a minimum compacted depth of 75mm. Place the specified soil mix to the required compacted depth and grade to required finished soil levels, in preparation for

planting and turfing.

PLANTING 3.01 MATERIALS

a) Quality and Size of Plant Material

All trees supplied above a 25L container size must be grown and planted in accordance with Clarke, R 1996 Purchasing Landscape Trees: A guide to assessing tree quality. Natspec Guide No. 2. Certification that trees have been grown to Natspec guidelines is to be provided upon request of Council's Tree Management Officer.

Above - Ground Assessment: The following plant quality assessment criteria should be followed:

Plant true to type, Good vigour and health, free from pest & disease, free from injury, self-supporting, good stem taper, has been pruned correctly, is apically dominant, has even crown symmetry, free from included bark & stem junctions, even trunk position in pot, good stem structure

Below - Ground Assessment:

Good root division & direction, rootball occupancy, rootball depth, height of crown, non-suckering For further explanation and description of these assessment criteria, refer to Ross Clark's book. All Plant material shall be to the type and size specified. No substitutions of plant material shall be permitted without written prior approval by the Landscape Architect. No plant shall be accepted which does not conform to the standards listed above.

b) Stakes and Ties

GENERAL NOTE:

Provide min. 3 No. Stakes and ties to all plants identified as trees in the plant schedule. Stakes shall be sound, unpainted, straight hardwood, free of knots and pointed at one end. They shall be 2200mm x 50mm x 50mm Hardwood, or approved alternative. Ties shall be 50mm wide hessian webbing material.

<u>d</u>e

AILA Associate

retain the right to withdraw this information from the Landscape Architects

ssessment process if such payments are not made following

BEFORE YOU D

Figured dimensions take preference to scale readings. Verify all dimensions on If so, Conzept is not liable for any loss, damage, harm or inju

site. PDF'd plans may vary slightly in Scale for that indicated on plans. Report any whether special, consequential, direct or indirect, suffered by repancies to the Landscape Architect before proceeding with the work. you or any other person as a result of your use of this drawing

C* Copyright H. L Here Landscape Architectural Services I/A CUNLEH This drawing is protected by copyright. All rights are reserved. Unless permitted under the Copyright Act 1968, no part of this drawing may in any form or by any means be arenquived published hordcards or transmitted without the run or unit such time as all agreed payments are made in full. We

C Copyright R. L Frew Landscape Architectural Services T/A CONZEPT

If the Status of this drawing is not signed off For Construction it may be subject the notification period.

means be reproduced, published, broadcast or transmitted without the prior

to change, alteration or amendment at the discretion of our office.

ritten permission of the copyright owner.

c) Fertilisers

Fertilisers shall be approved slow release fertilisers suitable for the proposed planting types. Note that for native plants, specifically Proteaceae family plants including Grevillea species, low phosphorus fertilizers shall be used.

Mulch shall be an approved equal to "Forest Blend" as supplied by ANL. Mulch shall be completely free from any soil, weeds, rubbish or other debris.

e) Turf

Turf shall be "Sir Walter" Buffalo or equivalent (unless stated otherwise), free from any weeds and other grasses, and be in a healthy growing condition.

3.02 INSTALLATION a) Setting Out

All planting set out shall be in strict accordance with the drawings, or as directed. Note that proposed tree planting located near services should be adjusted at this stage. Notify Landscape Architect for inspection for approval prior to planting.

b) Planting

All plant material shall be planted as soon after delivery as possible. Planting holes for trees shall be excavated as detailed and specified. Plant containers shall be removed and discarded, and the outer roots gently teased from the soil mass. Immediately set plant in hole and backfill with specified soil mix, incorporating the approved quantity of fertiliser for each plant type. Ensure that plants are set plumb vertically and root balls set to the consolidated finished grades detailed on the drawings. Compact the backfilled soil and saturate by hand watering to expel any remaining air pockets immediately after planting.

c) Staking and Tying

Staking and tying shall be in strict accordance with the drawings and shall occur immediately following plant placement and soil backfilling. All plants identified as "Trees" on the planting schedule shall be staked with a min. 3 stakes. d) Mulching

Mulch should be spread so that a compacted thickness of 75mm is achieved after settlement in all planting beds and around each individual plant. Apply immediately following planting and watering in, ensuring that a 50mm radius is maintained around the trunk of each plant . There shall be no mixing of soil and mulch material.

e) Turfing

Moisten soil prior to the turf being laid. Turf shall be neatly butt jointed and true to grade to finish flush with adjacent surfaces. Incorporate a lawn fertilizer and thoroughly water in. Keep turf moist until roots have taken and sods/rolls cannot be lifted. Keep all traffic off turf until this has occurred. Allow for top dressing of all turf areas. All turf shall be rolled immediately following installation.

f) Steel edging

The Contractor shall install steel edging as detailed on the drawings, to all mass planting beds adjoining turf or gravel mulched areas, and where required. The resultant edge shall be true to line and flush with adjacent surfaces. HARDSCAPE WORKS

4.01 GENERAL

The Contractor shall undertake the installation of all hardscape works as detailed on the drawing, or where not detailed,

by manufacturers specification Paving - refer to typical details provided, and applicable Australian Standards. Permeable paving may be used as a suitable means of satisfying Council permeable surface requirements, while providing a useable,

hardwearing, practical surface. In most instances, the client shall nominate the appropriate paving material to Australian Standards shall be adhered to in relation to all concrete, masonry & metal work. Some details are typical and may vary on site. All hardscape works shall be setout as per the drawings, and inspected and approved by the Landscape Architect prior to installation. All workmanship shall be of the highest standard. Any queries or problems that arise from hardscape variations should be bought to the attention of the Landscape Architect. Your attention is directed to any obligations or responsibilities under the Dividing Fences Act, 1991 in respect of adjoining property owner/s which may arise from this application. Any enquiries in this regard may be made to the Crown Lands Division on (02) 8836 5332.

IRRIGATION WORKS

5.01 GENERAL (PERFORMANCE SPECIFICATION)

New irrigation systems to planting areas shall be a Commercial Grade Irrigation System conforming to all relevant Australian standards, including AS 3500 & the Electrical Safety Act 2002, Workplace Health & Safety Act 1995, & the latest Sydney Water Code

An automated drip-irrigation system is to be installed to all gardens, planters and lawn areas in accordance with the approved Irrigation Design. This system shall be designed and installed by a qualified and licensed irrigation specialist, to the highest industry standards and to maximise the efficient usage of water.

The Installer is required to obtain all approvals necessary for the completion of works in accordance with the Laws of Australia, Laws of the State of NSW, Marrickbille Council By-Laws and Ordinances.

Drawings: - The Landscape Contractor nominated Licensed Irrigation Specialist shall provide irrigation drawings for approval upon

engagement.

Design Requirements: - The irrigation system shall be installed prior to all planting works. It shall incorporate a commercially available irrigation system, with sub-surface dripper lines to irrigate all gardens, planters and lawn areas. - It shall incorporate a suitable back flow prevention device for the scale of works, an in-line filter, check valves, and suitable high and low density poly hose fittings and PVC piping to achieve flow rates suitable for specified planting. - The irrigation application rate shall not exceed the infiltration rate of the soil or creates run-off.

- The landscape contractor shall check the existing pressure available from the ring mains and size irrigation piping to suit. Supply shall be from local hose cock where available. - All piping and fittings shall be buried 50mm below the finished soil levels in garden and lawn areas, and secured in

position at 500mm centres with galv wire pins. - Size of pipes shall be selected to ensure the working pressure at the end of the line does not decrease by more than

Services Co-ordination: - Co-ordination required by Landscape Contractor or Project Manager to provide required conduit, pipe work and

immediately rectified.

Further Documentation:

CONSOLIDATION AND MAINTENANCE

Warranty :

6.01 GENERAL

penetration through slabs and planter walls for water and power provisions. - The Landscape Contractor shall be engaged with the Irrigation Specialist to co-ordinate with the Project Manager to identify the preferred service and conduit locations.

- Project Manager and Landscape Contractor to establish area suitable for irrigation control system with required area, power provision and water supply

Testing & Defects: Upon completion of installation, the system shall be tested, including:

- Main Line Pressure Test: The main line is pressurised to test for leaks. All valves are shut and the pressure is taken over a determined length of time

capacity or efficiency of the system decline during the agreed maintenance system, then these faults shall be

- A full 12 month warranty shall be included to cover labour and all parts.

- On request, a detailed irrigation performance specification report can be issued.

This shall include, but not be limited to, the following items where and as required:

• Mowing lawns & trimming edges each 14 days in summer or 18 days in winter

superintendent or landscape architect, the responsibility will be signed over to the client.

Watering all planting and lawn areas / irrigation maintenance.

• Maintenance of all paving, retaining and hardscape elements.

• Clearing litter and other debris from landscaped areas. • Removing weeds, pruning and general plant maintenance.

• Replacement of damaged, stolen or unhealthy plants.

Make good areas of soil subsidence or erosion.

• Spray / treatment for Insect and disease control.

• Fertilizing with approved fertilizers at correct rates.

Topping up of mulched areas.

Adjusting ties to Stakes

- Dripper Pressure Test: Measurement at flushing valves are taken and the pressure gauged to make sure it conforms to the manufacturer recommendations. The inlet pressure is then tested under the same conditions to check it does not exceed 300Kpa. - All components are to be satisfactorily functional and operational prior to approval. Should any defect develop, or the

The consolidation and maintenance period shall be 12 months beginning from the approved completion of the specified

works by accepted landscaping or horticultural practices, ensuring that all plants are in optimum growing conditions and

construction work (Practical Completion). A qualified landscape maintenance contractor shall undertake the required

landscape maintenance works. Consolidation and maintenance shall mean the care and maintenance of Contracted

On the completion of the maintenance period, the landscape works shall be inspected and at the satisfaction of the

ARCHITEC

PTW

appearance at all times, as well as rectifying any defects that become apparent in the contracted works.



TREE PROTECTION ZONE





TYPICAL SETBACK FROM LAWN/GARDEN EDGE

75mm DEPTH "FOREST BLEND" MULCH OR EQUIVALENT SOIL MIX:

50% OF STOCKPILED SITE TOPSOIL FREE FROM ALL BUILDER'S RUBBISH AND DELETERIOUS MATERIALS. TOPSOIL TO BE MIXED WITH MINIMUM 50% IMPORTED GARDEN MIX OR SOIL CONDITIONER/ COMPOSTED ORGANIC MATTER - SEE SPEC. USE 100% IMPORTED SOIL MIX WHEN SITE TOPSOIL RUNS OUT

TYPICAL GARDEN PREPARATION DETAIL

SCALE 1:10



CONCRETE PLANTER ON SLAB DETAIL SCALE: 1:15

LANDSCAPE ARCHITEC NOTATION/AMENDMENT REV DATE COUNCIL A 30.10.15 Preliminary DA prepared for review PROPOSED APARTMENT MARRICKBILLE Suit 101, 506 Miller Street MERAY NSW 206 B 27.01.17 Co-ordinated with new Architectural DEVELOPEMNT 03.03.17 Co-ordinated with new Architectural Phone: 9922 5312 ax: 8209 4982 D 10.03.17 Revised Landscape to comply with preliminary letter CLIENT Mob: 0413 861 351 4-12 McGILL STREET McGILL ADVANCE MANAGEMENT www.conzept.net.au LEWISHAM NSW enquiries@conzept.net.au Landscape Architects

1. CHAIN WIRE MESH PANELS WITH SHADE CLOTH (IF REQUIRED) ATTACHED, HELD IN PLACE WITH CONCRETE FEET

2. ALTERNATIVE PLYWOOD OR WOODEN PALING FENCE PANELS. THE FENCING MATERIAL ALSO PREVENTS **BUILDING MATERIALS OR SOIL** ENTERING THE TPZ

3. MULCH INSTALLATION ACROSS SURFACE OF TPZ (AT THE DISCRETION OF THE PROJECT ARBORIST). NO EXCAVATION, CONSTRUCTION ACTIVITY, GRADE CHANGES, SURFACE TREATMENT OR STORAGE OF MATERIALS OF ANY KIND IS PERMITTED WITHIN THE TPZ

4. BRACING IS PERMISSIBLE WITHIN THE TPZ. INSTALLATION OF SUPPORTS TO AVOID DAMAGING ROOTS

PROVIDE FENCING AS DETAILED TO ALL TREES PROPOSED TO BE RETAINED ON THE SUBJECT SITE. FENCING TO BE LOCATED TO THE DRIP LINE OF TREES OR AS INDICATED ON PLANS OR DIRECTED ON-SITE BY ARBORIST. NO STOCKPILING WITHIN FENCE PERIMETERS.

> -STAGGERED PLANTING TO SPECIFIED DENSITIES AS SHOWN PLANTS AS PER SCHEDULE

MASS PLANTING SETOUT N.T.S

APPROVED & CERTIFIED FRAMELESS GLASS BALUSTRADE

MIN. HEIGHT ACHIEVE BCA + AS FOR SAFETY

75mm DEPTH DECORATIVE PEBBLE MULCH

150MM WIDE INSITU CONCRETE PLANTER WALL TO ENG'S DETAILS. CLASS 1 APPROVED EXPOSED AGGREGATE CONCRETE

APPLY WELDED WATERPROOF MEMBRANE TO WALLS AND BASE OF ALL PLANTERS. CORE FLUTE OR PROTECTION BOARD TO BE INSTALLED OVER WATERPROOF LINER APPROVED 50MM DRAINAGE CELL TO WALLS AND BASE PROVIDE FILTER FABRIC OVER DRAINAGE CELL

CEMENT SCREED TO BASE OF ALL PLANTERS TO PROVIDE MIN. 2% FALL TO DRAINAGE POINTS AS PER HYDRAULIC ENG'S DETAILS REFER LANDSCAPE PLAN FOR TREE SPECIES, POT SIZES AND QUANTITIES

COUNCIL APPROVED TREE GUARD TO ALL STREET TREES.

CONCRETE HAUNCH TO HEADER COURSE.

PAVING TO PEDESTRIAN PATH TO ARCHITECT DETAILS. PERMEABLE PAVING MAY BE PROPOSED STRUCTURAL SOIL TO MANU.SPEC

REFER TO BENEDICT SMARTMIX No. 3, 40mm STRUCTURAL SOIL MIX DATA SHEET FOR SOIL SPECIFICATION OR SIMIALR



****SPECIFICATION & DETAIL & CALCULATION		গে টিছ েVELOPMENT APPLICATION	
		SCALE: AS NOTED @ A1	OCTOBER 2015
DWG.No:	PAGE NUMBER:	DRAWN:	CHECKED:
LPDA 16 - 202	4	E.W/D.K	R.F





ELEVATION

CONCRETE BENCH WITH WOOD COVERING

SCALE 1:20



AUSTRALIA. REFER MANUFACTURER'S SPECIFICATIONS & INSTRUCTIONS FOR INSTALLATION

LOOP STOOL BY CSA - PRODUCT **CODE: TM4633**

SCALE 1:20

GENERAL NOTE:

-1800 -ENVIROSLAT RECYCLED BATTENS 450 DARK GREY POWDERCOATED MILD STEEL FRAME BOLT DOWN FIXING

NOTE: DRAWING IS INDICATIVE ONLY. PRODUCT BY COMMERCIAL SYSTEMS AUSTRALIA. REFER MANUFACTURER'S SPECIFICATIONS & INSTRUCTIONS FOR INSTALLATION

LOOP BENCH BY CSA - PRODUCT CODE: TM4631 SCALE 1:20

Figured dimensions take preference to scale readings. Verify all dimensions on If so, Conzept is not liable for any loss, damage, harm or injury site. PDFd plans may vary slightly in Scale for that indicated on plans. Report any discrepancies to the Landscape Architect before proceeding with the work. you or any other person as a result of your use of this drawing discrepancies to the Landscape Architect before proceeding with the work. C Copyright R. L Frew Landscape Architectural Services T/A CONZEPT This drawing is protected by copyright. All rights are reserved. Unless permitted under the Copyright Act 1968, no part of this drawing may in any form or by any means be reproduced, published, broadcast or transmitted without the prior written permission of the copyright owner. written permission of the copyright owner. If the Status of this drawing is not signed off for Construction it may be subject to cheme a lutrating as considered at the direction of our office. AILA Associate to change, alteration or amendment at the discretion of our office.





ARCHITECT

IDSCAPE ARCHITECT:		COUNCIL	REV	DATE	NOTATION/AMENDMENT	PROJECT:
	Suit 101, 506 Miller Street,	MARRICKBILLE	Α	30.10.15	Preliminary DA prepared for review	PROPOSED APARTMENT
	CAMMERAY NSW 2062		В	27.01.17	Co-ordinated with new Architectural	
	Phone: 9922 5312		С	03.03.17	Co-ordinated with new Architectural	DEVELOPEMNT
Contont	Fax: 8209 4982 Mob: 0413 861 351	CLIENT	D	10.03.17	Revised Landscape to comply with preliminary letter	
Landscape Architects		McGILL ADVANCE MANAGEMENT				4-12 McGILL STREET,
	www.conzept.net.au enquiries@conzept.net.au					LEWISHAM NSW

-450-

t20



A-SERIES DOUBLE PUSH-START ELECTRIC BARBECUE - BY CHRISTIE SCALE 1:20

NOTE: DRAWING IS INDICATIVE ONLY. PRODUCT BY CHRISTIE PARKSAFE BARBECUES. REFER MANUFACTURER'S SPECIFICATIONS & INSTRUCTIONS FOR INSTALLATION









ODYSSEY PICNIC SETTING BY CSA - PRODUCT CODE: TM4170 SCALE 1:20

MANUFACTURER'S SPECIFICATIONS & INSTRUCTIONS FOR INSTALLATION

NOTE: DRAWING IS INDICATIVE ONLY. PRODUCT BY COMMERCIAL SYSTEMS AUSTRALIA. REFER







CHEN-SET

ANCHOR

REO BARS TO

BASE - REFER

TO ENGINEER

FOR DETAIL





TYPICAL DETAIL: INSITU CONCRETE SEATING & STEPPED WALL ON SLAB





'For advanced tree planting in high wind and rooftop locations, it is recommended that an approved root ball anchoring system equal to 'platipus anchors' shall be used. Install as per the manufacturers specification'



approx NTS

STATUS DETAIL 2 DEVELOPMENT APPLICATION OCTOBER 2015 AS NOTED @ A1 HECKED PAGE NUMBE R.F LPDA 16 - 202 5 E.W/D.K