







**REVISION\_I** 1:200 @ A1\_50% @ A3



email: rupert@carmichaelstudios.com.au



until approved. 09: GENERAL\_ All existing and proposed levels to be checked on site and confirmed with builder supervisor/landscape contractor prior to construction commencement. All existing hardscape element locations to be checked on site and confirmed with builder supervise or landscape architect prior to construction commencement. Position of all services on site to be confirmed prior to construction commencement. DRAWINGS PREPARED FOR DEVELOPMENT APPLICATION ONLY. NOT TO BE USED FOR CONSTRUCTION.

hoticultural practices as well as rectifying any defects during the establishment period. Work shall comply with the following Standards to the extent that they are relevant: SAA HB9 Occupational Personal Protection, AS3765 Clothing for protection against hazardous chemicals, AS4373 Pruning of Amenity Trees, AS 3743 Potting mixes, AS 4419 Soils for landscaping and garden use, AS 4454 Composts, soil conditioners and mulches, AS 1289.4 Soil chemical testing, AS/NZS 5667 Water Quality - Sampling. The Landscape Contractor shall maintain the works during the establishment period and make good all defects for a period of Thirteen [13] weeks after the date of practical completion. The period shall commence immediately after the installation of the plant material and continue for the duration specified above. Practical completion of the landscape works shall include but not be limited to the replacement of plants which have failed or been damaged or stolen during work under the contract. Landscape maintenanace shall include but not be limited to the following: watering, rubbish removal, spraying and wiping leaf surfaces, relacing failed plants, maintaining mulch, pruning, insect and desease control, cleaning of surrounding areas. Submit a maintenance program for the works prior to commencement. Amend program as required

access under branches and solar access. 07: IRRIGATION\_ Automatic irrigation watering system to be selected for all landscape areas. Install pumps, filters and all other necessary fittings to operate system. Irrigation system to conform with all Water Board, Blacktown Council and Australian Standards [AS]. All irrigation to be in ground dripline system. 08: MAINTENANCE\_ The Landscape Contractor shall maintain the contract site to accepted

05: FERTILISER\_ All planting areas to be fertilised with 9 month 'NPK' slow release fertiliser. 06: PLANTING\_ Planting holes for plant material should be large enough in size to take root ball with additional space to take back filling of good quality planting mix. Mature heights of proposed planting shown on planting plan show the height possible in ideal conditions. These heights are subject to particular site conditions, possible container environments and intended hedging or pruning for functional requirements such as available planting width, intended

existing plants must not be disturbed if possible. Any site works adjacent the tree protection zone [TPZ] should be carried out using hand tools. Vehicle access shall not be permitted within [3] metres of any tree. Refer toarborist report for more detail. 04: MULCH\_ All planting areas to be mulched with a minimum 75mm thick cover of "Forest Fines' mulch or similar approved. All mulched areas to be thoroughly soaked with water and to be free of all weed species.

weed species and ongoing weed management procedures. Light weight garden soil mixes are to be used for on structure planting. This soil mix is to consist of two light weight mixes: an upper layer (horizon A) of 300mm and a lower layer (horizon B). Material will have the general properties conforming to AS 4419 for a "natural soil". O3: SITE PREPARATION\_ Existing trees and vegetation to be retained shall be preserved and protected from damage of any sort during the execution of landscape work. Root systems of

Standards. 02: SOIL PREPARATION\_ All imported soil mixes are to conform to AS4419, AS 1289.4, AS 3743, AS4419, AS4454. For at grade planting, mix at least 300mm soil depth to planting areas to allow for finsh to design levels as nominated. Imported fill to be clean fill free of extraneous material and weed species. 300mm deep soil mix to be 200mm depth of good quality organic planting mix [A.N.L or approved equivalent] to be imported and combined with 100mm depth A.N.L Greenlife compost or approved equivalent. All soil to be free of


NOTES 01: STAKING\_ All tree staking to comply with City Of Sydney requirements and Australian

	BUILDING ABOVE SHOWN DOTTED
+ FL 13.60	PROPOSED FINISHED LEVEL
+ FFL 13.60	PROPOSED INTERNAL FINISHED FLOOR LEVEL
	PROPOSED TOP OF WALL LEVEL
	EXISTING LEVEL
	DELINEATION 'RAIL' TO COASTAL UPLAND SWAMP [EEC]
	INSITU SEATING WALL
	PROPOSED BENCH SEATING
	ENTRY POLE LIGHTING
	BOLLARDS/LIGHTING BIKE RACKS
PROGRAI	
01	PROPOSED MAIN PEDESTRIAN ACCESS POINT
02	ENTRY PEDESTRIAN PLAZA + FORECOURT
03	'GREEN WOODLAND' PEDESTRIAN ACCESS
-	CAFE COURTYARD NATIVE LANDSCAPE
04	CENTRAL COURTYARD NATIVE LANDSCAFE
06	SOUTHERN ENDEMIC 'GREEN WOODLAND' ENTRY LANDSCAPE
07	BIORETENTION/RAIN GARDEN/OSD NATIVE LANDSCAPE
08	NORTHERN ENDEMIC NATIVE LANDSCAPE WALKING TRAIL
09	HOSPITAL VEHICLE ENTRY DROP OFF/SHORT STAY ZONE
10	ROOF TOP/PODIUM COURTYARD
11	PASSIVE ACTIVITY + HEALING + CALMING SPACES
12	ELEVATED NORTHERN COURTYARDS/TERRACES
MATERIA	
	INSITU CONCRETE PEDESTRIAN ACCESS
and the second	INSITU CONCRETE VEHICLE ACCESS
	PROPOSED BLUESTONE PAVING TO PEDESTRIAN ENTRY, FORECOURT + ENTRY PLAZA
	PROPOSED BLUESTONE SETTS TO FORECOURT
	VEHICLE ENTRY AND DROP OFF ZONE
	PROPOSED GRAVEL/AGGREGATE AS FINISHED SURFACE
	PERMIABLE FRP DECKING TO PLANTING/RAIN GARDEN AREAS
	PROPOSED HARDWOOD TIMBER DECKING
	COMPACTED DECOMPOSED GRANITE
EXISTING	FLANT COMMUNITY ZONES
	EXISTING SYDNEY NORTH EXPOSED SANDSTONE WOODLAND
	PLANT COMMUNITY
	EXISTING DUFFYS FOREST PLANT COMMUNITY [EEC]
	EXISTING COASTAL SANDSTONE HEATH-MALEE PLANT
	COMMUNITY
	EXISTING COASTAL UPLAND DAMP HEATH SWAMP PLANT COMMUNITY [EEC]
PLANTIN	G PROPOSED
124	PROPOSED COASTAL SANDSTONE HEATH-MALEE
	MATRIX PLANTING BIORETENTION/RAIN GARDEN LANDSCAPE WITH COASTAL UPLAND DAMP HEATH SWAMP MATRIX PLANTING
	PROPOSED INTERNAL HOSPITAL NATIVE LANDSCAPE PLANTING
	PROPOSED SYDNEY NORTH EXPOSED SANDSTONE WOODLAND PLANT
	COMMUNITY MATRIX PLANTING
	PROPOSED LAWN ZONE WITH DUFFYS FOREST TREE CANOPY PLANTING
hy mores	PROPOSED ENDEMIC TREE PLANTING

----- BASEMENT BELOW SHOWN DOTTED

---- SITE BOUNDARY





CENTRAL LANDSCAPE PLAN DEVELOPMENT APPLICATION [NOT FOR CONSTRUCTION] \_LOT 02, LAROOL ROAD, TERRY HILLS, NSW, AUSTRALIA



REVISION\_G 1:200 @ A1\_50% @ A3

until approved.

SK 04



EXISTING COASTAL UPLAND DAMP HEATH SWAMP PLANT		
COMMUNITY [EEC]		
PLANTING PROPOSED		
PROPOSED COASTAL SANDSTONE HEATH-MALEE MATRIX PLANTING		
BIORETENTION/RAIN GARDEN LANDSCAPE WITH COASTAL UPLAND DAMP HEATH SWAMP MATRIX PLANTING		
PROPOSED INTERNAL HOSPITAL NATIVE LANDSCAPE PLANTING		
PROPOSED SYDNEY NORTH EXPOSED SANDSTONE WOODLAND PLANT COMMUNITY MATRIX PLANTING		
PROPOSED LAWN ZONE WITH DUFFYS FOREST TREE CANOPY PLANTING		
PROPOSED ENDEMIC TREE PLANTING		
NOTES		
01: STAKING_ All tree staking to comply with City Of Sydney requirements and Australian Standards.		
<ul> <li>O2: SOIL PREPARATION_ All imported soil mixes are to conform to AS4419, AS 1289.4, AS 3743, AS4419, AS4454. For at grade planting, mix at least 300mm soil depth to planting areas to allow for finsh to design levels as nominated. Imported fill to be clean fill free of extraneous material and weed species. 300mm deep soil mix to be 200mm depth of good quality organic planting mix [A.N.L or approved equivalent] to be imported and combined with 100mm depth A.N.L Greenlife compost or approved equivalent. All soil to be free of weed species and ongoing weed management procedures. Light weight garden soil mixes are to be used for on structure planting. This soil mix is to consist of two light weight mixes: an upper layer (horizon A) of 300mm and a lower layer (horizon B). Material will have the general properties conforming to AS 4419 for a "natural soil".</li> <li>O3: SITE PREPARATION_ Existing trees and vegetation to be retained shall be preserved and protected from damage of any sort during the execution of landscape work. Root systems of existing plants must not be disturbed if possible. Any site works adjacent the tree protection zone [TPZ] should be carried out using hand tools. Vehicle access shall not be permitted within</li> </ul>		
[3] metres of any tree. Refer toarborist report for more detail. O4: MULCH_ All planting areas to be mulched with a minimum 75mm thick cover of "Forest Fines' mulch or similar approved. All mulched areas to be thoroughly soaked with water and		
to be free of all weed species. 05: FERTILISER_ All planting areas to be fertilised with 9 month 'NPK' slow release fertiliser. 06: PLANTING_ Planting holes for plant material should be large enough in size to take root ball with additional space to take back filling of good quality planting mix. Mature heights of proposed planting shown on planting plan show the height possible in ideal conditions. These heights are subject to particular site conditions, possible container environments and intended		

heights are subject to particular site conditions, possible container environments and intended hedging or pruning for functional requirements such as available planting width, intended

07: IRRIGATION\_ Automatic irrigation watering system to be selected for all landscape areas. Install pumps, filters and all other necessary fittings to operate system. Irrigation system to conform with all Water Board, Blacktown Council and Australian Standards [AS]. All irrigation

08: MAINTENANCE\_ The Landscape Contractor shall maintain the contract site to accepted hoticultural practices as well as rectifying any defects during the establishment period. Work shall comply with the following Standards to the extent that they are relevant: SAA HB9


Occupational Personal Protection, AS3765 Clothing for protection against hazardous chemicals, AS4373 Pruning of Amenity Trees, AS 3743 Potting mixes, AS 4419 Soils for landscaping and garden use, AS 4454 Composts, soil conditioners and mulches, AS 1289.4 Soil chemical testing, AS/NZS 5667 Water Quality - Sampling. The Landscape Contractor shall maintain the works during the establishment period and make good all defects for a period of Thirteen [13] weeks after the date of practical completion. The period shall commence immediately after the installation of the plant material and continue for the duration specified above. Practical completion of the landscape works shall include but not be limited to the replacement of plants which have failed or been damaged or stolen during work under the contract. Landscape maintenanace shall include but not be limited to the following: watering, rubbish removal, spraying and wiping leaf surfaces, relacing failed plants, maintaining mulch, pruning, insect and desease control, cleaning of surrounding areas. Submit a maintenance program for the works prior to commencement. Amend program as required

09: GENERAL\_ All existing and proposed levels to be checked on site and confirmed with builder supervisor/landscape contractor prior to construction commencement. All existing hardscape element locations to be checked on site and confirmed with builder supervise or landscape architect prior to construction commencement. Position of all services on site to be confirmed prior to construction commencement. DRAWINGS PREPARED FOR DEVELOPMENT APPLICATION ONLY. NOT TO BE USED FOR CONSTRUCTION.

access under branches and solar access.

to be in ground dripline system.





BASEMENT BELOW SHOWN DOTTED - - - BUILDING ABOVE SHOWN DOTTED + FL 13.60 PROPOSED FINISHED LEVEL

+ TW 13.60 **PROPOSED TOP OF WALL LEVEL** 


+ FFL 13.60 PROPOSED INTERNAL FINISHED FLOOR LEVEL

------ DELINEATION 'RAIL' TO COASTAL UPLAND SWAMP [EEC]

--- SITE BOUNDARY

+ EL 13.60 EXISTING LEVEL





NORTHERN LANDSCAPE PLAN

DEVELOPMENT APPLICATION [NOT FOR CONSTRUCTION] \_LOT 02, LAROOL ROAD, TERRY HILLS, NSW, AUSTRALIA

HUSFILF	AL LANDSCAFE LEGEND
	SITE BOUNDARY
	BASEMENT BELOW SHOWN DOTTED
	BUILDING ABOVE SHOWN DOTTED
	PROPOSED FINISHED LEVEL
	PROPOSED INTERNAL FINISHED FLOOR LEVEL
	PROPOSED TOP OF WALL LEVEL
	EXISTING LEVEL
	DELINEATION 'RAIL' TO COASTAL UPLAND SWAMP [EEC]
	INSITU SEATING WALL PROPOSED BENCH SEATING
	ENTRY POLE LIGHTING
	BOLLARDS/LIGHTING
	BIKE RACKS
PROGRAM	N
01	PROPOSED MAIN PEDESTRIAN ACCESS POINT
02	ENTRY PEDESTRIAN PLAZA + FORECOURT
03	'GREEN WOODLAND' PEDESTRIAN ACCESS
04	CAFE COURTYARD NATIVE LANDSCAPE
05	CENTRAL COURTYARD NATIVE SHADE LANDSCAPE
06	SOUTHERN ENDEMIC 'GREEN WOODLAND' ENTRY LANDSCAPE
07	BIORETENTION/RAIN GARDEN/OSD NATIVE LANDSCAPE
08	NORTHERN ENDEMIC NATIVE LANDSCAPE WALKING TRAIL
09	HOSPITAL VEHICLE ENTRY DROP OFF/SHORT STAY ZONE
10	ROOF TOP/PODIUM COURTYARD
11	PASSIVE ACTIVITY + HEALING + CALMING SPACES
12	ELEVATED NORTHERN COURTYARDS/TERRACES
MATERIAL	_S
	INSITU CONCRETE PEDESTRIAN ACCESS
	INSITU CONCRETE VEHICLE ACCESS
	PROPOSED BLUESTONE PAVING TO PEDESTRIAN ENTRY,
1 1	FORECOURT + ENTRY PLAZA
	PROPOSED BLUESTONE SETTS TO FORECOURT VEHICLE ENTRY AND DROP OFF ZONE
1977	PROPOSED GRAVEL/AGGREGATE AS FINISHED SURFACE
	PERMIABLE FRP DECKING TO PLANTING/RAIN GARDEN AREAS
	PROPOSED HARDWOOD TIMBER DECKING
	COMPACTED DECOMPOSED GRANITE
EXISTING	PLANT COMMUNITY ZONES
	EXISTING SYDNEY NORTH EXPOSED SANDSTONE WOODLAND PLANT COMMUNITY
	EXISTING DUFFYS FOREST PLANT COMMUNITY [EEC]
	EXISTING COASTAL SANDSTONE HEATH-MALEE PLANT
	COMMUNITY
Ser.	EXISTING COASTAL UPLAND DAMP HEATH SWAMP PLANT COMMUNITY [EEC]
PLANTING	G PROPOSED
	PROPOSED COASTAL SANDSTONE HEATH-MALEE
5 7 2	MATRIX PLANTING
- And	BIORETENTION/RAIN GARDEN LANDSCAPE WITH COASTAL UPLAND DAMP HEATH SWAMP MATRIX PLANTING
	PROPOSED INTERNAL HOSPITAL NATIVE LANDSCAPE PLANTING
	PROPOSED SYDNEY NORTH EXPOSED SANDSTONE WOODLAND PLANT
	COMMUNITY MATRIX PLANTING

## NOTES

ζ·)

COMMUNITY MATRIX PLANTING

PROPOSED ENDEMIC TREE PLANTING

01: STAKING\_ All tree staking to comply with City Of Sydney requirements and Australian Standards. 02: SOIL PREPARATION\_ All imported soil mixes are to conform to AS4419, AS 1289.4, AS 3743, AS4419, AS4454. For at grade planting, mix at least 300mm soil depth to planting

PROPOSED LAWN ZONE WITH DUFFYS FOREST TREE CANOPY PLANTING

3743, AS4419, AS4454. For at grade planting, mix at least 300mm soil depth to planting areas to allow for finsh to design levels as nominated. Imported fill to be clean fill free of extraneous material and weed species. 300mm deep soil mix to be 200mm depth of good quality organic planting mix [A.N.L or approved equivalent] to be imported and combined with 100mm depth A.N.L Greenlife compost or approved equivalent. All soil to be free of weed species and ongoing weed management procedures. Light weight garden soil mixes are to be used for on structure planting. This soil mix is to consist of two light weight mixes: an upper layer (horizon A) of 300mm and a lower layer (horizon B). Material will have the

general properties conforming to AS 4419 for a "natural soil". O3: SITE PREPARATION\_ Existing trees and vegetation to be retained shall be preserved and protected from damage of any sort during the execution of landscape work. Root systems of existing plants must not be disturbed if possible. Any site works adjacent the tree protection zone [TPZ] should be carried out using hand tools. Vehicle access shall not be permitted within [3] metres of any tree. Refer toarborist report for more detail. O4: MULCH\_ All planting areas to be mulched with a minimum 75mm thick cover of "Forest

O4. Motech \_ All planning dreas to be indiched with a minimum 2 offin mine cover of roles.
Fines' mulch or similar approved. All mulched areas to be thoroughly soaked with water and to be free of all weed species.
O5: FERTILISER\_ All planning areas to be fertilised with 9 month 'NPK' slow release fertiliser.
O6: PLANTING\_ Planning holes for plant material should be large enough in size to take root bell with additional space to take back filling of good quality planting mix. Mature heights of

O6: PLANTING\_ Planting holes for plant material should be large enough in size to take root ball with additional space to take back filling of good quality planting mix. Mature heights of proposed planting shown on planting plan show the height possible in ideal conditions. These heights are subject to particular site conditions, possible container environments and intended hedging or pruning for functional requirements such as available planting width, intended access under branches and solar access.

07: IRRIGATION\_ Automatic irrigation watering system to be selected for all landscape areas. Install pumps, filters and all other necessary fittings to operate system. Irrigation system to conform with all Water Board, Blacktown Council and Australian Standards [AS]. All irrigation to be in ground dripline system.

08: MAINTENANCE\_ The Landscape Contractor shall maintain the contract site to accepted hoticultural practices as well as rectifying any defects during the establishment period. Work shall comply with the following Standards to the extent that they are relevant: SAA HB9 Occupational Personal Protection, AS3765 Clothing for protection against hazardous chemicals, AS4373 Pruning of Amenity Trees, AS 3743 Potting mixes, AS 4419 Soils for landscaping and garden use, AS 4454 Composts, soil conditioners and mulches, AS 1289.4 Soil chemical testing, AS/NZS 5667 Water Quality - Sampling. The Landscape Contractor shall maintain the works during the establishment period and make good all defects for a period of Thirteen [13] weeks after the date of practical completion. The period shall commence immediately after the installation of the plant material and continue for the duration specified above. Practical completion of the landscape works shall include but not be limited to the replacement of plants which have failed or been damaged or stolen during work under the contract. Landscape maintenanace shall include but not be limited to the following: watering, rubbish removal, spraying and wiping leaf surfaces, relacing failed plants, maintaining mulch, pruning, insect and desease control, cleaning of surrounding areas. Submit a maintenance program for the works prior to commencement. Amend program as required

until approved. 09: GENERAL\_All existing and proposed levels to be checked on site and confirmed with builder supervisor/landscape contractor prior to construction commencement. All existing hardscape element locations to be checked on site and confirmed with builder supervise or landscape architect prior to construction commencement. Position of all services on site to be confirmed prior to construction commencement. DRAWINGS PREPARED FOR DEVELOPMENT APPLICATION ONLY. NOT TO BE USED FOR CONSTRUCTION.





PO Box 510, Roselle, NSW, 2039, Australia ph: (02) 9810 0729 mob: 0412175439 email: rupert@carmichaelstudios.com.au

# PLANTING DESIGN PLAN





LEPTOSPERMUM GRANDIFOLIUM



### GAHNIA SIEBERIANA



GLOCHIDION FERDINANDI



# CORDYLINE STRICTA





LEPTOSPERMUM SQUARROSUM

# **COASTAL SANDSTONE HEATH-MALEE PLANTING**

COMMON NAME

Scribbly Gum

Dwarf Apple

Old Man Banksia

Red Bloodwood

Oyster Bay Pine

Dwarf Banksia

Heath Banksia

Red Bottlebrush

Pink Tea-tree

Dagger Hakea

Mountain Devil

Grass tree **Glasshouse Glory** 

Mat-rush

Coral Fern

Coral Heath

Wallum Heath

Zig-zag Bog-rush

COMMON NAME

Mountian Tea-tree

Swamp Banksia

Small-flower Grevillea Red Spider-flower

ESTIMATED POT SIZE

25L-75L

25L-75L

25L-75L

25L-75L

25L-75L

ube-150mm

tube-150mm

tube-150mm

tube-150mm tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm tube-150mm

relocated

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

25L-75L

25L-75L

25L-75L

25L-75L

tube-150mm tube-150mm tube-150mm

tube-150mm tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm tube-150mm tube-150mm

tube-150mm

ESTIMATED POT SIZE

BOTANICAL NAME TRFFS Eucalyptus haemastoma Angophora hispida Banksia serrata

Corymbia gummifera **Callitis rhomboidea** 

Banksia oblona Banksia paludosa Banksia ericifolia Grevillea parviflora Grevillea speciosa Callistemon citrunus Leptospermum grandifolium eptospermum squarrosum Hakea teretifolia Lambertia formosa GROUNDCOVERS/GRASSE Xanthorrhoea resinosa Dampiera stricta Lomandra obliqua Gleichenia dicarpa Epacris microphylla Epacris obtusifolia Schoenus brevifolius

# SYDNEY NORTH EXPOSED WOODLAND PLANTING

**BOTANICAL NAME** Eucalyptus haemastoma Angophora hispida Banksia serrata Corymbia gummifera Corymbia eximia

HRUBS/FERNS

Baronia ledifolia Banksia paludosa Banksia ericifolia Grevillea speciosa Grevillea buxifolia Acacia suaveolens Leptospermum trinerviun eptospermum squarrosu Patersonia glabrata Patersonia pulchella Hakea teretifolia Lambertia formosa GROUNDCOVERS/GRASSE Dampiera stricta Lomandra obliqua Lomandra glauca Epacris microphylla Epacris obtusifolia Schoenus brevifolius



Spiny-Head Mat-Rush Coral Heath Wallum Heath Zig-zag Bog-rush

# OSD/RAINGARDEN COASTAL DAMP HEATH SWAMP PLANTING

COMMON NAME

Willow Bottlebrush

Dwarf Banksia

Swamp Banksia

Swamp Banksia

leath Banksia

Red Spider-flower

Mountian Tea-tree

Red Bottlebrush

Pink Tea-tree

**Glasshouse Glory** 

Piny-head Mat-rush

Common Twig Rush Zig-zag Bog-rush Coral Heath

Sword Grass Common Rush

Club-rush

Coral Fern

Twig Rush

Grass tree

small-flower Grevillea

ESTIMATED POT SIZE

25L-75L

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm

tube-150mm tube-150mm


relocated

**BOTANICAL NAME** TRFFS Callistemon salignus SHRUBS Banksia oblongifoli Banksia robur Banksia paludosa Banksia ericifolia Grevillea parviflora Grevillea speciosa Callistemon citrunu Leptospermum grandifolium Leptospermum squarrosum GROUNDCOVERS/GRASSES/SEDGE Xanthorrhoea resinosa Dampiera stricta Gahnia sieberiana Juncus Usitatus Isolepsis nodosa Lomandra longifoli Gleichenia dicarpa Baumea acuta Baumea teretifolia Schoenus brevifolius Epacris microphylla Epacri

Epacris obtusifolia	Wallum Heath	tube-150mm
HOSPITAL ENTRY + COURTYA	RD + TERRACE + PODIUI	M PLANTING
BOTANICAL NAME TREES	COMMON NAME	ESTIMATED POT SIZE
Banksia serrata	Old Man Banksia	25L-75L
Glochidion ferdinandi	Cheese Tree	25L-75L
Livistonia australis	Cabbage Palm	25L-75L
Eleaocarpus reticulatus	Blueberry Ash	25L-75L
SHRUBS/FERNS	,	
Acmena smithii	Lillypilly	200mm
Grevillea buxifolia	Grey Spider-flower	200mm
Ceratopetalum gummifera	Christmas Bush	200mm
Macrozamia communis	Burrawong	200mm
Blechnum nudum	Water Fern Dinde Next Form	200mm
Asplenium australasicum	Birds Nest Fern	200mm 150mm
Cordyline stricta Cyathea cooperi	Palm Lily Tree Fern	25L
Doodia aspera		150mm
GROUNDCOVERS/GRASSES	Rasp Fern	1 JUIIIII
Dianella 'Little Jess'	'Little Jess'	150mm
Dianella 'Silver Streak'	'Silver Streak'	150mm
Lomandra 'Tanika'	Mat-rush 'Tanika'	150mm
Lomandra glauca'Aussie Blue'	'Aussie Blue'	150mm
Myoporum parvfolium	Creeping Boobialla	150mm
Viola hederacea	Native violet	150mm
CLIMBERS/SCRAMBLERS		
Hibbertia scandens	Guinea Flower	150mm
Hardenbergia violacea	Happy Wanderer	150mm

NEW PRIVATE HOSPITAL

WYVERN HEALTH



-GV ANDSCAPE PLANTING STRATE

DEVELOPMENT APPLICATION [NOT FOR CONSTRUCTION] \_LOT 02, LAROOL ROAD, TERRY HILLS, NSW, AUSTRALIA













DANPIERA STRICTA





EPTOSPERMUN GRANDIFOLIUM








REVISION\_D 1:500 @ A1\_50% @ A3



SECTION BB [1:100] 'ENTRY LANDSCAPE BLOW UP'






SK 07A




REVISION\_C 1:100 @ A1\_50% @ A3

# NEW PRIVATE HOSPITAL

SECTION AA [1:100] 'CAFE COURTYARD' LANDSCAPE + 'RAIN GARDEN' + NORTHERN ENDEMIC LANDSCAPE BLOW UP



SECTION AA [1:175] 'CAFE COURTYARD' LANDSCAPE + 'RAIN GARDEN' + NORTHERN ENDEMIC LANDSCAPE





**REVISION\_C** 1:100 @ A1\_50% @ A3