
ST GEORGE COMMUNITY HOUSING 9-11 EDGEWORTH PLACE CARTWRIGHT NSW 2168








TRENCH GRATE WITH FRAME DETAIL

MINIMUM INTERNAL DIMENSIONS FOR

- 1 ALL WORKS TO BE INSTALLED IN ACCORDANCE WITH LOCAL COUNCIL REQUIREMENTS, AS3500 NATIONAL PLUMBING & DRAINAGE CODE.
- 2 THE CONTRACTOR IS TO CONFIRM LOCATION & DEPTH OF EXISTING SERVICES ON SITE PRIOR TO
- CONSTRUCTION. IF ANY CONFLICT EXISTS NOTIFY BUILDER IMMEDIATELY.
- 3 THE CONTRACTOR IS TO CONFIRM EXISTING & PROPOSED SURFACE LEVELS PRIOR TO INSTALLATION OF PIPEWORK, SUMPS, MANHOLES, PITS, ETC.
- 4 BACKFILLING BACKFILL SERVICE TRENCHES AS SOON AS POSSIBLE AFTER SERVICE HAS BEEN LAID AND BEDDED.
- PLACE THE BACKFILL IN LAYERS <150mm THICK AND COMPACT TO THE DENSITY WHICH APPLIES TO THE LOCATION OF THE TRENCHES TO MINIMISE SETTLEMENT. 5 BACKFILL MATERIAL
- GENERAL FILL WITH NO STONES GREATER THAN 25mm OCCURING WITHIN 150mm OF THE SERVICE UNDER ROADS AND PAVED AREAS AND WITHIN 4 METRES OF BUILDING: COARSE SAND, CONTROLLED LOW STRENGTH MATERIAL OR FINE CRUSHED ROCK.
- 6 ON COMPLETION OF PIPE INSTALLATION, ALL DISTURBED AREAS MUST BE RESTORED TO ORIGINAL CONDITION
- INCLUDING: KERBS, FOOTPATHS, CONCRETE AREAS, GRAVEL AREAS & ROAD PAVEMENTS. 7 CARE SHALL BE TAKEN WHEN EXCAVATING NEAR EXISTING SERVICES. EXCAVATE BY HAND IN THESE AREAS.
- 8 THE PLUMBING CONTRACTOR SHALL OBTAIN ALL AUTHORITY APPROVALS AND PAY ALL FEES.
- 9 INVERT LEVELS SHOWN ARE INDICATIVE ONLY. CONFIRM ALL LEVELS ON SITE BEFORE COMMENCING CONSTRUCTION.



SCREEN TO BE POSITIONED TO COMPLETLY SCREEN OUTLET PIPE


MAXI MESH SCREEN DETAIL


DETENTION CALCULATION S	<u>SCHEDULE</u>
TOTAL SITE AREA	1171m²
PRE-DEVELOPED SITE CONDITIONS	
PRE-DEVELOPED FRACTION IMPERVIOUS (PAVED)	13.70%
PRE-DEVELOPED FRACTION IMPERVIOUS (ROOF)	37.28%
PRE-DEVELOPED FRACTION PERVIOUS	49.02%
PRE-DEVELOPED 5 YEAR ARI DISCHARGE	23 L/s
PRE-DEVELOPED 20 YEAR ARI DISCHARGE	32 L/s
PRE-DEVELOPED 100 YEAR ARI DISCHARGE	39 L/s
POST DEVELOPED SITE CONDITIONS	
POST DEVELOPED FRACTION IMPERVIOUS (PAVED)	16.26%
POST DEVELOPED FRACTION IMPERVIOUS (ROOF)	62.23%
POST DEVELOPED FRACTION PERVIOUS	21.51%
POST DEVELOPED 5 YEAR ARI DISCHARGE	23 L/s
POST DEVELOPED 20 YEAR ARI DISCHARGE	28 L/s
POST DEVELOPED 100 YEAR ARI DISCHARGE	34 L/s
1 IN 5 YEAR TOP WATER LEVEL	19.39
1 IN 20 YEAR TOP WATER LEVEL	19.46
1 IN 100 YEAR TOP WATER LEVEL	19.54
1 IN 5 YEAR VOLUME	6.8m³
1 IN 20 YEAR VOLUME	9.2m³
1 IN 100 YEAR VOLUME	12m ³
ORIFICE SIZE	170mm DIAMETER
OUTLET SIZE	300mm DIAMETER

RAINWATER DRAINAGE (RW) EXISTING STORMWATER DRAINAGE (XSW) STORMWATER DRAINAGE (SW) THROUGH DROPPER / RISER BEND DOWN TEE DOWN

EXISTING RAINWATER DRAINAGE (XRW)

LEGEND








CO	CLEAR OUT
DP	DOWNPIPE
ED	ELEVATED DRAINA
EX.	EXISTING
IL	INVERT LEVEL
1.0	INSPECTION OPEN
IS	INSPECTION SHAF
PVC	POLYVINYL CHLOR
RL	RELATIVE LEVEL
	EXPANCION IOINT

ST GEORGE COMMUNITY HOUSING EXPANSION JOINT

ORIFICE PLATE NOTES

- 1. HOLE IN ORIFICE PLATE TO BE PRECISION CUT WITH SHARP EDGES TO THE SPECIFIED DIAMETER.
- 2. ORIFICE PLATE TO BE PLACED CENTRALLY OVER THE OUTLET PIPE.
- 3. PLATE TO BE MADE FROM STAINLESS STEEL HOT DIPPED GALVANISED OR OTHERS NOT ACCEPTABLE. 4. OUTLET PIPE TO BE CAST INTO THE WALL OF THE PIT. 5. HOLE IN PLATE TO BE CENTRALLY PLACED.




ORIFICE PLATE DETAIL

CARTWRIGHT NSW 2168

DRAWING SCHEDULE & LEGEND

ST GEORGE COMMUNITY HOUSING

9-11 EDGEWORTH PLACE



ISSUE FOR COUNCIL APPROVAL

CONSULTING ELECTRICAL ENGINEERS LIGHTING CONSULTANTS TECHNOLOGY CONSULTANTS

SYDNEY OFFICE LEVEL 4, 828 PACIFIC HIGHWAY GORDON NSW 2072 AUSTRALIA

29.08.16

EMAIL ghaig@webbaustralia.com.au

ISSUE FOR COUNCIL APPROVAL

COPYRIGHT WERR AUSTRALIA GROUP INSWEPTY LTD ARM 48 050 056 712 ALL RIGHTS RESERVED. THIS DRAWING MAY NOT BE REPRODUCED OR TRANSMITTED IN A FORM OR BY ANY MEANS IN PART OR IN WHOLE WITHOUT THE WRITTEN PERMISSION OF WEBB AUSTRALIA GROUP (NSW) PTY LTD. WEBB AUSTRALIA GROUP DRAY SCHEMATIC AND SHALL BE READ IN CONJUNCTION WITH ALL CONTRACT DOCUMENTATION, SHOULD ANY AMBIGUITY, ERROR, OMISSION, DISCREPANCY, INCONSISTENI OTHER FAULT APPEAR TO EXIST IN THE DOCUMENTS, IMMEDIATELY NOTIFY THE CONTRACT ADMINISTRATOR IN WRITING.

