

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

Section	Control	Proposed	Compliance
2.1 Indicative Layout Plan	<p>All development is to be undertaken generally in accordance with the Indicative Layout Plan.</p> <p>Where variation from the ILP is proposed, the applicant is to demonstrate that the proposed development is consistent with the Vision and Development Objectives for the precinct set out in Section 2.2 and the Objectives and Controls at Sections 2.3 - 2.5 of this DCP.</p>	The proposed commercial building is consistent with the adopted Indicative Layout Plan which identifies this portion of the Oran Park Town Centre as being a Mixed Use precinct.	Yes.
2.5 Hierarchy of Centres and Employment Areas	<p>Development is to be consistent with Table 1 and Figure 4.</p> <p>The following floor space restrictions will apply:</p> <p>A maximum aggregate of 50,000m<sup>2</sup> Gross Lettable Area – Retail (GLAR) of retail premises. GLAR means the total area of a tenancy by the Property Council of Australia's Method of Measurement definition.</p> <p>Smaller scale retail uses (under 1,500m<sup>2</sup>) incorporated as part of a mixed use development outside the main retail area are not included in the calculation of the 50,000m<sup>2</sup> GLAR cap. The 'main retail area' is the area shown as 'Retail (a)' in Figure 50. The cumulative total of smaller scale retail uses outside of the GLAR cap in this area is not to exceed 5,000m<sup>2</sup>.</p>	The proposal does not seek approval for retail floor space. The consent will also be conditioned preventing retail within the development.	Yes, conditioned.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

5.1 Oran Park Town Centre	The Oran Park Town Centre is to be located in accordance with the figure at Appendix B. An indicative layout of the Town Centre is shown at Figure 22. Council may grant consent if it is satisfied that appropriate development controls are in force in the form of a Part B DCP.	The proposed development is generally in accordance with Part B of the DCP. For further detail see the assessment against the relevant controls in this table.	Yes.
6.2 Flooding and Watercycle Management	Management of 'minor' flows using piped systems for the 20% AEP (residential land use) and 10% AEP (commercial land use) shall be in accordance with Camden Council's Engineering Design Specification – Subdivision and Development Works'.	<p>A detailed engineering and stormwater/water quality report has been prepared for the subject development by Henry &amp; Hymas</p> <p>This report provides a detailed response to both stormwater and water quality management.</p> <p>The stormwater management system comprises a below-ground on-site detention tank (OSD) combined with a rainwater re-use tank (RWT). The OSD tank achieves detention volume of 79.6m<sup>3</sup>, with an additional 19.95m<sup>3</sup> allowable as part of the rainwater tank volume.</p>	Yes.
	All development is to incorporate water sensitive urban design (WSUD). WSUD is to be adopted throughout the development to promote sustainable and integrated management of land and water resources incorporating best practice stormwater management, water conservation and environmental protection.	The treatment of stormwater for the Oran Park Tranche 8 catchment (in which the commercial development site is situated) will be managed as part of the trunk drainage system. A 1,500m <sup>3</sup> bio-retention basin is being constructed in the Julia Creek Reserve and will be commissioned to service the catchment prior to completion of the commercial building development.	Yes.

### Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	The WSUD Strategy shall demonstrate how the stormwater quality targets set by the Department of Environment and Climate Change (DECC) (Table 10) will be achieved and shall be consistent with 'Technical Note: Interim Recommended Parameters for Stormwater Modelling – North-West and South-West Growth Centres' and 'Managing Urban Stormwater: Stormwater Planning' (DECC) and Australian Runoff Quality (Engineers Australia). A monitoring plan that encompasses strategies for water sampling, maintenance of WSUD facilities and risk management in the short, medium and longer terms is to be included as part of the WSUD strategy.	The WSUD measures have been reviewed by Council's Development Engineers and found to be appropriate. A detailed Stormwater Plan of Management including monitoring and risk management will be required by way of conditions of consent prior to the issue of an Occupation Certificate.	Yes, conditioned
	Compliance with the targets at Table 10 is to be determined through stormwater quality modelling in accordance with the parameters outlined in the relevant technical guidance from DECC	The WSUD measures have been reviewed by Council's Development Engineers and found to be appropriate subject to conditions.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

<p>6.3 Salinity and Soil Management</p>	<p>Every subdivision DA for land identified in Figure 23 as being constrained by known salinity or may be constrained by very or moderately saline soils is to be accompanied by a salinity report prepared by a suitably qualified consultant. The report is to cover the conditions of the site, the impact of the proposed subdivision on the saline land and the mitigation measures that will be required during the course of construction. The consultant is to certify the project upon completion of the works. The report shall provide details of recent soil testing that either verifies the results of the rezoning study or provides evidence of any changes to salinity levels. Such soil testing shall be focused at the edges of areas identified on Figure 26 as very saline or moderately saline. Soil testing shall also be focused on areas where proposed excavation exceeds 3m in depth. Investigations and sampling for salinity are to be conducted in accordance with the requirements of the Local Government Salinity Initiative booklet called Site Investigations for Urban Salinity produced by the Department of Environment and Climate Change (formerly the Department of Natural Resources). Where applicable, the salinity report shall also report on the issues of soil aggressivity and sodicity and any mitigation measures required. All works are to conform with the Local Government Salinity Initiative series of booklets produced by the Department of Environment and Climate and Council's policy - Building in Salinity Prone Environments.</p>	<p>The site incorporates land which is identified in Figure 21 as possibly being constrained by moderately saline soils.</p> <p>An extensive Salinity Investigation and Management Plan has been approved and implemented for the site in association with bulk earthworks completed under DA/1548/2010. Douglas Partners have also undertaken a detailed review of the previous salinity investigations over the site, which is included in this application.</p> <p>This review states the management strategies described in the SMP when incorporated into the design and construction are appropriate to mitigate the levels of salinity, aggressivity and sodicity identified at the site for the proposed development.</p> <p>Compliance with SMP will be required as a condition of consent.</p>	<p>Yes.</p>
---	--	--	-------------

Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	All sediment and erosion controls are to be installed prior to the commencement of any construction works and maintained throughout the course of construction until disturbed areas have been revegetated/ established. Certification to this effect is required by the applicant to be submitted to Council prior to construction.	The sediment and erosion controls contained in the civil engineering plans will be conditioned to be installed prior to the commencement of works.	Yes, conditioned
	All development must incorporate soil conservation measures to minimise soil erosion and siltation during construction and following completion of development.	The sediment and erosion controls contained in the civil engineering plans will be conditioned to be installed prior to the commencement of works.	Yes, conditioned
6.7 Contamination Management	DAs for development in Areas of Environmental Concern (AEC) as identified at Figure 26 shall be accompanied by a Stage 2 Detailed Environmental Site Investigation prepared in accordance with Council's Policy – Management of Contaminated Lands.	<p>The site was not identified as containing any Areas of Environmental Concern AEC during rezoning of the Oran Park Precinct, as shown in Figure 28 of the DCP.</p> <p>Douglas Partners have also undertaken a detailed review of the previous contamination reporting prepared for the site, which is included in this application.</p> <p>This review states that previous assessments have assessed the suitability of the site against residential land use criteria. In general the residential standards are more conservative than those criteria used for commercial/industrial land use purposes therefore the site from a contamination perspective is also suitable for the commercial / industrial land use.</p>	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

6.9 Acoustics	All industrial / commercial / employment development is to comply with the Industrial Noise Policy (DECC 2000).	<p>Detailed Noise Assessment has been prepared in association with this application by Acoustic Logic.</p> <p>The noise assessment has undertaken a detailed review of likely noise impacts from the development, including operational, plant and machinery.</p> <p>The report has concluded that the proposal is capable of achieving the required EPA noise criteria, subject to conditions of consent which limit the hours of operation to be outside the 'night' noise criteria hours.</p>	Yes, conditioned
8.1 Sustainable Building Design	Buildings and developments not affected by BASIX are to achieve a 40% reduction of baseline potable water consumption. Where the building or development is water intensive (i.e. high water user), specific water conservation objectives must be resolved with Council.	<p>A detailed Environmental Sustainability report has been prepared in association with this application by Thermal Consulting (refer Appendix 10).</p> <p>The report confirms that many of these initiatives exceed the mandatory requirements set out in BCA Section J compliance and the relevant DCP requirements.</p> <p>The report demonstrates general compliance with the objectives of sustainable development strategies and sufficiently to addresses ESD requirements for the Development Application which fulfils the sustainable development of the proposed Office Building 1 at Oran Park.</p>	Yes.
	Building design is to respond to local climate and site conditions with passive solar and ventilation measures to be incorporated into building design. High use work areas (such as offices) are to be positioned to maximise solar gain and natural ventilation.	The building exhibits a high degree of architectural design to maximize solar gain.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

8.2 Stormwater and Construction Management	A Stormwater Concept Plan is to be submitted with each building DA indicating how stormwater will be managed and disposed of. Drainage for individual developments shall be designed in accordance with the stormwater quality and quantity targets set by the DECC, Australian Rainfall and Runoff (1997), and Council's Engineering Design Specification. All subsurface drains are to be connected into the stormwater system within the site downstream of any water tanks.	A detailed engineering and stormwater/water quality report has also been prepared for the subject development by Henry & Hymas. This report provides a detailed response to both stormwater and water quality management. The stormwater management system comprises a below-ground on-site detention tank (OSD) combined with a rainwater re-use tank (RWT). The OSD tank achieves detention volume of 79.6m <sup>3</sup> , with an additional 19.95m <sup>3</sup> allowable as part of the rainwater tank volume.	Yes.
	All development shall be carried out in accordance with an approved Soil and Water Management Plan prepared in accordance with Managing Urban Stormwater - Soils and Construction, Landcom 4th Edition March 2004 ('The Blue Book').	Conditions of consent are recommended to be imposed which ensure compliance with this best practice and Council's Engineering Specifications.	Yes, conditioned.
8.3 Waste Management	A Waste Management Plan is to be submitted with all DAs with the exception of single dwelling housing or superlot subdivision applications.	A Waste Management Plan has been submitted with this application and reviewed by Council's Waste Team. Detailed information relating to the destination of waste streams during construction will be required by way of conditions of consent.	Yes.
	All business and industrial operations are to provide adequate on-site waste storage facilities that are readily accessible and appropriately screened from public view.	The building includes a dedicated waste / bin storage room which is screened from public view. A detailed Operational Waste Management Plan has been submitted with this application addressing on-going waste management.	Yes.
	Development must demonstrate that the design takes into account refuse storage and collection without reducing the amenity of a dwelling or neighbouring lots.	The dedicated waste area is fully enclosed and will not impact on the amenity of adjoining development. Waste collection occurs entirely from within the site.	Yes.

Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Storage areas for rubbish bins are to be located away from the front of development where they have a significant negative impact on the streetscape, the visual presentation of the building entry and on the amenity of residents, building users and pedestrians.	Storage areas for rubbish bins are to be located away from the front of development and will not be visible from the street.	Yes.
8.4 Site Facilities and Servicing	Garbage, mail box structures, service meters and the like are to be integrated with the overall design of buildings and/or landscaping.	Facilities and servicing requirements are integrated within the landscape design of the proposal.	Yes.
8.6 Safety and Surveillance	Buildings should be designed to overlook streets, lanes and other public or communal areas to provide casual surveillance. In the case of corner lots habitable windows are also be oriented to overlook the side street.	The building has been designed to provide casual surveillance of surrounding streetscape areas from all levels.	Yes.
	The design of all development, in particular, the public domain and community facilities is to enhance public surveillance of public streets and open space/conservation areas.	The building has been designed to provide casual surveillance of surrounding streetscape areas from all levels.	Yes.
	Developments are to avoid creating areas for concealment and blank walls facing the street.	The building form minimises blank walls and concealment areas.	Yes.
	All development should aim to provide casual surveillance of the street as a means of passive security. This should be achieved by maximising outlooks and views, but minimising the overlooking of neighbouring properties.	The building has been designed to provide casual surveillance of surrounding streetscape areas from all levels. No adjoining residential development is planned which would be impacted by overlooking from the subject site.	Yes.



## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	<p>All developments are to incorporate the principles of Crime Prevention Through Environmental Design (CPTED). Development Applications for subdivision, public open space and community facilities may require a formal crime risk (CPTED) assessment as part of the EP&amp;A Act 1979, development assessment and Camden Council's Designing Safer Communities – Safer by Design Guidelines (October 2002).</p>	<p>The building has been designed to incorporate CPTED Principles. A detailed CPTED Review has been provided by Urban Co which demonstrates that the proposal adopts and implements the principles of CPTED to minimise opportunities for crime and anti-social behaviour. The application was also referred to the NSW Police Force who conducted their own assessment and categorized the development as a low crime risk.</p>	Yes.
B1 Oran Park Town Centre			Yes.
3.1 Town Centre Structure Plan Layout	<p>Generally consistent with Figure 51: Land Use.</p> <p>Note: Figure 51 graphically represents the indicative land uses for the Oran Park Town Centre. The land uses and general road structure may be amended over time to allow for flexible delivery of the Town Centre built form.</p>	<p>The proposed development is located in an area identified for 'mixed use' and is generally compliant with the land uses indicated for this precinct.</p>	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

3.2 Land Uses	<p>The Mixed Use Precinct generally forms the eastern end of the Oran Park Town Centre and will provide a range of housing, commercial and small scale retail opportunities.</p> <p>It is envisaged that the Mixed Use Precinct will enable a cosmopolitan lifestyle and employment destination where residents can live, work, play and shop within a vibrant town centre environment.</p> <p>It is anticipated that the eastern most blocks furthest from the town centre core will be predominantly residential and take advantage of the fine views over the landscape.</p>	<p>The proposed building provides floor space for commercial and small scale retail opportunities.</p> <p>This sub-precinct within the overall mixed use precinct of the Town Centre is planned to deliver a number of separate buildings which provide housing, commercial and small scale retail opportunities.</p>	Yes.
Land Use Principles	<p>Smaller scale retail uses (under 1,500m<sup>2</sup>) incorporated as part of a mixed use development outside the main retail area are not included in the calculation of the 50,000m<sup>2</sup> GLAR cap.</p> <p>The 'main retail area' is the area shown as 'Retail (a)' in Figure 50. The cumulative total of smaller scale retail uses outside of the GLAR cap in this area is not to exceed 5,000m<sup>2</sup>.</p>	Conditions of consent will be imposed to ensure that the proposed building is not used for any retail use > 1500m <sup>2</sup> .	Yes, conditioned.
	<p>Incorporate a variety of retail, residential, commercial, entertainment, recreation and community uses to serve the needs of the wider community and promote an active and vibrant town centre.</p>	<p>The proposal is consistent with this control in delivering a building capable of containing a variety of commercial land uses and intensity of development nearby the existing large format retail centre.</p>	Yes.
	<p>Incorporate higher density housing and mixed use development within the Town Centre core.</p>	<p>The proposed commercial building will not result in acoustic amenity conflicts with adjoining planned residential development.</p>	Yes, reinforced by a condition.

### Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Maximise employment opportunities within the Town Centre.	The proposed commercial building will further increase and maximise employment opportunities within the Town Centre.	Yes.
	Focus retail uses along, and fronting the Main Street. Large scale retail development should be located within the retail precinct.	No large scale retail floor plates are proposed nor will be permitted by conditions of consent.	Yes, conditioned
	Co-locate uses and facilities where possible to maximise the efficient use of space.	The large floor plates and flexible design of tenancies will allow for the co-location of uses and facilities where possible.	Yes.
	Locate active uses at ground floor, throughout the Town Centre, in particular fronting the Main Street, Town Square and areas of open space.	Conditions of consent will ensure that the ground floor tenancies consist of uses which are classified as active uses.	Yes, conditioned.
	Incorporate the needs of health and aged care providers, facilities for young people, civic and emergency services within the Town Centre.	The office building provides floor space for potential uses which cater to these needs.	Yes.
3.4 Views and Vistas	<p>The Oran Park Town Centre Structure Plan has been designed to emphasise sight lines to local landscape features, places of key cultural significance, future civic buildings and public open space.</p> <p>Detailed development of the Town Centre is to acknowledge views and vistas contained in Figure 59</p>	<p>The proposed building has been designed to achieve required setbacks and ensure the built form will not impact sight lines to key public buildings or spaces.</p> <p>The proposal maintains view lines identified in Figure 59.</p>	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

3.5 Interaction with Surrounding Land Uses	<p>The Oran Park Town Centre Structure plan has been designed to respond to planned surrounding land uses including residential, educational, open space and commercial development outcomes.</p> <p>Detailed design of the Town Centre should take into consideration proposed adjoining land uses and ensure provision for a high level of pedestrian connectivity between the Town Centre and the surrounding development.</p>	Significant effort has been made to provide for quality public domain treatments and pedestrian linkages from the proposed commercial building and the existing town centre buildings. The commercial building will also benefit from it being in close proximity to the location now identified for the Oran Park Train Station.	Yes.
4.2 Pedestrian and Cycle Movement	The Town Centre is to be designed to provide clear and legible pedestrian and cycle connections.	Key pedestrian paths have been provided for along Podium Way.	Yes.
	Streets and pathway networks should be designed to ensure that walking and cycling within the Town Centre takes priority over traffic circulation.	Not Applicable. No Roadworks proposed under this application. Access road has been approved by DA/2017/1525/1 and a condition will ensure this road is constructed prior to the issue of an Occupation Certificate.	Yes.
	Continuous weather protection for pedestrians is to be provided in key locations by colonnades or awnings.	The building design includes ground level weather protection through a cantilevered building design along facades where pedestrian access is provided.	Yes.
	Bike parking facilities should be provided at key locations on streets within the Town Centre. No dedicated bike path is required along Main Street.	Not applicable to this site, however bicycle parking areas are provided within the building.	Yes.
4.4 Public Transport	Bus stops are to be provided generally in accordance with Figure 66.	Not applicable as Figure 66 does not specify road types within the site.	Yes.

### Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

5.1 Public Domain	Public domain areas are to be designed and located generally in accordance with Figure 67. The design of public domain areas shall take into consideration the Public Domain Manual adopted by Camden Council (Attachment A).	A detailed landscape plan has been prepared for the public domain areas. The landscape plan has been prepared consistent with the Public Domain Manual.	Yes, reinforced by conditions of consent.
	All paving materials must conform to relevant standards for durability, non-slip textures, strength and surface treatment to withstand use by light automobiles, service vehicles, pedestrians and bicycles.	All paving materials will achieve relevant durability, non-slip standards.	Yes.
5.2 Water Sensitive Urban Design Requirements (WSUD)	All Development shall generally be in accordance with the Oran Park Precinct Water Cycle Management Strategy and Master Plan prepared by Brown Consulting and adopted by Camden Council. Development Applications, other than minor applications (e.g. shop fit-out, signage or change of use applications) shall include information from a suitably qualified consultant demonstrating how the proposed development is in accordance with the above. Key considerations include the management of stormwater run-off (quality & quantity), the minimising of potable water use & wastewater generation and water recycling strategies.	A detailed stormwater and water quality report has been prepared by Henry & Hymas. The report confirms that the proposal will achieve all relevant stormwater and water quality targets.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

5.3 Street Trees	Development Applications, other than minor applications (e.g. shop fit-out, signage or change of use applications) shall include a landscaping plan prepared by a suitably qualified consultant. The landscaping plan shall generally be in accordance with the landscaping components in the Public Domain Manual for the Town Centre (Attachment A).	A detailed landscape plan has been prepared for the public domain areas. The landscape plan has been prepared consistent with the Public Domain Manual.	Yes, reinforced by conditions of consent.
	Street trees and open space planting is to provide generous shade for pedestrians in summer and allow for sunlight penetration to street level in winter.	The landscape plan has been prepared consistent with the Public Domain Manual. Species selected allow for shade in summer and sunlight penetration in summer.	Yes, reinforced by conditions of consent.
6.0 Environmentally Sustainable Development Principles	All new retail, commercial and mixed use buildings must achieve a minimum 4 star Green Star rating from the Green Council of Australia. An Energy Efficiency report is to be provided to Council as part of the Development Application for the development proposal. Matters to be considered as part of an Energy Efficiency report are provided at Attachment B of this Plan.	A detailed Environmental Sustainability Report has been prepared by Thermal Environment. The report demonstrates that the proposed building either meets, or exceeds all of the sustainability measures and criteria listed in the Sustainability DCP which forms Attachment B of the Oran Park DCP 2007. However no certification has been submitted that the building achieves a 4 star Green Star rating.	<b>No, see discussion in the body of the report.</b>
7.1 Built Form Articulation	Articulation zones should be provided to compliment the building mass and emphasise key design elements such as entrance points and respond to environmental conditions including solar access, noise, privacy and views.	The built form demonstrates articulation to the building facades which highlight the main entrance areas and responds to environmental conditions such as the proposed atrium being north facing to take advantage of the maximum solar gain.	Yes.
7.2 Architectural Character	Articulation and Corners: Buildings at Oran Park Town Centre are to generally align with street edges, be articulated in their façade treatments and express corners in design.	The building has been designed to align with street edges, and provides articulation to the façade which emphasises corner elements.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Corners are to be visually prominent and may be reinforced by one and two story verandas / balconies which turn the corner in a traditional manner.	The building itself is located on two corners and will be visually prominent for some time until the re-development above the temporary at-grade car park (east of the site) and rail corridor occurs. The buildings scale assists this corner being visually prominent. Additionally, the use of glazing at ground floor level helps the building reinforce the corner in a traditional manner.	Yes.
	Building Interface: The interface between the building and the public domain is to be designed to create active safer streets, to encourage flexibility in design for changing uses at ground level and provide weather protection for pedestrian amenity.	The building and landscape design of the public domain have been designed and will be constructed concurrently to help ensure a seamless transition between the public and private domain.	Yes.
	Building facades are to be designed to accentuate key architectural features and clearly delineate points of interest such as building entries, vertical and horizontal elements	The building façade and structure has been designed to accentuate the entry foyer form Holden Drive, with the building projecting either side of the main entry area.	Yes.
	Building facades are to incorporate a variety of finishes and materials which provide visual relief to the built form.	The building façade incorporates a variety of colours and materials to provide a vibrant and attractive streetscape presentation.	Yes.
	A diverse palette of durable and cost efficient external materials exploring a contemporary urban character whilst representing themes of Australian local character should be used. A range of materials is to introduce a fine grain façade treatment along street edges.	The proposal incorporates a variety of finishes and materials which achieve compliance with this clause.	Yes.
7.3 Building Envelopes / Bulk & Scale	Building heights are to be in accordance with the Building Envelope Plan shown in Figure 69A.	The proposed 6 storey design does not comply with the 4 storey height identified for this site in the DCP.	<b>No, see DCP variation discussion in the body of the assessment report.</b>

### Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Prominent street corners should be reinforced in a visual context through concentrating building height and built form.	The building occupies a prominent street corner within the Town Centre context. The building has been designed to reinforce the street edge and corner elements are consistent with the principles of the DCP.	Yes.
	Buildings are to be designed to ensure a human scale is maintained at street level.	The building entrance and overhanging cantilevered design creates a single storey 'bottom' to the building which helps achieve a human scale.	Yes.
	<p>Minimum ceiling heights are detailed in in the table below. For the purposes of this control 'ceiling height' is measured internally from finished floor level to ceiling level.</p> <ul style="list-style-type: none"> <li>• Ground floor – 3m</li> <li>• All other floors for retail/commercial use – 2.7m</li> </ul>	<p>Minimum Ground Floor Height = 4.2m</p> <p>Minimum upper Commercial Floor Height = 2.7m.</p>	Yes.
7.4 Quality of Indoor Environment	Refer to indoor environment controls provided in Attachment B. These controls are required to be assessed as part of the Sustainability Assessment.	A detailed environmental assessment has been prepared by Thermal Environment and outlines the development's compliance with these controls.	Yes.
7.5 Weather Protection	Weather protection must maintain a feeling of openness and enhance both the public function of the specific space and /or street.	<p>Weather protection has been provided for the building itself along the facades of the building through cantilevering upper levels and shading devices for glazed areas.</p> <p>The proposed development does not incorporate the types of weather protection this section of DCP applies to. No awnings or weather protection extends over the footpath areas to maintain a feeling of openness.</p>	Yes.



## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Weather protection devices shall take into account wind, sun, rain, night / day, seasons and shadowing effects of other built components.	Weather protection is providing through the built form. North and western facing glazed areas are shaded from summer sun but will be provided with lower angle winter sunlight.	Yes.
	Weather protection devices shall consider the scale of adjacent buildings and the width of the street / public space in order to ensure appropriate proportions and "feel".	Given that this development will likely have no adjacent buildings for a significant time weather protection devices were incorporated into its design rather than along the footpath.	Yes.
	Weather protection solutions shall be predominantly naturally ventilated.	The cantilevering of the building over the ground floor is naturally ventilated.	Yes.
	Weather protection should be included as part of the design of the architecture / built form or landscape design.	Weather protection has been provided along the facades of the building through cantilevering upper levels.	Yes.
	The design of the weather protection shall take into consideration ESD objectives.	A detailed sustainability report has been submitted with this proposal.	Yes.
	Generally streets with retail, commercial, or community uses at ground level shall provide weather protection along the majority of the façade, especially those areas facing north and west. This protection shall typically take the form of a variety of awning types	Weather protection has been provided along the facades of the building through cantilevering upper levels.	Yes.
	Awnings increase the usability and amenity of public footpaths by protecting pedestrians from sun and rain. Awnings encourage pedestrian activity along streets and, in conjunction with active edges such as retail frontages, support and enhance the vitality of the Town Centre. Awnings can be used in conjunction with colonnades. There are to be no wing walls so colonnade is continuous and unimpeded	Not applicable, as no awnings are proposed as part of the building form.	N/A.
	Street level awnings should be provided to all retail frontages and commercial entries and to main lobbies of residential buildings except where a colonnade is required.	The cantilevering of the building over the ground floor is considered to achieve the same weather protection as a street level awning with a better design outcome.	Yes.

Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	In particular, continuous awnings and colonnades are required to be provided along the ground floor street frontage on active street frontages.	The cantilevering of the building over the ground floor is considered to achieve the same weather protection as a street level awning with a better design outcome.	Yes.
	Awnings should be a minimum height of 2.7m (3.2m desirable) above footpath level, generally consistent in form and to project horizontally from the building façade	Not applicable, as no awnings are proposed as part of the building form.	N/A.
	The front fascia of the awning is to be set back a minimum of 500mm from the kerb of the street carriageway, including at street corners.	Not applicable, as no awnings are proposed as part of the building form.	N/A.
7.6 Setbacks	Building setbacks are to be provided in accordance with the Setbacks Plan	<p>Building setbacks exceed the minimum setbacks specified under the DCP.</p> <p>Podium Way DCP Minimum = 0m Setback Provided = 1.4m to upper floors</p> <p>Western Road frontage DCP Minimum = Not Specified Setback Provided = 4.8m</p>	Yes.
	The urban character is achieved by adopting “build-to” lines or zero setback conditions to create street walls and by variety in “build-to” conditions for different types of streets. The main building facades are to be built to the block edge with allowances for insets and projections and to create stronger corner edges.	Although the building does not adopt a zero setback, the building has been designed to create an attractive upper level street wall along Podium Way and the western road frontage. The reason for the lack of built form to boundary allows for the elevations to intersect which creates stronger corner edges and greater articulation.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

7.7 Streetscape Activation	Active frontage uses are defined as one of a combination of the following at street level: <ul style="list-style-type: none"> <li>• Entrance to retail.</li> <li>• Shop front.</li> <li>• Glazed entries to commercial and residential lobbies occupying less than 50% of the street frontage, to a maximum of 12m frontage.</li> <li>• Café or restaurant if accompanied by an entry from the street.</li> <li>• Active office uses, such as reception, if visible from the street.</li> <li>• Public building if accompanied by an entry.</li> </ul>	Although the exact end user of the ground floor tenancies is unknown the permissible land uses and the owners advice indicates it will be commercial suites, a small café, the commercial lobby for the building itself etc. The glazed wrap around frontage will help ensure that these types of tenancies are utilized for the ground floor and a condition of consent will also ensure that the ground floor frontages are active uses.	Yes, conditioned.
	Buildings are to maximise areas of street activation through a mixture of ground floor retail/commercial suites and the incorporation of ground floor terrace areas along the street frontage in residential development.	Ground floor terraced landscape area and commercial suites will be conditioned to ensure activated street frontages.	Yes, conditioned
	Active street fronts, built to the street alignment, are required on the ground level of all retail and commercial development.	The building provides ground floor commercial tenancies to activate street frontages.	Yes.
	No external security shutters to be permitted.	No external security shutters are proposed.	Yes.
	On corner sites, shop fronts are to wrap around the corner.	Not applicable as no shop fronts proposed. However, the corner tenancies glazed frontages wrap around the corner.	Yes.
7.8 Solar Access	Any Development Application for the construction of buildings is required to submit detailed solar access diagrams for between 9am and 3pm mid-winter to demonstrate sufficient solar access is maintained to public and private spaces and streets	Solar access diagrams demonstrate that the proposal maintains adequate solar access to streetscape areas. The lack of solar access for the rear landscape courtyard is offset by the presence of the rooftop terrace area which will provide significant amenity to users of the building.	Yes.

## Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Parks and plazas are to receive sunlight on a minimal of 50% of their site area between 11am and 2pm on June 21.	Not applicable. No parks or plazas are proposed under this application.	Yes.
	Building envelopes are to allow for north-south streets to receive 2 hours of sunlight between 9am- 3pm on 21 June on a minimum of 50% of the eastern or western footpaths.	Solar access diagrams demonstrate that the proposal maintains adequate solar access to adjoining north-south streets (western local roadway).	Yes.
	Building envelopes are to allow for east-west streets to receive 1 hour of sunlight between 9am-3pm on 21 June on a minimum of 50% of the southern footpaths	Solar access diagrams demonstrate that the proposal does not overshadow any east-west streets	Yes.
7.9 Signs	Not applicable as no signage proposed under this application. A separate Development Application will be submitted for any future signage.		
8.1 Vehicle Parking and Storage	Car parking dimensions are to be provided in accordance with relevant Australian Standards.	Car Parking and maneuvering areas are provided in accordance with relevant Australian Standards.	Yes.
	Above ground parking is not encouraged without appropriate design measures to mitigate adverse visual impacts.	No above ground parking is provided within the site.	Yes.
	Below ground car parking is encouraged for higher density residential and mixed-use blocks as well as Town Centre retail blocks.	Basement car parking is proposed as part of this development.	Yes.
	Where below ground parking is along a street edge and cross ventilation is desirable, any exposed section of car park wall is to be appropriately modelled and scaled.	The exposed area for ventilation along the western road frontage will be conditioned to have a planter box installed above it. The minor height of the protruding basement results in minimal streetscape impacts.	Yes, conditioned.
	The majority of car parking is to be provided under Town Centre buildings and on street to limit visual impact and maintain pedestrian amenity.	Car parking is provided within a basement under the building footprint.	Yes.

### Oran Park Development Control Plan 2007 (Oran Park DCP) Assessment Table

	Natural ventilation of basement and sub-basement parking areas is encouraged to be provided wherever possible	Ventilation is provided to basement parking areas.	Yes.
	Service vehicle access points should be consolidated where possible to limit the potential for conflict points.	A single consolidated servicing / loading dock area has been provided on the southern side of the building.	Yes.
	<p>Bicycle racks/storage areas are to be provided in all developments in accordance with the following requirements. Bicycle racks/storage areas should be provided for both residents/employees and site visitors:</p> <ul style="list-style-type: none"> <li>• Non-residential development = 1 space per 750m2 of gross leasable floor area</li> </ul>	The proposal includes a total of 60 lockable bicycle storage spaces in basement 2 & 3 of the building, exceeding the DCP requirements.	Yes.
8.2 Loading Docks	Loading docks are to be developed in accordance with the standards provided in Council's comprehensive DCP.	A loading dock area is provided on the southern side of the building and 2 service vehicles spaces are provided in level B1.	Yes.