



D A I S S U E

This design including its associated drawings, images, etc is the intellectual property of stanton dahl & associates pty limited and must not be reproduced or used in any way without the prior written consent of stanton dahl & associates pty limited.

All dimensions to be verified on site and any discrepancies referred to architect for approval. Dimensions are to take precedence over stated dimensions.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW

Typical Floor Plan
(3Bed + 2Bedroom Unit)



Project No;
1522.13

Drawing No;
DA11

Amendment#;
/1

Scale; **1:100 @ A3**

Drawn; hk


Plot date; 13/01/2017

Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stantondahl.com.au

Development Application Issue

Typical Floor Plan
3 Bedroom + 2 Bedroom Unit

Typical Floor Areas:
Net Unit Area (Per Unit): **79.89m²** (2 Bedroom Unit)
95.23m² (3 Bedroom Unit)
Gross Floor Area (Per Unit): **89.76m²** (2 Bedroom Unit)
105.48m² (3 Bedroom Unit)



01 **3 Bed + 2 Bedroom Typical Floor Plan**

1:100

Development Application Issue

Amendment

Date

- (D.01)** door numbers (as-scheduled)
- (W.01)** window numbers (as-scheduled)
- (C.01)** ceramic tile
- (C.02)** column
- (C.03)** carpet
- (C.04)** roller shutter numbers (as-scheduled)
- (S.01)** face brickwork (Lupr)
- (S.02)** floor mat
- (S.03)** grated drain
- (S.04)** wash hand basin
- (S.05)** hot water unit
- (S.06)** linen cupboard
- (S.07)** air form concrete
- (S.08)** pantry
- (S.09)** fridge-space
- (S.10)** wardrobe
- (S.11)** retaining wall
- (S.12)** shower
- (S.13)** sink
- (S.14)** stove
- (S.15)** sheet vinyl
- (S.16)** storm water pit
- (S.17)** laundry tub
- (S.18)** tactile floor indicator
- (S.19)** toilet pan
- (S.20)** wood float concrete
- (S.21)** w/c
- (S.22)** w/r
- (S.23)** w/r
- (S.24)** w/r
- (S.25)** w/r
- (S.26)** w/r
- (S.27)** w/r
- (S.28)** w/r
- (S.29)** w/r
- (S.30)** w/r
- (S.31)** w/r
- (S.32)** w/r
- (S.33)** w/r
- (S.34)** w/r
- (S.35)** w/r
- (S.36)** w/r
- (S.37)** w/r
- (S.38)** w/r
- (S.39)** w/r
- (S.40)** w/r
- (S.41)** w/r
- (S.42)** w/r
- (S.43)** w/r
- (S.44)** w/r
- (S.45)** w/r
- (S.46)** w/r
- (S.47)** w/r
- (S.48)** w/r
- (S.49)** w/r
- (S.50)** w/r
- (S.51)** w/r
- (S.52)** w/r
- (S.53)** w/r
- (S.54)** w/r
- (S.55)** w/r
- (S.56)** w/r
- (S.57)** w/r
- (S.58)** w/r
- (S.59)** w/r
- (S.60)** w/r
- (S.61)** w/r
- (S.62)** w/r
- (S.63)** w/r
- (S.64)** w/r
- (S.65)** w/r
- (S.66)** w/r
- (S.67)** w/r
- (S.68)** w/r
- (S.69)** w/r
- (S.70)** w/r
- (S.71)** w/r
- (S.72)** w/r
- (S.73)** w/r
- (S.74)** w/r
- (S.75)** w/r
- (S.76)** w/r
- (S.77)** w/r
- (S.78)** w/r
- (S.79)** w/r
- (S.80)** w/r
- (S.81)** w/r
- (S.82)** w/r
- (S.83)** w/r
- (S.84)** w/r
- (S.85)** w/r
- (S.86)** w/r
- (S.87)** w/r
- (S.88)** w/r
- (S.89)** w/r
- (S.90)** w/r
- (S.91)** w/r
- (S.92)** w/r
- (S.93)** w/r
- (S.94)** w/r
- (S.95)** w/r
- (S.96)** w/r
- (S.97)** w/r
- (S.98)** w/r
- (S.99)** w/r
- (S.100)** w/r

13.01.17

D A Issue

This design including its associated drawings, images, etc. is the intellectual property of stanton dahi & associates Pty Limited and must not be referenced, copied or used without written permission of stanton dahi & associates Pty Limited.

All dimensions to be verified on site and any discrepancies referred to architect for determination. Highlighted dimensions to take precedence over other dimensions.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW
Typical Floor Plan
(3 Bedroom Unit)



Project No:
1522.13

Drawing No: Amendment;
DA10 /1

Scale: **1:100 @ A3**


Drawn: hk

Plot date: 13/01/2017

Stanton Dahi Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 4300
www.stantondahi.com.au

**Typical Floor Plan
3 Bedroom Unit**

Typical Floor Areas:
Net Unit Area (Per Unit): **95.23m²**
Gross Floor Area (Per Unit): **105.48m²**



01 3 Bedroom Typical Floor Plan
1:100

Date

Amendment

13.01.17

Development Application Issue

- Legend**
- window numbers (as scheduled)
 - door numbers (as scheduled)
 - roller shutter numbers (as scheduled)
 - face brickwork (type)
 - floor mat
 - grated drain
 - wash hand basin
 - hot water unit
 - linen cupboard
 - oil form-concrete
 - pantry
 - fridge space
 - wardrobe
 - retaining wall
 - shower
 - sink
 - stove
 - sheet vinyl
 - storm water pit
 - laundry tub
 - tactile floor indicator
 - toilet pan
 - wood float-concrete

- hb(1)
- tim
- grid
- hb
- hwu
- b/c
- p
- ref
- Robe
- rw
- sh
- sk
- sl
- sv
- swp
- t
- wc
- w/c

Architecture
Project management
Access consulting
Interior design



stanton dahl
architects




D A I S S U E

This document, including its associated drawings, images, etc. is the intellectual property of Stanton Dahl & Associates Pty Limited and must not be reproduced, stored, copied, or used without written permission of Stanton Dahl & Associates Pty Limited.

All dimensions to the wall edge unless otherwise indicated. All dimensions referred to architect for construction shall be in accordance with the precedent over scaled dimensions.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW

Typical Floor Plan
(3x 2 Bedroom Unit)



Project No:
1522.13

Drawing No:
DA09

Scale: 1:100 @ A3

Drawn: hk


Plot date: 13/01/2017

Stanton Dahl Architects
PO Box 833, Epping, NSW 1510
Tel +61 2 8876 5300
www.stantonahl.com.au

Development Application Issue

Typical Floor Plan
3x 2 Bedroom Unit

Typical Floor Areas:
Net Unit Area (Per Unit): 79.89m²
Gross Floor Area (Per Unit): 89.76m²



01 3 x 2 Bedroom Unit Typical Floor Plan

1:100

Date

Amendment

Legend	Symbol	Description
door numbers (as scheduled)	D.01	door numbers (as scheduled)
roller shutter numbers (as scheduled)	RS.01	roller shutter numbers (as scheduled)
window numbers (as scheduled)	W.01	window numbers (as scheduled)
face brickwork (tape)	fb(1)	face brickwork (tape)
floor mat	fm	floor mat
grated drain	gd	grated drain
wash hand basin	hb	wash hand basin
hot water unit	hwu	hot water unit
liner cupboard	lin	liner cupboard
all form concrete	o/c	all form concrete
parity	p	parity
fridge space	ref	fridge space
wardrobe	Robe	wardrobe
retaining wall	rw	retaining wall
shower	sh	shower
sink	sk	sink
stove	st	stove
sheet vinyl	sv	sheet vinyl
storm water pit	swp	storm water pit
laundry tub	t	laundry tub
tactile floor indicator	tfi	tactile floor indicator
toilet pan	wc	toilet pan
wood float concrete	w/c	wood float concrete

1 Development Application Issue
13.01.17



D A I S S U E

This design includes the associated drawings, images, etc. in the intellectual property of Stanton Dahl & Associates Pty Limited and must not be reprinted, copied or used without written permission of Stanton Dahl & Associates Pty Limited.

All dimensions to be verified on site and any discrepancies referred to architect for clarification. All dimensions to be based on the procedure on the table below.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW

Elevations - Sheet 1.



Project No:
1522.13


Drawing No:
DA14 /1

Amendment:
Scale: 1:200 @ A3

Drawn:
hk

Plot date:
13/01/2017


Stanton Dahl Architects
PO Box 833, Epping, NSW 1510
Tel +61 2 8876 5300
www.stantondahl.com.au



01 South Elevation

1:200

Feature colours to entry doors, steel posts and pergola structures as scheduled



02 North Elevation

1:200

Legend	Material / Feature	Code
alw	aluminium framed window	alw
bal	balustrade	bal
clc	compressed fibre cement cladding (type)	clc
cl(1)	existing ground line	cl(1)
eg	existing ground level	eg
ex	existing	ex
f	fixed sash window	f
fb(1)	face brickwork (type)	fb(1)
fc	finished concrete	fc
fw	finished ceiling level	fw
gl	ground line	gl
mc(1)	metal cladding (type)	mc(1)
mcr	metal deck roof	mcr
p	paint	p
rc	rendered concrete	rc
rw	retaining wall	rw
ss(1)	sun shade (type)	ss(1)

Amendment	Date
1	13.01.17

Development Application Issue



D A I s s u e

This design including its associated drawings, images, etc. is the intellectual property of Stanton Dahl Architects Pty Limited and shall not be reproduced or used without the prior written permission of Stanton Dahl Architects Pty Limited.

All dimensions to be verified on site and any discrepancies noted should be reported to the architect immediately. All dimensions are to be taken from the face of the wall unless otherwise stated. All dimensions are to be taken from the face of the wall unless otherwise stated.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW
Elevations - Sheet 2



Project No:
1522.13
Drawing No:
DA15
Amendment:
/1


Scale: **1:200 @ A3**

Drawn: **fk**

Plot date: **13/01/2017**

Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stantondahl.com.au

13.01.17



landscape screening and retaining wall, refer to landscape architects drawings for details

Unit 15/16

Unit 20

Unit 21

Unit 22

Unit 23

Unit 24


Unit 25

Unit 26

Unit 27

01 West Elevation

1:200



landscape screening and retaining wall, refer to landscape architects drawings for details

Unit 15/16

Unit 20

Unit 21

Unit 22

Unit 23

Unit 24

Unit 25

Unit 26

Unit 27

02 East Elevation

1:200

Ground line
metal cladding (type)
metal deck roof
paint
rendered concrete
retaining wall
sun shade (type)

gl
mc(1)
mdr
p
rc
tw
ss(1)

existing
fixed sash window
face brickwork (type)
finished ceiling level
finished floor level

ex:
f
fb(1)
cl
fl

aluminum framed window
balustrade
compass (fore cement cladding (type)
existing ground line

Legend
alb
bal
c/c
cl(1)
egl

Date

Amendment

1 Development Application Issue

13.01.17

Architecture
Project management
Access consulting
Interior design



stanton dahl
architects



D A I s s u e

This design including its associated drawings, images, etc. is the intellectual property of stanton dahl & associates pty limited and must not be referenced copied or used without the permission of stanton dahl & associates pty limited.

All dimensions to be specified in site and any discrepancies between drawings and site determination, figured dimensions to take precedence over scaled dimensions.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW

Section - Sheet 1



Project No;
1522.13
Drawing No;
DA17
Amendment#;
/1

Scale; 1:200 @ A3

Drawn; hk

Plot date; 13/01/2017

Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stanton-dahl.com.au



13.01.17

Development Application Issue


1

Date

Amendment



01 Section
1:200



02 Section
1:200



D A I S S U E

This stage includes (as associated drawings, images, etc.) is the intellectual property of Stanton Dahl & Associates Pty Ltd and must not be referenced copied or used without the written permission of Stanton Dahl & Associates Pty Ltd.

All dimensions to be verified on site and any discrepancies noted. All dimensions to be taken above ground level unless otherwise specified. All dimensions to be taken in accordance with the Australian Standards AS 1546:2012. All dimensions to be taken in accordance with the Australian Standards AS 1546:2012. All dimensions to be taken in accordance with the Australian Standards AS 1546:2012.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW
Section - Sheet 2



Project No:
1522.13


Drawing No: Amendment#;
DA18 /1

Scale: **1:200 @ A3**

Drawn: hk

Plot date: 13/01/2017

Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stantondahl.com.au



External Colour Schedule




Colorbond Roofing - mdr
Colour - Gully



External Wall Cladding - cl(1)
External wall cladding



Face Brick - fb(1)
PGH Velour Range "Pearl Grey"



External Wall Cladding - mc(1)



metal deck roof - mdr
sunshade - ss(1)
wall cladding - cl(1)
face brick - fb(1)
feature paint (type 3)
feature paint (type 4)



metal deck roof - mdr
wall cladding - ci(1)
feature paint (type 4)
feature paint (type 2)
face brick - fb(1)



Facia, Gullies, Downpipes, Steel posts

Colorbond - Gully

Front Entry Doors - Feature Colour 1

Dulux - Forest Fruit Pink

Front Entry Doors - Feature Colour 2

Dulux - Deepest Water

Front Entry Doors - Feature Colour 3

Dulux - Forest Canopy

Front Entry Doors - Feature Colour 4

Dulux - Yarwood

Architecture
Project management
Access consulting
Interior design



D A I S S U E

This design including its associated drawings, images, etc. is the intellectual property of Stanton Dahl Architects Pty Limited and must not be referenced, copied or used without the prior written permission of Stanton Dahl Architects Pty Limited.

All dimensions to the building shall be in millimetres unless otherwise stated. Any discrepancies referred to architect for determination, figured dimensions to take precedence over scaled dimensions.

Adventist Aged Care,
Retirement Village
56 Elsom Street,
Kings Langley, NSW
External Colour Schedule



Project No;
1522.13
Drawing No;
DA22 /1
Amendment;
Scale; Not To Scale
Drawn; hk
Plot date; 13/01/2017
Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stantondahl.com.au

Amendment	Date
1	13.01.17

Development Application Issue

13.01.17



PRELIMINARY

This design including its associated drawings, images, etc. is the intellectual property of Stanton Dahl & Associates Pty. Ltd. and must not be reproduced without the written permission of Stanton Dahl & Associates Pty. Ltd.

All dimensions to be verified on site and any discrepancies to be reported to the architect immediately. Dimensions are to be taken as shown, unless otherwise stated. Dimensions to take precedence over scaled dimensions.

Adventist Aged Care Retirement
56 Epsom Street,
Kings Langley, NSW
Maintenance Facility Floor Plan


Project No;
1522.13
Drawing No;
SK - A
Revision#;
-
Scale; 1:100 as noted @ A3
Drawn; lee

Plot date; 5/12/2017
Stanton Dahl Architects
PO Box 833, Epping, NSW 1710
Tel +61 2 8876 5300
www.stantondahl.com.au
© Copyright Stanton Dahl & Associates Pty. Ltd. All Rights Reserved.

Scale: 1:100 @A1

0 1000 2000 3000 4000 5000 10000

Paulownia Lane



Maintenance Facility Floor Plan

1:100

01

no. 30
Gilbert Crescent
single storey dwelling

no. 32
Gilbert Crescent
double storey dwelling

Landscape Plans



'Sunkin Courtyard'
Lush tiered gardens, artificial turf with fixed bench seats and sculptural landscape features provide a pleasant outdoor space for residents and their families. A covered walkway provides a sheltered entry to the dementia wing and the tiered garden beds create a lush green outlook for residents on all levels.

Green roof to new building connection
Maintenance access to the chapel as well as the sunken courtyard

'Formal Garden'
Formal open lawns create an attractive outlook from both the PCR and surrounding ILUs. A covered seating area provides a welcoming place for residents and visitors to sit and enjoy the lush green outlook and central feature sculpture

Proposed new carpark to RACF development

'Entry'
Entrance signage wall to be retained. Landscape to be embellished with feature planting such as *Doryanthes excelsa*, *Agapanthus orientalis* & *Phormium tenax* (over time grow)

Sign line from the entry into the proposed open formal lawn and gardens. Proposed light angle landscaping to be retained to surrounding ILUs community centre and formal garden.

Community centre and surrounding landscape to be retained

'Existing ILUs'
ILUs to be raised with minor garden refinements where existing gardens are disturbed by new works.

'Emergency Access'
Configuration of pedestrian pathways and road edge to allow for emergency access through to James Cook Drive. Driveway is to be lifted and reinforced with suitable plastic calls and lined with trees.

'Informal Garden'
Existing aviary, pond, gazebo and surrounding stand of trees to be retained. This informal garden provides a pleasant sheltered place to sit and enjoy the tranquil water feature and the sounds of birds within the aviary.

'Vegetable Garden'
Relocate the existing raised vegetable gardens to a more centralised location to allow residents from the ILUs easy, convenient access.


'ILU Back Gardens'
Low maintenance planting with hedges and small trees to define the separation between each unit.

Project No: 1631
Scale: C18
Date: 1/3/2004
Author: Kings Langley
Title: Site Landscape Concept Plan

Legend


- Existing Trees to be Retained
- Existing Trees to be Removed
- Proposed Trees
- Proposed Levels
- Property Boundary
- Proposed Building Outline
- Retained Building Outline
- Proposed Pavement
- Revised Pavement
- Turf/Artificial Grass
- Concrete
- Proposed Driveway
- Proposed Fencing/Gallery
- Relining/Raised Planter
- Wall
- Element (Bird Shelter/Seating Area)
- Timber Seating Seat
- Tables & Chairs
- Multi-level Gravel Bed
- Pathway Path

arterra
ARTERRA DESIGN PTY LTD
SUNTEC 607/51 MARSDEN STREET, SPRINGWOOD NSW 2121
P 02 9957 2466 F 02 9577 1977 W ARTERRA.COM.AU
ABA 02 063 552 610
EPFING NSW 2121
ARTERRA.COM.AU




01

SECTION AA - RACF Courtyard (Acoustic Wall)



02

SECTION BB - RACF Dementia Courtyard



03

SECTION CC - Central Formal Garden



ARTERIA DESIGN PTY LTD
 SUITE 607/51 BARRON STREET, SPRINGBROOK NSW 2111
 P 02 9577 5666 F 02 9577 3977 W ARTERIA.COM.AU

PROJECT NAME
 Adventist Aged Care, Kings Langley

PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024
 PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024

PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024

PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024

PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024

PROJECT NO. : 18.31
 DRAWN BY : GJA
 CHECKED BY : GJA
 DATE : 18/04/2024

INDICATIVE PLANTING FOR ILUS

Shrubs



Azalea indica



Cleria minata



Liriodie sp.



Philodendron xanadu



Gardenia sp.

Large Trees



Waterhousea floribunda 'Green Avenue'



Zelkova serrata 'Green Vase'



Syzygium paniculatum



Muraya paniculata



Camellia sasanqua

Evergreen Trees



Thuocodia lepidota 'Asteriville'



Gardenia axillaris




Magnolia soulangeana



Pyrus calleryana




Lagerstroemia indica




Prunus cerasifera 'nigra'

NOTE: Location of species are indicative only and will be amended to suit the orientation of each ILU.




01

SECTION DD - Typical ILU Landscape



02

Typical ILU Landscape



ARTERRA DESIGN PTY LTD
 ABN 40 603 552 676
 SUITE 602 / 51 RAMSDEN STREET, EPPING, NSW 2121
 P 02 9557 7465 F 02 9557 4077 W ARTERRA.COM.AU

Project: L-SD-05
 Design: 02
 Date: 15/06/21 1:28:43
 Author: Kings Langley
 Client: Adventist Aged Care
 Project: L-SD-05
 Title: Typical Landscape Plan & Section-ILUS

- Boundary
- Garden Profile 1
- Garden Profile 2
- Garden Profile 3
- Garden Profile 4
- Garden Profile 5
- Turf Profile 1 & 2
- Turf Profile 3
- Pavement Type 1a
- Pavement Type 1b
- Pavement Type 1c
- Pavement Type 2
- Pavement Type 3
- Pavement Type 4
- Pavement Type 5
- Pavement Type 6
- Wall Type 1
- Wall Type 2
- Wall Type 3
- Wall Type 4
- Wall Type 5
- Wall Type 6
- Edge Type 1
- Edge Type 2
- Edge Type 3
- Fence Type 1a - 1.2m pallisade
- Fence Type 1b - 1.2m pallisade
- Fence Type 1c - 1.2m pallisade
- Fence Type 1d - 1.8m pallisade
- Fence Type 1e - 1.8m pallisade
- Fence Type 2 - 2.1m security
- Fence Type 3 - 2.1m security
- Fence Type 4 - 2.1m security
- Fence Type 5 - 2.1m security
- Fence Type 6 - 2.1m security
- Fence Type 7 - 2.1m security
- Fence Type 8 - 2.1m security
- Fence Type 9 - 2.1m security
- Fence Type 10 - 2.1m security
- Fence Type 11 - 2.1m security
- Fence Type 12 - 2.1m security
- Fence Type 13 - 2.1m security
- Fence Type 14 - 2.1m security
- Fence Type 15 - 2.1m security
- Fence Type 16 - 2.1m security
- Fence Type 17 - 2.1m security
- Fence Type 18 - 2.1m security
- Fence Type 19 - 2.1m security
- Fence Type 20 - 2.1m security
- Fence Type 21 - 2.1m security
- Fence Type 22 - 2.1m security
- Fence Type 23 - 2.1m security
- Fence Type 24 - 2.1m security
- Fence Type 25 - 2.1m security
- Fence Type 26 - 2.1m security
- Fence Type 27 - 2.1m security
- Fence Type 28 - 2.1m security
- Fence Type 29 - 2.1m security
- Fence Type 30 - 2.1m security
- Fence Type 31 - 2.1m security
- Fence Type 32 - 2.1m security
- Fence Type 33 - 2.1m security
- Fence Type 34 - 2.1m security
- Fence Type 35 - 2.1m security
- Fence Type 36 - 2.1m security
- Fence Type 37 - 2.1m security
- Fence Type 38 - 2.1m security
- Fence Type 39 - 2.1m security
- Fence Type 40 - 2.1m security
- Fence Type 41 - 2.1m security
- Fence Type 42 - 2.1m security
- Fence Type 43 - 2.1m security
- Fence Type 44 - 2.1m security
- Fence Type 45 - 2.1m security
- Fence Type 46 - 2.1m security
- Fence Type 47 - 2.1m security
- Fence Type 48 - 2.1m security
- Fence Type 49 - 2.1m security
- Fence Type 50 - 2.1m security
- Fence Type 51 - 2.1m security
- Fence Type 52 - 2.1m security
- Fence Type 53 - 2.1m security
- Fence Type 54 - 2.1m security
- Fence Type 55 - 2.1m security
- Fence Type 56 - 2.1m security
- Fence Type 57 - 2.1m security
- Fence Type 58 - 2.1m security
- Fence Type 59 - 2.1m security
- Fence Type 60 - 2.1m security
- Fence Type 61 - 2.1m security
- Fence Type 62 - 2.1m security
- Fence Type 63 - 2.1m security
- Fence Type 64 - 2.1m security
- Fence Type 65 - 2.1m security
- Fence Type 66 - 2.1m security
- Fence Type 67 - 2.1m security
- Fence Type 68 - 2.1m security
- Fence Type 69 - 2.1m security
- Fence Type 70 - 2.1m security
- Fence Type 71 - 2.1m security
- Fence Type 72 - 2.1m security
- Fence Type 73 - 2.1m security
- Fence Type 74 - 2.1m security
- Fence Type 75 - 2.1m security
- Fence Type 76 - 2.1m security
- Fence Type 77 - 2.1m security
- Fence Type 78 - 2.1m security
- Fence Type 79 - 2.1m security
- Fence Type 80 - 2.1m security
- Fence Type 81 - 2.1m security
- Fence Type 82 - 2.1m security
- Fence Type 83 - 2.1m security
- Fence Type 84 - 2.1m security
- Fence Type 85 - 2.1m security
- Fence Type 86 - 2.1m security
- Fence Type 87 - 2.1m security
- Fence Type 88 - 2.1m security
- Fence Type 89 - 2.1m security
- Fence Type 90 - 2.1m security
- Fence Type 91 - 2.1m security
- Fence Type 92 - 2.1m security
- Fence Type 93 - 2.1m security
- Fence Type 94 - 2.1m security
- Fence Type 95 - 2.1m security
- Fence Type 96 - 2.1m security
- Fence Type 97 - 2.1m security
- Fence Type 98 - 2.1m security
- Fence Type 99 - 2.1m security
- Fence Type 100 - 2.1m security



