

Our Reference:
Contact:
Phone:

2014/616/2
Mr M Stephenson
02 8745 9761

T.B.A

Dreamcorp Developments
PO Box 55
MAROUBRA NSW 1355

Dear Sir/Madam

**PREMISES: LOT 4012, DRIFTWAY DRIVE, MERRYLANDS
SECTION 96(2) MODIFICATION TO DEVELOPMENT CONSENT NO. 2014/616/1
MODIFICATION APPLICATION NO. 2014/616/2**

I refer to your application lodged on 8 December 2016 seeking amendment to Development Consent No. 2014/616/1 issued for the construction of a multi dwelling housing development comprising 57 x 3 storey dwellings, basement and grade level parking for 143 cars.

The modification application is seeking to stage the approved multi dwelling housing development enabling construction and completion of the development to occur in 2 stages.

Pursuant to Section 96(2) of the Environmental Planning & Assessment Act, 1979, Council grants approval for the modifications sought. Accordingly, Development Consent 2014/616/1 is amended as follows:

Proposed Development:

Construction of a multi dwelling housing development in two stages, comprising the construction of 16 x 3 storey townhouses and at-grade parking for 36 cars in Stage 1, and the construction of 41 x 3 storey townhouses, basement and at-grade level parking for 101 cars in Stage 2.

The conditions of consent have been split into Stage 1 Conditions and Stage 2 Conditions, and are provided as an attachment.

S97AA of the Environmental Planning & Assessment Act 1979 confers upon an applicant, dissatisfied with Council's determination of an application made pursuant to Section 96(1A) a right of appeal to the Land and Environment Court within 6 months of the date of determination.

Section 96AB of the Act provides that an applicant may request, within 28 days of the date of determination of the Section 96 Application, that the Council review its determination (this does not apply to integrated or designated development). A fee is required for this review.

If you have any further enquiries please contact Mr Mark Stephenson of Council's Environment & Infrastructure Division on 02 8745 9761, Monday to Friday.

Yours faithfully,

Sohail Faridy
COORDINATOR DEVELOPMENT ASSESSMENT

STAGE 1:

Construction of a multi dwelling housing development comprising 16 x 3 storey dwellings, driveway and at grade level parking for 36 cars.

Note: The conditions of development consent are only required to be complied with at the relevant time and to the extent they are relevant to the specific development stage(s).

PRELIMINARY

1. This consent shall lapse if the above development is not physically commenced within a five (5) year period from the date of issue of this development consent.
2. Development shall take place in accordance with the attached endorsed plans:

Doc No.	Issue	Title	Prepared By	Date
Architectural Plans – all Job No. 28025				
0002	DA-C	Calculations/Basic Commitments	Idraft Architects	30.10.2015
0003	DA-C	Site Plan	Idraft Architects	20.11.2017
1001	DA-C	Basement Plan	Idraft Architects	30.10.2015
1002	DA-C	Ground Floor Plan	Idraft Architects	20.11.2017
1003	DA-C	Level One Plan	Idraft Architects	30.10.2015
1004	DA-C	Level Two Plan	Idraft Architects	30.10.2015
1005	DA-C	Roof Plan	Idraft Architects	30.10.2015
2001	DA-C	Elevation (includes Colour and Material Schedule)	Idraft Architects	02.03.2016
2002	DA-C	Elevation/Sections	Idraft Architects	30.10.2015
2003	DA-C	Sections	Idraft Architects	30.10.2015
3001	DA-C	Silverthorne Sections/Streetscapes	Idraft Architects	02.03.2016
3002	DA-C	Courtyard Sections	Idraft Architects	02.03.2016
0007	DA-C	Sedimentation Control Plan	Idraft Architects	30.10.2015
Hydraulic Plans – Project No. 131082014DA				
13108-01	C	Basement Plan	ING Consulting Engineers Pty Ltd	18.10.2015
13108-02	C	Basement Notes & Details	ING Consulting Engineers Pty Ltd	18.10.2015
13108-03	F	Site Plan	ING Consulting Engineers Pty Ltd	06.03.2017
13108-04	C	Erosion & Sediment Control Plan	ING Consulting Engineers Pty Ltd	18.10.2015

13108-05	C	Notes & Details	ING Consulting Engineers Pty Ltd	18.10.2015
Landscape Plans				
DA-L101	B	Landscape general layout plan	Canvas Landscape Architects	05.03.2017
DA-L102	B	Landscape plan 01	Canvas Landscape Architects Canvas	06.03.2017
DA-L103	B	Landscape plan 02	Canvas Landscape Architects Canvas	06.03.2017
DA-L104	B	Landscape plan 03 & typical landscape detail 01	Canvas Landscape Architects	06.03.2017
DA-L601	A	Section A-A & typical landscape details	Canvas Landscape Architects Canvas	06.03.2017
DA-L602	A	Section A-A & typical landscape details	Canvas Landscape Architects Canvas	27.11.2015
Staging				
1009	C	Staging Plan	Idraft Architects	14.11.2017

- Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015;
 - Water Quality Control Report prepared by NG Consulting Engineers Pty Ltd, dated 19 October 2015;
 - BASIX Certificate No. 580532M_03, dated 24 July 2015, as updated by Condition 26 of this development consent;
 - Waste Management Plan dated 18 December 2014;
 - Bushfire Hazard Assessment Report prepared by Building Code & Bushfire Hazard Solutions Pty Limited, Reference No. 140798, dated 8 September 2015;
 - Correspondence prepared by the NSW Rural Fire Service, Reference No. D15/0972, dated 18 November 2015 (copy attached), and all conditions contained therein; and
 - Correspondence prepared by the NSW Police – Holroyd Local Area Command, Reference No. D/2014/470303, dated 31 December 2014 (copy attached), and all conditions contained therein.
- a) As amended in red by Council. All amendments are to be incorporated in the Construction Certificate plans.
3. All building work shall be carried out in accordance with the requirements of the Building Code of Australia. Fully detailed plans including fire safety details shall be submitted with

the Construction Certificate application. No work is to commence until such time as a Construction Certificate is obtained for the work/building permitted by this Consent.

Appointment of Council or a Private Certifier as the Principal Certifying Authority (PCA)

4. Either Council or a Private Certifier is to be appointed as the Principal Certifying Authority (PCA) for the development in accordance with Section 109E of the Act.

Accordingly, wherever reference is made to the Principal Certifying Authority in this Consent, it refers to Council or the Private Certifier as chosen by you.

Note: Once you have chosen either Council or a Private Certifier as the PCA, you cannot change from one to the other, or from one Private Certifier or another, without the approval of Department of Planning & Infrastructure.

5. The applicant shall consult with, as required:
 - (a) Sydney Water Corporation Limited
 - (b) Integral Energy
 - (c) Natural Gas Company
 - (d) A local telecommunications carrierregarding their requirements for the provision of services to the development and the location of existing services that may be affected by proposed works, either on site or on the adjacent public road(s).
6. The proposed structure/s are to be located clear of existing Council easements. Special footings will be required where the proposed/existing structures are adjacent to a drainage easement. The footings shall be taken down to the invert level of the existing drainage structure or to solid rock, whichever is the lesser. The footing depth may decrease by 500mm for every 1000mm increment in distance the footing is from the easement boundary. The footing system is to be designed by a practising professional structural engineer.
7. Building materials, builders sheds, waste bins, site fencing, gates or any material of any description shall not be left or placed on any footway, road or nature strip. Footways and nature strips shall be maintained, including the cutting of vegetation, so as not to become unsightly or a hazard for pedestrians. Offenders will be prosecuted.

BASIX (Building Sustainability Index)

8. Under Clause 136D of the Environmental Planning & Assessment Regulation 2000, it is a condition of this Development Consent that all the commitments listed as per Condition 2 in relation to BASIX are fulfilled.

NOTE: FEES, BONDS & CONTRIBUTIONS INDICATED IN CONDITIONS OF THIS CONSENT MAY VARY IN ACCORDANCE WITH THOSE ADOPTED BY COUNCIL AT SUBSEQUENT ANNUAL REVIEWS OF ITS "FEES AND CHARGES" AND SUBSEQUENT CHANGES TO THE BUILDING PRICE INDEX. FEES CHARGED WILL BE THOSE CURRENT AT THE TIME OF PAYMENT.

PRIOR TO ISSUE/RELEASE OF CONSTRUCTION CERTIFICATE

The following conditions must be complied with prior to the issue of a Construction Certificate. In many cases the conditions require certain details to be included with or incorporated in the detailed plans and specifications which accompany the Construction Certificate:-

Payment of Bonds, Fees and Long Service Levy

9. The Principal Certifying Authority is to ensure and obtain written proof that all bonds, fees and contributions as required by this consent have been paid to the applicable authority. This includes all Long Service Levy payments to be made to the Long Service Payments Corporation.

Section 94 Contribution

10. Prior to the issue of a Construction Certificate, a monetary contribution imposed under section 94 of the *Environmental Planning and Assessment Act 1979* and the Pemulwuy Contributions Plan 2015, for sixteen (16) dwellings (minus credit for 1 x existing lot) is to be paid to Council. At the time of this development consent, the current rate of the contribution is **\$138,191.70**. The amount of the contribution will be determined at the time of payment in accordance with the relevant s94 Contributions Plan in force at that time. A copy of the Pemulwuy Contributions Plan 2015 can be viewed on Council's website at www.holroyd.nsw.gov.au or inspected at Council's Civic Centre located at 16 Memorial Avenue, Merrylands between the hours of 8am and 4.30pm Monday to Friday.

Damage Deposit

11. A cash bond/bank guarantee of **\$1,643.20** must be paid/lodged with Council to cover making good any damage caused to the property of Council, during the course of construction associated with the development. This will be held for 'six (6) months after the completion of works' or six (6) months after the issue of 'Final Occupation Certificate' (whichever occurs last) to remedy any defects that may arise within this time.

Note:- The applicant/owner shall be held responsible for and may be required to pay the full reinstatement costs for damage caused to Council's property unless the applicant/owner notifies Council in writing and provides photographic proof of any existing damage to Council's property. Such notification shall occur prior to works/demolition commencing. However, if in the opinion of Council, during the course of construction existing damage has worsened, Council may require full reinstatement. If damage does occur during the course of construction, prior to reinstating any damage to Council's property, the applicant/owner shall obtain design specifications of all proposed restoration works. Restoration/construction works within the road reserve shall be carried out by a licensed construction contractor at the applicant/owners expense and shall be inspected by Council prior to placement of concrete and/or asphalt.

Consistency with Endorsed Development Consent Plans

12. The Principal Certifying Authority must ensure that any certified plans forming part of the Construction Certificate, are in accordance with the Development Consent plans.

Street Trees and Timber Tree Guards

13. A cash bond/bank guarantee of **\$9,000** must be paid/lodged with Council to cover making good any damage caused to/or removal of the Council street trees and associated timber tree guards listed below, by any works associated with the development. This bond will be held for a period of 12 months after the issue of the Occupation Certificate to remedy any defects including tree removal, tree damage, tree death, or damage to the tree guard that may arise during the construction and within the establishment period.

Tree Number: 1 – 9 (inclusive)

Species: Eucalyptus tereticornis

Note:- The builder/owner/applicant shall be held responsible for and may be required to pay the full reinstatement costs for damage or removal of the Council street tree and timber tree guard. If damage or removal occurs during construction, prior to any reinstating of the tree and/or tree guard within Council's property, the builder/owner/applicant shall obtain design specifications from Council's Landscape & Tree Management Unit. All works shall be carried out by licensed contractors at the builder/owner/applicant's expense.

If a replacement tree is required an inspection must be carried out by Council prior to the backfilling of the planting hole.

Landscape Inspection Fee

14. Payment of a **\$856** fee for the inspection by Council of landscape works and/or trees to be retained at the key stages, where Council is the Principal Certifying Authority.

Engineering Fees and Bonds

15. Payment of a **\$657.40** fee for the design, specifications and inspection by Council of the vehicular crossing/s prior to placement of concrete.
16. Payment of a **\$336** fee for the inspection by Council of the stormwater drainage and Pollution Control Device at the key stages, where Council is the Principal Certifying Authority.
17. The applicant shall lodge with Council a **\$5,000** cash bond or bank guarantee to cover the satisfactory construction and/or reconstruction of Council's gully pit/s and associated works along all areas of the site fronting Driftway Drive and Silverthorne Drive. This bond will be held for 'Six (6) months after the completion of works' or issue of a 'Final Occupation Certificate' (whichever occurs last) to remedy and defects that may arise within this time.

Road Works

18. A Traffic Management Plan shall be lodged with Council for any road and drainage works to be carried out within public road reserves, or where construction activity impacts on traffic flow or pedestrian access, in strict compliance with the requirements of Australian Standard 1742.3 (Traffic Control Devices for Works on Roads). In this regard, the applicant shall pay Council a **\$482.70** fee for the assessment of the Traffic Management

Plan by Council, prior to commencing works within the road reserves. A copy of the approved Traffic Management Plan shall be kept on site during the course of construction for reference and compliance.

Sight Distance

19. To maintain sight distance to pedestrians, all fencing and landscaping within 2.0m of a driveway shall have a maximum height of 1m and 50% transparent above a height of 0.5m. All solid posts higher than 0.5m (but lower than 1m) shall have a maximum width 350mm and a minimum spacing of 1.2m. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Signs and Line Marking

20. Signs and line marking plans shall be prepared prior to the issue of Construction Certificate and to be in accordance with AS 2890.1-2004, AS 2890.6-2009 and the endorsed plans. The signs and linemarking plan shall provide details of signs and linemarking that will guide and delineate entry and exit points, direction of traffic flow, pedestrian walk ways, visitor spaces, staff spaces, disabled spaces, service areas, loading areas, heavy vehicle maneuvering areas etc. The plan shall be in accordance with Australian Standards and endorsed by a suitably qualified traffic practitioner.

Required Submissions to Principal Certifying Authority

21. If the development is likely to disturb or impact upon telecommunications infrastructure, written confirmation from the service provider that they have agreed to the proposed works must be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate or any works commencing, whichever occurs first.
22. The arrangements and costs associated with any adjustment to telecommunications infrastructure shall be borne in full by the applicant/developer.
23. Retaining walls greater than 1.0m above finished ground level or other approved methods necessary to prevent the movement of excavated or filled ground, together with associated stormwater drainage measures, shall be designed by an appropriately qualified person. Details are to be included with any Construction Certificate application.
24. Structural engineer's details (in duplicate) prepared and certified by a practising qualified structural engineer of all reinforced concrete and structural members shall be submitted to the Principal Certifying Authority.

Plan Amendments

25. The landscape and hydraulic plans shall be updated to correspond with the approved architectural plans.
26. The architectural plans shall be updated to show the location of all BASIX Commitments required as part of the BASIX Certificate.
27. N/A – deleted

28. All balconies shall be provided with full height separating walls to ensure privacy between balconies within the development.
29. An external clothes drying area shall be provided in the rear courtyard of each dwelling. Details shall be provided to the Principal Certifying Authority.
30. A minimum 12.5 cubic metres of storage shall be provided for each dwelling, either internally or within the garage/basement parking areas. Details shall be provided to the Principal Certifying Authority.
- 30a. N/A – deleted

Waste Storage

31. Communal waste and recycling bin storage areas shall be provided in close proximity to collection points along Driftway Drive and Silverthorne Drive. Appropriate storage facilities designed in accordance with Part A, Appendix D, of the Holroyd DCP 2013, shall be provided behind the building line and away from neighbouring residential properties.

Landscaping

32. An amended landscape plan shall be submitted to the Principal Certifying Authority, which addresses the following outstanding issues:
 - a. All exotic plant species proposed within the front setback areas to Driftway Drive and Silverthorne Drive are to be deleted and replaced with native plant species. There are to be no exotic plant species within the front setback areas or any common/public areas that are visible from the street.
 - b. The site is located adjacent to a remnant and critically endangered Cumberland Plain Woodland reserve and as such species known to be invasive of bushland areas shall not be proposed. In this regard the following invasive species are to be deleted and replaced with an alternative non-invasive species:
 - i. Dieties spp
 - ii. Ulmus parvifolia
 - iii. Duranta spp

Basement Parking

33. N/A – deleted

Accessibility

34. The submitted plans do not demonstrate compliance with AS 4299-1995 – *Adaptable Housing*. In this regard, amended plans shall be submitted to the Principal Certifying Authority demonstrating compliance with the Australian Standards. Plans demonstrating compliance shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate.

Water Urban Sensitive Design (WUSD)

35. The development site has been identified as requiring WSUD which was considered as part of the Development Consent. In this regard, design and construction details shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate and the following shall also be addressed: -
- A Water Urban Sensitive Design (WUSD) strategy shall be prepared in accordance with Clause C1 and C2 – Section 7.5, Part A of the Holroyd Development Control Plan 2013.

Salinity

36. The subject site has been identified as having a potential salinity hazard. To prevent moisture/salinity from entering the built structure, appropriate construction methods are to be incorporated for all dwellings/buildings. Details of proposed methods of construction are to be detailed in the engineering plans and submitted to the PCA.

Note: Further information for building in a saline environment is available in the following documents:

- “Building in Saline Environment” prepared by DIPNR 2003.
- Water Sensitive Urban Design in the Sydney Regions “Practice Note 12: Urban Salinity”
- Wagga Wagga City Council’s “Urban Salinity Action” October 1999
- “Guide to Residential Slabs and Footings in Saline Environments” prepared by Cement Concrete and Aggregates Australia, May 2005.

Sydney Water

37. The approved plans must be submitted to a Sydney Water Quick Check agent to determine whether the development will affect any Sydney Water wastewater and water mains, stormwater drains and/or easement, and if any requirements need to be met. Plans will be appropriate stamped.

Please refer to the web site www.sydneywater.com.au for:

- Quick Check agent details – see Building and Development then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see Building and Developing then Building and Renovation

or telephone 13 20 92.

Car Wash Bay

38. N/A – deleted

Construction Management Plan

39. A Construction Management Plan (CMP) prepared by a suitable qualified consultant shall be prepared to address issues such as traffic control, noise, dust, etc., during construction. All measures works/methods/procedures/control measures/recommendations made within the Construction Management Plan shall be implemented accordingly.

Acoustic Measures

40. Plans and/or specifications indicating how compliance with the recommendations provided within the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015, will be achieved are to be submitted to the Principal Certifying Authority.

Air Conditioning

41. Details and specifications for the mechanical ventilation system complying with the Australian Standard are to be submitted and approved by Council.

PRIOR TO WORKS COMMENCING

The following conditions are to be complied with prior to any works commencing on the site:

Appointment of Principal Certifying Authority and Notification of Commencement of Work

42. The person having the benefit of the development consent, not the principal contractor (builder), must: -
- a) Appoint a Principal Certifying Authority in accordance with Section 81A(2)(b) of the Act.
 - b) Have the Principal Certifying Authority complete the 'Accredited Certifier Details' on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.
 - c) Notify Council of the appointment of the Principal Certifying Authority and of the intention to commence building work, such notification is to be given to Council at least two (2) working days prior to the proposed commencement date, and be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

If nominated, Council can provide this service for you and act as the Principal Certifying Authority.

N.B. The Principal Certifying Authority must also notify the person having the benefit of the Development Consent of any mandatory critical stage inspections and other inspections that are to be carried out in respect of the building work such notification must comply with Clause 103A of the Regulations.

Notification of Principal Contractor (Builder)/Owner-Builder

43. The person having the benefit of the Development Consent must:-
- (a) Notify the Principal Certifying Authority that the person will carry out the work as an owner-builder, if that is the case;
- OR
- (b) Appoint a Principal Contractor for the building work (who must be the holder of a contractor licence if any residential building work is involved), and notify the Principal Contractor of any mandatory critical stage inspections and other inspections that are to be carried out in respect of the building work.
 - (c) Notify the Principal Certifying Authority of any such appointment.

Where Council is the Principal Certifying Authority, such notification is to be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

Required Submissions to Certifying Authority

44. To facilitate a complete assessment and enable the Certifying Authority to check compliance on site, truss validation and design, details certified by a qualified practising structural engineer shall be submitted to Council or the Principal Certifying Authority for examination and approval. Details shall include:
- a) job address and builder's name
 - b) design wind velocity
 - c) terrain category
 - d) truss spacing
 - e) roof pitch
 - f) material of roof
 - g) roof batten/purlin spacing
 - h) material of ceiling
 - i) job number

Photographic Record of Council Property – Damage Deposit

45. The applicant shall submit to Council, for the purposes of the damage deposit bond lodged to cover making good any damage caused to the property of Council, a full and satisfactory photographic record of the condition of Council's property (i.e., road pavement, kerb and guttering, footway, stormwater drainage, etc.) adjacent to the subject site. The purpose of the photographic record is to establish any pre-existing damage to Council's property to ensure that you are not liable for any re-instatement works associated with that damage. However, if in the opinion of Council, the existing damage has worsened or any new damage is caused during the course of construction, the Council may require either part or full re-instatement.

Note: Failure to provide a full and satisfactory photographic record described above, is likely to render the applicant liable to rectify all damages unless satisfactory proof can be provided that the damage was pre-existing.

Notification to Relevant Public Authority

46. The applicant shall ensure that relevant public utility authorities are made aware of the potential salinity problems that have been identified onsite, such that their services are designed to take into consideration the effects the saline soils may have on their installations.

Fencing of Sites

47. Fencing of sites is required to prevent public access when the site is unoccupied and building works are not in progress. In this regard the MINIMUM acceptable standard of fencing to the site is properly constructed chain wire fencing 1.8m high, clad internally with Hessian or Geotextile fabric. All openings are to be provided with gates, such gates are not at any time to swing out from the site or obstruct the footpath or roadway.

Signs to be Erected on Sites

48. A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
- (a) Showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - (b) Showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted **outside working hours and at any time for business purposes**, and
 - (c) Stating that unauthorised entry to the work site is prohibited.

The sign must be rigid and durable and be read easily by anyone in any public road or other public place adjacent to the site.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

This clause does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

Note: Principal Certifying Authorities and Principal Contractors must also ensure that signs required by this clause are erected and maintained (clause 227A of the Regulations currently imposes a maximum penalty of \$1,100).

Prohibited Signage

49. Advertising, Real Estate Agents, Architects, Designers, site suppliers and any other signage not mentioned in the conditions, is not to be placed or displayed on the site, such that the signage is visible from any public place. Offenders may be prosecuted.

Protection of Public Places

50. A hoarding or fence must be erected between the work site and any public place, if the work involved in the erection or demolition of the building; is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place.

If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.

The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.

Site Control Measures

51. Suitable erosion and sediment control measures shall be provided at all vehicular entry/exit points and all other measures required with and/or shown on plans accompanying the Construction Certificate, to control soil erosion and sedimentation, are to be in place prior to the commencement of construction works. Such controls are to be provided in accordance with Holroyd City Council's "Erosion & Sediment Control Policy."

Note: On-the-spot fines may be issued by council where measures are absent or inadequate.

Tree Protection

52. An Arborist qualified to at least Australian Qualifications Framework (AQF) Certificate Level 4 shall be retained throughout all construction work to ensure the proper protection and management of the tree/s required to be retained/transplanted and that any necessary pruning work within 1m of the building/s approved, is carried out in accordance with Australian Standard 4373-1996 "Pruning of Amenity Trees". This includes on site supervision of the erection of tree protection measures and, where necessary, any works that are required within tree protection zones.
53. The tree/s identified on the endorsed plans as being retained/transplanted shall be protected prior to and throughout the demolition/construction process in accordance with the attached Guidelines for the Protection of Trees On and Adjacent To Demolition/Building sites, and relevant conditions of this Consent. All trees not authorised to be removed by this Consent must be retained. Prior to any work commencing, certification of the installation and inspection of the required tree protection works is to be provided to the Principal Certifying Authority by a suitably qualified person or the Arborist (as appropriate) engaged to ensure the proper protection and management of the tree/s required to be retained/transplanted. A copy of the Certificate is to be issued to Council within seven (7) days of the inspection and prior to any works commencing. Additionally, trees identified for removal are to be retained until immediately prior to works commencing, to assist with soil management and erosion control.
54. Protective fencing is to be installed around the tree/s to be retained/transplanted in line with the outer edge of the canopy which overhangs the site and no further than 0.5m from any buildings, and around street trees and timber guards. This fencing is to be constructed of chainwire mesh 1.8m high, which is supported by steel stakes or piping and braced to resist impacts. Where appropriate the trunk/s of the tree/s on the site and any street tree/s (which are not to be fenced other than as mentioned above), shall also be protected by vertical timber boards, installed by or under the supervision of a suitably qualified person or the arborist (as appropriate) engaged to ensure the proper protection and management of the trees required to be retained/transplanted to accepted horticultural and TAFE standards.

Note: Removal of the protective fencing or timber boards during construction work, will affect the Bonds and may result in legal proceedings being instigated by Council against the applicant and builder.

Footpaving, Kerbing and Guttering

55. Protection must be provided for Council footpaving, kerbing and guttering. Wooden mats must also be provided at all entrances where the site fronts paved footpaths.
56. Finished street levels shall not be assumed. The owner or builder must make application to Council's Engineering Services Department for street levels.

Support for Neighbouring Buildings

57. If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land (including a public road and any other public place), the person causing the excavation to be made:-
 - a) must preserve and protect the building from damage, and
 - b) if necessary, must underpin and support the building in an approved manner, and
 - c) must, at least seven (7) days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars to the owner of the building being erected or demolished.

The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land. (In this clause, *allotment of land* includes a public road and any other public place).

58. A dilapidation report of adjoining properties/allotments and details of the proposed excavation works in excess of 2m or within the zone of influence of neighbouring building foundations and required underpinning and supportive measures shall be submitted to the Principal Certifying Authority. Any required underpinning and supportive measures shall be designed by a practising structural engineer and details shall be submitted to the Principal Certifying Authority for approval prior to construction works commencing.

Toilet Facilities

59. Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.

Each toilet provided:

- a) Must be a standard flushing toilet, and
- b) Must be connected:
 - i) To a public sewer,
 - ii) If connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - iii) If connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
 - iv) The position of the toilet on the site shall be determined by Council's Building Surveyor and/or Sydney Water.

Residential Building Work - Insurance

60. Residential building work within the meaning of the *Home Building Act 1989* must not be carried out unless the Principal Certifying Authority for the development to which the work relates (where not Holroyd City Council) has given Holroyd City Council written notice of the following information:-
- (a) In the case of work for which a Principal Contractor is required to be appointed:
 - (i) the name and licence number of the Principal Contractor, and
 - (ii) the name of the insurer by which the work is insured under Part 6 of that Act,
 - (b) In the case of work to be done by an owner-builder:
 - (i) the name of the owner-builder, and
 - (ii) if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under this condition becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (where not Holroyd City Council) has given Holroyd City Council written notice of the updated information.

The notification is to be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

Roadworks

- 61. The applicant is to submit to Council an application for a road opening permit when the drainage connection into Council's system is within the road reserve. In this regard the applicant shall pay Council a **\$159.20** fee prior to the commencement of works. Additional road opening permits and fees may be necessary where there are connections to public utility services (e.g. telephone, electricity, sewer, water or gas) required within the road reserve.
- 62. The developer shall arrange with Telstra for the relocation of the phone pit affected by the proposed vehicular crossing.
- 63. The applicant to arrange with the relevant public utility authority the alteration or removal of any affected services in connection with the development. Any such work being carried out at the applicant's cost.
- 64. Any works requiring closure of any road or footway closure will require submission of a Council's Temporary Road Closure application form and payment of fees.

65. Any required adjustment to utility services, trees, signs and other street furniture requires approval of the appropriate authority and shall be undertaken by the applicant at no cost to Council.

Works within Council's Reserve

66. All works within the Council reserve shall be completed within three (3) weeks of the date of commencement. Council's Development Engineer shall be advised prior to the commencement of works.
67. Submission to Council of a Certificate of Currency of the contractor's Workers' Compensation Policy prior to the commencement of works.
68. All construction works shall be in accordance with the WorkCover safety requirements. Submission of insurance documentation demonstrating a minimum Public Liability cover of \$10,000,000 is to be submitted prior to commencement of works. Holroyd City Council shall be named on the Certificate of Currency as an interested party.

Property/Street Number

69. Council is the authority responsible for the allocation of all official property addresses. For ease of identification of your new development, it is important that the allocated property numbers are used and displayed prominently. It is requested that you contact Council as soon as possible before construction is commenced to discuss proposed addressing for your development.

Please email your site plan to hcc@holroyd.nsw.gov.au or contact Council's Rates Section by Phone on 9840 9767.

Council's 'Allocation of Property Numbers' policy is available on Council's website www.holroyd.nsw.gov.au.

DURING CONSTRUCTION

The following conditions are applicable during construction:-

Endorsed Plans & Specifications

70. A copy of the endorsed stamped plans and specifications, together with a copy of the Development Consent, Construction Certificate and approved Traffic Management Plan are to be retained on site at all times.

Hours of Work & Display of Council Supplied Sign

71. For the purpose of preserving the amenity of neighbouring occupations building work including the delivery of materials to and from the site is to be restricted to the hours of 7.00am to 6.00pm Mondays to Fridays and 8.00am to 4.00pm Saturdays. Work on the site on Sundays and Public Holidays is prohibited.

The yellow “Hours of Building Work” sign (supplied by Council with the approval), is to be displayed in a prominent position at the front of the site for the duration of the work.

Site Control

72. All soil erosion measures required in accordance with the approved sediment and erosion control plan and any other relevant conditions of this Consent are to be put in place prior to commencement of construction works are to be maintained during the entire construction period until disturbed areas are restored by turfing, paving or revegetation. This includes the provision of turf laid on the nature strip adjacent to the kerb.
73. Builder's refuse disposal and storage facilities are to be provided on the development site for the duration of construction works and all rubbish shall be removed from the site upon completion of the project.
74. Stockpiles of sand, soil and other material shall be stored clear of any drainage line or easement, tree protection zone, water bodies, footpath, kerb or road surface and shall have erosion and sediment control measures in place to prevent the movement of such materials onto the aforementioned areas and adjoining land.

Waste Management

75. The approved Waste Management Plan must be implemented and complied with during all stages of works on site.
76. Within seven (7) days of completion of construction/building works, the applicant shall submit a signed statement to Council or the Principal Certifying Authority verifying that construction work and recycling of materials was undertaken in compliance with the Waste Management Plan. The Principal Certifying Authority shall submit a copy of the statement to Council.

In reviewing such documentation Council will require the provision of actual weighbridge receipts for the recycling/disposal of all materials.

Compliance with Critical Stage Inspections and other Inspections nominated by the Principal Certifying Authority

77. Section 109E(3)(d) of the Act requires certain specific inspections (prescribed by clause 162A of the Regulations) and known as 'Critical Stage Inspections' to be carried out for building work. Prior to permitting commencement of the work your Principal Certifying Authority is required to give notice of these inspections pursuant to clause 103A of the Regulations.

N.B. An Occupation Certificate cannot be issued and the building may not be able to be used or occupied where any mandatory critical stage inspections or other inspections required by the Principal Certifying Authority are not carried out.

Where Council is nominated as Principal Certifying Authority, notification of all inspections required is provided with the Construction Certificate approval.

Construction

78. The building and external walls are not to proceed past ground floor formwork/reinforcing steel level until such time as the Principal Certifying Authority has been supplied with a check survey report prepared by a registered surveyor certifying that the floor levels and external wall locations to be constructed, comply with the approved plans, finished floor levels (FFL)s and setbacks to boundary/ies. **The slab shall not be poured, nor works continue, until the Principal Certifying Authority has advised the builder/developer that the floor level and external wall setback details shown on the submitted survey are satisfactory.**

In the event that Council is not the Principal Certifying Authority, a copy of the survey shall be provided to Council within three (3) working days.

On placement of the concrete, works again shall not continue until the Principal Certifying Authority has issued a Certificate stating that the Condition of approval has been complied with and that the slab has been poured at the approved levels.

Salinity

79. The building and external walls are not to proceed past ground floor formwork/reinforcing steel level until such time as the Principal Certifying Authority has confirmed that all required construction measures addressing salinity, as required by this Consent and its accompanying Construction Certificate have been carried out.

Landscaping and Site Works

80. All turfed areas shall be finished level with adjoining surfaces and also fall evenly to approved points of drainage discharge.
81. 'Sir Walter' Buffalo turf or equivalent is to be used for all residential road verges. Turf is to be installed at the completion of site works to the approved detail.

82. A single master T.V. antenna is to be installed to service each building and provision made for connection to each dwelling within that building.
83. New 1.8m high lapped and capped timber paling fences (Colorbond is not permitted) are to be erected along all side and rear boundaries at full cost to the developer, such fencing to be constructed on or within the property boundary. In situations where the boundary fence is proposed on top of a retaining wall, the height of the fence shall not exceed a maximum of 2.4m as measured from the lower adjacent ground level. A Statutory Declaration or other documentary evidence of such consultation is to be submitted to the Principal Certifying Authority.
84. The front fence along Driftway Drive and Silverthorne Drive is to be constructed in accordance with the approved fence detail on the approved architectural plan prepared by Idraft Architects, Job No. 28025, Drawing No. 2001, Issue No. DA-C, dated 30 October 2015.
85. Fencing within the internal courtyards shall consist of horizontal timber slats to a maximum height of 1.8 metres.

Tree Protection

86. The tree/s identified on the endorsed plans as being retained/transplanted shall be protected against damage throughout the demolition/construction process in accordance with the attached Guidelines for the Protection of Trees On and Adjacent to Demolition/Building Sites and relevant conditions of this Consent.
87. The applicant shall accept all responsibility for the accuracy of the information provided to Council for assessment. If any tree/s are not shown on the endorsed plan or are required to be retained/transplanted and protected but are threatened by demolition/construction work through unforeseen construction requirements or plan inaccuracy, all site and building works so affected are to cease until the matter is resolved to the satisfaction of Council. Council's Environmental and Planning Services Department is to be notified immediately upon such a problem being encountered.
88. No works are to occur within the fenced tree protection zone. All authorised works/activities within the fenced tree protection zone/s are to be undertaken by hand held equipment under the supervision of the consulting Arborist. No roots over 50mm in diameter are to be cut within the tree protection zone without prior consultation with Council officers or the consulting Arborist.

All roots over 50mm in diameter which are encountered outside the fenced tree protection zone/s are to be cleanly cut and not ripped.

Pre-planting inspection of Street Trees and Timber Tree Guards

89. The builder/owner/applicant shall be held responsible for the full costs of removal and replacement of the Council street trees and timber tree guards, as shown on the endorsed landscape plan.

Prior to planting of the tree and/or tree guard within Council's property, the builder/owner/applicant shall obtain design specifications from Council's Landscape & Tree Management Unit. All works shall be carried out by licensed contractors at the builder/owner/applicant's expense.

The replacement tree planting hole shall be inspected by Council prior to the backfilling of the planting hole, to ensure installation of root barriers. Where a pre-planting inspection does not occur, Council will require the tree to be removed and planting hole inspected before replanting.

Upon satisfactory inspection, a pre-planting compliance certificate will be issued by Council to proceed with planting, a final inspection and certificate will be issued following planting.

Council's standard landscape inspection fee will apply for each required inspection, payable at the time of booking the required inspection.

Note: A private certifier or the PCA cannot be engaged to do this inspection.

90. Street trees are to be planted as follows: -

- Driftway Drive – *Eucalyptus tereticornis*
- Silverthorne Drive – *Eucalyptus tereticornis*

Street trees are to be a minimum pot size of 45L and are to be edged with treated timber, and mulched as per approved detail.

Tree protection guards are to be installed around each tree consisting of a painted timber 4-post tree protection guard with approximate dimensions of 1.5m above ground height and with post being 1.2m apart as per approved detail and consistent with those existing within the estate. These guards are to remain a permanent streetscape fixture.

Root barriers are to be installed to the footpath and kerb to Council's Landscape Architect specification.

Acoustic Management

91. The recommendations provided in the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015, shall be implemented in full.

Inspection of Pollution Control Device/s

92. The stormwater drainage and pollution control devices shall be inspected during construction, by the Council or by a suitably qualified Civil Engineer. Documentary evidence of compliance with Council's specifications shall be obtained prior to proceeding to the subsequent stages of construction, encompassing not less than the following key stages:

- (a) Initial inspection to discuss concept and site conditions/constraints prior to commencement of the construction of the pollution control device/s.
- (b) After completion of storage but prior to installation of fittings (eg. screens, etc.)
- (c) Final Inspection.

Council's standard inspection fee will apply to each of the above set inspection key stages. Additional inspection fees will apply for additional inspections required to be undertaken by Council.

Road Works and Footpaving

- 93. Pedestrian access, including disabled and pram access, is to be maintained as per Australian Standard AS1742.3 "Part 3 – Traffic Control Devices for Works on Roads".
- 94. All advisory and regulatory sign posting (for example parking restriction signage, pedestrian crossing signs, warning signs) are to remain in place during construction.

Underground Cabling

- 95. All communications cabling shall be installed underground as per relevant authority requirements (including broadband and Category 5).

Underground Power Connection

- 96. Where electricity reticulation cannot be obtained directly from the street, power connection is to be underground. No intermediate power pole is permitted.

Alarms

- 97. The developer/builder shall not install any audible intruder alarms within the units. If the building is to be provided with a burglar alarm system, this shall incorporate back to base monitoring such that residents can connect thereto from each individual unit.
- 98. N/A – deleted

Basement Parking

- 99. N/A – deleted

Vehicle Cleansing

- 100. Concrete trucks and trucks used for the transportation of building materials shall not traffic soil, cement or similar materials onto the road. Hosing down of vehicle tyres shall be conducted in a suitable off-street area where wash water is prevented from entering the stormwater system or adjoining property.

Importation of Fill

101. All imported fill shall be validated in accordance with Council's Contaminated Land Policy to ensure that it is suitable for the proposed land use from a contamination perspective.

Additional Information during Demolition/Construction

102. Any new information which comes to light during demolition/construction works which has the potential to alter previous conclusions about site contamination, shall be notified to Council immediately.

PRIOR TO ISSUE OF FINAL OCCUPATION CERTIFICATE

The following conditions are to be complied with prior to the issue of a Final Occupation Certificate:-

Compliance Certificates/Documentary Evidence

103. A final clearance is to be obtained from Integral Energy if such clearance has not previously been issued.
104. A Section 73 Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation and submitted to the PCA.

(Application must be made through an authorised Water Servicing Coordinator. Please refer to the “Your Business” section of the web site www.sydneywater.com.au then follow the “e-Developer” icon or telephone 13 20 92 for assistance.

Following application, a “Notice of Requirements” will advise of water and sewer extensions to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design).

Submission a copy of Sydney Water’s *Notice of requirements* to the Principal Certifying Authority.

105. A Structural Engineer’s certificate from the supervising structural engineer responsible for the design shall be submitted to the Principal Certifying Authority and shall state that all foundation works/reinforced concrete/structural members have been carried out/erected in accordance with the Engineer’s requirements and the relevant SAA Codes.

Note: Any such certificate is to set forth the extent to which the engineer has relied on relevant specifications, rules, codes of practice or publications in respect of the construction.

106. An Accredited Certifier shall submit to the Principal Certifying Authority a signed checklist as per Appendix A of AS4299-1995 confirming that 3 dwellings have achieved the desired level of adaptability (i.e. “Adaptable House Class A or B”).

Landscaping and Site Works

107. Certification is to be provided to the Principal Certifying Authority (PCA), from the designer of the landscape proposal, that all tree planting/landscape works have been carried out in accordance with the endorsed plan. If Council **is** the PCA, the certification is to be submitted to Council prior to or at the final landscape inspection. If Council **is not** the PCA, a copy of the certification is to be provided to Council with the Occupation Certificate.
108. Certification is to be provided to the Principal Certifying Authority (PCA) from a suitably qualified and licensed contractor that the specified planter boxes have been waterproofed and drained in accordance with the requirements of the current relevant Australian Standards, any relevant authority regulations and current best work practices. If Council is

not the PCA a copy of the certification is to be provided to Council with the Occupation Certificate.

109. The Arborist engaged to ensure the proper protection and management of the trees required to be retained/transplanted is to provide a report to Council concerning the health and condition of the tree/s and if necessary any remedial works required. The report should also provide documentary evidence that the tree protection conditions were complied with throughout the demolition/construction phases, in the form of site notes and photographs. Should the trees require remedial works which are not exempt under Council's Tree Management Order, an application for General Tree Works will be required to be submitted and approved before the works are carried out and certified by the Arborist. Remedial works which are exempt under Council's Tree Management Order will also be required to be completed and certified.
110. Certification is to be provided to the Principal Certifying Authority from a suitably qualified and licensed contractor that the specified fully automated commercial grade irrigation system has been designed and installed to all common planted areas in accordance with the requirements of the current relevant Australian Standards, any relevant authority regulations and current best work practices. If Council is not the PCA, a copy of the certification is to be provided to Council with the Occupation Certificate.
111. Boundary and courtyard fences must be erected and finished in a professional manner.

Tree Planting Footpath

112. Final Certification is to be provided to the PCA from Council's Landscape & Tree Management Unit that the satisfactory installation of the required street tree, root barriers, and timber guard within Council's footpath area, has occurred to Council's specification.

Parking/Driveway

113. All dwellings/units and associated car parking spaces shall be numbered on site in accordance with numbering on the endorsed plans. These numbers shall also be consistent with any strata plan for the completed development.
114. All residents and visitors parking spaces shall be signposted, line-marked and wheel stops installed in accordance with the endorsed signs and line marking plans and Australian Standards (i.e. AS2890.1-2004 and 2890.6-2009).
115. The entry/exit driveway shall be indicated with appropriate signage and line marking to avoid the conflict at the driveway.
116. The driveway shall be signposted indicating availability of visitor off-street parking. Spaces reserved for this purpose shall be marked as such.
117. Directional arrows for internal circulation shall be prominently displayed on the pavement on approaches to, and within, the carpark area.
118. The vehicle crossing between the street and front boundary shall be constructed of plain concrete with no colour or stencilling.

119. All parking spaces, aisle, driveway and internal roadways dimensions shall be in accordance with Australian Standard 2890.1.2004 and 2890.6.2009.

Pollution Control Device, Certifications and Covenants

120. A copy of the as approved stormwater drainage and Pollution Control Device plan showing work as executed details shall be submitted to Council. The work as executed plan shall be in accordance with Council's standards and specifications for stormwater drainage and on-site stormwater detention.
121. A certificate of compliance in accordance with Council's standards and specifications for stormwater drainage and Pollution Control Device shall be issued to the Principal Certifying Authority by a suitably qualified Civil Engineer.
122. A certificate of compliance for the pump out drainage system of the basement level shall be issued to the Principal Certifying Authority by the pump installers stating that the pump out system has been installed to operate in accordance with the Council requirements and approved drawings.
123. Documents giving effect to the creation of a Positive Covenant and Restriction on Use over the as constructed Pollution Control Device shall be submitted to the authority benefited for approval prior to lodging with the Land and Property Information NSW. The wording of the terms of the Positive Covenant and Restriction On Use shall be in accordance with Council's standards and specifications for stormwater drainage and on-site stormwater detention. The documents shall be approved by the benefiting authority for registration with Land and Property Information NSW.

Note: Prior to release of the documents creating the Restriction on Use and Positive Covenant, the benefiting authority shall be satisfied that the as-constructed Pollution Control Device is in accordance with the approved drawings and Council requirements.

The Positive Covenant and Restriction on Use documents shall be registered with the Land and Property Information NSW within six (6) months from the date of release by the benefiting authority.

Road Works

124. Any works requiring levels within the road reserve will require the submission of Council's Vehicle Crossing application form.
125. A full width **Heavy** duty vehicular crossing shall be provided opposite each vehicular entrance to the site, with a maximum width of **6 metres** and a minimum width of **5 metres** at the boundary line. These works shall be carried out by a licensed construction contractor at the applicant's expense and shall be in accordance with Council's issued drawings and level sheets.
126. The reconstruction of Council's gully pit/s and associated works along all areas of the site fronting Silverthorne Drive. These works shall be carried out by a licensed construction

contractor at the applicant's expense and shall be in accordance with Council's standard drawing SD-8010.

127. The reconstruction of cracked and/or damaged footpath paving and concrete kerb and gutter and any associated works along all areas of the site frontage. These works shall be carried out by a licensed construction contractor at the applicant's expense and shall be in accordance with Council's standard drawing SD 8100 and issued level sheets.
128. A certificate of compliance for the construction of vehicular crossings, footpath paving, kerb and guttering and roadworks shall be obtained from Council and be submitted to the Principal Certifying Authority.

Noise Compliance Report

129. A noise compliance report shall be submitted to Council prior to the issuing of the Occupation Certificate. The report shall state that the noise reduction measures detailed in the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015, have been implemented.

House/Street Number

130. A house/street number must be displayed on all newly developed properties in accordance with Council's "Policy on the Display of House Numbers" available from the Customer Services Counter or Council's website, www.holroyd.nsw.gov.au.

Lighting

131. Adequate lighting shall be provided within the development (i.e. pedestrian access ways, common areas and communal open space, car parking areas and all entries) and shall comply with AS 1680.0:2009.

General

132. Documentary evidence and/or certificate of compliance must be submitted to Council to show that all works have been completed in accordance with this Development Consent and its accompanying Construction Certificate.

*** Conditions 133 – 137 relating to subdivision have been deleted by the JRPP.**

CONDITIONS RELATING TO USE

The following conditions are applicable to the use of the development:-

Safety and Amenity

133. Where an intruder alarm is installed on the premises it shall be fitted with a timing device in accordance with the requirements of the Protection of the Environment Operations Act 1997.

Mechanical Ventilation System – Car Park

134. Noise and vibration from the use of the (mechanical exhaust ventilation) system shall not exceed the background level by more than 5dB(A) and shall not be audible in any premises of a different occupancy between 10.00pm and 7.00am on weekdays and 10.00pm and 8.00am on weekends and public holidays.

Traffic and Parking

135. Thirty-six (36) car parking spaces numbered and line-marked in accordance with the endorsed plan, are to be made available at all times for residents and visitors' vehicles only in conjunction with the occupation of the building/premises.
136. The turning area / cul-de-sac shall be kept clear at all times and shall be utilised for turning purpose only and not for parking. In addition, the turning bay shall be signposted and line marked.
137. All vehicles shall enter and leave the site in a forward direction.
138. All residents and visitors parking spaces shall be signposted and line-marked in accordance with the endorsed signs and line-marking plans and Australian Standards (i.e. AS2890.1-2004 and 2890.6-2009).
139. The entry/exit driveway shall be indicated with appropriate signage and line-marking to avoid conflict at the driveway.
140. The driveway shall be sign posted indicating availability of visitor off-street parking. Spaces reserved for this purpose shall be marked as such.

Waste Collection

141. The development shall be provided with garbage and recycling bins as follows:
- 16 x 240 litre garbage bins
 - 16 x 240 litre recycling bins

Alarms

142. Where audible intruder alarms are installed in the units by residents, they shall be fitted with a timing device in accordance with the requirements of the Protection of the

Environment Operations Act 1997. (Note: Condition 97 above prevents the developer/builder from installing audible alarms).

Noise

143. The operation of all plant and equipment shall not give rise to an equivalent continuous (LA_{eq}) sound pressure level at any point on any residential property greater than 5dB(A) above the existing background L_{A90} level (in the absence of the noise under consideration).
144. Noise and vibration from the use of the air conditioning system (if any installed) shall not exceed the background level by more than 5dB(A) and shall not be audible in any premises of a different occupancy between 10:00pm and 7:00am on weekdays and 10:00pm and 8:00am on weekends and public holidays.
145. In the event of Council receiving complaints regarding excessive noise, the person(s) in control of the premises shall at their own cost arrange for an acoustic investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of noise emanating from the premises.

Air Emissions

146. In the event of Council receiving complaints regarding air pollution or odour from the premises, the person(s) in control of the premises shall at their own cost arrange for an environmental investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of odour exiting the premises.
147. All waste and recycling containers shall be stored in the designated waste storage area. The body corporate shall be responsible for movement of the waste and recycling containers to the footpath for weekly collections, and the return of waste and recycling containers to the waste storage area. The body corporate shall be cleaning the waste storage area, dry arrestor pit and waste collection containers.
148. In the event of Council receiving complaints regarding excessive odour from the garbage bay areas, the person(s) in control of the premises shall at their own cost arrange for an environmental investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of odour emanating from the garbage bay area.

Car Wash

149. N/A – deleted
150. N/A – deleted

Lighting

151. Any lighting on the site shall be designed so as not to cause nuisance to other residences in the area or to motorists on nearby roads, and to ensure no adverse impact on the amenity of the surrounding area by light overspill. All lighting shall comply with *AS4282-1997 Control of the obtrusive effects of outdoor lighting*

ADVISORY NOTES

Other Necessary Approvals

- A. The applicant's attention is drawn to the need to obtain Council's separate approval for any ancillary activity not approved by this consent, including:
- (a) Works, including the pruning or removal of any tree(s) not authorised in the preceding conditions or on the approved plans. Council's Tree Preservation Order protects trees by definition taller than 3.5m or having a trunk circumference exceeding 500mm measured one metre above ground level. If in doubt contact Council's Tree Management Officer.
 - (b) Any fencing located forward of the proposed building and exceeding the limitations specified in Schedule 1 of Development Control Plan No. 32 *"Guidelines for Exempt and Complying Development"*.
 - (c) The erection of any advertising sign, not being exempt from the need to obtain approval.
 - (d) The installation of any furnace, kilns, steam boiler, chemical plant, sand blast, spray painting booth or the like.

NOTE: * If you carry out building work as an owner builder and sell your home within seven (7) years from the date of completion (date of final occupation certificate), then a Certificate of Insurance must be attached to your Contract of Sale.

- B. Section 97 of the Act provides that an applicant who is dissatisfied with the Council's determination of the Development Application may appeal to the Land and Environment Court within 6 months of the date of determination, or as otherwise prescribed.
- C. Section 82A of the Act provides that an applicant may request, within 6 months of the date of determination of the Development Application, that the Council review its determination (this does not apply to integrated or designated development). A fee is required for this review.

It should also be noted that an application under Section 82A of the Act cannot be reviewed/determined after 6 months of the date of determination. Therefore, the submission of a Section 82A Application must allow sufficient time for Council to complete its review within the prescribed time frame, including the statutory requirement for public notification.

- D. The applicant and Owner are advised that the Commonwealth Disability Discrimination Act 1992 may apply to this particular proposal. Approval of this application does not imply or confer compliance with this Act. Applicants and owners should satisfy themselves as to compliance and make their own enquiries to the Human Rights and Equal Opportunity Commission. Attention is also drawn to the provisions of Parts 2, 3 and 4 of Australian Standard 1428 - Design for Access and Mobility.
- E. A Construction Certificate shall be obtained in accordance with Section 81A (2)(a) of the Act, prior to the commencement of any work on site. Council can provide this service for you.

F. An Occupation Certificate is to be issued by the Principal Certifying Authority prior to the occupation of the building.

G. DEMOLITION

- (a) Demolition is to be carried out in such a way and with such control measures as are necessary to prevent the occurrence of any dust, noise, runoff or other nuisance.
- (b) All sediment/soil is to be prevented from entering Council's stormwater drainage system.
- (c) The public footpath and roadway is to be protected against damage as a result of demolition activities and is to be kept clean and free of all soil and other materials.
- (d) On completion of demolition the site is to be left in a clean and tidy condition.
- (e) Holroyd City Council has a Tree Management Order which applies to the entire City of Holroyd. No ring-barking, cutting down, topping, lopping, removing, injuring or wilful destruction of any tree or trees exceeding 3.5m in height and 3m in branch spread shall take place without the prior written consent of Holroyd City Council.
- (f) There shall be no burning of any waste, as this is prohibited within the City of Holroyd.
- (g) Demolition material can be recycled saving the environment and also tipping costs. For more information, contact the Environment Protection Authority's Recycling hotline on 9325 5555.
- (h) Public roads shall be kept clean and free of any materials which may fall from vehicles or plant to ensure safety and amenity of the area.

H. TREES

The trees indicated on the endorsed plans to be retained and protected are to be considered with any future development of the subject allotments. In this regard no works are to occur within the driplines of trees to be retained.

I. BANK GUARANTEES

Bank guarantees will be accepted from list of banks which have at least an "A" rating from Standard and Poors and at least an "A2" or "Prime-1" standard from Moodys Investor Services.

To enable the bank guarantee to be enforceable during an entire project with consideration for delays, **the guarantee must not contain a facility expiry date.**

To get to Standard and Poors www.standardpoors.com then from Ratings Action choose Ratings Lists. Then click on Financial Institutions followed by clicking on Financial Institutions Counterparty Ratings List. Go to "**Banks**" and download to Australian Banks.

To get to Moodys www.moodys.com then look up Ratings and then Banking and then Bank Ratings list. It will take you to Bank Credit Research page. Look at the table of contents and choose Global Bank Ratings by Country. Look up Australian Banks.

J. SMOKE DETECTORS

A system of self contained smoke alarms complying with the requirements of AS3786-1993, *Smoke Alarms* or listed in the *Scientific Services Laboratory Register of Accredited Products* being installed in the dwelling, connected to the mains power supply and provided with a standby power supply. Alarms are to be positioned on the ceiling and setback a minimum distance of 300mm from any wall. Alarms are to be placed in the vicinity of each area containing bedrooms with a minimum of one (1) alarm required for each storey of the dwelling.

K. TERMITE PROTECTION

Structural members are to be protected from attacked by subterranean termites in accordance with the requirements of AS3660.1-2000 *Protection of building from subterranean termites* and a durable notice must be affixed within the metre box indicating the type of protection, its date of installation, life expectancy of any chemical barrier used, and system maintenance and inspection requirements. A certificate of compliance of the approved system must be submitted to Council or the Principal Certifying Authority on completion of the system installation. With respect to chemical protection, a pipe system shall be installed beneath the slabs plastic membrane to allow re-application of the chemical border.

L. WET AREAS

Wet areas in the dwelling are to be waterproofed in accordance with AS3740 *Waterproofing of wet areas within residential buildings*.

Where Council is the Principal Certifying Authority for the works, the submission of evidence of suitability for the waterproofing product used will be required at the wet area inspection stage. The evidence of suitability is to be in the form of:-

1. A current Certificate of Accreditation for the product.

AND

2. A certificate from the person responsible for the installation of the product advising that the product was applied in accordance with the relevant manufacturers specifications.

Note: Any copy of documentary evidence submitted, must be a complete copy of the original report or document.

M. LANDINGS

A landing having a minimum length of 750mm and a grade no steeper than 1:50, must be provided where the sill of a threshold of a doorway opens onto a stair that provides a change in floor level or floor to ground level greater than 3 risers or 570mm in accordance with Clause 3.9.1.3 (Stair Construction) of the Building Code of Australia.

N. SARKING

To reduce the risk of injury during works to the roof, sarking with fall arresting ability is to be provided to the underside of the roof. Manufacturers specifications for the sarking is to be submitted to Council prior to its installation.

O. MINIMISING WATER USE

Examples of ways water use can be minimised in the car wash facility are:

- the use of a gun type nozzle on the hose that closes when released and
- filter and recycle wash water where possible.

P. CONSTRUCTION/OCCUPATION CERTIFICATE FEES

An administration fee per certificate (in accordance with Council's adopted fees and charges) is payable to Council on lodgement of Construction and Occupation Certificates from Principal Certifying Authorities.

Q. SOUND TRANSMISSION AND INSULATION

To ensure the amenity of occupants in multi-residential development (Class 2 and 3 buildings and Class 9c Aged Care buildings), separating walls must be constructed in accordance with Part F5 of the Building Code of Australia.

R. GLAZING CERTIFICATION

A certificate shall be submitted to the Principal Certifying Authority stating that safety glazing has been used in the building in accordance with AS1288 - "Glass in Buildings - Selection and Installation".

S. DIAL BEFORE YOU DIG

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

T. TELECOMMUNICATIONS ACT 1997 (COMMONWEALTH)

Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact Telstra's Network Integrity Team on Phone Number 1800810443.

U. DIVIDING FENCES

Please be advised that arrangements concerning existing or proposed fences between properties are a civil matter determined by the involved parties under the [Dividing Fences Act](#). You are therefore required to consult with the owners of neighbouring properties if fences are to be removed or constructed.

The Dividing Fences Act is administered by the [Department of Lands](#) who can act as a mediator in disputes. For further information please refer to the following information on Council's website:
www.holroyd.nsw.gov.au/building_and_development/local_plans_and_policies/dividing_fences.

STAGE 2 CONDITIONS

STAGE 2:

Construction of a multi dwelling housing development comprising 41 x 3 storey dwellings, basement and at-grade level parking for 101 cars.

Note: The conditions of development consent are only required to be complied with at the relevant time and to the extent they are relevant to the specific development stage(s).

PRELIMINARY

1. This consent shall lapse if the above development is not physically commenced within a five (5) year period from the date of issue of this development consent.
2. Development shall take place in accordance with the attached endorsed plans:

Doc No.	Issue	Title	Prepared By	Date
Architectural Plans – all Job No. 28025				
0002	DA-C	Calculations/Basic Commitments	Idraft Architects	30.10.2015
0003	DA-C	Site Plan	Idraft Architects	20.11.2017
1001	DA-C	Basement Plan	Idraft Architects	30.10.2015
1002	DA-C	Ground Floor Plan	Idraft Architects	20.11.2017
1003	DA-C	Level One Plan	Idraft Architects	30.10.2015
1004	DA-C	Level Two Plan	Idraft Architects	30.10.2015
1005	DA-C	Roof Plan	Idraft Architects	30.10.2015
2001	DA-C	Elevation (includes Colour and Material Schedule)	Idraft Architects	02.03.2016
2002	DA-C	Elevation/Sections	Idraft Architects	30.10.2015
2003	DA-C	Sections	Idraft Architects	30.10.2015
3001	DA-C	Silverthorne Sections/Streetscapes	Idraft Architects	02.03.2016
3002	DA-C	Courtyard Sections	Idraft Architects	02.03.2016
0007	DA-C	Sedimentation Control Plan	Idraft Architects	30.10.2015
Hydraulic Plans – Project No. 131082014DA				
13108-01	C	Basement Plan	ING Consulting Engineers Pty Ltd	18.10.2015
13108-02	C	Basement Notes & Details	ING Consulting Engineers Pty Ltd	18.10.2015
13108-03	F	Site Plan	ING Consulting Engineers Pty Ltd	06.03.2017

13108-04	C	Erosion & Sediment Control Plan	ING Consulting Engineers Pty Ltd	18.10.2015
13108-05	C	Notes & Details	ING Consulting Engineers Pty Ltd	18.10.2015
Landscape Plans				
DA-L101	C	Landscape general layout plan	Canvas Landscape Architects	05.03.2017
DA-L102	C	Landscape plan 01	Canvas Landscape Architects Canvas	06.03.2017
DA-L103	C	Landscape plan 02	Canvas Landscape Architects Canvas	06.03.2017
DA-L104	C	Landscape plan 03 & typical landscape detail 01	Canvas Landscape Architects	06.03.2017
DA-L601	B	Section A-A & typical landscape details	Canvas Landscape Architects Canvas	26.10.2015
DA-L602	A	Section A-A & typical landscape details	Canvas Landscape Architects Canvas	06.03.2017
Staging				
1009	C	Staging Plan	Idraft Architects	14.11.2017

- Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015;
- Water Quality Control Report prepared by NG Consulting Engineers Pty Ltd, dated 19 October 2015;
- BASIX Certificate No. 580532M_03, dated 24 July 2015, as updated by Condition 26 of this development consent;
- Waste Management Plan dated 18 December 2014;
- Bushfire Hazard Assessment Report prepared by Building Code & Bushfire Hazard Solutions Pty Limited, Reference No. 140798, dated 8 September 2015;
- Correspondence prepared by the NSW Rural Fire Service, Reference No. D15/0972, dated 18 November 2015 (copy attached), and all conditions contained therein; and

- Correspondence prepared by the NSW Police – Holroyd Local Area Command, Reference No. D/2014/470303, dated 31 December 2014 (copy attached), and all conditions contained therein.

b) As amended in red by Council. All amendments are to be incorporated in the Construction Certificate plans.

3. All building work shall be carried out in accordance with the requirements of the Building Code of Australia. Fully detailed plans including fire safety details shall be submitted with the Construction Certificate application. No work is to commence until such time as a Construction Certificate is obtained for the work/building permitted by this Consent.

Appointment of Council or a Private Certifier as the Principal Certifying Authority (PCA)

4. Either Council or a Private Certifier is to be appointed as the Principal Certifying Authority (PCA) for the development in accordance with Section 109E of the Act.

Accordingly, wherever reference is made to the Principal Certifying Authority in this Consent, it refers to Council or the Private Certifier as chosen by you.

Note: Once you have chosen either Council or a Private Certifier as the PCA, you cannot change from one to the other, or from one Private Certifier or another, without the approval of Department of Planning & Infrastructure.

5. The applicant shall consult with, as required:
 - (a) Sydney Water Corporation Limited
 - (b) Integral Energy
 - (c) Natural Gas Company
 - (d) A local telecommunications carrierregarding their requirements for the provision of services to the development and the location of existing services that may be affected by proposed works, either on site or on the adjacent public road(s).
6. The proposed structure/s are to be located clear of existing Council easements. Special footings will be required where the proposed/existing structures are adjacent to a drainage easement. The footings shall be taken down to the invert level of the existing drainage structure or to solid rock, whichever is the lesser. The footing depth may decrease by 500mm for every 1000mm increment in distance the footing is from the easement boundary. The footing system is to be designed by a practising professional structural engineer.
7. Building materials, builders sheds, waste bins, site fencing, gates or any material of any description shall not be left or placed on any footway, road or nature strip. Footways and nature strips shall be maintained, including the cutting of vegetation, so as not to become unsightly or a hazard for pedestrians. Offenders will be prosecuted.

BASIX (Building Sustainability Index)

8. Under Clause 136D of the Environmental Planning & Assessment Regulation 2000, it is a condition of this Development Consent that all the commitments listed as per Condition 2 in relation to BASIX are fulfilled.

NOTE: FEES, BONDS & CONTRIBUTIONS INDICATED IN CONDITIONS OF THIS CONSENT MAY VARY IN ACCORDANCE WITH THOSE ADOPTED BY COUNCIL AT SUBSEQUENT ANNUAL REVIEWS OF ITS "FEES AND CHARGES" AND SUBSEQUENT CHANGES TO THE BUILDING PRICE INDEX. FEES CHARGED WILL BE THOSE CURRENT AT THE TIME OF PAYMENT.

PRIOR TO ISSUE/RELEASE OF CONSTRUCTION CERTIFICATE

The following conditions must be complied with prior to the issue of a Construction Certificate. In many cases the conditions require certain details to be included with or incorporated in the detailed plans and specifications which accompany the Construction Certificate:-

Payment of Bonds, Fees and Long Service Levy

9. The Principal Certifying Authority is to ensure and obtain written proof that all bonds, fees and contributions as required by this consent have been paid to the applicable authority. This includes all Long Service Levy payments to be made to the Long Service Payments Corporation.

Section 94 Contribution

10. Prior to the issue of a Construction Certificate, a monetary contribution imposed under section 94 of the *Environmental Planning and Assessment Act 1979* and the Pemulwuy Contributions Plan 2015, for forty one (41) dwellings is to be paid to Council. At the time of this development consent, the current rate of the contribution is **\$377,724**. The amount of the contribution will be determined at the time of payment in accordance with the relevant s94 Contributions Plan in force at that time. A copy of the Pemulwuy Contributions Plan 2015 can be viewed on Council's website at www.holroyd.nsw.gov.au or inspected at Council's Civic Centre located at 16 Memorial Avenue, Merrylands between the hours of 8am and 4.30pm Monday to Friday.

Damage Deposit

11. A cash bond/bank guarantee of **\$1,643.20** must be paid/lodged with Council to cover making good any damage caused to the property of Council, during the course of construction associated with the development. This will be held for 'six (6) months after the completion of works' or six (6) months after the issue of 'Final Occupation Certificate' (whichever occurs last) to remedy any defects that may arise within this time.

Note:- The applicant/owner shall be held responsible for and may be required to pay the full reinstatement costs for damage caused to Council's property unless the applicant/owner notifies Council in writing and provides photographic proof of any existing damage to Council's property. Such notification shall occur prior to works/demolition commencing. However, if in the opinion of Council, during the course of construction existing damage has worsened, Council may require full reinstatement. If damage does occur during the course of construction, prior to reinstating any damage to Council's property, the applicant/owner shall obtain design specifications of all proposed restoration works. Restoration/construction works within the road reserve shall be carried out by a licensed construction contractor at the applicant/owners expense and shall be inspected by Council prior to placement of concrete and/or asphalt.

Consistency with Endorsed Development Consent Plans

12. The Principal Certifying Authority must ensure that any certified plans forming part of the Construction Certificate, are in accordance with the Development Consent plans.

Street Trees and Timber Tree Guards

13. A cash bond/bank guarantee of **\$9,000** must be paid/lodged with Council to cover making good any damage caused to/or removal of the Council street trees and associated timber tree guards listed below, by any works associated with the development. This bond will be held for a period of 12 months after the issue of the Occupation Certificate to remedy any defects including tree removal, tree damage, tree death, or damage to the tree guard that may arise during the construction and within the establishment period.

Tree Number: 1 – 9 (inclusive)

Species: Eucalyptus tereticornis

Note:- The builder/owner/applicant shall be held responsible for and may be required to pay the full reinstatement costs for damage or removal of the Council street tree and timber tree guard. If damage or removal occurs during construction, prior to any reinstating of the tree and/or tree guard within Council's property, the builder/owner/applicant shall obtain design specifications from Council's Landscape & Tree Management Unit. All works shall be carried out by licensed contractors at the builder/owner/applicant's expense.

If a replacement tree is required an inspection must be carried out by Council prior to the backfilling of the planting hole.

Landscape Inspection Fee

14. Payment of a **\$856** fee for the inspection by Council of landscape works and/or trees to be retained at the key stages, where Council is the Principal Certifying Authority.

Engineering Fees and Bonds

15. Payment of a **\$657.40** fee for the design, specifications and inspection by Council of the vehicular crossing/s prior to placement of concrete.
16. Payment of a **\$336** fee for the inspection by Council of the stormwater drainage and Pollution Control Device at the key stages, where Council is the Principal Certifying Authority.
17. The applicant shall lodge with Council a **\$5,000** cash bond or bank guarantee to cover the satisfactory construction and/or reconstruction of Council's gully pit/s and associated works along all areas of the site fronting Driftway Drive and Silverthorne Drive. This bond will be held for 'Six (6) months after the completion of works' or issue of a 'Final Occupation Certificate' (whichever occurs last) to remedy and defects that may arise within this time.

Road Works

18. A Traffic Management Plan shall be lodged with Council for any road and drainage works to be carried out within public road reserves, or where construction activity impacts on traffic flow or pedestrian access, in strict compliance with the requirements of Australian Standard 1742.3 (Traffic Control Devices for Works on Roads). In this regard, the applicant shall pay Council a **\$482.70** fee for the assessment of the Traffic Management

Plan by Council, prior to commencing works within the road reserves. A copy of the approved Traffic Management Plan shall be kept on site during the course of construction for reference and compliance.

Sight Distance

19. To maintain sight distance to pedestrians, all fencing and landscaping within 2.0m of a driveway shall have a maximum height of 1m and 50% transparent above a height of 0.5m. All solid posts higher than 0.5m (but lower than 1m) shall have a maximum width 350mm and a minimum spacing of 1.2m. Details shall be submitted to the Principal Certifying Authority, prior to the issue of a Construction Certificate.

Signs and Line Marking

20. Signs and line marking plans shall be prepared prior to the issue of Construction Certificate and to be in accordance with AS 2890.1-2004, AS 2890.6-2009 and the endorsed plans. The signs and linemarking plan shall provide details of signs and linemarking that will guide and delineate entry and exit points, direction of traffic flow, pedestrian walk ways, visitor spaces, staff spaces, disabled spaces, service areas, loading areas, heavy vehicle maneuvering areas etc. The plan shall be in accordance with Australian Standards and endorsed by a suitably qualified traffic practitioner.

Required Submissions to Principal Certifying Authority

21. If the development is likely to disturb or impact upon telecommunications infrastructure, written confirmation from the service provider that they have agreed to the proposed works must be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate or any works commencing, whichever occurs first.
22. The arrangements and costs associated with any adjustment to telecommunications infrastructure shall be borne in full by the applicant/developer.
23. Retaining walls greater than 1.0m above finished ground level or other approved methods necessary to prevent the movement of excavated or filled ground, together with associated stormwater drainage measures, shall be designed by an appropriately qualified person. Details are to be included with any Construction Certificate application.
24. Structural engineer's details (in duplicate) prepared and certified by a practising qualified structural engineer of all reinforced concrete and structural members shall be submitted to the Principal Certifying Authority.

Plan Amendments

25. The landscape and hydraulic plans shall be updated to correspond with the approved architectural plans.
26. The architectural plans shall be updated to show the location of all BASIX Commitments required as part of the BASIX Certificate.

27. Privacy screening shall be provided to the first floor bedroom windows on the rear elevations of dwelling 17-33 up to a height of 1.5m from finished floor level. Screening can be in the form of externally fixed horizontal louvers, fixed obscure glazing, or the like. Details shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate.
28. All balconies shall be provided with full height separating walls to ensure privacy between balconies within the development.
29. An external clothes drying area shall be provided in the rear courtyard of each dwelling. Details shall be provided to the Principal Certifying Authority.
30. A minimum 12.5 cubic metres of storage shall be provided for each dwelling, either internally or within the garage/basement parking areas. Details shall be provided to the Principal Certifying Authority.
- 30a. The rear openings of the second floor bedrooms for units 25-33 shall be windows instead of sliding doors.

Waste Storage

31. Communal waste and recycling bin storage areas shall be provided in close proximity to collection points along Driftway Drive and Silverthorne Drive. Appropriate storage facilities designed in accordance with Part A, Appendix D, of the Holroyd DCP 2013, shall be provided behind the building line and away from neighbouring residential properties.

Landscaping

32. An amended landscape plan shall be submitted to the Principal Certifying Authority, which addresses the following outstanding issues:
 - c. All exotic plant species proposed within the front setback areas to Driftway Drive and Silverthorne Drive are to be deleted and replaced with native plant species. There are to be no exotic plant species within the front setback areas or any common/public areas that are visible from the street.
 - d. The site is located adjacent to a remnant and critically endangered Cumberland Plain Woodland reserve and as such species known to be invasive of bushland areas shall not be proposed. In this regard the following invasive species are to be deleted and replaced with an alternative non-invasive species:
 - i. Dieties spp
 - ii. Ulmus parvifolia
 - iii. Duranta spp

Basement Parking

33. The entry point shall be provided with a suitable communication system to allow the security gate to be opened remotely by occupants of the building. The width of the access driveway/ramp adjacent to the control devices shall not restrict access for residents / visitors and shall be in accordance with Australian Standards.

The control point should be at the top of the ramp to ensure vehicles will not be required to reverse up the ramp if they cannot open the gate. If the control point will be located at the bottom of the ramp, vehicles shall be able to turn around at the bottom of the ramp with the gate closed and the two visitor spaces are occupied. The control device should be located at the top of the ramp to prevent vehicles (particularly visitors) from reversing up the ramp.

An intercom system shall also be provided within the basement foyer so that disabled persons can contact any unit if the lift is not working.

Details of the above shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate.

Accessibility

34. The submitted plans do not demonstrate compliance with AS 4299-1995 – *Adaptable Housing*. In this regard, amended plans shall be submitted to the Principal Certifying Authority demonstrating compliance with the Australian Standards. Plans demonstrating compliance shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate.

Water Urban Sensitive Design (WUSD)

35. The development site has been identified as requiring WSUD which was considered as part of the Development Consent. In this regard, design and construction details shall be submitted to the Principal Certifying Authority prior to the issue of a Construction Certificate and the following shall also be addressed: -

- A Water Urban Sensitive Design (WUSD) strategy shall be prepared in accordance with Clause C1 and C2 – Section 7.5, Part A of the Holroyd Development Control Plan 2013.

Salinity

39. The subject site has been identified as having a potential salinity hazard. To prevent moisture/salinity from entering the built structure, appropriate construction methods are to be incorporated for all dwellings/buildings. Details of proposed methods of construction are to be detailed in the engineering plans and submitted to the PCA.

Note: Further information for building in a saline environment is available in the following documents:

- “Building in Saline Environment” prepared by DIPNR 2003.
- Water Sensitive Urban Design in the Sydney Regions “Practice Note 12: Urban Salinity”

- Wagga Wagga City Council's "Urban Salinity Action" October 1999
- "Guide to Residential Slabs and Footings in Saline Environments" prepared by Cement Concrete and Aggregates Australia, May 2005.

Sydney Water

40. The approved plans must be submitted to a Sydney Water Quick Check agent to determine whether the development will affect any Sydney Water wastewater and water mains, stormwater drains and/or easement, and if any requirements need to be met. Plans will be appropriate stamped.

Please refer to the web site www.sydneywater.com.au for:

- Quick Check agent details – see Building and Development then Quick Check and
- Guidelines for Building Over/Adjacent to Sydney Water Assets – see Building and Developing then Building and Renovation

or telephone 13 20 92.

Car Wash Bay

41. A vehicle wash bay shall be provided for residents of the development. Collection, reuse and ultimate disposal of water used in the vehicle wash bay shall be in accordance with Sydney Water's requirements. The car wash bay shall be designed so that the following requirements are met:-
- Have an adequate parking and washing floor space.
 - Provide a water supply.
 - Minimise water use with appropriate devices (e.g., such as a gun-type nozzle which closes when released and a timer operative valve, collection and use of rainwater).
 - Have a water supply cut out system/fail-safe mechanisms provided to ensure that mechanical failure; drainage blockage or lack of maintenance cannot result in wastewater surcharge into the stormwater system.
 - Be designed to ensure that over spray, drift of water or detergent does not cause a nuisance to persons, vehicles, residences, other buildings, neighbouring properties or the environment.
 - Be located so that washing can occur with minimal disturbance to other residents,

Details shall be submitted to the Principal Certifying Authority.

Construction Management Plan

39. A Construction Management Plan (CMP) prepared by a suitable qualified consultant shall be prepared to address issues such as traffic control, noise, dust, etc., during construction. All measures works/methods/procedures/control measures/recommendations made within the Construction Management Plan shall be implemented accordingly.

Acoustic Measures

40. Plans and/or specifications indicating how compliance with the recommendations provided within the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1,

Revision 0, dated 9 September 2015, will be achieved are to be submitted to the Principal Certifying Authority.

Air Conditioning

41. Details and specifications for the mechanical ventilation system complying with the Australian Standard are to be submitted and approved by Council.

PRIOR TO WORKS COMMENCING

The following conditions are to be complied with prior to any works commencing on the site:

Appointment of Principal Certifying Authority and Notification of Commencement of Work

42. The person having the benefit of the development consent, not the principal contractor (builder), must: -
- a) Appoint a Principal Certifying Authority in accordance with Section 81A(2)(b) of the Act.
 - b) Have the Principal Certifying Authority complete the 'Accredited Certifier Details' on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.
 - c) Notify Council of the appointment of the Principal Certifying Authority and of the intention to commence building work, such notification is to be given to Council at least two (2) working days prior to the proposed commencement date, and be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

If nominated, Council can provide this service for you and act as the Principal Certifying Authority.

N.B. The Principal Certifying Authority must also notify the person having the benefit of the Development Consent of any mandatory critical stage inspections and other inspections that are to be carried out in respect of the building work such notification must comply with Clause 103A of the Regulations.

Notification of Principal Contractor (Builder)/Owner-Builder

43. The person having the benefit of the Development Consent must:-
- (a) Notify the Principal Certifying Authority that the person will carry out the work as an owner-builder, if that is the case;
- OR
- (b) Appoint a Principal Contractor for the building work (who must be the holder of a contractor licence if any residential building work is involved), and notify the Principal Contractor of any mandatory critical stage inspections and other inspections that are to be carried out in respect of the building work.
 - (c) Notify the Principal Certifying Authority of any such appointment.

Where Council is the Principal Certifying Authority, such notification is to be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

Required Submissions to Certifying Authority

44. To facilitate a complete assessment and enable the Certifying Authority to check compliance on site, truss validation and design, details certified by a qualified practising structural engineer shall be submitted to Council or the Principal Certifying Authority for examination and approval. Details shall include:
- a) job address and builder's name
 - b) design wind velocity
 - c) terrain category
 - d) truss spacing
 - e) roof pitch
 - f) material of roof
 - g) roof batten/purlin spacing
 - h) material of ceiling
 - i) job number

Photographic Record of Council Property – Damage Deposit

45. The applicant shall submit to Council, for the purposes of the damage deposit bond lodged to cover making good any damage caused to the property of Council, a full and satisfactory photographic record of the condition of Council's property (i.e., road pavement, kerb and guttering, footway, stormwater drainage, etc.) adjacent to the subject site. The purpose of the photographic record is to establish any pre-existing damage to Council's property to ensure that you are not liable for any re-instatement works associated with that damage. However, if in the opinion of Council, the existing damage has worsened or any new damage is caused during the course of construction, the Council may require either part or full re-instatement.

Note: Failure to provide a full and satisfactory photographic record described above, is likely to render the applicant liable to rectify all damages unless satisfactory proof can be provided that the damage was pre-existing.

Notification to Relevant Public Authority

46. The applicant shall ensure that relevant public utility authorities are made aware of the potential salinity problems that have been identified onsite, such that their services are designed to take into consideration the effects the saline soils may have on their installations.

Fencing of Sites

47. Fencing of sites is required to prevent public access when the site is unoccupied and building works are not in progress. In this regard the MINIMUM acceptable standard of fencing to the site is properly constructed chain wire fencing 1.8m high, clad internally with Hessian or Geotextile fabric. All openings are to be provided with gates, such gates are not at any time to swing out from the site or obstruct the footpath or roadway.

Signs to be Erected on Sites

48. A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
- (a) Showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - (b) Showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted **outside working hours and at any time for business purposes**, and
 - (c) Stating that unauthorised entry to the work site is prohibited.

The sign must be rigid and durable and be read easily by anyone in any public road or other public place adjacent to the site.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

This clause does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

Note: Principal Certifying Authorities and Principal Contractors must also ensure that signs required by this clause are erected and maintained (clause 227A of the Regulations currently imposes a maximum penalty of \$1,100).

Prohibited Signage

49. Advertising, Real Estate Agents, Architects, Designers, site suppliers and any other signage not mentioned in the conditions, is not to be placed or displayed on the site, such that the signage is visible from any public place. Offenders may be prosecuted.

Protection of Public Places

50. A hoarding or fence must be erected between the work site and any public place, if the work involved in the erection or demolition of the building; is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or involves the enclosure of a public place.

If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.

The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.

Site Control Measures

51. Suitable erosion and sediment control measures shall be provided at all vehicular entry/exit points and all other measures required with and/or shown on plans accompanying the Construction Certificate, to control soil erosion and sedimentation, are to be in place prior to the commencement of construction works. Such controls are to be provided in accordance with Holroyd City Council's "Erosion & Sediment Control Policy."

Note: On-the-spot fines may be issued by council where measures are absent or inadequate.

Tree Protection

52. An Arborist qualified to at least Australian Qualifications Framework (AQF) Certificate Level 4 shall be retained throughout all construction work to ensure the proper protection and management of the tree/s required to be retained/transplanted and that any necessary pruning work within 1m of the building/s approved, is carried out in accordance with Australian Standard 4373-1996 "Pruning of Amenity Trees". This includes on site supervision of the erection of tree protection measures and, where necessary, any works that are required within tree protection zones.
53. The tree/s identified on the endorsed plans as being retained/transplanted shall be protected prior to and throughout the demolition/construction process in accordance with the attached Guidelines for the Protection of Trees On and Adjacent To Demolition/Building sites, and relevant conditions of this Consent. All trees not authorised to be removed by this Consent must be retained. Prior to any work commencing, certification of the installation and inspection of the required tree protection works is to be provided to the Principal Certifying Authority by a suitably qualified person or the Arborist (as appropriate) engaged to ensure the proper protection and management of the tree/s required to be retained/transplanted. A copy of the Certificate is to be issued to Council within seven (7) days of the inspection and prior to any works commencing. Additionally, trees identified for removal are to be retained until immediately prior to works commencing, to assist with soil management and erosion control.
54. Protective fencing is to be installed around the tree/s to be retained/transplanted in line with the outer edge of the canopy which overhangs the site and no further than 0.5m from any buildings, and around street trees and timber guards. This fencing is to be constructed of chainwire mesh 1.8m high, which is supported by steel stakes or piping and braced to resist impacts. Where appropriate the trunk/s of the tree/s on the site and any street tree/s (which are not to be fenced other than as mentioned above), shall also be protected by vertical timber boards, installed by or under the supervision of a suitably qualified person or the arborist (as appropriate) engaged to ensure the proper protection and management of the trees required to be retained/transplanted to accepted horticultural and TAFE standards.

Note: Removal of the protective fencing or timber boards during construction work, will affect the Bonds and may result in legal proceedings being instigated by Council against the applicant and builder.

Footpaving, Kerbing and Guttering

55. Protection must be provided for Council footpaving, kerbing and guttering. Wooden mats must also be provided at all entrances where the site fronts paved footpaths.
56. Finished street levels shall not be assumed. The owner or builder must make application to Council's Engineering Services Department for street levels.

Support for Neighbouring Buildings

57. If an excavation associated with the erection or demolition of a building extends below the level of the base of the footings of a building on an adjoining allotment of land (including a public road and any other public place), the person causing the excavation to be made:-
 - a) must preserve and protect the building from damage, and
 - b) if necessary, must underpin and support the building in an approved manner, and
 - c) must, at least seven (7) days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars to the owner of the building being erected or demolished.

The owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land. (In this clause, *allotment of land* includes a public road and any other public place).

58. A dilapidation report of adjoining properties/allotments and details of the proposed excavation works in excess of 2m or within the zone of influence of neighbouring building foundations and required underpinning and supportive measures shall be submitted to the Principal Certifying Authority. Any required underpinning and supportive measures shall be designed by a practising structural engineer and details shall be submitted to the Principal Certifying Authority for approval prior to construction works commencing.

Toilet Facilities

59. Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.

Each toilet provided:

- a) Must be a standard flushing toilet, and
- b) Must be connected:
 - i) To a public sewer,
 - ii) If connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - iii) If connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
 - iv) The position of the toilet on the site shall be determined by Council's Building Surveyor and/or Sydney Water.

Residential Building Work - Insurance

60. Residential building work within the meaning of the *Home Building Act 1989* must not be carried out unless the Principal Certifying Authority for the development to which the work relates (where not Holroyd City Council) has given Holroyd City Council written notice of the following information:-
- (a) In the case of work for which a Principal Contractor is required to be appointed:
 - (i) the name and licence number of the Principal Contractor, and
 - (ii) the name of the insurer by which the work is insured under Part 6 of that Act,
 - (b) In the case of work to be done by an owner-builder:
 - (i) the name of the owner-builder, and
 - (ii) if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under this condition becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (where not Holroyd City Council) has given Holroyd City Council written notice of the updated information.

The notification is to be on the approved form provided by Council for this purpose, an original of which is attached to this Development Consent.

Roadworks

- 61. The applicant is to submit to Council an application for a road opening permit when the drainage connection into Council's system is within the road reserve. In this regard the applicant shall pay Council a **\$159.20** fee prior to the commencement of works. Additional road opening permits and fees may be necessary where there are connections to public utility services (e.g. telephone, electricity, sewer, water or gas) required within the road reserve.
- 62. The developer shall arrange with Telstra for the relocation of the phone pit affected by the proposed vehicular crossing.
- 63. The applicant to arrange with the relevant public utility authority the alteration or removal of any affected services in connection with the development. Any such work being carried out at the applicant's cost.
- 64. Any works requiring closure of any road or footway closure will require submission of a Council's Temporary Road Closure application form and payment of fees.

65. Any required adjustment to utility services, trees, signs and other street furniture requires approval of the appropriate authority and shall be undertaken by the applicant at no cost to Council.

Works within Council's Reserve

66. All works within the Council reserve shall be completed within three (3) weeks of the date of commencement. Council's Development Engineer shall be advised prior to the commencement of works.
67. Submission to Council of a Certificate of Currency of the contractor's Workers' Compensation Policy prior to the commencement of works.
68. All construction works shall be in accordance with the WorkCover safety requirements. Submission of insurance documentation demonstrating a minimum Public Liability cover of \$10,000,000 is to be submitted prior to commencement of works. Holroyd City Council shall be named on the Certificate of Currency as an interested party.

Property/Street Number

69. Council is the authority responsible for the allocation of all official property addresses. For ease of identification of your new development, it is important that the allocated property numbers are used and displayed prominently. It is requested that you contact Council as soon as possible before construction is commenced to discuss proposed addressing for your development.

Please email your site plan to hcc@holroyd.nsw.gov.au or contact Council's Rates Section by Phone on 9840 9767.

Council's 'Allocation of Property Numbers' policy is available on Council's website www.holroyd.nsw.gov.au.

DURING CONSTRUCTION

The following conditions are applicable during construction:-

Endorsed Plans & Specifications

70. A copy of the endorsed stamped plans and specifications, together with a copy of the Development Consent, Construction Certificate and approved Traffic Management Plan are to be retained on site at all times.

Hours of Work & Display of Council Supplied Sign

71. For the purpose of preserving the amenity of neighbouring occupations building work including the delivery of materials to and from the site is to be restricted to the hours of 7.00am to 6.00pm Mondays to Fridays and 8.00am to 4.00pm Saturdays. Work on the site on Sundays and Public Holidays is prohibited.

The yellow "Hours of Building Work" sign (supplied by Council with the approval), is to be displayed in a prominent position at the front of the site for the duration of the work.

Site Control

72. All soil erosion measures required in accordance with the approved sediment and erosion control plan and any other relevant conditions of this Consent are to be put in place prior to commencement of construction works are to be maintained during the entire construction period until disturbed areas are restored by turfing, paving or revegetation. This includes the provision of turf laid on the nature strip adjacent to the kerb.
73. Builder's refuse disposal and storage facilities are to be provided on the development site for the duration of construction works and all rubbish shall be removed from the site upon completion of the project.
74. Stockpiles of sand, soil and other material shall be stored clear of any drainage line or easement, tree protection zone, water bodies, footpath, kerb or road surface and shall have erosion and sediment control measures in place to prevent the movement of such materials onto the aforementioned areas and adjoining land.

Waste Management

75. The approved Waste Management Plan must be implemented and complied with during all stages of works on site.
76. Within seven (7) days of completion of construction/building works, the applicant shall submit a signed statement to Council or the Principal Certifying Authority verifying that construction work and recycling of materials was undertaken in compliance with the Waste Management Plan. The Principal Certifying Authority shall submit a copy of the statement to Council.

In reviewing such documentation Council will require the provision of actual weighbridge receipts for the recycling/disposal of all materials.

Compliance with Critical Stage Inspections and other Inspections nominated by the Principal Certifying Authority

77. Section 109E(3)(d) of the Act requires certain specific inspections (prescribed by clause 162A of the Regulations) and known as 'Critical Stage Inspections' to be carried out for building work. Prior to permitting commencement of the work your Principal Certifying Authority is required to give notice of these inspections pursuant to clause 103A of the Regulations.

N.B. An Occupation Certificate cannot be issued and the building may not be able to be used or occupied where any mandatory critical stage inspections or other inspections required by the Principal Certifying Authority are not carried out.

Where Council is nominated as Principal Certifying Authority, notification of all inspections required is provided with the Construction Certificate approval.

Construction

78. The building and external walls are not to proceed past ground floor formwork/reinforcing steel level until such time as the Principal Certifying Authority has been supplied with a check survey report prepared by a registered surveyor certifying that the floor levels and external wall locations to be constructed, comply with the approved plans, finished floor levels (FFL)s and setbacks to boundary/ies. **The slab shall not be poured, nor works continue, until the Principal Certifying Authority has advised the builder/developer that the floor level and external wall setback details shown on the submitted survey are satisfactory.**

In the event that Council is not the Principal Certifying Authority, a copy of the survey shall be provided to Council within three (3) working days.

On placement of the concrete, works again shall not continue until the Principal Certifying Authority has issued a Certificate stating that the Condition of approval has been complied with and that the slab has been poured at the approved levels.

Salinity

79. The building and external walls are not to proceed past ground floor formwork/reinforcing steel level until such time as the Principal Certifying Authority has confirmed that all required construction measures addressing salinity, as required by this Consent and its accompanying Construction Certificate have been carried out.

Landscaping and Site Works

80. All turfed areas shall be finished level with adjoining surfaces and also fall evenly to approved points of drainage discharge.
81. 'Sir Walter' Buffalo turf or equivalent is to be used for all residential road verges. Turf is to be installed at the completion of site works to the approved detail.

82. A single master T.V. antenna is to be installed to service each building and provision made for connection to each dwelling within that building.
83. New 1.8m high lapped and capped timber paling fences (Colorbond is not permitted) are to be erected along all side and rear boundaries at full cost to the developer, such fencing to be constructed on or within the property boundary. In situations where the boundary fence is proposed on top of a retaining wall, the height of the fence shall not exceed a maximum of 2.4m as measured from the lower adjacent ground level. A Statutory Declaration or other documentary evidence of such consultation is to be submitted to the Principal Certifying Authority.
84. The front fence along Driftway Drive and Silverthorne Drive is to be constructed in accordance with the approved fence detail on the approved architectural plan prepared by Ildraft Architects, Job No. 28025, Drawing No. 2001, Issue No. DA-C, dated 30 October 2015.
85. Fencing within the internal courtyards shall consist of horizontal timber slats to a maximum height of 1.8 metres.

Tree Protection

86. The tree/s identified on the endorsed plans as being retained/transplanted shall be protected against damage throughout the demolition/construction process in accordance with the attached Guidelines for the Protection of Trees On and Adjacent to Demolition/Building Sites and relevant conditions of this Consent.
87. The applicant shall accept all responsibility for the accuracy of the information provided to Council for assessment. If any tree/s are not shown on the endorsed plan or are required to be retained/transplanted and protected but are threatened by demolition/construction work through unforeseen construction requirements or plan inaccuracy, all site and building works so affected are to cease until the matter is resolved to the satisfaction of Council. Council's Environmental and Planning Services Department is to be notified immediately upon such a problem being encountered.
88. No works are to occur within the fenced tree protection zone. All authorised works/activities within the fenced tree protection zone/s are to be undertaken by hand held equipment under the supervision of the consulting Arborist. No roots over 50mm in diameter are to be cut within the tree protection zone without prior consultation with Council officers or the consulting Arborist.

All roots over 50mm in diameter which are encountered outside the fenced tree protection zone/s are to be cleanly cut and not ripped.

Pre-planting inspection of Street Trees and Timber Tree Guards

89. The builder/owner/applicant shall be held responsible for the full costs of removal and replacement of the Council street trees and timber tree guards, as shown on the endorsed landscape plan.

Prior to planting of the tree and/or tree guard within Council's property, the builder/owner/applicant shall obtain design specifications from Council's Landscape & Tree Management Unit. All works shall be carried out by licensed contractors at the builder/owner/applicant's expense.

The replacement tree planting hole shall be inspected by Council prior to the backfilling of the planting hole, to ensure installation of root barriers. Where a pre-planting inspection does not occur, Council will require the tree to be removed and planting hole inspected before replanting.

Upon satisfactory inspection, a pre-planting compliance certificate will be issued by Council to proceed with planting, a final inspection and certificate will be issued following planting.

Council's standard landscape inspection fee will apply for each required inspection, payable at the time of booking the required inspection.

Note: A private certifier or the PCA cannot be engaged to do this inspection.

90. Street trees are to be planted as follows: -

- Driftway Drive – *Eucalyptus tereticornis*
- Silverthorne Drive – *Eucalyptus tereticornis*

Street trees are to be a minimum pot size of 45L and are to be edged with treated timber, and mulched as per approved detail.

Tree protection guards are to be installed around each tree consisting of a painted timber 4-post tree protection guard with approximate dimensions of 1.5m above ground height and with post being 1.2m apart as per approved detail and consistent with those existing within the estate. These guards are to remain a permanent streetscape fixture.

Root barriers are to be installed to the footpath and kerb to Council's Landscape Architect specification.

Acoustic Management

91. The recommendations provided in the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015, shall be implemented in full.

Inspection of Pollution Control Device/s

92. The stormwater drainage and pollution control devices shall be inspected during construction, by the Council or by a suitably qualified Civil Engineer. Documentary evidence of compliance with Council's specifications shall be obtained prior to proceeding to the subsequent stages of construction, encompassing not less than the following key stages:

- (a) Initial inspection to discuss concept and site conditions/constraints prior to commencement of the construction of the pollution control device/s.
- (b) After completion of storage but prior to installation of fittings (eg. screens, etc.)
- (c) Final Inspection.

Council's standard inspection fee will apply to each of the above set inspection key stages. Additional inspection fees will apply for additional inspections required to be undertaken by Council.

Road Works and Footpaving

- 93. Pedestrian access, including disabled and pram access, is to be maintained as per Australian Standard AS1742.3 "Part 3 – Traffic Control Devices for Works on Roads".
- 94. All advisory and regulatory sign posting (for example parking restriction signage, pedestrian crossing signs, warning signs) are to remain in place during construction.

Underground Cabling

- 95. All communications cabling shall be installed underground as per relevant authority requirements (including broadband and Category 5).

Underground Power Connection

- 96. Where electricity reticulation cannot be obtained directly from the street, power connection is to be underground. No intermediate power pole is permitted.

Alarms

- 97. The developer/builder shall not install any audible intruder alarms within the units. If the building is to be provided with a burglar alarm system, this shall incorporate back to base monitoring such that residents can connect thereto from each individual unit.
- 98. With regard to the basement level pump out system, a suitable audible alarm with flashing light system shall be positioned at the first floor level of each common property stairwell within the building and a flashing light only shall be positioned at each common property entrance to the car parking area to provide a flood warning in the case of pump failure. The alarm system shall be to the satisfaction of Council's Engineer.

Basement Parking

- 99. The entry point shall be provided with a suitable communication system to allow the security gate to be opened remotely by occupants of the building. The width of the access driveway/ramp adjacent to the control devices shall not restrict access for residents / visitors and shall be in accordance with Australian Standards. An intercom system shall also be provided within the basement foyer so that disabled persons can contact any unit if the lift is not working.

Vehicle Cleansing

100. Concrete trucks and trucks used for the transportation of building materials shall not traffic soil, cement or similar materials onto the road. Hosing down of vehicle tyres shall be conducted in a suitable off-street area where wash water is prevented from entering the stormwater system or adjoining property.

Importation of Fill

101. All imported fill shall be validated in accordance with Council's Contaminated Land Policy to ensure that it is suitable for the proposed land use from a contamination perspective.

Additional Information during Demolition/Construction

102. Any new information which comes to light during demolition/construction works which has the potential to alter previous conclusions about site contamination, shall be notified to Council immediately.

PRIOR TO ISSUE OF FINAL OCCUPATION CERTIFICATE

The following conditions are to be complied with prior to the issue of a Final Occupation Certificate:-

Compliance Certificates/Documentary Evidence

103. A final clearance is to be obtained from Integral Energy if such clearance has not previously been issued.
104. A Section 73 Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation and submitted to the PCA.

(Application must be made through an authorised Water Servicing Coordinator. Please refer to the “Your Business” section of the web site www.sydneywater.com.au then follow the “e-Developer” icon or telephone 13 20 92 for assistance.

Following application, a “Notice of Requirements” will advise of water and sewer extensions to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design).

Submission a copy of Sydney Water’s *Notice of requirements* to the Principal Certifying Authority.

105. A Structural Engineer’s certificate from the supervising structural engineer responsible for the design shall be submitted to the Principal Certifying Authority and shall state that all foundation works/reinforced concrete/structural members have been carried out/erected in accordance with the Engineer’s requirements and the relevant SAA Codes.

Note: Any such certificate is to set forth the extent to which the engineer has relied on relevant specifications, rules, codes of practice or publications in respect of the construction.

106. An Accredited Certifier shall submit to the Principal Certifying Authority a signed checklist as per Appendix A of AS4299-1995 confirming that 9 dwellings have achieved the desired level of adaptability (i.e. “Adaptable House Class A or B”).

Landscaping and Site Works

107. Certification is to be provided to the Principal Certifying Authority (PCA), from the designer of the landscape proposal, that all tree planting/landscape works have been carried out in accordance with the endorsed plan. If Council **is** the PCA, the certification is to be submitted to Council prior to or at the final landscape inspection. If Council **is not** the PCA, a copy of the certification is to be provided to Council with the Occupation Certificate.
108. Certification is to be provided to the Principal Certifying Authority (PCA) from a suitably qualified and licensed contractor that the specified planter boxes have been waterproofed and drained in accordance with the requirements of the current relevant Australian Standards, any relevant authority regulations and current best work practices. If Council is

not the PCA a copy of the certification is to be provided to Council with the Occupation Certificate.

109. The Arborist engaged to ensure the proper protection and management of the trees required to be retained/transplanted is to provide a report to Council concerning the health and condition of the tree/s and if necessary any remedial works required. The report should also provide documentary evidence that the tree protection conditions were complied with throughout the demolition/construction phases, in the form of site notes and photographs. Should the trees require remedial works which are not exempt under Council's Tree Management Order, an application for General Tree Works will be required to be submitted and approved before the works are carried out and certified by the Arborist. Remedial works which are exempt under Council's Tree Management Order will also be required to be completed and certified.
110. Certification is to be provided to the Principal Certifying Authority from a suitably qualified and licensed contractor that the specified fully automated commercial grade irrigation system has been designed and installed to all common planted areas in accordance with the requirements of the current relevant Australian Standards, any relevant authority regulations and current best work practices. If Council is not the PCA, a copy of the certification is to be provided to Council with the Occupation Certificate.
111. Boundary and courtyard fences must be erected and finished in a professional manner.

Tree Planting Footpath

112. Final Certification is to be provided to the PCA from Council's Landscape & Tree Management Unit that the satisfactory installation of the required street tree, root barriers, and timber guard within Council's footpath area, has occurred to Council's specification.

Parking/Driveway

113. All dwellings/units and associated car parking spaces shall be numbered on site in accordance with numbering on the endorsed plans. These numbers shall also be consistent with any strata plan for the completed development.
114. All residents and visitors parking spaces shall be signposted, line-marked and wheel stops installed in accordance with the endorsed signs and line marking plans and Australian Standards (i.e. AS2890.1-2004 and 2890.6-2009).
115. The entry/exit driveway shall be indicated with appropriate signage and line marking to avoid the conflict at the driveway.
116. The driveway shall be signposted indicating availability of visitor off-street parking. Spaces reserved for this purpose shall be marked as such.
117. Directional arrows for internal circulation shall be prominently displayed on the pavement on approaches to, and within, the carpark area.
118. The vehicle crossing between the street and front boundary shall be constructed of plain concrete with no colour or stencilling.

119. All parking spaces, aisle, driveway and internal roadways dimensions shall be in accordance with Australian Standard 2890.1.2004 and 2890.6.2009.

Pollution Control Device, Certifications and Covenants

120. A copy of the as approved stormwater drainage and Pollution Control Device plan showing work as executed details shall be submitted to Council. The work as executed plan shall be in accordance with Council's standards and specifications for stormwater drainage and on-site stormwater detention.
121. A certificate of compliance in accordance with Council's standards and specifications for stormwater drainage and Pollution Control Device shall be issued to the Principal Certifying Authority by a suitably qualified Civil Engineer.
122. A certificate of compliance for the pump out drainage system of the basement level shall be issued to the Principal Certifying Authority by the pump installers stating that the pump out system has been installed to operate in accordance with the Council requirements and approved drawings.
123. Documents giving effect to the creation of a Positive Covenant and Restriction on Use over the as constructed Pollution Control Device shall be submitted to the authority benefited for approval prior to lodging with the Land and Property Information NSW. The wording of the terms of the Positive Covenant and Restriction On Use shall be in accordance with Council's standards and specifications for stormwater drainage and on-site stormwater detention. The documents shall be approved by the benefiting authority for registration with Land and Property Information NSW.

Note: Prior to release of the documents creating the Restriction on Use and Positive Covenant, the benefiting authority shall be satisfied that the as-constructed Pollution Control Device is in accordance with the approved drawings and Council requirements.

The Positive Covenant and Restriction on Use documents shall be registered with the Land and Property Information NSW within six (6) months from the date of release by the benefiting authority.

Road Works

124. Any works requiring levels within the road reserve will require the submission of Council's Vehicle Crossing application form.
125. A full width **Heavy** duty vehicular crossing shall be provided opposite each vehicular entrance to the site, with a maximum width of **6 metres** and a minimum width of **5 metres** at the boundary line. These works shall be carried out by a licensed construction contractor at the applicant's expense and shall be in accordance with Council's issued drawings and level sheets.
126. The reconstruction of Council's gully pit/s and associated works along all areas of the site fronting Silverthorne Drive. These works shall be carried out by a licensed construction

contractor at the applicant's expense and shall be in accordance with Council's standard drawing SD-8010.

127. The reconstruction of cracked and/or damaged footpath paving and concrete kerb and gutter and any associated works along all areas of the site frontage. These works shall be carried out by a licensed construction contractor at the applicant's expense and shall be in accordance with Council's standard drawing SD 8100 and issued level sheets.
128. A certificate of compliance for the construction of vehicular crossings, footpath paving, kerb and guttering and roadworks shall be obtained from Council and be submitted to the Principal Certifying Authority.

Noise Compliance Report

129. A noise compliance report shall be submitted to Council prior to the issuing of the Occupation Certificate. The report shall state that the noise reduction measures detailed in the Acoustic Report prepared by Rodney Stevens Acoustics, Report No. 150315R1, Revision 0, dated 9 September 2015, have been implemented.

House/Street Number

130. A house/street number must be displayed on all newly developed properties in accordance with Council's "Policy on the Display of House Numbers" available from the Customer Services Counter or Council's website, www.holroyd.nsw.gov.au.

Lighting

131. Adequate lighting shall be provided within the development (i.e. pedestrian access ways, common areas and communal open space, car parking areas and all entries) and shall comply with AS 1680.0:2009.

General

132. Documentary evidence and/or certificate of compliance must be submitted to Council to show that all works have been completed in accordance with this Development Consent and its accompanying Construction Certificate.

*** Conditions 133 – 137 relating to subdivision have been deleted by the JRPP.**

CONDITIONS RELATING TO USE

The following conditions are applicable to the use of the development:-

Safety and Amenity

138. Where an intruder alarm is installed on the premises it shall be fitted with a timing device in accordance with the requirements of the Protection of the Environment Operations Act 1997.

Mechanical Ventilation System – Car Park

139. Noise and vibration from the use of the (mechanical exhaust ventilation) system shall not exceed the background level by more than 5dB(A) and shall not be audible in any premises of a different occupancy between 10.00pm and 7.00am on weekdays and 10.00pm and 8.00am on weekends and public holidays.

Traffic and Parking

140. One hundred and one (101) car parking spaces numbered and line-marked in accordance with the endorsed plan, are to be made available at all times for residents and visitors' vehicles only in conjunction with the occupation of the building/premises.
141. The turning area / cul-de-sac shall be kept clear at all times and shall be utilised for turning purpose only and not for parking. In addition, the turning bay shall be signposted and line marked.
142. All vehicles shall enter and leave the site in a forward direction.
143. All residents and visitors parking spaces shall be signposted and line-marked in accordance with the endorsed signs and line-marking plans and Australian Standards (i.e. AS2890.1-2004 and 2890.6-2009).
144. The entry/exit driveway shall be indicated with appropriate signage and line-marking to avoid conflict at the driveway.
145. The driveway shall be sign posted indicating availability of visitor off-street parking. Spaces reserved for this purpose shall be marked as such.

Waste Collection

146. The development shall be provided with garbage and recycling bins as follows:
- 41 x 240 litre garbage bins
 - 41 x 240 litre recycling bins

Alarms

147. Where audible intruder alarms are installed in the units by residents, they shall be fitted with a timing device in accordance with the requirements of the Protection of the

Environment Operations Act 1997. (Note: Condition 97 above prevents the developer/builder from installing audible alarms).

Noise

148. The operation of all plant and equipment shall not give rise to an equivalent continuous (LA_{eq}) sound pressure level at any point on any residential property greater than 5dB(A) above the existing background LA_{90} level (in the absence of the noise under consideration).
149. Noise and vibration from the use of the air conditioning system (if any installed) shall not exceed the background level by more than 5dB(A) and shall not be audible in any premises of a different occupancy between 10:00pm and 7:00am on weekdays and 10:00pm and 8:00am on weekends and public holidays.
150. In the event of Council receiving complaints regarding excessive noise, the person(s) in control of the premises shall at their own cost arrange for an acoustic investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of noise emanating from the premises.

Air Emissions

151. In the event of Council receiving complaints regarding air pollution or odour from the premises, the person(s) in control of the premises shall at their own cost arrange for an environmental investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of odour exiting the premises.
152. All waste and recycling containers shall be stored in the designated waste storage area. The body corporate shall be responsible for movement of the waste and recycling containers to the footpath for weekly collections, and the return of waste and recycling containers to the waste storage area. The body corporate shall be cleaning the waste storage area, dry arrestor pit and waste collection containers.
153. In the event of Council receiving complaints regarding excessive odour from the garbage bay areas, the person(s) in control of the premises shall at their own cost arrange for an environmental investigation to be carried out (by a suitably qualified person) and submit a report to Council specifying the proposed methods for the control of odour emanating from the garbage bay area.

Car Wash

154. Washing of vehicles shall be conducted in a car washbay, which is roofed and bunded to exclude rainwater. The carwash bay shall be regularly cleaned and maintained. Alternative water management and disposal options may be appropriate where water is recycled, minimised or re-used on the site.
155. The car wash bay shall be managed and maintained so that the following requirements are met:

- The Body Corporate or owner should advise all users of the car wash facilities how to operate, maintain and use the equipment so that good housekeeping practices can be adopted at all times.
- Have clearly visible sign(s) indicating that no degreasing, engine washing or mechanical work is to be undertaken in the car wash bay, informs car wash bay users of how to use and maintain the system, and encourages users to minimise the use of detergents and water.

Lighting

156. Any lighting on the site shall be designed so as not to cause nuisance to other residences in the area or to motorists on nearby roads, and to ensure no adverse impact on the amenity of the surrounding area by light overspill. All lighting shall comply with *AS4282-1997 Control of the obtrusive effects of outdoor lighting*

ADVISORY NOTES

Other Necessary Approvals

- A. The applicant's attention is drawn to the need to obtain Council's separate approval for any ancillary activity not approved by this consent, including:
- (a) Works, including the pruning or removal of any tree(s) not authorised in the preceding conditions or on the approved plans. Council's Tree Preservation Order protects trees by definition taller than 3.5m or having a trunk circumference exceeding 500mm measured one metre above ground level. If in doubt contact Council's Tree Management Officer.
 - (b) Any fencing located forward of the proposed building and exceeding the limitations specified in Schedule 1 of Development Control Plan No. 32 *"Guidelines for Exempt and Complying Development"*.
 - (c) The erection of any advertising sign, not being exempt from the need to obtain approval.
 - (d) The installation of any furnace, kilns, steam boiler, chemical plant, sand blast, spray painting booth or the like.

NOTE: * If you carry out building work as an owner builder and sell your home within seven (7) years from the date of completion (date of final occupation certificate), then a Certificate of Insurance must be attached to your Contract of Sale.

- B. Section 97 of the Act provides that an applicant who is dissatisfied with the Council's determination of the Development Application may appeal to the Land and Environment Court within 6 months of the date of determination, or as otherwise prescribed.
- C. Section 82A of the Act provides that an applicant may request, within 6 months of the date of determination of the Development Application, that the Council review its determination (this does not apply to integrated or designated development). A fee is required for this review.

It should also be noted that an application under Section 82A of the Act cannot be reviewed/determined after 6 months of the date of determination. Therefore, the submission of a Section 82A Application must allow sufficient time for Council to complete its review within the prescribed time frame, including the statutory requirement for public notification.

- D. The applicant and Owner are advised that the Commonwealth Disability Discrimination Act 1992 may apply to this particular proposal. Approval of this application does not imply or confer compliance with this Act. Applicants and owners should satisfy themselves as to compliance and make their own enquiries to the Human Rights and Equal Opportunity Commission. Attention is also drawn to the provisions of Parts 2, 3 and 4 of Australian Standard 1428 - Design for Access and Mobility.
- E. A Construction Certificate shall be obtained in accordance with Section 81A (2)(a) of the Act, prior to the commencement of any work on site. Council can provide this service for you.

F. An Occupation Certificate is to be issued by the Principal Certifying Authority prior to the occupation of the building.

G. DEMOLITION

- (a) Demolition is to be carried out in such a way and with such control measures as are necessary to prevent the occurrence of any dust, noise, runoff or other nuisance.
- (b) All sediment/soil is to be prevented from entering Council's stormwater drainage system.
- (c) The public footpath and roadway is to be protected against damage as a result of demolition activities and is to be kept clean and free of all soil and other materials.
- (d) On completion of demolition the site is to be left in a clean and tidy condition.
- (e) Holroyd City Council has a Tree Management Order which applies to the entire City of Holroyd. No ring-barking, cutting down, topping, lopping, removing, injuring or wilful destruction of any tree or trees exceeding 3.5m in height and 3m in branch spread shall take place without the prior written consent of Holroyd City Council.
- (f) There shall be no burning of any waste, as this is prohibited within the City of Holroyd.
- (g) Demolition material can be recycled saving the environment and also tipping costs. For more information, contact the Environment Protection Authority's Recycling hotline on 9325 5555.
- (h) Public roads shall be kept clean and free of any materials which may fall from vehicles or plant to ensure safety and amenity of the area.

H. TREES

The trees indicated on the endorsed plans to be retained and protected are to be considered with any future development of the subject allotments. In this regard no works are to occur within the driplines of trees to be retained.

I. BANK GUARANTEES

Bank guarantees will be accepted from list of banks which have at least an "A" rating from Standard and Poors and at least an "A2" or "Prime-1" standard from Moodys Investor Services.

To enable the bank guarantee to be enforceable during an entire project with consideration for delays, **the guarantee must not contain a facility expiry date.**

To get to Standard and Poors www.standardpoors.com then from Ratings Action choose Ratings Lists. Then click on Financial Institutions followed by clicking on Financial Institutions Counterparty Ratings List. Go to "**Banks**" and download to Australian Banks.

To get to Moodys www.moodys.com then look up Ratings and then Banking and then Bank Ratings list. It will take you to Bank Credit Research page. Look at the table of contents and choose Global Bank Ratings by Country. Look up Australian Banks.

J. SMOKE DETECTORS

A system of self contained smoke alarms complying with the requirements of AS3786-1993, *Smoke Alarms* or listed in the *Scientific Services Laboratory Register of Accredited Products* being installed in the dwelling, connected to the mains power supply and provided with a standby power supply. Alarms are to be positioned on the ceiling and setback a minimum distance of 300mm from any wall. Alarms are to be placed in the vicinity of each area containing bedrooms with a minimum of one (1) alarm required for each storey of the dwelling.

K. TERMITE PROTECTION

Structural members are to be protected from attacked by subterranean termites in accordance with the requirements of AS3660.1-2000 *Protection of building from subterranean termites* and a durable notice must be affixed within the metre box indicating the type of protection, its date of installation, life expectancy of any chemical barrier used, and system maintenance and inspection requirements. A certificate of compliance of the approved system must be submitted to Council or the Principal Certifying Authority on completion of the system installation. With respect to chemical protection, a pipe system shall be installed beneath the slabs plastic membrane to allow re-application of the chemical border.

L. WET AREAS

Wet areas in the dwelling are to be waterproofed in accordance with AS3740 *Waterproofing of wet areas within residential buildings*.

Where Council is the Principal Certifying Authority for the works, the submission of evidence of suitability for the waterproofing product used will be required at the wet area inspection stage. The evidence of suitability is to be in the form of:-

1. A current Certificate of Accreditation for the product.

AND

2. A certificate from the person responsible for the installation of the product advising that the product was applied in accordance with the relevant manufacturers specifications.

Note: Any copy of documentary evidence submitted, must be a complete copy of the original report or document.

M. LANDINGS

A landing having a minimum length of 750mm and a grade no steeper than 1:50, must be provided where the sill of a threshold of a doorway opens onto a stair that provides a change in floor level or floor to ground level greater than 3 risers or 570mm in accordance with Clause 3.9.1.3 (Stair Construction) of the Building Code of Australia.

N. SARKING

To reduce the risk of injury during works to the roof, sarking with fall arresting ability is to be provided to the underside of the roof. Manufacturers specifications for the sarking is to be submitted to Council prior to its installation.

O. MINIMISING WATER USE

Examples of ways water use can be minimised in the car wash facility are:

- the use of a gun type nozzle on the hose that closes when released and
- filter and recycle wash water where possible.

P. CONSTRUCTION/OCCUPATION CERTIFICATE FEES

An administration fee per certificate (in accordance with Council's adopted fees and charges) is payable to Council on lodgement of Construction and Occupation Certificates from Principal Certifying Authorities.

Q. SOUND TRANSMISSION AND INSULATION

To ensure the amenity of occupants in multi-residential development (Class 2 and 3 buildings and Class 9c Aged Care buildings), separating walls must be constructed in accordance with Part F5 of the Building Code of Australia.

R. GLAZING CERTIFICATION

A certificate shall be submitted to the Principal Certifying Authority stating that safety glazing has been used in the building in accordance with AS1288 - "Glass in Buildings - Selection and Installation".

S. DIAL BEFORE YOU DIG

Underground assets may exist in the area that is subject to your application. In the interests of health and safety and in order to protect damage to third party assets please contact Dial before you dig at www.1100.com.au or telephone on 1100 before excavating or erecting structures (This is the law in NSW). If alterations are required to the configuration, size, form or design of the development upon contacting the Dial before You Dig service, an amendment to the development consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial before you dig service in advance of any construction or planning activities.

T. TELECOMMUNICATIONS ACT 1997 (COMMONWEALTH)

Telstra (and its authorised contractors) are the only companies that are permitted to conduct works on Telstra's network and assets. Any person interfering with a facility or installation owned by Telstra is committing an offence under the Criminal Code Act 1995 (Cth) and is liable for prosecution.

Furthermore, damage to Telstra's infrastructure may result in interruption to the provision of essential services and significant costs. If you are aware of any works or proposed works which may affect or impact on Telstra's assets in any way, you are required to contact Telstra's Network Integrity Team on Phone Number 1800810443.

U. DIVIDING FENCES

Please be advised that arrangements concerning existing or proposed fences between properties are a civil matter determined by the involved parties under the [Dividing Fences Act](#). You are therefore required to consult with the owners of neighbouring properties if fences are to be removed or constructed.

The Dividing Fences Act is administered by the [Department of Lands](#) who can act as a mediator in disputes. For further information please refer to the following information on Council's website:
www.holroyd.nsw.gov.au/building_and_development/local_plans_and_policies/dividing_fences.