

**NOTE:**

THE SELECTED PAVEMENT FINISH TO ALL EXTERNAL PATHS, RAMPS AND LANDINGS IS TO BE SLIP RESISTANT WITH A MAXIMUM CROSS FALL OF 1 IN 40 (2.5%).

PROVIDE FLUSH DOOR THRESHOLD. A MAXIMUM 5MM LIP (ROUNDED OR BEVELLED) IS ACCEPTABLE BETWEEN OPPOSING FLOOR FINISHES.

ALL SELECTED PAVEMENT FINISHES TO BE SLIP RESISTANT WITH A MAXIMUM CROSS FALL OF 1 IN 40 (2.5%).

PROVIDE FLUSH DOOR THRESHOLD AT ENTRY INTO LIFT CAR. A MAXIMUM LIP (ROUNDED OR BEVELLED) AT LIFT CAR DOOR IS ACCEPTABLE.

FOR ALL APARTMENT ENTRY DOORS - FLUSH DOOR THRESHOLD WITH A MAXIMUM 5MM LIP (ROUNDED OR BEVELLED) IS ACCEPTABLE BETWEEN FLOOR FINISHES.

ALL INTERNAL APARTMENT BEDROOM AND BATHROOM DOORS TO HAVE 920MM WIDE DOOR LEAVES.

ALL DOORWAYS PROVIDING ACCESS TO BEDROOMS, BATHROOMS AND LAUNDRIES MUST HAVE A FLUSH DOOR THRESHOLD - A MAXIMUM 5MM LIP (ROUNDED OR BEVELLED) IS ACCEPTABLE BETWEEN OPPOSING FLOOR FINISHES.

