



LEGEND



NOTES:

1. THIS PLAN SHALL BE READ IN CONJUNCTION WITH THE LATEST SET OF ARCHITECTURAL DRAWINGS.
2. LOCATION OF ALL DENOTES SLAB PENETRATION
3. ALL SEWER PIPE SIZES 100mm U.N.O.
4. FOR ALL AERIAL DRAINAGE - MIN. PIPE SIZE IS 65mm.
5. ALL SHOWER FLOOR WASTES TO BE 100/50 POT GULLIES (IF SUPPLYING FLOOR WASTES) AND 100/65 IF DRAINING DIRECT TO DRAINAGE.
6. ALL PRESSURE SERVICES SHOWN ARE UNDER FLOOR SLAB (OUT OF STRATA), U.N.O.
7. ALL PIPEWORK SHALL BE INSTALLED TO COMPLY AUSTRALIAN STANDARD AS/NZS 3500.



0 4 8 12 m
SCALE 1:200 @ A1

NOT FOR CONSTRUCTION

C	WASTE WATER DISPOSAL REVISION	05/06/2019	WW	WW IS
B	DEVELOPMENT APPROVAL APPLICATION	31/01/2019	WW	WW IS
A	PRELIMINARY ISSUE	29/01/2019	WW	WW IS
Issue	Description	Date	Drawn	Design Checked
			20cm	
1	0	1cm at full size		10cm

Architect
IDRAFT ARCHITECTS
Unit 43, 2 Slough Street Silverwater
9648 8848

Client
ICONFM AUSTRALIA P/L.
Council
HILLS SHIRE



AUSTRALIAN CONSULTING ENGINEERS.
AUSTRALIAN P.T.Y. LTD - A.C.N. 084 059 941
SHOP 2-141 CONCORD RD NORTH STRATHFIELD NSW 2137
PH: (02) 9763 1500 FX: (02) 9763 1515
EMAIL: info@aceeng.com.au

Project
1 LARAPINTA PLACE, GLENHAVEN HYDRAULIC SERVICES ENGINEERING PLANS

Drawing Title
DRAINAGE SERVICES FIRST FLOOR
Scale 1:200 Project No. ACE180511.HYD.CC Dwg. No. H03 Issue C