

Contact: Jeanette Nestor
Phone: 02 6841 7447
Fax: 02 6884 0096
Email: Jeanette.nestor@dpi.nsw.gov.au

The General Manager
Bathurst Regional Council
PMB 17
Bathurst NSW 2795

Our ref: IDAS1105901
Your Ref: DA2018/55

Attention: Lucie Barnett

09 April 2018

Dear Lucie

**Re: Proposed Designated Development - DA2018/55 – 2018WES004 –
Extractive Industry – Lot 13 DP1081768, 103 Gormans, Hill Rd Gormans
Hill.**

I refer to the Development Application (2018/55) and associated Environmental Impact Statement (EIS) for the Gormans Hill Quarry Extension, received by DoI Water on the 6th March 2018, and Councils request for comment. DoI Water has reviewed the EIS and provides the following key comments.

Key Comments

Controlled Activity Approval - Works and activities do not appear to be within 40 meters of any watercourse, therefore no controlled activity approval is required. Council is advised that if any works are to occur within 40 meters of a watercourse, the proponent must contact the DoI Water to discuss the requirement for a controlled activity approval. Please refer to the following web site for further information on controlled activities:

<https://www.water.nsw.gov.au/water-licensing/approvals/controlled-activity>

Water Supply - It is noted that reticulated water supply or off site water is proposed to be used for dust suppression. WaterNSW should be contacted to discuss water licensing requirements should surface water or groundwater be proposed to be taken and used on site.

Site Decommissioning and Rehabilitation – Should the final landform result in a void which would store water within the decommissioned pit area a licence may be required to maintain the dam post operation. It is recommended that the proponent seek advice from WaterNSW regarding potential licensing requirements.

Groundwater – The EIS indicates that groundwater is not likely to be intercepted. Should groundwater be intercepted, licence requirements would need to be discussed with WaterNSW.

Further information on water licensing under the *Water Management Act 2000* can be obtained from the DoI Water website:
<http://www.water.nsw.gov.au/water-licensing>

Should you have any questions please contact **Jeanette Nestor** on **0268417447** or **Jeanette.nestor@dpi.nsw.gov.au**.

Yours sincerely

A handwritten signature in blue ink, appearing to be 'Z. B. L.', written in a cursive style.

**Senior Water Regulation Officer
Water Regulatory Operations
NSW Department of Industry – Water**



Dol Water response - Gormans Hill Quarry DA

Tim Baker to: council
Cc: Jeanette Nestor, Water Referrals

09/04/2018 09:58 AM

From: Tim Baker <tim.baker@dpi.nsw.gov.au>
To: council@bathurst.nsw.gov.au
Cc: Jeanette Nestor <jeanette.nestor@dpi.nsw.gov.au>, Water Referrals
<water.referrals@dpi.nsw.gov.au>

Attention: Lucie Barnett

Dear Lucie,

Please see attached response from Dept. Industry Water in response to your referral.

Regards

Tim

Tim Baker | Senior Water Regulation Officer

Lands and Water

Department of Industry

209 Cobra St | Dubbo NSW 2830 | PO Box 717, Dubbo NSW 2830

T: 02 6841 7403 | F: 02 6884 0096 | M: 0428 162 097 | E: Tim.Baker@dpi.nsw.gov.au

W: www.water.nsw.gov.au | www.industry.nsw.gov.au

This message is intended for the addressee named and may contain confidential information. If you are not the intended recipient, please delete it and notify the sender. Views expressed in this message are those of the individual sender, and are not necessarily the views of their organisation.

[Report this message as spam](#)



- Dol Water Response - Gorman Hill Quarry.pdf