

DRAFT WITHOUT PREJUDICE CONDITIONS

Date of Determination:

Determination Notice No.: DA-303/2019

Property: Lot 8 DP 35130, Lot 9 DP35130, Lot 10 DP 35130, No. 24-28 Viccliffe Avenue Campsie

Description of Development:

Planning Instrument: Canterbury Local Environmental Plan 2012

Zoning of Property: R4 High Density Residential

Consent to Operate From:

Consent to Lapse On:

These conditions are imposed taking into account the matters for consideration in determining a Development Application pursuant to Section 4.15 of the Environmental Planning & Assessment Act, 1979 and other relevant Acts and Regulations.

Notes:

1. This Determination Notice operates or becomes effective from the endorsed date of Consent.
2. This consent will lapse 5 years from the endorsed date of consent unless the use has commenced, or any building works have physically commenced.
3. The applicant or any other person entitled to act on this Consent may apply to modify the Development Consent in accordance with Section 4.55 of the Environmental Planning and Assessment Act, 1979.
4. Failure to comply with a condition contained within this Development Consent may result in a fine or prosecution by Council.

CONDITIONS OF CONSENT

- 1) The proposal shall comply with the conditions of Development Consent. Work shall not commence until the plans and specifications meet the required technical standards and the conditions of this Development Consent are satisfied.

- 2) The Assessment and final conclusions of the STS GeoEnvironmental Investigation Report no. 18/1671, Project No. 10530/2999 shall form part of this consent.
- 3) Development shall take place in accordance with Development Application No.DA-303/2019, accompanied by the drawings as listed in the table below, and affixed with Council's approval stamp, except where otherwise altered by the specific amendments listed hereunder and/or except where amended by the conditions contained in this approval.

Drawing No.	Drawing Title	Revision	Dated	Prepared by
DA01	Cover Sheet	11	12/12/2019	Stanton Dahl Architects
DA04	Site & external works plan	12	11/12/2019	Stanton Dahl Architects
DA04B	Proposed roof plan over Survey Plan	01	10/12/2019	Stanton Dahl Architects
DA05	Basement car park plan	12	11/12/2019	Stanton Dahl Architects
DA06	Floor Plan-:Level 1	12	11/12/2019	Stanton Dahl Architects
DA07	Floor Plan- Level 2-3 (typical)	12	11/12/2019	Stanton Dahl Architects
DA08	Floor Plan- Level 4	12	11/12/2019	Stanton Dahl Architects
DA09	Roof Plan	10	11/12/2019	Stanton Dahl Architects
DA10	Elevations (Sht 1 of 2)	10	11/12/2019	Stanton Dahl Architects
DA11	Elevations (Sht 2 of 2)	10	11/12/2019	Stanton Dahl Architects
DA12	Sections (Sht 1 of 2)	11	11/12/2019	Stanton Dahl Architects
DA13	Sections (Sht 2 of 2)	10	11/12/2019	Stanton Dahl Architects
DA25	External Colour Selections	09	11/12/2019	Stanton Dahl Architects
DA26	Demolition Plan	01	19/12/2019	Stanton Dahl Architects
181016 DAESM14	Civil Design Notes & Legends	4	13/12/2019	Greenview consulting
181016 ESM24	Civil Design Environmental Site Management Layout	4	13/12/2019	Greenview consulting
1001778M_05	BASIX Certificate	-	13/12/2019	Greenview Consulting Pty Ltd
-	Waste Management Plan	Revision 1	December 2019	Dickens Solutions
L01	Landscape Plan	4	11/12/2019	Botanique Design

The development plans shall be amended as follows:

- a) The balustrades to the balconies shall be of obscure glazing and not clear glass.
- b) The southern side of the driveway appears to have a wall separating the vehicular ramp from the pedestrian path. The wall height within the sight distance triangle is to be no higher than 500-600mm and the area is to be shall be kept clear of any obstruction at all times, as per *AS2890.1:2004 Figure 3.3 – Minimum sight lines for pedestrian safety*.
- c) Finished surface levels of all internal works and at the street boundary, including driveways, landscaping and drainage structures, must be as shown on the approved plans. The levels at the street boundary must be consistent with the Street Boundary Alignment Levels issued by Council.
- d) All aspects of the landscaping must be completed according to the submitted landscape plan (drawn by Botanique design, drawing no. L01 Rev. 4 Landscape Plan, Specification and Construction Details, submitted to council on 20th December 2019) except where amended by the conditions of consent. The landscaping and deep soil areas are to be maintained at all times.
- e) The vehicular access and parking facilities shall be in accordance with Australian Standard AS 2890 parking series. In this regard, the submitted plans must be amended to address the following issues:
 - The finished levels within the property must be adjusted to ensure that the levels at the boundary comply with those issued by Council for the full width of the vehicle crossing. The longitudinal profile must comply with the Ground Clearance requirements of *AS/NZS 2890.1-2004*.
 - The driveway grades shall be in accordance with Australian Standard AS 2890.1 "Off-street Parking Part 1 - Carparking Facilities". Note: The gradient of the vehicular access must not exceed 1 in 20 (5%) for the first 6000 mm inside the property boundary in accordance with Clause 3.3(a) of *AS/NZS 2890.1: 2004*.
 - A minimum of 2200mm Headroom must be provided throughout the access and parking facilities. Note that Headroom must be measured to the lowest projection from the ceiling, such as lighting fixtures, and to open garage doors.
 - The car parking facilities must be appropriately line marked and signposted in accordance with the requirements of Section 4 of *AS/NZS 2890.1-2004*.
 - Minimum lines of sight for pedestrian safety must be provided in accordance Figure 3.3 of *AS/NZS 2890.1:2004*.
- f) The doorway for the bulky waste room need to be a minimum of 2m.
- g) Bin presentation point requires a doorway/gate with a minimum of 2m in width.

- h) A layback and a level pathway are required between the presentation point and the roadside
- 4) Overhead Powerlines Safework NSW Document – Work Near Overhead Powerlines: Code of Practice, outlines the minimum safety separation requirements between these mains/poles to structures within the development throughout the construction process. It is a statutory requirement that these distances be maintained throughout construction. Special consideration should be given to the positioning and operating of cranes and the location of any scaffolding.

The “as constructed” minimum clearances to the mains should also be considered. These distances are outlined in the Ausgrid Network Standard, NS220 Overhead Design Manual. This document can be sourced from Ausgrid’s website, www.ausgrid.com.au

It remains the responsibility of the developer and relevant contractors to verify and maintain these clearances onsite.

"Should the existing overhead mains require relocating due to the minimum safety clearances being compromised in either of the above scenarios, this relocation work is generally at the developers cost. It is also the responsibility of the developer to ensure that the existing overhead mains have sufficient clearance from all types of vehicles that are expected be entering and leaving the site."

- 5) Underground Cables Special care should also be taken to ensure that driveways and any other construction activities within the footpath area do not interfere with the existing cables in the footpath. Ausgrid cannot guarantee the depth of cables due to possible changes in ground levels from previous activities after the cables were installed. Hence it is recommended that the developer locate and record the depth of all known underground services prior to any excavation in the area.

Safework Australia – Excavation Code of Practice, and Ausgrid’s Network Standard NS156 outlines the minimum requirements for working around Ausgrid’s underground cables. Should ground anchors be required in the vicinity of the underground cables, the anchors must not be installed within 300mm of any cable, and the anchors must not pass over the top of any cable.

6) **Tree Removal: On-Site**

Approval is granted for the removal of the following trees:

- Any tree/s where the base of the trunk of the tree is located within 3 metres of the external wall of an approved dwelling;
- Any declared noxious plant. The applicant, builder and all contractors are to ensure that all noxious plants are properly identified, controlled and/or removed on this site without injury or death of any protected plants;

- Any tree species listed under clause 3.4 of Canterbury Development Control Plan 2012 Part B3 – Tree Management Order;
- Any of the following tree/s:

Tree Species	Location
1 x Cuppressus macrocarpa 'Brunniana Aurea' (Golden Brunnings Cypress) T6	See Tree protection plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Cuppressus macrocarpa 'Brunniana Aurea' (Golden Brunnings Cypress) T7	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Cuppressus macrocarpa 'Brunniana Aurea' (Golden Brunnings Cypress) T8	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Ligustrum lucidum (Broad Leaf Privet) T9	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Ligustrum lucidum (Broad Leaf Privet) T10	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Pittosporum undulatum (Native Daphne) T11	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Lagerstromia indica (Crepe Myrtle) T12	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Ligustrum lucidum (Broad Leaf Privet) T14	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)
1 x Carica papaya (Paw Paw) T15	See Tree management plan Appendix 6 (As per Arboricultural impact assessment report, date: March 2019)

All tree removal works must comply with the Amenity Tree Industry – Code of Practice, 1998 (Workcover, NSW) and Guide to Managing Risks of Tree Trimming and Removal Work (Safe Work Australia 2016).

All other vegetation not specifically identified above, and protected by Councils Tree Management Order, is to be retained and protected from construction damage and pruning. The Tree Management Order protects trees over 5m in height.

7) **Tree Removal: Nature Strip / Council Reserve**

Approval is granted for the removal of the following trees:

Tree Species	Location
4 x <i>Callistemon viminalis</i> (Weeping Bottlebrush)	Nature strip forward of development site

The tree removal works are subject to the following conditions:

- All tree removal works must be carried out by a qualified arborist - minimum qualification Australian Qualification Framework (AQF) Level 3 or equivalent;
- The tree removal contractor must hold a Public Liability Insurance Certificate of Currency with a minimum indemnity of \$20 million, together with a NSW Workers Compensation Insurance Certificate of Currency;
- The tree removal work must comply with the Amenity Tree Industry – Code of Practice, 1998 (Workcover, NSW);
- The tree stump is to be ground to 300mm below ground level. Investigation to locate underground services shall be the responsibility of the applicant.
- All tree material shall be removed from site, and the nature strip shall be backfilled, compacted and restored to the original level.
- The site must be maintained in a safe condition at all times;
- Appropriate hazard signage to be in place at all times during the tree works.

All other street vegetation not specifically identified above is to be retained and protected from construction damage and pruning.

8) **Tree Planting: Nature Strip**

The applicant is to plant the following replacement trees on the nature strip forward of the property. The trees shall have a container size not less than **100 litres**, shall comply with *NATSPEC Specifying Trees: a guide to assessment of tree quality (2003)* or *Australian Standard AS 2303 – 2015 Tree stock for landscape use*, and be planted and maintained in accordance with Councils street tree planting specifications Standard Drawing No. S-201.

Tree Species	Location
4 x <i>Brachychiton populneus</i> (Kurrajong)	Trees to be planted on nature strip forward of development site, equally spaced along the length of this front boundary & 2m clear of any driveways.

Investigation to locate underground services shall be the responsibility of the applicant. Should such services be located and there is a reasonable belief that damage may occur to those services by the new plantings, the applicant is to:

- a. Carry out engineering works to protect those services from damage; or
- b. Relocate the plantings to a more suitable location; or
- c. Substitute the approved tree species with an alternative species.

The trees shall be planted by a qualified landscape contractor with experience in handling advanced sized tree stock, and in accordance with the tree delivery, planting preparation – general, planting, mulching and staking specifications included in Standard Drawing No. S-201.

The Applicant shall contact Council to book an inspection by the Tree Management Officer of the completed tree planting once the works have been completed prior to the occupation of the building. Inspections must be booked at least 5 working days prior to being required.

CONDITIONS TO BE SATISFIED PRIOR TO CONSTRUCTION

- 9) Crown building work must ensure that any certified plans are not inconsistent with this Development Consent and accompanying plans.
- 10) Crown building work must not be commenced unless the building work is certified by or on behalf of the Crown to comply with the technical provisions of the State's building laws.
- 11) Written notice must be given to adjoining residents seven (7) days prior to the commencement of demolition advising of the commencement date.

Such written notice is to include the date when demolition work will commence and details of the name, address, contact telephone number and licence number of the demolisher.

The following inspections must be undertaken by the Crown:

- (i) A pre-commencement demolition inspection when all site works required as part of this consent are installed on the site and prior to demolition work commencing; and
- (ii) A final demolition inspection when the demolition works have been completed to ensure that the site is left in a satisfactory manner, in accordance with the conditions of this consent.

Prior to demolition work, a sign must be erected at the front of the property with the demolishers name, licence number and contact phone number.

Demolition work may only be carried out between 7.00am and 5.00pm on Monday to Saturday and no demolition work is to be carried out at any time on a Sunday or a public holiday.

All demolition work must be carried out in accordance with Australian Standard 2601-2001 - The demolition of structures.

Where asbestos containing materials are to be removed, demolition is to be carried out by contractors who have a current SafeWork NSW licence in asbestos removal.

An asbestos clearance certificate issued to Council after the completion of demolition work.

Hazardous and intractable wastes arising from the demolition process must be removed and disposed of in accordance with the requirements of SafeWork NSW and the NSW Environment Protection Authority.

Demolition procedures must maximise the reuse and recycling of demolished materials in order to reduce the environmental impacts of waste disposal.

A copy of the final demolition inspection report is to be submitted to the Crown prior to the commencement of building work.

- 12) Landscaping shall be installed in accordance with the approved landscape plan.
- 13) All the tree supply stocks shall comply with the guidance given in the publication *Specifying Trees: a guide to assessment of tree quality* by Ross Clark (NATSPEC, 2003).
- 14) All scheduled plant stock shall be **pre-ordered**, 3 months prior to the commence of landscape construction works, for the supply to the site on time for installation. Written confirmation of the order shall be provided to Council's Landscape Architect (Contact no: 9707 9000), prior work commencing. The order confirmation shall include name, address and contact details of supplier; and expected supply date.
- 15) An amended landscape plan to address the issues outlined below is to be obtained prior to works commencing:
 - a. The communal open space located within the eastern setback is to be redesign to allow for more uses and more opportunities for tenants and residents to enjoy the outdoors. Also this space is to be physically linked to the central communal open area.
 - b. Provide brick or timber edges to all garden bed areas to prevent lawn encroaching onto garden planting. Also plant new trees in garden beds rather than turfed areas.

- c. All feature trees are to be minimum 75 litre pot size.
- 16) The proposed development shall comply with the Statement of Compliance – Access for People with a Disability, dated 12-12-2019 Issue D, prepared by Vista Access Architects. The design shall demonstrate compliance and be verified prior to works commencing.
- 17) A photographic survey must be prepared of the adjoining properties at 22 and 30 Viccliffe Avenue and 37 and 39 Bexley Road, Campsie detailing the physical condition of those properties, both internally and externally, including such items as walls, ceilings, roof, structural members and other similar items, shall be submitted to the Crown or Canterbury Bankstown Council, prior to works commencing. On completion of the excavation and building works and prior to the occupation of the building, a certificate stating to the effect that no damage has resulted to adjoining premises is to be provided to the Crown or Canterbury Bankstown Council. If damage is identified which is considered to require rectification, the damage shall be rectified or a satisfactory agreement for rectification of the damage is to be made with the affected person(s) as soon as possible and prior to the occupation of the development. All costs incurred in achieving compliance with this condition shall be borne by the persons entitled to act on this Consent.
- 18) A dilapidation report prepared by an accredited engineer, detailing the structural adequacy of the adjoining properties at 22 and 30 Viccliffe Avenue and 37 and 39 Bexley Road, Campsie and their ability to withstand the proposed excavation, and any measures required to be incorporated into the work to ensure that no damage will occur during the course of the works, shall be submitted to the Crown or Council prior works commencing. All costs to be borne by the applicant.
- 19) The landscape plan shall include the provision for the replacement of all boundary fencing. A new 1.8m fence is to be erected along all side and rear boundaries of the subject allotment at full cost to the developer. The colour of the fence is to complement the development and the fence is to be constructed of lapped and capped timber paling, sheet metal or other suitable material unless the type of material is stipulated in any flood study prepared for the site. The selection of materials and colours of the fence is to be determined in consultation with the adjoining property owners. Fencing forward of the building line shall be no higher than 1m unless otherwise approved by Council.
- 20) Approval in accordance with Council's Tree Preservation Order (TPO) is granted to lop or remove only the trees identified to be lopped or removed on the approved plans. Separate approval shall be obtained to prune or remove trees on adjoining properties or other trees located on the site. Failure to comply with Council's TPO may result in a fine of up to \$100,000.

- 21) An erosion control plan prepared by a qualified engineer or registered surveyor or in accordance with the 'Blue Book *Managing Urban Stormwater: Soils and Construction* (4th edition, Landcom, 2004)' is to be prepared.
- 22) The Council Approved building plans, including demolition plans, must be submitted to Sydney Water for assessment. This will determine if the proposed structure(s) would affect any Sydney Water infrastructure or if there are additional requirements. Building plan approvals can be submitted online via Sydney Water Tap in™.

Please refer to www.sydneywater.com.au/tapin

For Sydney Water's Guidelines for building over or next to assets, visit www.sydneywater.com.au 'Plumbing, building & developing' then 'Building Plan Approvals' or call 13000 TAPIN.

Prior to works commencing Sydney Water must issue either a Building Plan Assessment letter which states that your application is approved, or the appropriate plans must be stamped by a Water Servicing Coordinator.

- 23) A long service levy payment which is 0.35% of the total cost of the work is to be paid to the Building and Construction Industry Long Service Payments Corporation.
- 24) This condition has been levied on the development in accordance with Section 7.11 of the Environmental Planning and Assessment Act 1979 and in accordance with Canterbury Development Contributions Plan 2013, after identifying the likelihood that this development will require or increase the demand on public amenities, public services and public facilities in the area.

The amount of the contribution (as at the date of this consent) has been assessed as \$274,141.50. The amount payable is based on the following components:

Contribution Element	Contribution
2013	
• Community Facilities	\$24,796.08
• Open Space and Recreation	\$242,371.67
• Plan Administration	\$6,973.75

Note: The contributions payable may be adjusted, at the time of payment, to reflect Consumer Price Index increases (All Groups Index) for Sydney as published by the Australian Bureau of Statistics.

The contribution is to be paid to Council in full prior to works commencing, (or for a development not involving building work, the contribution is to be paid to Council in full before the commencement of the activity on the site) in accordance with the requirements of the Contributions Plan.

- 25) Finished surface levels of all internal works and at the street boundary, including driveways, landscaping and drainage structures, must be as shown

on the approved plans. The levels Viccliffe Avenue at the street boundary must be consistent with the Street Boundary Alignment Levels issued by Council.

- 26) Stormwater drainage from the development shall be designed so as to comply with Council's Canterbury Development Control Plan 2012 Part B5 and the requirements of the BASIX Certificate. A final detailed stormwater drainage design shall be prepared by a qualified Professional Civil Engineer in accordance with the above requirements and shall generally be in accordance with the concept stormwater plans prepared by Greenview Consulting, drawing number C01, C02, C03, C04, revision 5, dated 13.12.2019. The final plans shall be certified by the design engineer that it complies with Council's Canterbury Development Control Plan 2012 Part B5, the BASIX Certificate and the relevant Australian Standards.
- 27) Where Council approved cut or fill exceeds 200mm and stable batter of 1 vertical to 3 horizontal maximum grade cannot be achieved, then a masonry or other proprietary material retaining wall, intended and suitable for that purpose, shall be constructed within the development site. Note, filling of the site needs specific approval from the Crown.

The retaining wall shall be located so that it will not impede or obstruct the natural flow of stormwater. Retaining walls exceeding 600mm in height shall be designed by a qualified professional Civil/Structural Engineer. Plans and details prepared and signed by the Engineer are to be submitted to the Crown prior to works commencing.

All works associated with the construction of the wall, including backfilling and drainage, is to be located wholly within the allotment boundaries.

- 28) An all weather pavement shall be designed to withstand the anticipated wheel loads for all areas subjected to vehicular movements. Internal pavements specification prepared and certified by all qualified professional Civil Engineer to comply with the relevant Australian Standards, shall be submitted to the Crown for approval prior to the works commencing.
- 29) All proposed works within the public road and footway shall be designed and constructed to Council's standards and specifications and a copy of the details plans submitted to Council prior to works commencing. The applicant/developer shall arrange for necessary inspections by Council whilst the work is in progress.
- 30) If groundwater is encountered, it must not be captured by the drainage system of the basement. In this regard the basement must be tanked to at least 1000 mm above measured groundwater levels.
- 31) The capacity and effectiveness of erosion and sediment control devices must be maintained at all times.

- 32) A copy of the Soil and Water Management Plan must be kept on site at all times and made available to Council officers on request.
- 33) Submission of a Soil and Water Management Plan, including details of:
- (a) property details (location, applicant, drawn by, date, scale)
 - (b) accurate property description (property boundary)
 - (c) contours
 - (d) access point and access control measures
 - (e) location and type of all sediment control measures
 - (f) location of existing vegetation to be retained and undisturbed ground
 - (g) any existing watercourse or drainage
 - (h) material stockpile areas and storage and control methods
 - (i) location of new drainage features (stormwater inlet pits)
 - (j) re-vegetation proposals, including specifications on materials used and methods of application

(NOTE: For guidance on the preparation of the Plan refer to the Soil and Water Management for Urban Development guidelines produced by the Southern Sydney Regional Organisation of Councils.)

- 34) The plans shall include details of the garbage receptacle area. The garbage receptacle area shall not be visible from the street. The garbage receptacle area shall be located within the building or screened from the street by dense landscaping.
- 35) Prior to Construction, the applicant must obtain approval from Council's Traffic Section for a Site, Pedestrian and Traffic Management Plan (SPTMP). This Plan must address the measures that will be implemented for pedestrian safety and traffic management as specified below.

This plan shall include details of the following:

- a) Proposed ingress and egress points for vehicles to and from the construction site;
- b) Proposed protection of pedestrians, adjacent to the constructions site;
- c) Proposed pedestrian management whilst vehicles are entering/exiting the construction site;
- d) Proposed method of loading and unloading excavation machines, building material, construction materials and waste containers during the construction period;
- e) Proposed traffic control measures such as advanced warning signs, barricades, warning lights, after hours contact numbers etc. are required

- to be displayed and shall be in accordance with Council's and the NSW Roads and Maritime Services requirements and AS1742.3.
- f) Proposed route for transportation of bulk and excavation materials to and from the development site.

The route for transportation to and from the development site of bulk and excavation materials shall generally be by the shortest possible route to the nearest "State Road" via "Regional Roads", with every effort to avoid school zones on public roads. Alternate longer routes will only be considered in order to bypass school zones during school zone hours. If school zones cannot be avoided **no heavy construction vehicle movements are to arrive or depart the site during signposted school zone periods** 8:00am - 9:30am and 2:30pm - 4:00pm on school days.

An Agreement signed by the applicant/owner specifying the approved route and acknowledging responsibility to pay Council to rectify damages to public property adjacent to the site as a consequence of building works shall be lodged with Council prior to works commencing. Damage will be rectified as required by Council to remove unsafe conditions. All damage must be rectified upon completion of work to the satisfaction of Council.

The approved Site, Pedestrian and Traffic Management Plan is to be implemented prior to the commencement of any works on the construction site.

In addition a RMS Approval / Road Occupancy Licence will be required for works on Regional or State Roads or within 100m of a traffic facility including roundabouts and traffic signals. Refer to Council's Development Engineering Standards for a list of Regional and State Roads.

- 36) Prior to works commencing for this development, the Crown must approve the Site Operations Management Plan (SOMP). This Plan must address the measures that will be implemented for the ongoing management of operations on and around the construction site, the protection of adjoining properties, and other requirements as specified below.

This plan shall include details of the following:

- a) Proposed hoardings, scaffolding and/or fencing to secure the construction site;
- b) Proposed measures to be implemented, for the protection of all public roads and footway areas surrounding the construction site from building activities, crossings by heavy equipment, plant and materials delivery and static load from cranes, concrete pumps and the like;
- c) Proposed method of support of any excavation, adjacent to adjoining buildings or the public road. The proposed method of support is to be certified by a Civil Engineer with National Professional Engineering Registration (NPER) in the construction of civil works.

- d) Proposed measures to be implemented in order to ensure that no soil/excavated material is transported on wheels or tracks of vehicles or plant and deposited on the public road.
- e) Proposed measures for protection of the environment, according to the relevant provisions of the Protection of Environment Operations (POEO) Act, 1997 including procedures to control environmental impacts of work e.g. sediment control, proper removal, disposal or recycling of waste materials, protection of vegetation and control/prevention of pollution i.e. water, air noise, land pollution.

The approved Site Operations Management Plan is to be implemented prior to the commencement of any works on the site, and an approved copy provided to Council for information. Ongoing compliance with the matters detailed in the SOMP shall be monitored by the Crown.

- 37) The route for transportation to and from the development site of bulk and excavation materials shall generally be by the shortest possible route to the nearest "regional road", with every effort to avoid school zones on public roads. The applicant shall nominate the route for approval by Council prior to commencement of any work on the site. An Agreement signed by the applicant/owner specifying the approved route and acknowledging responsibility to pay Council for damages to public property adjacent to the site shall be lodged with Council prior to works commencing. All damage must be rectified upon completion of work.
- 38) Where Council approved cut or fill exceeds 200mm and stable batter of 1 vertical to 3 horizontal maximum grade cannot be achieved, then a masonry or other proprietary material retaining wall, intended and suitable for that purpose, shall be constructed within the development site.

The retaining wall shall be located so that it will not impede or obstruct the natural flow of stormwater. Retaining walls exceeding 600mm in height shall be designed by a qualified professional Civil/Structural Engineer. Plans and details prepared and signed by the Engineer prior to works commencing.

All works associated with the construction of the wall, including backfilling and drainage, is to be located wholly within the allotment boundaries.

- 39) All Civil and Hydraulic engineering works on site must be carried out in accordance with Council's Canterbury Development Control Plan 2012 Part B5. All Civil and Hydraulic engineering works associated with Council's assets and infrastructure must be carried out in accordance with Council's requirements.
- 40) All excavations and backfilling must be executed safely and in accordance with the relevant Australian Standards
- 41) If soil conditions require it, retaining walls or other approved methods of preventing movement of the soil must be provided, and adequate provisions

must be made for drainage. Separate approval may be required for retaining walls should they be required.

- 42) If the development involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
- protect and support the adjoining premises from possible damage from the excavation, and
 - where necessary, underpin the adjoining premises to prevent any such damage.
- 43) The stormwater drainage system shall be constructed in accordance with Canterbury Development Control Plan 2012 Part B5 and the engineering plans and details approved by the Crown. Should the developer encounter any existing, live, underground stormwater drainage pipes, which carry flow from upstream properties, the developer must maintain the stormwater flow and re-route the stormwater pipes around the subject building or structures at the developer's expense.
- 44) Existing trees within the vicinity of the construction works or paths of travel for construction vehicles accessing the development that are to be retained shall be protected with temporary fencing of a style non injurious to tree roots, placed 2m from the trunk base of the existing tree to prevent damage during construction, and retained in accordance with Council's Tree Preservation Order. There is to be no stockpiling of materials within the 2m fenced zone.
- 45) Suitable erosion and sediment control measures shall be erected in accordance with the plans accompanying prior to the commencement of construction works and shall be maintained at all times.
- 46) Council warning sign for Soil and Water Management must be displayed on the most prominent point of the site, visible to both the street and site works. The sign must be displayed throughout the construction period.
- 47) A section 73 compliance certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation. Make early application for the certificate, as there may be water and sewer pipes to be built and this can take some time. This can also impact on other services and building, driveway or landscape design.

Application must be made through an authorised Water Servicing Coordinator. For help either visit www.sydneywater.com.au > Building and Developing > Developing your Land > Water Servicing Coordinator or telephone 13 20 92.

- 48) Prior to the commencement of work, a fence must be erected around the area of the works, except where an existing 1.8m high boundary fence is in good condition and is capable of securing the area. Any new fencing shall be

temporary (such as cyclone wire) and at least 1.8m high. All fencing is to be maintained for the duration of construction to ensure that the work area is secured.

- 49) A sign shall be displayed on the site indicating the name of the person responsible for the site and a telephone number of which that person can be contacted during and outside normal working hours or when the site is unattended.
- 50) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - a. showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
 - b. stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

CONDITIONS TO BE SATISFIED DURING CONSTRUCTION

- 51) The hours of site works shall be limited to between 7.00am and 5.00pm on weekdays and on Saturdays. No work shall be carried out on Sundays and public holidays.
- 52) The building work must be carried out in accordance with the requirements of the Building Code of Australia.
- 53) The building work in accordance with the development consent must not be commenced until:
 - a) the person having the benefit of the development consent, if not carrying out the building work as an owner-builder, has:
 - i. appointed a principal contractor for the building work who must be the holder of a contractor licence if any residential building work is involved, and
 - ii. unless the person is the principal contractor, notified the principal contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work, and
- 54) An identification report by a registered surveyor must be submitted to the Crown prior to the ground floor slab being poured to verify the buildings wall setbacks and floor level conform to the approved plans.
- 55) All excavations and backfilling must be executed safely and in accordance with the relevant Australian Standards.
- 56) If soil conditions require it, retaining walls or other approved methods of preventing movement of the soil must be provided, and adequate provisions must be made for drainage.

- 57) If the development involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
- a. protect and support the adjoining premises from possible damage from the excavation, and
 - b. where necessary, underpin the adjoining premises to prevent any such damage.
- 58) All boundary fencing behind the building line shall be replaced by a 1.8m high lapped and capped timber or sheet metal fence, or as stipulated in a flood study prepared for the site, or as determined in consultation with the adjoining property owners at the developer's expense. Fencing forward of the building line shall be no higher than 1m unless otherwise approved by Council.
- 59) A copy of the Soil and Water Management Plan must be kept on site at all times and made available to Council officers on request.
- 60) The capacity and effectiveness of erosion and sediment control devices must be maintained at all times.
- 61) Materials must not be deposited on Council's roadways as a result of vehicles leaving the building site.
- 62) Drains, gutters, roadways, and access ways must be maintained free of soil, clay and sediment. Where required, gutters and roadways must be swept regularly to maintain them free from sediment. Do not hose down.
- 63) Any new information which comes to light during demolition or construction works which has the potential to alter previous conclusions about site contamination shall be notified to the Crown immediately.
- 64) Any site water discharged to Council's stormwater system must have a suspended solid level of less than 50 mg/L, pH 6.5 - 8.5, turbidity level of less than 50 NTU, no oil or grease and conform to relevant ANZEC guidelines for other contaminants. This may require treatment such as transfer to settling ponds, use of approved chemicals to settle out sediment or passing the contaminated water through a treatment device. Site water may also be disposed of through the services of a licensed liquid waste transporter. The Crown must be notified prior to the commencement of any pump out of site water and provided with a copy of the test results which confirm that the above condition has been complied with.
- 65) Stockpiles of topsoil, sand, aggregate, soil or other material shall not be located on any drainage line or easement, natural watercourse, footpath or roadway and shall be protected with adequate sediment controls.

- 66) In the event of Council receiving complaints resulting from odour from the mechanical ventilation system, the owner must at his/her own cost, engage an accredited Air Pollution Control Consultant to upgrade their mechanical ventilation system until the odour and/or air impurity emissions have been mitigated. Details of all mechanical ventilation system upgrades must be provided to Council and all upgrades to the mechanical ventilation system must be completed within 45 days from the date Council requested an accredited Air Pollutant Consultant be engaged.
- 67) Any lighting of the premises shall be installed in accordance with Australian Standard AS 4282 – Control of the Obtrusive Effects of Outdoor Lighting so as to avoid annoyance to the occupants of adjoining premises or glare to motorists on nearby roads. Flashing, moving or intermittent lights or signs are prohibited. The intensity, colour or hours of illumination of the lights shall be varied at Council's discretion if Council considers there to be adverse effects on the amenity of the area.
- 68) Any fill imported onto the site must be virgin excavated natural material or excavated natural material, classified as such in accordance the 'Waste Classification Guidelines' (NSW EPA, 2014) or excavated natural material meeting the requirements of the Excavated Natural Material Exemption (NSW EPA, 2014).

Certificates verifying that imported fill is virgin excavated natural material or excavated natural material must be included within the validation report; or provided to the Crown prior to the occupation of the building; or provided to the Crown prior to filling.

All imported fill must be compatible with the existing soil characteristics of the site.

- 69) In the instance works cause the generation of odours or uncovering of unexpected contaminants works are to immediately cease, Council is to be notified and a suitably qualified environmental consultant appointed to further assess the site. The exposed material/excavation is to be evaluated by the supervising environmental consultant and an appropriate response determined in consultation with the applicant, which OEH Accredited Site Auditor is involved to assist with the assessment of any unexpected finds, review any contamination information and prepare a Site Audit Report and Site Audit Statement. The applicant must adhere to any additional conditions which may be imposed by the NSW OEH Accredited Site Auditor.
- 70) Prior to the commencement of work, the builder shall prepare a photographic record of the road reserve which clearly shows its condition prior to works occurring on site. For the entirety of demolition, subdivision or construction works, there shall be no stockpiling of building spoil, materials, or storage of equipment on the public road, including the footway and the road reserve shall be maintained in a safe condition at all times. No work shall be carried out on

the public road, including the footway, unless a Work Permit authorised by Council has been obtained.

- 71) Redundant driveways along Viccliffe Avenue across the frontage of the site, are to be removed and replaced with new kerb and gutter, and turf to match the existing areas, and footpath reconstructed at Applicant's cost.
- 72) Point B1.3.3 states that "waste collection will be done on street when required". The Applicant is to fund the installation of a kerb ramp and restrictive signage to allow the collection of waste.
- 73) The developer shall conduct the following engineering works in front of the site, at the applicant's expense:
 - a) A heavy duty combined VFC of maximum width of 5.5 metres at the property boundary.
 - b) Drainage connection to Council's kerb & gutter system.
 - c) Removal of all redundant driveway surfaces, reinstatement of laybacks to kerb and gutter and reshaping of the footway, all associated with redundant VFCs.
 - d) Repair of any damage to the public road including the footway occurring during development works.
 - e) Reinstatement of the footway reserve and adjustment or relocation of existing public utility services to match the footway design levels. Adjustment or relocation to any public utility services shall be carried out to the requirements of the public utility authority.

CONDITIONS TO BE SATISFIED PRIOR TO OCCUPATION

- 74) An identification report by a registered surveyor must be submitted to the Crown to verify the buildings wall and roof eaves setback, floor level and height conform to the approved plans.
- 75) A section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained and submitted to the Crown before the building is occupied.
- 76) Prior to the building is occupied a design verification from a qualified designer shall be submitted to the Crown. The design verification is a statement in which the qualified designer verifies that the development has been constructed as shown in the plans and specifications in respect to the plans approved, having regard to the design quality principles set out in Schedule 1 of SEPP No. 65.
- 77) The developer shall register, on the title of the subject property, a Restriction on the Use of Land and Positive Covenant, in accordance with the standard terms for "Registration of OSD on title", as outlined in Council's Development Engineering Standards and in accordance with the appropriate provisions of the Conveyancing Act.

Note: The location of the "On-Site Stormwater Detention System" shall be shown on the plan of subdivision where subdivision is proposed. Where

subdivision is not proposed the location of the "On-Site Stormwater Detention System" shall be included on an A4 size site plan attached to the Section 88E Instrument and registered on the title prior to the occupation of the building.

The developer shall submit to the Crown evidence of the final registration of the Restriction and Positive Covenant on the title of the property.

- 78) 13 off street car spaces being provided in accordance with the submitted plans. This shall comprise:

13 residential spaces

3 of the above car parking spaces are to be provided for people with mobility impairment in accordance with AS 2890.6. All car parking spaces shall be allocated and marked according to these requirements.

- 79) Landscaping is to be installed in accordance with the approved landscape plan. All works and methods nominated and materials and plants specified on the approved landscape plan are to be completed prior to the occupation of the building. The landscaping shall be maintained for the life of the development.
- 80) A suitably qualified Professional Civil Engineer shall certify that the driveways, parking bays, and service areas have been constructed in accordance with the approved plans and specifications. Such Certification shall be submitted prior to the prior to the occupation of the building or occupation of the site.
- 81) The lots 24, 26 and 28 Viccliffe Avenue Campsie must be consolidated. The plan of consolidation being lodged and registered with the Land and Property Information NSW prior to occupation of the building.
- 82) Lighting must be provided to the entries of the dwellings, driveways and parking areas to promote a high level of safety and security at night and during periods of low light. Lighting provided should be hooded, shielded or directed away from neighbouring dwellings to minimise glare and associated nuisances to residents.
- 83) The premises must be readily identified from the street with the allocated house numbers. Numbering of the development without Council's written approval is not permitted. An official "house numbering" letter will be sent to the applicant indicating the proposed house numbers of the new development. Note: The house numbers of the development are subject to change depending of the type on subdivision that may occur at a later stage.
- 84) The Section 73 compliance certificate under the Sydney Water Act 1994 must be submitted to the Crown before occupation of the development.
- 85) The land/s subject to this consent, shall remain in the ownership of Land and Housing Corporation. This shall be registered on the title prior to the building being occupied.

SCHEDULE A: ADVICE TO APPLICANTS

Also, before you dig, call “Dial before you Dig” on 1100 (listen to the prompts) or facsimile 1300 652 077 (with your street no./name, side of street and distance to nearest cross street) for underground utility services information for any excavation areas.

For further information regarding this notice please contact Haroula Michael in Development on 9707 9562.