# **BASIX**<sup>°</sup>Certificate

Building Sustainability Index www.basix.nsw.gov.au

## Multi Dwelling

Certificate number: 983460M\_04

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

This certificate is a revision of certificate number 983460M\_02 lodged with the consent authority or certifier on 22 May 2019 with application DA 19/0348.

It is the responsibility of the applicant to verify with the consent authority that the original, or any revised certificate, complies with the requirements of Schedule 1 Clause 2A, 4A or 6A of the Environmental Planning and Assessment Regulation 2000

#### Secretary

Date of issue: Wednesday, 03 June 2020 To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning, Industry & Environment

Project summary	
Project name	Development @ 90-96 Glenmore Ridge D_04
Street address	90-96 Glenmore Ridge Drive Glenmore Park 2745
Local Government Area	Penrith City Council
Plan type and plan number	deposited 1166371
Lot no.	1700
Section no.	-
No. of residential flat buildings	3
No. of units in residential flat buildings	147
No. of multi-dwelling houses	0
No. of single dwelling houses	0
Project score	
Water	V 40 Target 40
Thermal Comfort	V Pass Target Pass
Energy	V 45 Target 45

#### Certificate Prepared by

Name / Company Name: Outsource Ideas P/I

#### ABN (if applicable): 12 130 092 661

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Certificate No.: 983460M\_04

## **Description of project**

### Project address

Project name	Development @ 90-96 Glenmore Ridge D_04
Street address	90-96 Glenmore Ridge Drive Glenmore Park 2745
Local Government Area	Penrith City Council
Plan type and plan number	deposited 1166371
Lot no.	1700
Section no.	-
Project type	
No. of residential flat buildings	3
No. of units in residential flat buildings	147
No. of multi-dwelling houses	0
No. of single dwelling houses	0
Site details	
Site area (m²)	21108
Roof area (m <sup>2</sup> )	1615
Non-residential floor area (m <sup>2</sup> )	7409.0
Residential car spaces	197
Non-residential car spaces	320

Common area landscape		
Common area lawn (m²)	0.0	
Common area garden (m <sup>2</sup> )	3034.0	
Area of indigenous or low water use species (m <sup>2</sup> )	2124.0	
Assessor details		
Assessor number	BDAV/13/1521	
Certificate number	15212198	
Climate zone	28	
Project score		
Water	40	Target 40
Thermal Comfort	V Pass	Target Pass
Energy	45	Target 45

Planning, Industry & Environment www.basix.nsw.gov.au BASIX

## **Description of project**

The tables below describe the dwellings and common areas within the project

### Residential flat buildings - Building-A, 60 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
A101	2	84.0	0.0	0.0	0.0	A102	1	66.0	0.0	0.0	0.0	A103	2	87.0	0.0	0.0	0.0	A104	2	86.0	0.0	0.0	0.0
A105	2	82.0	0.0	0.0	0.0	A106	2	83.0	0.0	0.0	0.0	A107	1	65.0	0.0	0.0	0.0	A108	2	80.0	0.0	0.0	0.0
A109	2	84.0	0.0	0.0	0.0	A110	2	84.0	0.0	0.0	0.0	A111	2	80.0	0.0	0.0	0.0	A112	2	80.0	0.0	0.0	0.0
A113	2	84.0	0.0	0.0	0.0	A114	2	87.0	0.0	0.0	0.0	A115	2	82.0	0.0	0.0	0.0	A116	2	82.0	0.0	0.0	0.0
A117	2	82.0	0.0	0.0	0.0	A118	2	82.0	0.0	0.0	0.0	A119	1	67.0	0.0	0.0	0.0	A120	2	87.0	0.0	0.0	0.0
A201	2	84.0	0.0	0.0	0.0	A202	1	66.0	0.0	0.0	0.0	A203	2	87.0	0.0	0.0	0.0	A204	2	82.0	0.0	0.0	0.0
A205	2	83.0	0.0	0.0	0.0	A206	2	81.0	0.0	0.0	0.0	A207	2	87.0	0.0	0.0	0.0	A208	1	65.0	0.0	0.0	0.0
A209	2	80.0	0.0	0.0	0.0	A210	2	84.0	0.0	0.0	0.0	A211	2	84.0	0.0	0.0	0.0	A212	2	80.0	0.0	0.0	0.0
A213	2	80.0	0.0	0.0	0.0	A214	2	84.0	0.0	0.0	0.0	A215	2	84.0	0.0	0.0	0.0	A216	2	82.0	0.0	0.0	0.0
A217	2	82.0	0.0	0.0	0.0	A218	2	82.0	0.0	0.0	0.0	A219	2	82.0	0.0	0.0	0.0	A220	1	67.0	0.0	0.0	0.0
A221	2	87.0	0.0	0.0	0.0	A301	3	96.0	0.0	0.0	0.0	A302	2	87.0	0.0	0.0	0.0	A303	2	79.0	0.0	0.0	0.0
A304	3	95.0	0.0	0.0	0.0	A305	2	81.0	0.0	0.0	0.0	A306	3	107.0	0.0	0.0	0.0	A307	3	101.0	0.0	0.0	0.0
A308	2	84.0	0.0	0.0	0.0	A309	2	84.0	0.0	0.0	0.0	A310	2	80.0	0.0	0.0	0.0	A311	2	80.0	0.0	0.0	0.0
A312	2	84.0	0.0	0.0	0.0	A313	2	84.0	0.0	0.0	0.0	A314	2	82.0	0.0	0.0	0.0	A315	2	82.0	0.0	0.0	0.0
A316	2	82.0	0.0	0.0	0.0	A317	2	82.0	0.0	0.0	0.0	A318	3	110.0	0.0	0.0	0.0	A319	2	83.0	0.0	0.0	0.0

Residential flat buildings - Building-B, 39 dwellings, 3 storeys above ground

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
B101	3	105.0	0.0	0.0	0.0	B102	1	65.0	0.0	0.0	0.0	B103	2	80.0	0.0	0.0	0.0	B104	2	86.0	0.0	0.0	0.0
B105	2	86.0	0.0	0.0	0.0	B106	2	80.0	0.0	0.0	0.0	B107	2	80.0	0.0	0.0	0.0	B108	2	80.0	0.0	0.0	0.0
B109 B113	2	86.0 81.0	0.0	0.0 0.0	0.0	B110 B201	2 3	80.0 101.0	0.0	0.0	0.0	B111 B202	2	80.0 102.0	0.0	0.0	0.0	B112 B203	2 2	80.0 80.0	0.0	0.0	0.0
B113 B204	2	86.0	0.0	0.0	0.0	B201	2	86.0	0.0	0.0	0.0	B202	2	80.0	0.0	0.0	0.0	B203	2	80.0	0.0	0.0	0.0
B208	2	80.0	0.0	0.0	0.0	B209	2	86.0	0.0	0.0	0.0	B210	2	80.0	0.0	0.0	0.0	B211	2	80.0	0.0	0.0	0.0
B212	2	80.0	0.0	0.0	0.0	B213	2	81.0	0.0	0.0	0.0	B301	3	101.0	0.0	0.0	0.0	B302	3	102.0	0.0	0.0	0.0
B303	2	80.0	0.0	0.0	0.0	B304	2	86.0	0.0	0.0	0.0	B305	2	86.0	0.0	0.0	0.0	B306	2	80.0	0.0	0.0	0.0
B307	2	80.0	0.0	0.0	0.0	B308	2	80.0	0.0	0.0	0.0	B309	2	86.0	0.0	0.0	0.0	B310	2	80.0	0.0	0.0	0.0
B311	2	80.0	0.0	0.0	0.0	B312	2	80.0	0.0	0.0	0.0	B313	2	81.0	0.0	0.0	0.0						
Resid	lent	ial fla	t build	lings -	Buildi	ng-C, 4	18 c	lwellir	ngs, 3	store	ys abov	ve grou	und	ĺ									
Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

C102 2 80.0

2

2

2

2

86.0

84.0

80.0

80.0

C106

C110

C114

C202

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

C103 2

2

2

2

2

C107

C111

C115

C203

80.0

80.0

87.0

80.0

80.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

C104 2

C112 2

1

2

2

C108

C116

C204

80.0

65.0

80.0

80.0

80.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

2 81.0

86.0

65.0

80.0

81.0

2

1

2

2

C101

C105

C109

C113

C201

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	iditione( a (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area $m^2$ )	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
C205	2	86.0	0.0	0.0	0.0	C206	2	86.0	0.0	0.0	0.0	C207	2	80.0	0.0	0.0	0.0	C208	2	80.0	0.0	0.0	0.0
C209	2	80.0	0.0	0.0	0.0	C210	2	84.0	0.0	0.0	0.0	C211	2	87.0	0.0	0.0	0.0	C212	2	80.0	0.0	0.0	0.0
C213	2	80.0	0.0	0.0	0.0	C214	2	80.0	0.0	0.0	0.0	C215	2	80.0	0.0	0.0	0.0	C216	2	80.0	0.0	0.0	0.0
C301	3	99.0	0.0	0.0	0.0	C302	2	80.0	0.0	0.0	0.0	C303	2	80.0	0.0	0.0	0.0	C304	2	80.0	0.0	0.0	0.0
C305	2	86.0	0.0	0.0	0.0	C306	2	86.0	0.0	0.0	0.0	C307	2	80.0	0.0	0.0	0.0	C308	2	80.0	0.0	0.0	0.0
C309	2	80.0	0.0	0.0	0.0	C310	3	98.0	0.0	0.0	0.0	C311	3	95.0	0.0	0.0	0.0	C312	2	80.0	0.0	0.0	0.0
C313	2	80.0	0.0	0.0	0.0	C314	2	80.0	0.0	0.0	0.0	C315	2	80.0	0.0	0.0	0.0	C316	3	95.0	0.0	0.0	0.0

## **Description of project**

The tables below describe the dwellings and common areas within the project

#### Common areas of unit building - Building-A

Common area	Floor area (m <sup>2</sup> )	Common area	Floor area (m²)	Common area	Floor area (m²)
Basment Car park area_Bld-A	2413.0	Lift car (No.1)	-	Lift car (No.2)	-
Waste room-1_BasementBld-A	47.0	Resi storage_Basment_Bld-A	66.0	Ground floor lobby-1_Bld-A	222.0
Level-1 floor lobby_Bld-A	222.0	Level-3 floor lobby_Bld-A	222.0	Level-2 floor lobby_Bld-A	222.0

#### Common areas of unit building - Building-B

Common area	Floor area (m²)	Common area	Floor area (m <sup>2</sup> )	Common area	Floor area
Basment Car park area_Bld-B	1630.0	Lift car (No.3)	-	Lift car (No.4)	-
Switch room_Basement_Blg-B	22.0	Waste room-1_BasementBld-B	48.0	Waste room-2_BasementBld-B	38.0
Plant Room_Basement_Bld-B	44.0	Fire control rm_Basment-Bld-B	33.0	Resi storage_Basment_Bld-B	140.0
Ground floor lobby-1_Bld-B	64.0	Ground floor lobby-2_Bld-B	38.0	Level-1 floor lobby-1_Bld-B	64.0
Level-1 floor lobby-2_Bld-B	38.0	Level-3 floor lobby-1_Bld-B	64.0	Level-3 floor lobby-2_Bld-B	38.0
Level-2 floor lobby-1_Bld-B	64.0	Level-2 floor lobby-1_Bld-B	38.0		

## Common areas of unit building - Building-C

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Basment Car park area_Bld-C	3390.0	Lift car (No.5)	-	Lift car (No.6)	-
Waste room-1_BasementBld-C	37.0	Waste room-2_BasementBld-C	37.0	Bike storage_Basment_Bld-C	25.0
Ground floor lobby-1_Bld-C	67.0	Ground floor lobby-2_Bld-C	81.0	Level-1 floor lobby-1_Bld-C	67.0
Level-1 floor lobby-2_Bld-C	81.0	Level-3 floor lobby-1_Bld-C	67.0	Level-3 floor lobby-2_Bld-C	81.0
Level-2 floor lobby-1_Bld-C	67.0	Level-2 floor lobby-2_Bld-C	81.0	L	

Planning, Industry & Environment www.basix.nsw.gov.au BASIX

## **Schedule of BASIX commitments**

1. Commitments for Residential flat buildings - Building-A

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Comfort

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for Residential flat buildings - Building-B

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Comfort

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

3. Commitments for Residential flat buildings - Building-C

(a) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Comfort

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

4. Commitments for multi-dwelling houses

5. Commitments for single dwelling houses

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA\_3\_11\_6 Certificate No.: 983460M\_04 Wednesday, 03 June 2020

6. Commitments for common areas and central systems/facilities for the development (non-building specific)

(i) Water

(ii) Energy

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

#### 1. Commitments for Residential flat buildings - Building-A

#### (a) Dwellings

i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		<b>~</b>	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<b>~</b>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<ul> <li>Image: A set of the set of the</li></ul>	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	<b>~</b>	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<b>~</b>	
(g) The pool or spa must be located as specified in the table.	~	<b>~</b>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

			Fixtur	es		Appli	ances	Individual pool				Individual spa			
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded	
All dwellings	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-	

		Alternative water source													
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up							
None	-	-	-	-	-	-	-	-							

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		<b>~</b>	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>~</b>	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	gas instantaneous 6 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, not ducted	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off

BASIX

Planning, Industry & Environment www.basix.nsw.gov.au

	Coc	oling	Неа	ting	Artificial lighting						Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitcher
A301, A304, A306, A307, A318	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1-phase airconditioning EER 3.5 - 4.0 (zoned)	3 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no
A102, A107, A119, A202, A208, A220	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1-phase airconditioning EER 3.5 - 4.0 (zoned)	2 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	1	no
All other dwellings	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1-phase airconditioning EER 3.5 - 4.0 (zoned)	2 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

	Individual pe	ool	Individual s	ра	Appliances & other			es & other effic	other efficiency measures			
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	4 star (new rating)	yes	4 star	-	3 star	yes	no

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA\_3\_11\_6 Certificate No.: 983460M\_04 Wednesday, 03 June 2020

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	<ul> <li></li> </ul>	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	<b>v</b>	~

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
A216	45.0	17.0
A301	63.0	21.0
A302	62.0	55.0
A303	58.0	30.0
A304	61.0	46.0
A305	37.0	51.0
A306	43.0	16.0
A307	43.0	20.0

BASIX

Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

Certificate No.: 983460M\_04

		Thermal loads
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
A308	61.0	59.0
A309	62.0	42.0
A310	60.0	21.0
A311	30.0	18.0
A312	54.0	34.0
A313	54.0	46.0
A318	50.0	28.0
A319	48.0	38.0
A101, A109, A208	44.0	16.0
A115, A206, A214	38.0	27.0
A117, A118, A217	41.0	16.0
A119, A218, A220	42.0	15.0
A120, A219, A221	37.0	26.0
A104, A112, A203, A211	36.0	25.0
A106, A114, A205, A213	36.0	17.0
A314, A315, A316, A317	52.0	25.0
A102, A110, A111, A201, A209	40.0	15.0
A107, A108, A116, A207, A215	41.0	21.0
All other dwellings	41.0	14.0

BASIX F

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	10000.0	To collect run-off from at least: - 150.0 square metres of roof area of buildings in the development - 0.0 square metres of impervious area in the development - 0.0 square metres of garden/lawn area in the development - 0.0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	<ul> <li>irrigation of 3034.0 square metres of common landscaped area on the site</li> <li>car washing in 8 car washing bays on the site</li> </ul>
Pool (No. 1)	Volume: 144.0 kLs	Location: Building-A Pool shaded: no	-

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	<b>v</b>	~

	Common area v	entilation system	Common area lighting					
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS			
Basment Car park area_Bld-A	ventilation exhaust only	carbon monoxide monitor + 2-speed fan	fluorescent	daylight sensor and motion sensor	No			
Lift car (No.1)	-	-	fluorescent	connected to lift call button	No			
Lift car (No.2)	-	-	fluorescent	connected to lift call button	No			
Waste room-1_BasementBld-A	ventilation exhaust only	-	fluorescent	motion sensors	No			
Resi storage_Basment_Bld-A	no mechanical ventilation	-	fluorescent	motion sensors	No			
Ground floor lobby-1_Bld-A	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No			
Level-1 floor lobby_Bld-A	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No			
Level-3 floor lobby_Bld-A	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No			
Level-2 floor lobby_Bld-A	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No			

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Central energy systems	Туре	Specification
Lift (No. 1)	gearless traction with V V V F motor	Number of levels (including basement): 5
Lift (No. 2)	gearless traction with V V V F motor	Number of levels (including basement): 5
Pool (No. 1)	Heating source: no heating	Pump controlled by timer: yes

#### 2. Commitments for Residential flat buildings - Building-B

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<ul> <li>Image: A second s</li></ul>	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<ul> <li>Image: A second s</li></ul>	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		<ul> <li></li> </ul>	
(g) The pool or spa must be located as specified in the table.	~	<ul> <li></li> </ul>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

Fixtures					Appliances			Individual pool				Individual spa		
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-

		Alternative water source										
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up				
None	-	-	-	-	-	-	-	-				

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		<b>~</b>	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>~</b>	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous 6 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, not ducted	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

BASIX

Planning, Industry & Environment www.basix.nsw.gov.au

	Coo	ling	Hea	ting			Artificial	lighting		Natural lighting			
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitchen	
B102	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER > 4.0	-	1 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no	
B101, B201, B202, B301, B302	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER > 4.0	-	3 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no	
All other dwellings	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER > 4.0	-	2 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no	

	Individual pool		Individual spa		Appliances & other efficiency measures							
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	4 star (new rating)	yes	4 star	-	3 star	yes	no

iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA\_3\_11\_6 Certificate No.: 983460M\_04 Wednesday, 03 June 2020

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	<b>v</b>	~

	Thermal loads							
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)						
B303	38.0	32.0						
B306	56.0	36.0						
B307	31.0	20.0						
B311	47.0	41.0						
B312	46.0	42.0						
B313	55.0	36.0						
B103, B203	36.0	31.0						
B107, B207	29.0	18.0						
B111, B211	45.0	39.0						
B112, B212	45.0	40.0						
B301, B308	30.0	20.0						

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

Certificate No.: 983460M\_04

	Thermal loads						
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)					
B302, B309	56.0	24.0					
B304, B305, B310	46.0	40.0					
B101, B108, B201, B208	28.0	18.0					
B102, B109, B202, B209	54.0	22.0					
B106, B113, B206, B213	54.0	34.0					
All other dwellings	44.0	38.0					

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	<b>v</b>	~

	Common area	ventilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS	
Basment Car park area_Bld-B	ventilation exhaust only	carbon monoxide monitor + 2-speed fan	fluorescent	daylight sensor and motion sensor	No	
Lift car (No.3)	-	-	fluorescent	connected to lift call button	No	
Lift car (No.4)	-	-	fluorescent	connected to lift call button	No	
Switch room_Basement_Blg-B	no mechanical ventilation	-	fluorescent	motion sensors	No	
Waste room-1_BasementBld-B	ventilation exhaust only	-	fluorescent	motion sensors	No	
Waste room-2_BasementBld-B	ventilation exhaust only	-	fluorescent	motion sensors	No	
Plant Room_Basement_Bld-B	no mechanical ventilation	-	fluorescent	motion sensors	No	
Fire control rm_Basment-Bld-B	no mechanical ventilation	-	fluorescent	motion sensors	No	
Resi storage_Basment_Bld-B	no mechanical ventilation	-	fluorescent	motion sensors	No	
Ground floor lobby-1_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Ground floor lobby-2_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-1 floor lobby-1_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-1 floor lobby-2_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-3 floor lobby-1_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-3 floor lobby-2_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-2 floor lobby-1_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-2 floor lobby-1_Bld-B	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Central energy	systems	Туре	Specification
Lift (No. 3)		gearless traction with V V V F motor	Number of levels (including basement): 5
Lift (No. 4)		gearless traction with V V V F motor	Number of levels (including basement): 5

#### 3. Commitments for Residential flat buildings - Building-C

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		<ul> <li>Image: A second s</li></ul>	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		<ul> <li>Image: A second s</li></ul>	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	<ul> <li></li> </ul>	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures			Appliances			Individual pool			Individual spa				
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-

	Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	~
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check	
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~	
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:				
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		<b>~</b>		
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>~</b>		
(h) The applicant must install in the dwelling:				
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>		
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	~	
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>~</b>		
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~		

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous 6 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, not ducted	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

BASIX

Planning, Industry & Environment www.basix.nsw.gov.au

	Coo	ling	Hea	ting	Artificial lighting						Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each Iaundry	All hallways	No. of bathrooms &/or toilets	Main kitche
C108, C109	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no
All other dwellings	1-phase airconditioning EER > 4.0	-	1-phase airconditioning EER 3.5 - 4.0 (zoned)	1-phase airconditioning EER 3.5 - 4.0 (zoned)	2 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

	Individual p	ool	Individual s	ра	Appliances & other efficiency measures							
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	4 star (new rating)	yes	4 star	-	3 star	yes	no

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	~		

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA\_3\_11\_6 Certificate No.: 983460M\_04 Wednesday, 03 June 2020

iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	~

	Thermal loads					
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)				
C101	38.0	27.0				
C109	42.0	20.0				
C110	41.0	21.0				
C116	44.0	16.0				
C201, C301	39.0	29.0				
C209, C309	43.0	21.0				
C210, C310	42.0	22.0				
C216, C316	45.0	17.0				
C102, C103, C111	36.0	25.0				
C104, C112, C114	41.0	14.0				
C105, C106, C113	36.0	17.0				
C107, C108, C115	41.0	18.0				

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

	Thermal loads				
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)			
C202, C203, C211, C302, C303, C311	37.0	26.0			
C204, C212, C214, C304, C312, C314	42.0	15.0			
C205, C206, C213, C305, C306, C313	37.0	18.0			
All other dwellings	42.0	19.0			

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	<b>v</b>	~

	Common area	ventilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS	
Basment Car park area_Bld-C	ventilation exhaust only	carbon monoxide monitor + 2-speed fan	fluorescent	daylight sensor and motion sensor	No	
Lift car (No.5)	-	-	fluorescent	connected to lift call button	No	
Lift car (No.6)	-	-	fluorescent	connected to lift call button	No	
Waste room-1_BasementBld-C	ventilation exhaust only	-	fluorescent	motion sensors	No	
Waste room-2_BasementBld-C	ventilation exhaust only	-	fluorescent	motion sensors	No	
Bike storage_Basment_Bld-C	no mechanical ventilation	-	fluorescent	motion sensors	No	
Ground floor lobby-1_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Ground floor lobby-2_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-1 floor lobby-1_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-1 floor lobby-2_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-3 floor lobby-1_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-3 floor lobby-2_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-2 floor lobby-1_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	
Level-2 floor lobby-2_Bld-C	no mechanical ventilation	-	fluorescent	daylight sensor and motion sensor	No	

Central energy systems	Туре	Specification
Lift (No. 5)	gearless traction with V V V F motor	Number of levels (including basement): 5

BASIX Planning, Industry & Environment www.basix.nsw.gov.au

Version: 3.0 / DARWINIA\_3\_11\_6

Certificate No.: 983460M\_04

Central energy systems	Туре	Specification
Lift (No. 6)	gearless traction with V V V F motor	Number of levels (including basement): 5

#### 6. Commitments for common areas and central systems/facilities for the development (non-building specific)

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		<b>v</b>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

BASIX Planning, Industry & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA\_3\_11\_6 Certificate No.: 983460M\_04 Wednesday, 03 June 2020

1. In these commitments, "	applicant" means the person carrying out the development.
specifications accompa	tify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and nying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or that dwelling, building or common area in this certificate.
residential and non-res	roposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both idential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of ment to be used for residential purposes.
	entral system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that stalled once (even if it is separately listed as a commitment for that other dwelling or building).
E If a star or other rating is	specified in a commitment, this is a minimum rating.
<ol> <li>All alternative water syst NSW Health does not r human consumption in</li> </ol>	ems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: ecommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for areas with potable water supply.
<ol> <li>All alternative water syst NSW Health does not r human consumption in</li> </ol>	ecommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for
<ul> <li>6. All alternative water syst NSW Health does not r human consumption in</li> <li>egend</li> <li>1. Commitments identified</li> </ul>	ecommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for
<ol> <li>All alternative water syst NSW Health does not r human consumption in</li> <li>gend</li> <li>Commitments identified development applicatio</li> <li>Commitments identified</li> </ol>	ecommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for areas with potable water supply.