



Layout No:	Layout Name	Rev
01.1	Cover Sheet	
01.2	Site	
01.3	Ground Floor	
01.4	Elevation A/B	
01.5	Elevation C/D	
01.6	Section X/Y	
01.7	Site Analysis	
01.8	Fencing & Retaining Layout	
01.9	Retaining Wall Details	
01.10	Waste & Drainage	
01.11	Slab Setout Ground	
01.12	Slab Details	
01.13	Slab Relocation Plan	
01.14	Sub Floor Ground	
01.15	Ground Floor Electrical	
01.16	Wall Section 1	
01.17	Wall Section 2	
01.18	Tile Specification	
01.19	Ensuite - Laundry	
01.20	Bath	
01.21	Kitchen	
01.22	Colour Application	
01.23	Paint Application	
01.24	Colour Perspectives	
01.25	Landscape	
01.26	Landscape Details	
01.27	Solar Panels Layout	
01.28	Furniture Layout	
01.29	WHS & Safety Plan	

REV: A. ##.##.####



DRAWING REVISIONS  
A. ###.###.### INI - List Variation Here.

**NOTE:** Also Refer To Index Sheet For Additional Plans.

- Waste & Drainage.
- Fencing & Retaining.
- Slab Setout.
- Site Analysis.
- Landscape.

**GENERAL NOTES:**

- Landscaping To The Front & Rear Yards As Indicated On The Landscape Plan.
- Retaining Wall Where Required By Builder.
- Provide An Edgeboard Survey To Confirm The Position Of The Home & Finished Floor Levels.
- Provide 1800mm High Chain Wire Temporary Safety Fencing In Accordance With Work Cover

Requirements Under The Occupational Health & Safety Act To All Unfenced Boundaries Including Double Hinged Gates To Front Access.

WARNING: ALL DRAWINGS TO BE READ IN CONJUNCTION WITH DETAILS. ALL DISCREPANCIES TO BE REPORTED TO DESIGN OFFICE PRIOR TO CONSTRUCTION (ALLAM DESIGN DEPARTMENT) ON (02) 4702 5960																
		Allam Lifestyle Communities Level 3, Offices 36-42 11-13 Brookhollow Ave ACN 003 798 883 BLN 28701.C Ph 02 47322422 Fx 02 47211811 www.allam.com.au	ALL RIGHT RESERVED. This plan is the property of Allam Homes pty Ltd. Copyright in this document is owned by Allam Homes pty Ltd. Under the provisions of the Copyright ACT 1968 and is intended for use only as authorised by Allam Homes pty Ltd.	MAHOGANY-7 DG <i>Modern</i>		Site Address Allam Homes Pty Ltd Lot ### Street name. Suburb (ESTATE) NSW		SITE INSTRUCTIONS		Site		Last Amended		Scale		
								GENERAL:		F	01.09.20	Revision/Date/Version		Serial	Job No	Sheet
								HOUSE:		0	01.07.20	A. ##.##.####.V22		1MG7105000	Job No.	01.2
								© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS								
K:\02_MHE\MAHOGANY\Modern\MAHOGANY-7 DG Modern.pdw																

K:\02\_MHE\MAHOGANY\Modern\MAHOGANY-7 DG Modern.ppt

REV: A. ###.###.####

MASTER

General Notes:  
\*Weather strips/seals to all external hung doors

Specification Notes:

- A/C

Air Con Fan Unit
- R

A

Return Air
- M

H




Man Hole
- ⊙

Whirly Bird (300mm Throat Dia)
- EV

Eave Vent (400x200mm)


\* Internal Door Legend

E = Entrance  
P = Passage  
(P) = Privacy  
W = Wardrobe  
LOH = Lift Off Hinge




NOTE:  
REFER TO SLAB SETOUT  
FOR CONCRETE LAYOUT.

SHADED AREA DENOTES  
VINYL FLOORING UNLESS  
OTHERWISE SPECIFIED ON  
THE JOB SPECIFIC COLOUR  
SELECTION SHEET




REV: A. ##.##.####  
MASTER

FLOOR AREAS	
ALFRESCO	14.52
GARAGE	35.03
GROUND	122.73
PORCH	2.33
	174.61 m²



North Elevation (A)




East Elevation (B)


**General Notes:**  
\* Locate expansion joints in accordance with Clause 3.3.5.13 of NCC and located behind downpipes where possible.  
\* All verges 200mm unless otherwise noted  
\* Provide cover strip to entry doors  
\* Provide cover strip to entry doors  
\* Refer to floor plans/window schedule for Restricted opening windows (BCA)  
Indicates Obscure Glazing  
(Refer floor plans/window schedule)

**Glazing**  
Glazing materials must be selected and installed in accordance with the relevant provisions of AS 1288—2006, Glass in buildings—Selection and installation, to the extent to which those provisions require the use of safety glass, in accordance with the relevant provisions of AS/NZS 2208:1996, Safety glazing materials in buildings (each as in force on 1 September 2005).

REV: A. ##.##.####  
MASTER



South Elevation (C)



West Elevation (D)

**General Notes:**

- \* Locate expansion joints in accordance with Clause 3.3.5.13 of NCC and located behind downpipes where possible.
- \* All verges 200mm unless otherwise noted
- \* Provide cover strip to entry doors
- \* Provide cover strip to entry doors
- \* Refer to floor plans/window schedule for Restricted opening windows (BCA)

Indicates Obscure Glazing  
(Refer floor plans/window schedule)



**Glazing**

Glazing materials must be selected and installed in accordance with the relevant provisions of AS 1288—2006, Glass in buildings—Selection and installation, to the extent to which those provisions require the use of safety glass, in accordance with the relevant provisions of AS/NZS 2208:1996, Safety glazing materials in buildings (each as in force on 1 September 2005).

REV: A. ##.##.####

MASTER

**Note:**  
Windows Generic values- U 6.70 / SHGC 0.57 to 0.70



**CONDENSATION MANAGEMENT:**  
- Exhaust Fans will be Compliant with NCC Clause 3.8.7.3.b (i), Australian Standard AS4200.1  
- Wall wrap to be in accordance with Clause 3.8.7.2 of NCC 2019 & AS4200.1 & Installed in Compliance with AS4200.2

**ROOF RAINWATER:**  
- Provide overflow measures for gutters and downpipes: Compliant with NCC Clause 3.5.3

**STAIRS, RAMP & LANDINGS:**  
- Internal & External: Bounded by walls: Compliant with NCC Clause 3.9.1  
- Internal & External: Finish of nosings/slip resistance: Compliant with NCC Clause 3.9.1.4

**BALLUSTRADES:**  
- Internal/External: All installations: Compliant with NCC 3.9.2; Clause 3.9.2.3 & 3.9.2.4 as applicable for handrails

**ELECTRICAL:**  
- Smoke Alarms: Installation to NCC Clause 3.7.5

LIGHTING & VENTILATION TABLE					
Zone Name	Floor Area Total	Natural Lighting Area Required (Min. 10%)	Proposed Natural Lighting Area	Natural Ventilation Area Required (Min. 5%)	Proposed Natural Ventilation Area
Bed 1	13.73	1.373	2.880	0.687	1.440
Bed 2	8.739	0.874	2.160	0.437	1.080
Meal/Kitchen	27.55	2.755	10.32	1.376	2.064
Living	12.35	1.235	5.580	0.6173	2.790
Family	12.35	1.235	5.580	0.6173	2.790
MPR/Bed 3	12.440	1.244	5.304	0.622	1.521



**M**  
**MONTEREY**  
CAMDEN HAVEN

ALL RIGHT RESERVED.  
This plan is the property of Allam Homes pty  
ltd. Copyright in this document is owned by  
Allam Homes pty ltd. Under the provisions of  
the Copyright ACT 1968 and is intended for  
use only as authorised by Allam Homes pty ltd.

Site Address  
Allam Homes Pty Ltd  
Lot ### Street name.  
Suburb (ESTATE) NSW

SITE INSTRUCTIONS
GENERAL:
HOUSE:

F	01.09.20
---	----------

0	01.07.20
---	----------

Revision/Date/Version

A. ##.##.####.V22

Serial

1MG7105000

Fast Amended	
--------------	--

CAE

Job No	
--------	--


Job No.

# MASIER


REV: A. ##.##.###



REV: A. ##. ##. #####

MASTER



REV: A. ##. ##. #####  
MASTER





REV: A. ##. ##. #####  
MASTER

**Termite shields**  
Shields, barriers or the like must be provided in accordance with AS 3660.1-2000 Termite management—new building work and structures, as in force on 1 September 2005, to protect any structural members that are susceptible to attack by termites.

NOTE: All Measurements Are Taken From External Edge Of Slab

© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS

**ALLAM**  
Lifestyle COMMUNITIES

**MONTEREY**  
CANDEN HAYDEN








Allam Lifestyle Communities  
Level 3, Offices 36-42  
11-13 Brookhollow Ave  
ACN 003 798 883 BLN 28701.C  
Ph 02 47322422 Fx 02 47211811  
www.allam.com.au

ALL RIGHT RESERVED.  
This plan is the property of Allam Homes Pty Ltd. Copyright in this document is owned by Allam Homes Pty Ltd. Under the provisions of the Copyright ACT 1968 and is intended for use only as authorised by Allam Homes Pty Ltd.

**MAHOGANY -7 DG**  
Modern

Site Address  
Allam Homes Pty Ltd  
Lot ### Street name.  
Suburb (ESTATE) NSW

SITE INSTRUCTIONS	<b>Slab Setout Ground</b>			Last Amended	Scale
GENERAL:	F	01.09.20	Revision/Date/Version	CAE	1:100
HOUSE:	0	01.07.20	A. ##. ##. #####. V22	Job No.	Sheet
			1MG7105000	<b>Job No.</b>	01.11



REV: A. ##.##.####

# MASTER



ALL RIGHT RESERVED.  
This plan is the property of Allam Homes pty  
Ltd. Copyright in this document is owned by  
Allam Homes pty Ltd. Under the provisions of  
the Copyright ACT 1968 and is intended for  
use only as authorised by Allam Homes pty Ltd.

**MAHOGANY-7 DG**  
*Modern*

	SITE INSTRUCTIONS
	GENERAL:

### Slab Details

Revision/Date/Version

Serial	
--------	--


60	Last Amended
	CAE

Job No	
--------	--


Job No.

© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS

THE IMAGES CONTAINED ON THIS PAGE ARE FOR ILLUSTRATION & REPRESENTATION PURPOSES ONLY



EDGE DETAIL WITH LIFTING ANCHORS



REV: A. ##. ##. #####  
MASTER




- Ceiling Compact Fluro
- Downlight LED
- 2W

Denotes two way control
- Internal Wall @ 1900
- External Wall @ 1900
- Light/Heat/Fan (Ducted To External)
- Light Switch
- LED Light

- Data Point @ 300 (above FL)
- T.V. Point @ 300 (above FL)
- Electric Hot Water System
- Smoke Alarm
- Air-conditioner Fan Unit
- Meter Box
- Internal COMS
- Alarm Key Panel
- Alarm Control Box
- Single GPO
- Double GPO
- Single Ext GPO
- Double Ext GPO
- Ceiling Fan

The final location of ceiling penetrations and light fittings are subject to site conditions



Actron Air Standard Unit Specification (Single Phase)

Model: **CRA130S / EVA130S**

Net (rated) Capacity (KW) Cooling: **12.24 KW**

Heating: **12.17 KW**

EER Rated Cooling: **3.26 KW**

COP Rated Heating: **3.64 KW**

General Notes: NCC Approval


1. All heights measured from the main floor level unless otherwise noted.
2. Light switches @ 1300mm above FFL wall mounted.
3. Top of Meter box to be 1900mm maximum above ground level.
4. Provide Smoke Alarms in accordance with NCCS Vol 2: Clause 3.7.5
5. Double GPO to meter box.

Electrical wiring

The electrical wiring in a manufactured home must comply with the requirements of AS/NZS 3000:2000.


REV: A. ##.##.####  
MASTER

GPO Height Table			
Room Location	Item	Height (mm)	
Kitchen	GPO	1100	
	REF	2050	
	RH	1900	
	DW	500	
	MW	600/1200	
Laundry	GPO	1300	
Bath/Ens/Pow	GPO	1300	
Garage	GPO	1200	
	Roller Door	2000	
	Panel Door	Ceiling	
Other	External GPO	1000	
Note :			
All general room GPO's are to measure 300mm above main floor level unless otherwise noted.			




REV: A. ##. ##. #####

MASTER




REV: A. ##. ##. #####  
MASTER

TYPE A - FULL HEBEL 75mm WALL




TYPICAL PLAN 'A'




TYPICAL PLAN 'B'


NICHE UNDER SHOWER ROSE



VANITY TOP



SECTION 'E'



SECTION 'F'


NICHE UNDER SHOWER ROSE

450 x 450 WALL TILE

REV: A. ##.##.####

MASTER

WARNING: ALL DRAWINGS TO BE READ IN CONJUNCTION WITH DETAILS. ALL DISCREPANCIES TO BE REPORTED TO DESIGN OFFICE PRIOR TO CONSTRUCTION (ALLAM DESIGN DEPARTMENT) ON (02) 4702 5960



Allam Lifestyle Communities  
Level 3, Offices 36-42  
11-13 Brookhollow Ave  
ACN 003 798 883 BLN 28701.C  
Ph 02 47322422 Fx 02 47211811  
www.allam.com.au

ALL RIGHT RESERVED.  
This plan is the property of Allam Homes Pty Ltd. Copyright in this document is owned by Allam Homes Pty Ltd. Under the provisions of the Copyright ACT 1968 and is intended for use only as authorised by Allam Homes Pty Ltd.

MAHOGANY-7 DG  
Modern

Site Address  
Allam Homes Pty Ltd  
Lot ### Street name.  
Suburb (ESTATE) NSW

SITE INSTRUCTIONS  
GENERAL: F  
HOUSE: 0

Tile Specification






Revision/Date/Version  
A. ##.##.####.V22

Serial  
1MG7105000





Last Amended  
CAE  
Job No.  
Job No.

Scale  
REFER TO  
DETAIL  
Sheet  
01.18

ENSUITE



LAUNDRY




REV: A. ##.##.####  
MASTER

Wet Area Height Table	
Item	Height (mm)
Shower Screen	2100
Toilet Roll Holder	700
Towel Rail/Ring	1050
WC isolating tap	150
Shower Tap Mixer	950
Shower Rose	1800
Bath Taps Mixer/Spout	650
Laundry Taps (Tub)	1050
Laundry Taps (Washing Mach.)	1435

**Note:**  
Refer To Job Specific Details & Colour Application Sheets For Tile Layout/Application.

WARNING: ALL DRAWINGS TO BE READ IN CONJUNCTION WITH DETAILS. ALL DISCREPANCIES TO BE REPORTED TO DESIGN OFFICE PRIOR TO CONSTRUCTION (ALLAM DESIGN DEPARTMENT) ON (02) 4702 5960




ALL RIGHT RESERVED.  
This plan is the property of Allam Homes Pty Ltd. Copyright in this document is owned by Allam Homes Pty Ltd. Under the provisions of the Copyright ACT 1968 and is intended for use only as authorised by Allam Homes Pty Ltd.

MAHOGANY -7 DG  
Modern


Site Address  
Allam Homes Pty Ltd  
Lot ### Street name.  
Suburb (ESTATE) NSW

SITE INSTRUCTIONS		Ensuite - Laundry		Last Amended	Scale
GENERAL:	F	01.09.20	Revision/Date/Version	CAE	1:50
HOUSE:	0	01.07.20	A. ##.##.####.V22	Job No	Sheet
		1MG7105000		Job No.	01.19


BATHROOM




Bath 01 1:50




Bath 02 1:50



Bath 03 1:50



Bath 04 1:50






Bath 1:40



REV: A. ##.##.####  
MASTER

Wet Area Height Table	
Item	Height (mm)
Shower Screen	2100
Toilet Roll Holder	700
Towel Rail/Ring	1050
WC isolating tap	150
Shower Tap Mixer	950
Shower Rose	1800
Bath Taps Mixer/Spout	650
Laundry Taps (Tub)	1050
Laundry Taps (Washing Mach.)	1435


**Note:**  
Refer To Job Specific Details &  
Colour Application Sheets For  
Tile Layout/Application.



Note:  
Refer to specification level detail for  
Layout/heights.

REV: F0A. ##.##.####  
MASTER

02  
03 01  
04






Finishes Legend

External Scheme - A

Cladding:	<div></div>
Hebel:	<div></div>
Post	<div></div>

REV: A. ##. ##. #####  
MASTER





Finishes Legend

External Scheme - A

- Cladding: [Color swatch]
- Hebel: [Color swatch]
- Post: [Color swatch]

REV: A. ##. ##. #####  
MASTER

WARNING  
NOTE: THIS PAGE MUST BE PRINTED IN COLOUR

REV: A. ##.##.###

# MASTER

**WARNING: ALL DRAWINGS TO BE READ IN CONJUNCTION WITH DETAILS. ALL DISCREPANCIES TO BE REPORTED TO DESIGN OFFICE PRIOR TO CONSTRUCTION (ALLAM DESIGN DEPARTMENT) ON (02) 4702 5960**



**Allam Lifestyle Communities**  
Level 3, Offices 36-42  
11-13 Brookhollow Ave  
ACN 003 798 883 BLN 28701.C  
Ph 02 47322422 Fx 02 47211811  
[www.allam.com.au](http://www.allam.com.au)

ALL RIGHT RESERVED.  
This plan is the property of Allam Homes pty  
Ltd. Copyright in this document is owned by  
Allam Homes pty Ltd. Under the provisions of  
the Copyright ACT 1968 and is intended for  
use only as authorised by Allam Homes pty Ltd.

**MAHOGANY-7 DG**  
*Modern*

Site Address  
Allam Homes Pty Ltd  
Lot ### Street name.  
Suburb (ESTATE) NSW

SITE INSTRUCTIONS
GENERAL:
HOUSE:

## Colour Perspectives



F	01.09.20	Revision/Date/Version
0	01.07.20	A. ##.##.####.V22

500	Last Amended CAE
	Job No
	<b>Job No.</b>

Scale	REFER TO DETAIL
Sheet	01.24


© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS

THE IMAGES CONTAINED ON THIS PAGE ARE FOR ILLUSTRATION & REPRESENTATION PURPOSES ONLY



REV: A. ##. ##. #####  
MASTER






TREE PLANTING FOR ADVANCED STOCK




1. Excavate beds to 400mm  
 2. Backfill bed with excavated soil mixed with an improved soil mixed with an improved garden loam.

PLANTED BEDS



NOTE: Gates to be made from same materials as fence. All fixings to be galvanised, trip latches fitted

FENCE - TYPE B



GARDEN EDGE DETAIL

NTS

- TURF AREA:  
 - Turf Underlay: 100mm thick layer of screened top soil  
 - Turf: Kikuyu turf
- GARDEN AREA:  
 - Soil: 300mm thick layer of premium garden mix  
 - Mulch: 75mm thick layer of 10mm pine bark mulch  
 - Plants per site average:  
   2 x 25L pot size trees  
   20 x 300mm pot size plants  
   20 x 200mm pot size plants  
   15 x 140mm pot size plants
- Trees to be staked as required; all stakes shall be durable hardwood sharpened to a point at one end and free from knots and twists;  
 15 Litre to 35 Litre: 25 x 25 x 1500mm, 2 stakes per plant.  
 45 Litre to 100 Litre: 38 x 38 x 1800mm, 2 stakes per plant  
 Ties shall be 50mm wide hessian webbing.
- BRICK EDGE:  
 - 50mm thick charcoal Havenbrick on sand and cement mix
- PEBBLE AREA:  
 - Pebble underlay : 100mm – 200mm thick layer of consolidated road base  
 - Pebble : 75mm thick layer of 20mm Nepean river pebble


REV: A. ##.##.####

MASTER

© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS

REV: A. ##.##.####

MASTER



# MASTER

 <b>ALLAM</b> <i>Lifestyle</i> <b>COMMUNITIES</b>	 <b>MONTEREY</b> <small>CAMDEN HAVEN</small>	Allam Lifestyle Communities Level 3, Offices 36-42 11-13 Brookhollow Ave ACN 003 798 883 BLN 28701.C Ph 02 47322422 Fx 02 47211811 www.allam.com.au	ALL RIGHT RESERVED. This plan is the property of Allam Homes Pty Ltd. Copyright in this document is owned by Allam Homes Pty Ltd. Under the provisions of the Copyright ACT 1968 and is intended for use only as authorised by Allam Homes Pty Ltd.	<h1>MAHOGANY-7 DG</h1> <h2>Modern</h2>	Site Address Allam Homes Pty Ltd Lot ### Street name. Suburb (ESTATE) NSW	<table border="1"> <tr> <th>SITE INSTRUCTIONS</th> <th colspan="2">WHS &amp; Safety Plan</th> <th>Last Amended</th> <th>Scale</th> </tr> <tr> <td>GENERAL:</td> <td>F</td> <td>01.09.20</td> <td>Revision/Date/Version</td> <td>CAE</td> </tr> <tr> <td>HOUSE:</td> <td>0</td> <td>01.07.20</td> <td>Serial</td> <td>Sheet</td> </tr> <tr> <td></td> <td></td> <td></td> <td>A. ##.##.####.V22</td> <td>1MG7105000</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Job No.</td> <td>01.29</td> </tr> </table>	SITE INSTRUCTIONS	WHS & Safety Plan		Last Amended	Scale	GENERAL:	F	01.09.20	Revision/Date/Version	CAE	HOUSE:	0	01.07.20	Serial	Sheet				A. ##.##.####.V22	1MG7105000				Job No.	01.29
		SITE INSTRUCTIONS	WHS & Safety Plan		Last Amended	Scale																									
GENERAL:	F	01.09.20	Revision/Date/Version	CAE																											
HOUSE:	0	01.07.20	Serial	Sheet																											
			A. ##.##.####.V22	1MG7105000																											
			Job No.	01.29																											
© 2021 Allam Homes Pty Ltd. DO NOT SCALE OFF ARCHITECTURAL DRAWINGS																															