



# DEMOLITION LEGEND

- EXISTING BUILDING ELEMENT TO REMAIN
- EXISTING BUILDING ELEMENTS TO BE DEMOLISHED \_\_\_\_
- AREA OF FLOOR FINISH TO BE REMOVED

EXISTING TREE TO REMAIN

EXISTING TREE TO BE REMOVED

### NOTE:


Existing services shown are indicative only and based on supplied data. Contractor must confirm location and quantity before the commencement of all works.

# DATE PRINTED: 06/12/2021 17:26:36


T +612 9319 2955 ABN: 48 942 921 969 Nominated Architects: Andrew Hipwell 6562 Daniel Beekwilder 6192

63 Myrtle Street Chippendale NSW 2008 Sydney Australia djrd.com.au

DRAWN BY	SCALE AT A1	
AF	1 : 200	
DESCRIPTION	ITION PLAN	
PROJECT No	DRAWING No	REVISION
21 404	R29-AR-0101	0



## SITE PLAN LEGEND



**RETAINED - REFER TO** ARBORIST REPORT

EXISTING TREE TO BE

NEW TREE - REFER LANDSCAPE PLAN

EXISTING BUILDING REMAINING IN USE NEW ACCESSIBLE PATH


EXISTING BUILDING TO BE DEMOLISHED

— - — SITE BOUNDARY


REFER TO CIVIL DOCUMENTATION FOR ALL CIVIL INFORMATION, INCLUDING BUT NOT LIMITED TO LEVELS, BATTERS AND RETAINING WALL EXTENTS.

# DATE PRINTED: 06/12/2021 17:26:43


DRAWN BY	SCALE AT A1	
AF	1 : 200	
DESCRIPTION PROPOS	SED SITE PL	.AN
PROJECT No	DRAWING No	REVISION
21 404	R29-AR-0102	Р



300mm at A1 8480 E LV-18 K 701 F	F	$\bigcirc$			_
2611.1 ABOVE 7915		e)	G-10 R FENCI		
			PUM		•— RE
LV-22 K ABOVE DASHED LINE	D-53 D D U U U U U U U U U U U U U U U U U			LUSUNE	W
REPRESENT DUCTE LOUVRE ABOVE FCI			<b>P</b> R.L. 393030		
	G-08 R		R.L. 39250	0 TANK LADDER	
				UU	
			FIRE SERVIC TANK	)ES	
					J
			2 OF		
			TANK TOTA	RAGE KAPPROX AL 13.3M X	PROPOSED BOUNDARY
PLANT ROOM 715 m <sup>2</sup>			4.5m	x 3m H	PROP BOUN
7065 8630		611.1) 611.1)	55	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
	3300	611.1)			
		611.1			
		611.1	REINFORCED	TURF PARKING	
	FE 🛊				
02 <u>2611.1</u> <u>03</u> <u>6 m<sup>2</sup></u>		2611.1			(
2611.1 2611.1 C					,
ROOF OVER		611.1	d		
2611.1 2611.1 2611.1	2611.1 2611.1				
5 					
		· · _			
This drawing should be read in conjunction with all relevant contracts, specifications and			CLIENT		
drawings. Dimensions are in millimetres. Levels are metres. Do not scale off drawings. Use figured dimensions only. Check dimensions on	IRAL AMBULAN		NSW		1
Site. Report discrepancies immediately. TRUE NORTH PROJECT NORTH		RE PROGRAM (RAI	R) E N	<b>SW</b> Ambulance	-~~~
1:100	MWORTH			ET, TAMWORTH, NSW, 23	340
0 1 2 3 4 5 10			Y	·	M




1500				
₩ ₩				
	RWO		UHF	
	1500	PROVIDE FLASHING TO ALL ROOF PENETRATIONS, DEKTITE		
		OR APPROVED EQUIVALENT.		
		CONSULTANT DOCUMENTATION FOR FURTHER DETAILS '		
с				
		R		
			(4230.1)	
~~~ c			3.50°	
LADDER				
внаскет				
		SAFE ROOF ACCESS SYSTEM -		
		INDICATIVE ONLY. TO BE FINALISED WITH CONTRACTOR AND SHOP DRAWINGS		
		REVIEWED AND APPROVED		
		┞Ÿ		
				BUILDIN
c			MATV	
$ \rightarrow -  $				
/				
		V V V		
c	)			
ISSUE DATE	SUBJI		AUTHORISED	PROJECT MANAGER
G 30/07/2 H 06/08/2	021 Draft T	ender		LEVEL 16 44 MARKET STREET SYDNEY NSW 2000 T+61 2 9299 3555
I 27/08/2 J 09/09/2	021 DA Iss	ue	MR Rural Ambulance Infrastructure Record	rliguration T +61 2 9299 3555
K 18/09/2 L 25/09/2	021 Draft (	Contract Issue	MR SERVICES	STRUCTURE & CIVIL
	021 Draft I		MR 23/101 MILLER ST   MR NORTH SYDNEY NSW 2060   MR T +61 2 9437 1000	LEVEL 4 66 CLARENCE STREET SYDNEY NSW 2000 T+61 2 8247 8400 BONACC
	021 DA Iss		MR MR MR	<b>BONACC</b>




	Legend					
Key Value Keynote Text						
4230.1	ROOF SHEETING TYPE 1					
4290.2	GUTTER TYPE 2 - HALF ROUND 300mm					
7002	ROOF VENTILATOR					

		DATE	E PRINTED	D: 06/12/2021	17:28:30
ARC	CHITECT	T + 610 0010 0055	DRAWN BY	SCALE AT A1	
		T +612 9319 2955 ABN: 48 942 921 969	AF	1 : 100	
		Nominated Architects: Andrew Hipwell 6562 Daniel Beekwilder 6192	DESCRIPTION	LAN	
	djrd architects	63 Myrtle Street Chippendale NSW 2008 Sydney Australia			
3		djrd.com.au	PROJECT No	DRAWING No	REVISION
R			04.404		-



This drawing should be read in conjunction with all relevant contracts, specifications and drawings. Dimensions are in millimetres. Levels are metres. Do not scale off drawings. Use figured dimensions only. Check dimensions on Site. Report discrepancies immediately.
1:100 1 2 3 4 5 10



												DOOR SCHEDULE					
MARK	ROOM NAME	DOOR TYPE	FIRE RATING	ACOUSTIC RATING	LEAF THICKNESS	LEAF WIDTH	LEAF HEIGHT	LEAF MATERIAL	FRAMI	EMATERIAL	CLOSER	SECURITY	LOCK TYPE SEA	DOOR LS STOP		KICKPLATE	
D-01	CIRCULATION	A.3	N/A	N/A	40	920	2040	GLAZED ALUMINIUM		ATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK,	A A	YES	NO	NO	-
D-02	PLANT ROOM	B	N/A	N/A	40	920	2740	ALUMINIUM LOUVRES	POWDERCC	DATED ALUMINIUM	YES	INTERCOM ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	NO	NO	NO	
D-04	OIL SEP	C	N/A	N/A	40	920/920	2640	ALUMINIUM LOUVRES		DATED ALUMINIUM	YES	KEYLOCK	C	NO	NO	NO	
D-07	PLANT ROOM	В	N/A	N/A	40	920	2740	ALUMINIUM LOUVRES		ATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	NO	NO	NO	
D-09	DELIVERY	B	N/A	N/A	40	920	2740	ALUMINIUM LOUVRES			YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	NO	NO	NO	
D-10 D-11	MSB MSB	B	N/A N/A	N/A	40 40	920 920/920	2740 2640	ALUMINIUM LOUVRES ALUMINIUM LOUVRES		ATED ALUMINIUM	YES YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK KEYLOCK		NO NO	NO NO	NO NO	
D-13	CIRCULATION	A.2	N/A	N/A	40	920	2040	GLAZED ALUMINIUM		DATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	YES	NO	NO	-
D-14	CIRCULATION	A.2	N/A	N/A	40	920	2040	GLAZED ALUMINIUM	POWDERCC	ATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	YES	NO	NO	
D-15	EA OFFICE	E	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	KEYLOCK	B C	YES	NO	YES	
D-16 D-17	ZONE MANAGER ZONE MEETING	E	N/A N/A	Rw30 Rw35	40	920 920	2040 2040	PAINTED SOLID CORE PAINTED SOLID CORE		TED STEEL	YES YES	KEYLOCK KEYLOCK	B C B C	YES YES	NO NO	YES YES	
D-17	SHARED OFFICE	0	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		ATED ALUMINIUM	YES	KEYLOCK	B C	YES	NO	YES	
D-19	OFFICE	0	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		ATED ALUMINIUM	YES	KEYLOCK	B C	YES	NO	YES	
D-20	OFFICE	0	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		DATED ALUMINIUM	YES	KEYLOCK	B C	YES	NO	YES	
D-21 D-22	OFFICE	0 E	N/A N/A	Rw30 N/A	40	920 920	2040 2040	PAINTED SOLID CORE PAINTED SOLID CORE		ATED ALUMINIUM	YES YES	KEYLOCK ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	B C	YES YES	NO NO	YES YES	
D-22 D-23	ACCESS WC	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	PRIVACY LOCK	E E	YES	NO	YES	
D-24	SHOWER	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	PRIVACY LOCK	E	YES	NO	YES	
D-25	CIRCULATION	Q	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	YES	NO	YES	
D-26	GYM	E	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES		B B	YES	NO	YES	
D-27 D-28	COMMS CLEANERS	F	-/120/30 N/A	N/A	40	970 920	2340 2040	PAINTED SOLID CORE PAINTED SOLID CORE		TED STEEL TED STEEL	YES NO	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK KEYLOCK		YES NO	NO YES	YES YES	
D-29	ACCESS WC	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	PRIVACY LOCK	E A	YES	NO	YES	
D-30	MALE WC	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	NIL (PUSH DOOR WITH CLOSER & D HANDLE EXIT)	D C	YES	YES	YES	
D-31	FEMALE WC	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	NIL (PUSH DOOR WITH CLOSER & D HANDLE EXIT)	D C	YES	YES	YES	
D-32 D-33	LOCKERS MEDICAL	F	N/A N/A	N/A N/A	40	920 920	2040 2040	PAINTED SOLID CORE PAINTED SOLID CORE		TED STEEL TED STEEL	YES YES	NIL (PUSH DOOR WITH CLOSER & D HANDLE EXIT) ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	D	YES YES	YES NO	YES	
D-33	MEDICAL	E	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	YES	NO	YES	
D-35	ADMIN	E	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	PASSAGE LATCH	A C	YES	NO	YES	
D-36	ADMIN	E	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	YES	NO	YES	
D-37 D-38	MEETING 12M2 OFFICE	E	N/A N/A	Rw35 Rw30	40	920 920	2040 2040	PAINTED SOLID CORE PAINTED SOLID CORE		TED STEEL TED STEEL	YES YES	KEYLOCK	B C B C	YES YES	NO NO	YES	
D-30	9M2 OFFICE	E	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	KEYLOCK	B C B C	YES	NO	YES	
D-41	DINING	A.2	N/A	N/A	40	920	2040	GLAZED ALUMINIUM		ATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A A	NO	NO	NO	7
D-46	SLEEP POD	F	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	KEYLOCK	A B	YES	NO	YES	
D-47	SLEEP POD	F	N/A	Rw30	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	KEYLOCK	A B	YES	NO	YES	
D-48 D-49	CIRCULATION LOCKERS	F	N/A N/A	N/A N/A	40	920 920	2040 2040	PAINTED SOLID CORE PAINTED SOLID CORE		TED STEEL TED STEEL	YES YES	ESCAPE LATCH NIL (PUSH DOOR WITH CLOSER & D HANDLE EXIT)	D B	YES YES	NO YES	YES	
D-50	EDB/USP	J	N/A	N/A	40	920/920	2140	PAINTED SOLID CORE		TED STEEL	NO	KEYLOCK	A	NO	NO	YES	
D-51	DELIVERY	F	N/A	N/A	40	920	2040	PAINTED SOLID CORE		TED STEEL	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	YES	NO	YES	
D-52	DRY STORE	F	N/A	N/A	40	920	2040				YES	KEYLOCK	A	NO	NO	YES	
D-53 D-54	WASTE ROOM STORE ROOM	D F	N/A N/A	N/A	40 40	920/920 920	2040 2040	ALUMINIUM LOUVRES PAINTED SOLID CORE		ATED ALUMINIUM	NO YES	KEYLOCK ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK		NO YES	NO NO	NO YES	
D-55	SERVICES	S	N/A	N/A	40	920	2040	SOLID CORE WITH		TED STEEL	YES	KEYLOCK	A	NO	NO	YES	
	ENCLOSURE							COLORBOND CLADDING									
D-56	SERVICES	T	N/A	N/A	40	920/920	2040	SOLID CORE WITH COLORBOND CLADDING	PAIN	TED STEEL	YES	KEYLOCK	A	NO	NO	YES	
G-01	PARKING	N	N/A	N/A	-	3700	1800	PALISADE GATE	POWDERCC	ATED ALUMINIUM	N/A	KEYPAD, CARDREADER, VIDEO INTERCOM	A	NO	NO	N/A	PROVIDE
												· · ·					
G-02	PARKING	N	N/A	N/A	-	3700	1800				N/A		A	NO	NO	N/A	
G-03	OUTDOOR AREA	V	N/A	N/A		920	2100	ALUMINIUM SLATS - MATCH BATTEN FENCE	ALUMI	NIUM FENCE	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	YES	NO		
G-04	OUTDOOR AREA	V	N/A	N/A		920	2100	ALUMINIUM SLATS - MATCH	ALUMI	NIUM FENCE	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	NO	NO		
0.07			N1/A	N1/A		000	4000										
G-07	OUTDOOR GATE	M	N/A	N/A	-	920	1800	ALUMINIUM SLATS - MATCH BATTEN FENCE	ALUMI	NIUM FENCE	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	NO	NO	NO	
G-08	OUTDOOR GATE	R	N/A	N/A	-	920	1700	PALISADE FENCE GATE	POWDERCC	ATED ALUMINIUM	YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	NO	NO	NO	
G-09	OUTDOOR GATE	R	N/A	N/A	-	920	1700	PALISADE FENCE GATE			YES	ELECTRIC STRIKE FOR KEYPAD ACCESS CONTROL, KEYLOCK	A	NO	NO	NO	
G-10	PUMP ENCLOSURE	R	N/A	N/A	-	920	1700	PALISADE FENCE GATE	POWDERCC	DATED ALUMINIUM	YES	FIRE KEY	A	NO	NO	NO	
							DO	OR SCHEDULE_ROLLER SHUT	TER								
					Cle												
MAR K	ROOM NAME De	scription			ening Oper h Heig	-	LEAF MA	TERIAL MATERIAL			COM	MENTS					
	PLANT ROOM RAPID	•		7000	л пец 3500		PERFORATE		OPENF	AND CLOSED BY CAF		FROM OUTSIDE. PUSH BUTTON FROM INSIDE.					
	SHUT	TER					SHUTTEF	R SLATS									
D-08			U	7000	3500	F			OPENED	AND CLOSED BY CAF	RD READER	FROM OUTSIDE. PUSH BUTTON FROM INSIDE.					
	SHUT	IEK					SHUTTEF	SLAIS									
										1							
ISSUE DAT						AUTHO	RISED	PROJECT MANA	GER	This drawing should be read in c all relevant contracts, specificati	ions and	PROJECT		CLIENT			AI
	/2021 Draft Contract Issue   /2021 Contract Issue					MR MR		RAIR2		drawings. Dimensions are in mil are metres. Do not scale off drav	llimetres. Levels wings. Use	RURAL AMBULANCE				Health	
C 21/10/	2021 Contract locus   /2021 Revised Contract Issue   /2021 DA Issue					MR	BUNA	Rural Ambulance Infrastructure Reconfiguration T +61 2 9299 3555		figured dimensions only. Check Site. Report discrepancies imme	dimensions on			ן וכ	GOVERNMENT	Infrastructure	e
// i/U											-	INFRASTRUCTURE PRO		V		-amourance	

I his drawing should be read in conjunction with
all relevant contracts, specifications and
drawings. Dimensions are in millimetres. Levels
are metres. Do not scale off drawings. Use
figured dimensions only. Check dimensions on
Site. Report discrepancies immediately.

STRUCTURE & CIVIL

23/101 MILLER ST NORTH SYDNEY NSW 2060 T+61 2 9437 1000 LEVEL 4 66 CLARENCE STREET SYDNEY NSW 2000 T+61 2 8247 8400 BONACCI

SERVICES

-1 INFRASTRUCTURE PROGRAM (RAIR) -1TAMWORTH



59-61 PIPER STREET, TAMWORTH, NSW, 2340 LOT 65 : DP1278273

COMMENTS TRANSLUCENT INTERLAYER TO ALL GLAZING. KEYPAD, CARDREADER INGRESS.
TRANSLUCENT INTERLAYER TO ALL GLAZING. KEYPAD, CARDREADER INGRESS. TRANSLUCENT INTERLAYER TO ALL GLAZING
VISION PANEL AND WINDOW PANEL 10.38MM LAMINATED GLASS
SOLID CORE SMOKE DOOR WITH VISION PANEL
DOOR GRILLE. REFER MECHANICAL ENGINEER
DOOR GRILLE. REFER MECHANICAL ENGINEER DOOR GRILLE. REFER MECHANICAL ENGINEER
VISION PANEL 10.38MM LAMINATED GLASS
TRANSLUCENT INTERLAYER TO ALL GLAZING. KEYPAD, CARDREADER INGRESS.
DOOR HELD OPEN ON MAGNETIC RELEASE
1MM GALVANISED STEEL SHEET TO FULL INTERNAL DOOR LEAF

PROVIDE GATE WITH A RISING HINGE TO ALLOW FOR THE DRIVEWAY ENTRY RAMP. MAINTAIN A MAX. 150MM GAP AT THE BOTTOM OF GATE IN CLOSED POSITION. MAINTAIN A MAX. 150MM GAP AT THE BOTTOM OF GATE IN CLOSED POSITION. ALUMINIUM SECURITY MESH SCREEN TO BE INSTALLED AROUND HANDLE


ALUMINIUM SECURITY MESH SCREEN TO BE INSTALLED AROUND HANDLE

ALUMINIUM SECURITY MESH SCREEN TO BE INSTALLED AROUND HANDLE

ALUMINIUM SECURITY MESH SCREEN TO BE INSTALLED AROUND HANDLE ALUMINIUM SECURITY MESH SCREEN TO BE INSTALLED AROUND HANDLE

# DATE PRINTED: 06/12/2021 18:00:59

	ARCHITECT			DRAWN BY	SCALE AT A1	
			T +612 9319 2955 ABN: 48 942 921 969	GB		
$\sim$	CIJ	rC	Nominated Architects: Andrew Hipwell 6562 Daniel Beekwilder 6192	DESCRIPTION	SCHEDULE	
		djrd architects	63 Myrtle Street Chippendale NSW 2008 Sydney Australia			
	$\left\{ \right.$		djrd.com.au	PROJECT No	DRAWING No	REVISION
	3			21 404	R29-AR-8011	D



LOUVRE SCHEDULE										
MARK	TYPE	HEIGHT	WIDTH	SILL HEIGHT	VENTILATION TYPE	FRAME MATERIAL	COMMENTS			
LV-01	Α	500	1200	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-02	В	400	400	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-03	С	500	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-04	D	250	250	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-05	E	250	400	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-06	D	250	250	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-07	F	400	600	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-08	G	2200	760	500	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-09	G	2200	760	500	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-10	G	2200	760	500	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-11	Н	2600	760	100	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-12	K	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-13	K	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-14	L	1000	2400	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	DUCTED LOUVRE, REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-15	L	1000	2400	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	DUCTED LOUVRE, REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-18	K	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-19	K	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-20	К	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	DUCTED LOUVRE, REFER MECHANICAL ENGINEER FOR OPEN AIR REQUIREMENTS			
LV-21	K	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	DUCTED LOUVRE, REFER MECHANICAL ENGINEER FOR OPEN AIF REQUIREMENTS			
LV-22	К	900	1500	2800	WEATHERPROOF LOUVRES	POWDERCOATED ALUMINIUM	DUCTED LOUVRE, REFER MECHANICAL ENGINEER FOR OPEN AIF REQUIREMENTS			

SINGLE GLAZING

ISSUE	DATE	SUBJECT AU	THORISED		PROJECT MAI	NAGER	This drawing should be read in conjunction with all relevant contracts, specifications and	
Α	18/09/2021	Draft Contract Issue	MR	RAIR2 Rural Ambulance Infrastructure Reconfiguration	LEVEL 16		drawings. Dimensions are in millimetres. Levels are metres. Do not scale off drawings. Use	
В	05/10/2021	Contract Issue	MR		SYDNEY NSW 2000 T +61 2 9299 3555			
С	06/12/2021	DA Issue	MR				figured dimensions only. Check dimensions on Site. Report discrepancies immediately.	
				SERVICES				
				23/101 MILLER ST NORTH SYDNEY NSW 2060 T +61 2 9437 1000		MEINHARDT BONACCI		
					LEVEL 4 66 CLARENCE STREET SYDNEY NSW 2000 T +61 2 8247 8400			

POWDERCOATED ALUMINIUM

W-21

W-23

W-25

W-26

W-27

W-28

W-29

В

А

С

С

С

С

D

1800

1800

600

600

600

600

1200

1250

1700

600

600

600

600

1000

900

900

2100

2100

2100


2100


900

ZING THICKNESS	WINDOW LOCKS	LAMINATED	SECURITY MESH SCREEN	COMMENTS
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 10.38	YES	YES	YES	
MIN 10.38	YES	YES	YES	
MIN 10.38	YES	YES	YES	
MIN 10.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 6.38	YES	YES	YES	
MIN 12.38	N/A	YES	N/A	
MIN 12.38	N/A	YES	N/A	
MIN 12.38	N/A	YES	N/A	
MIN 12.38	N/A	YES	N/A	
MIN 6.38	YES	YES	N/A	

RURAL AMBULANCE INFRASTRUCTURE PROGRAM (RAIR) TAMWORTH

PROJECT







The contractor shall check and verify all work on site (including work by

others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

Contract Set **Development Application** Development Application В A Development Application Issue Revision Description









A1

Groundcovers (Refer Schedule and Detail) Shrubs and Accents 

(Refer Schedule and Detail)



(Refer Detail)





www.siteimage.com.au

Project: **RAIR Tamworth** 59-73 Piper Street Tamworth 2340

<sup>Scale:</sup> 1:150 @ A1 Job Number: SS21-4732

CONTRACT SET 0 1 2 3 4 5r Drawing Number: R29-LA-101 D

PLANT S	CHEDULE				
Symbol	Botanical Name	Common Name	Mature	Spacings	Pot Size
			Size		
	Trees				
РС	Pyrus calleryana 'Chanicleer'	Callery Pear	12 x 3	As Shown	100L
Up	Ulmus parvifolia	Chinese Elm	13 x 4	As Shown	100L
LN	Lagerstroemia indica 'Natchez'	White-Flowering Crepe Myrtle	6 x 4	As Shown	100L
MI	Melaleuca linariifolia	Snow in Summer	8 x 4	As Shown	100L
	Shrubs And Accents				
CLJ	Callistemon 'Little John'	Dwarf Bottle Brush	1 x 1	As Shown	300mm
Са	Correa alba	White Correa	1.5 x 1.5	As Shown	300mm
EPP	Escallonia 'Pink Pixie'	Pink Pixie Escallonia	0.6 x .5	As Shown	300mm
WWG	Westringia 'Wynyabbie Gem'	Hebe	1.5 x 1.5	As Shown	300mm
	Groundcovers				
Jc	Juniper conferta	Shore Juniper	0.2 x 1	5/m2	150mm
LT	Lomandra Tanika	Mat Rush	1 x 1.5	5.00/m2	150mm
Hs	Hibbertia scandens	Golden Guinea Vine	0.4 x 1	5/m2	150mm
Hv	Hardenbergia violacea	Basket Grass	0.5 x 1.5	5/m2	150mm

Trees



Pyrus calleryana 'Chanicleer' Callery Pear Shrubs and Accents



Chinese Elm

Correa alba

White Correa



White-Flowering Crepe Myrtle



Snow in Summer



Dwarf Bottle Brush

Groundcovers



NOT FOR CONSTRUCTION

 $\ensuremath{\textcircled{\sc 0}}$  2021 Site Image (NSW) Pty Ltd  $\mbox{ ABN 44 801 262 380 as agent for Site}$ Image NSW Partnership. All rights reserved. This drawing is copyright and shall not be reproduced or copied in any form or by any means (graphic, electronic or mechanical including photocopy) without the written permission of Site Image (NSW) Pty Ltd Any license, expressed or implied, to use this document for any purpose what so ever is restricted to the terms of the written agreement between Site Image (NSW) Pty Ltd and the instructing party.

The contractor shall check and verify all work on site (including work by others) before commencing the landscape installation. Any discrepancies are to be reported to the Project Manager or Landscape Architect prior to commencing work. Do not scale this drawing. Any required dimensions not shown shall be referred to the Landscape Architect for confirmation.

Contract Set Revised for NSWA comments **Development Application** Development Application A Development Application Issue Revision Description





Hardenbergia violacea Basket Grass

Escallonia 'Pink Pixie' Pink Pixie Escallonia





Lomandra Tanika Mat Rush

D

### KP NM 06.10.2021 KP NM 09.09.2021 KP NM 29.07.2021 KP NM 14.07.2021 NN NM 21.06.2021 Drawn Check Date

