

“Appendix 4” to Section 4.15 Assessment Report - DA/556/2020

DRAFT CONDITIONS OF CONSENT

Upon the signature of the applicable delegate, the conditions in this Appendix will form the conditions of development consent.

Development Consent No.: DA/556/2020
Property Address: Lot 15 DP 1011115
8 Holker Street, NEWINGTON NSW 2127

General Matters

PA0001 # Approved plans and supporting documentation

1. The development is to be carried out in accordance with the following plans endorsed with Council’s Stamp as well as the documentation listed below, except where amended by other conditions of this consent and/or any plan annotations:

Architectural Drawings (Job No. 20006)

Plan Title	Drawing No.	Rev	Prepared By	Dated
Site Map	20006-TITLE PG	C	Wool + Hay	15/09/2020
Ground Floor Demolition Plan	20006-LGR-A1	A	Wool + Hay	03/08/2020
First Floor Demolition Plan	20006-L01-A1	A	Wool + Hay	03/08/2020
Ground Floor General Arrangement Plan	20006-LGR-GA	C	Wool + Hay	15/09/2020
Level 1 General Arrangement Plan	20006-L01-GA	C	Wool + Hay	15/09/2020
Elevations	20006-AE-01	B	Wool + Hay	15/09/2020

Specialist Reports

Document	Prepared By	Dated
Waste Management Plan, 7070	Spitfire Control	02/08/2020
Fire Safety, Memo Ref P20498-M-F2.1	Evolved Engineering	11/09/2020

BCA Report, Ref 20-214905	Philip Chun Building Compliance	30/07/2020
Access Report	Philip Chun Building Compliance	31/07/2020
Plan of Management, 10759A_POM	Willana Urban	15/09/2020

Note: In the event of any inconsistency between the architectural plan(s) and the landscape plan(s) and/or stormwater disposal plan(s) (if applicable), the architectural plan(s) shall prevail to the extent of the inconsistency.

Reason: To ensure the work is carried out in accordance with the approved plans.

PA0002 Building work in compliance with BCA

2. All building work must be carried out in accordance with the current provisions of the Building Code of Australia (National Construction Code).

Reason: To comply with the Environmental Planning & Assessment Act 1979, as amended and the Environmental Planning & Assessment Regulation 2000.

PA0003 Construction Certificate

3. Prior to commencement of any construction works associated with the approved development (including excavation if applicable), it is mandatory to obtain a Construction Certificate. Plans, specifications and relevant documentation accompanying the Construction Certificate must include any requirements imposed by conditions of this Development Consent.

Reason: To ensure compliance with legislative requirements.

PA0004 No encroachment on Council and/or Adjoining proper

4. The development must be constructed within the confines of the property boundary. No portion of the proposed structure, including footings/slabs, gates and doors during opening and closing operations must encroach upon Council's footpath area or the boundaries of the adjacent properties.

Reason: To ensure no injury is caused to persons and the building is erected in accordance with the approval granted within the boundaries of the site.

PA0011 #Demolition of Buildings

5. Approval is granted for the demolition of relevant internal walls as outlined on the architectural plans currently on the property, subject to compliance with the following:-

(a) Demolition is to be carried out in accordance with the applicable provisions of Australian Standard AS2601-2001 - Demolition of Structures.

Note: Developers are reminded that WorkCover requires that all plant and equipment used in demolition work must comply with the relevant Australian Standards and manufacturer specifications.

- (a) The developer is to notify owners and occupiers of premises on either side, opposite and at the rear of the development site 5 working days prior to demolition commencing. Such notification is to be a clearly written on A4 size paper giving the date demolition will commence and is to be placed in the letterbox of every premises (including every residential flat or unit, if any). The demolition must not commence prior to the date stated in the notification.
- (b) 5 working days (i.e., Monday to Friday with the exclusion of Public Holidays) notice in writing is to be given to City of Parramatta for inspection of the site prior to the commencement of works. Such written notice is to include the date when demolition will commence and details of the name, address, business hours, contact telephone number and licence number of the demolisher. Works are not to commence prior to Council's inspection and works must also not commence prior to the commencement date nominated in the written notice.
- (c) On the first day of demolition, work is not to commence until City of Parramatta has inspected the site. Should the building to be demolished be found to be wholly or partly clad with asbestos cement, approval to commence demolition will not be given until Council is satisfied that all measures are in place so as to comply with Work Cover's document "Your Guide to Working with Asbestos", and demolition works must at all times comply with its requirements.
- (d) On demolition sites where buildings to be demolished contain asbestos cement, a standard commercially manufactured sign containing the words "DANGER ASBESTOS REMOVAL IN PROGRESS" measuring not less than 400mm x 300mm is to be erected in a prominent visible position on the site to the satisfaction of Council's officers. The sign is to be erected prior to demolition work commencing and is to remain in place until such time as all asbestos cement has been removed from the site to an approved waste facility. This condition is imposed for the purpose of worker and public safety and to ensure compliance with Clause 259(2)(c) of the Occupational Health and Safety Regulation 2001
- (e) Demolition must not commence until all trees required to be retained are protected in accordance with the conditions detailed under "Prior to Works Commencing" in this Consent.
- (f) All previously connected services are to be appropriately disconnected as part of the demolition works. The applicant is obliged to consult with the various service authorities regarding their requirements for the disconnection of services.
- (g) Demolition works involving the removal and disposal of asbestos cement in excess of 10 square meters, must only be undertaken by

contractors who hold a current WorkCover “Demolition Licence” and a current WorkCover “Class 2 (Restricted) Asbestos Licence”.

- (h) Demolition is to be completed within 5 days of commencement.
- (i) Demolition works are restricted to Monday to Friday between the hours of 7.00am to 5.00pm. No demolition works are to be undertaken on Saturdays, Sundays or Public Holidays.
- (j) 1.8m high Protective fencing is to be installed to prevent public access to the site.
- (k) Occupation of any part of the footpath or road at or above (carrying out work, storage of building materials and the like) during construction of the development shall require a Road Occupancy Permit from Council. The applicant is to be required to submit an application for a Road Occupancy Permit through Council’s Traffic and Transport Services, prior to carrying out the construction/restoration works.
- (l) Oversize vehicles using local roads require Council’s approval. The applicant is to be required to submit an application for an Oversize Vehicle Access Permit through Council’s Traffic and Transport Services, prior to driving through local roads within Parramatta LGA.
- (m) All asbestos laden waste, including asbestos cement flat and corrugated sheets must be disposed of at a tipping facility licensed by the Environment Protection Authority (EPA).
- (n) Before demolition works begin, adequate toilet facilities are to be provided.
- (o) After completion, the applicant must notify City of Parramatta within 7 days to assess the site and ensure compliance with AS2601-2001 – Demolition of Structures.
- (p) Within 14 days of completion of demolition, the applicant must submit to Council:
 - (i) An asbestos clearance certificate issued by a suitably qualified person if asbestos was removed from the site; and
 - (i) A signed statement verifying that demolition work and the recycling of materials was undertaken in accordance with the Waste Management Plan approved with this consent. In reviewing such documentation Council will require the provision of original.
 - (ii) Payment of fees in accordance with Council’s current schedule of fees and charges for inspection by Parramatta Council of the demolition site prior to commencement of any demolition works and after the completion of the demolition works.

Reason: To protect the amenity of the area.

EWA0002 Amenity of waste storage areas

- 6. All waste storage rooms/areas are to be fully screened from public view and are to be located clear of all landscaped areas, driveways, turning areas, truck standing areas and car parking spaces. No materials, waste

matter or products are to be stored outside the building or any approved waste storage area at any time.

Reason: To maintain the amenity of the area.

ECA0006 Require to notify about new contamination evidence

7. Any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination shall be notified to the Council and the principal certifying authority immediately.

Reason: To ensure that the land is suitable for its proposed use and poses no risk to the environment and human health.

EFA0002 Provide waste storage room on premises

8. A waste storage room is to be provided on the premises and shall be constructed to comply with all the relevant provisions of Council's Development Control Plan (DCP) 2011 including:

- (a) The size being large enough to accommodate all waste generated on the premises, with allowances for the separation of waste types;
- (b) The floor being graded and drained to an approved drainage outlet connected to the sewer and having a smooth, even surface, coved at all intersections with walls;
- (c) The walls being cement rendered to a smooth, even surface and coved at all intersections;
- (d) Cold water being provided in the room with the outlet located in a position so that it cannot be damaged and a hose fitted with a nozzle being connected to the outlet.

Reason: To ensure provision of adequate waste storage arrangements.

Prior to the issue of a Construction Certificate

(Note: Some conditions contained in other sections of this consent (including prior to occupation/use commencing) may need to be considered when preparing detailed drawings/specifications for the Construction Certificate.)

PB0002 Long Service Levy payment for Constr. over \$25,000

9. The Construction Certificate is not to be issued unless the Certifying Authority is satisfied the required levy payable, under Section 34 of the Building and Construction Industry Long Service Payments Act 1986, has been paid.

Reason: To ensure that the levy is paid.

PB0029 Environmental Enforcement Service Charge - All DAs

10. An Environmental Enforcement Service Charge must be paid to Council prior to the issue of a Construction Certificate. The fee will be in accordance with Council's adopted 'Fees and Charges' at the time of payment.

Note: Council's Customer Service Team can advise of the current fee and can be contacted on 9806 5524.

Reason: To comply with Council's adopted Fees and Charges Document and to ensure compliance with conditions of consent.

PB0030 Infrastructure & Restoration Adm. fee for all DAs

11. An Infrastructure and Restoration Administration Fee must be paid to Council prior to the issue of a Construction Certificate. The fee will be in accordance with Councils adopted 'Fees and Charges' at the time of payment.

Note: Council's Customer Service Team can advise of the current fee and can be contacted on 9806 5524.

Reason: To comply with Council's adopted Fees and Charges Document and to ensure compliance with conditions of consent.

PB0038 #Security Bonds (For minor development)

12. In accordance with Section 80A(6)(a) of the Environmental Planning and Assessment Act 1979, security bonds payable to Council for the protection of the adjacent road pavement and public assets during construction works. The bond(s) are to be lodged with Council prior to the issue of any application/approval associated with the allotment, (being a Hoarding application, Construction Certificate) and prior to any demolition works being carried out where a Construction Certificate is not required.

The bond may be paid, by EFTPOS, bank cheque, or be an unconditional bank guarantee.

Should a bank guarantee be lodged it must:

- (a) Have no expiry date;
- (b) Be forwarded directly from the issuing bank with a cover letter that refers to Development Consent DA/556/2020;
- (c) Specifically reference the items and amounts being guaranteed. If a single bank guarantee is submitted for multiple items it must be itemised.

Should it become necessary for Council to uplift the bank guarantee, notice in writing will be forwarded to the applicant fourteen days prior to such action being taken. No bank guarantee will be accepted that has been issued directly by the applicant.

Bonds shall be provided as follows:

Bond Type	Amount
Nature Strip and Roadway:	\$25,750.00

A dilapidation report is required to be prepared and submitted electronically to the City of Parramatta Council (council@cityofparramatta.nsw.gov.au) prior to any work or demolition commencing and with the payment of the bond/s.

The dilapidation report is required to document/record any existing damage to kerbs, footpaths, roads, nature strips, street trees and furniture within street frontage/s bounding the site up to and including the centre of the road.

Reason: To safe guard the public assets of council and to ensure that these assets are repaired/maintained in a timely manner so as not to cause any disruption or possible accidents to the public.

PB0041 #Auburn Develop Contributions Plan 2007 (Amd 1)

13. A monetary contribution comprising **\$56501.60** is payable to the City of Parramatta Council in accordance with Section 7.11 or 7.12 of the Environmental Planning and Assessment Act 1979 and the *Auburn Development Contributions Plan 2007 (Amendment 1)*. Payment must be by EFTPOS, bank cheque or credit card only.

The contribution is to be paid to Council prior to the issue of a construction certificate.

The contribution levy is subject to indexation on a quarterly basis in accordance with movements in the Consumer Price Index (All Groups Index) for Sydney issued by the Australian Statistician. At the time of payment, the contribution levy may have been the subject of indexation.

The *Auburn Development Contributions Plan 2007 (Amendment 1)* can be viewed on Council's website at:

<https://www.cityofparramatta.nsw.gov.au/business-development/planning/development-contributions>

Reason: To comply with legislative requirements and to provide for the increased demand for public amenities and services resulting from the development.

EWB0001 Appoint waste contractor

14. Prior to the issue of a construction certificate, a further report including accompanying plans shall be submitted to the satisfaction of the Principal Certifying Authority that provides details of the private contractor that will be engaged to collect domestic waste from the site. If Council is not the principal certifying authority a copy of this report and accompanying plans

is required to be provided to Council. This report shall identify the frequency of collection and provide details of how waste products including paper, aluminium cans, bottles etc, will be recycled. Waste collection from the site shall occur in accordance with the details contained within this report.

Reason: To provide for the appropriate collection/recycling of waste from the proposal whilst minimising the impact of the development upon adjoining residents.

EWB0002 Separate waste bins for general & recycling waste

15. Separate waste bins are to be provided on site for recyclable waste.

Reason: To provide for the appropriate collection/recycling of waste from the proposal whilst minimising the impact of the development upon adjoining residents.

Prior to Work Commencing

PC0001 #Appointment of PCA

16. Prior to commencement of work, the person having the benefit of the Development Consent and Construction Certificate approval must:

- (a) Appoint a Principal Certifying Authority (PCA) and notify Council in writing of the appointment (irrespective of whether Council or an accredited private certifier) within 7 days; and
- (b) Notify Council in writing a minimum of 48 hours prior to work commencing of the intended date of commencement.

The Principal Certifying Authority must determine and advise the person having the benefit of the Construction Certificate when inspections, certification and compliance certificates are required.

Reason: To comply with legislative requirements.

PC0002 Enclosure of the site

17. The site must be enclosed by a 1.8m high security fence erected wholly within the confines of the site to prevent unauthorised access. The fence must be installed to the satisfaction of the Principal Certifying Authority prior to the commencement of any work on site.

Reason: To ensure public safety.

PC0003 Site Sign

18. A sign must be erected in a prominent position on any site involving excavation, erection or demolition of a building in accordance with Clause 98 A (2) of the Environmental Planning and Assessment Regulations 2000 detailing:

- (a) Unauthorised entry of the work site is prohibited;
- (b) The name of the principal contractor (or person in charge of the work site), their telephone number enabling 24hour contact; and

- (c) The name, address and telephone number of the Principal Certifying Authority;
- (d) The development consent approved construction hours;
- (e) The sign must be maintained during excavation, demolition and building work, and removed when the work has been completed.
- (f) This condition does not apply where works are being carried out inside an existing building.

Reason: Statutory requirement.

BC0001 Toilet facilities on site

19. Prior to work commencing, adequate toilet facilities are to be provided on the work site.

Reason: To ensure adequate toilet facilities are provided.

PC0005 Public liability insurance

20. Public risk insurance in the amount of not less than \$20 million or such other amount as Council may require by notice) must be obtained and furnished to Council before any works authorised by this consent are conducted:

- (a) Above;
- (b) Below; or
- (c) On

Any public land owned or controlled by Council. The public risk insurance must be maintained for the period during which these works are being undertaken.

The public risk insurance must be satisfactory to Council and list Council as an insured and/or interested party.

A copy of the insurance policy obtained must be forwarded to Council before any of the works commence.

Note: Applications for hoarding permits, vehicular crossing etc. will require evidence of insurance upon lodgement of the application.

Reason: To ensure the community is protected from the cost of any claim for damages arising from works authorised by this consent conducted above, below or on any public land owned or controlled by Council.

During Work

PD0001 Copy of development consent

21. A copy of this development consent together with the stamped plans, referenced documents and associated specifications is to be held on-site

during the course of any works to be referred to by all contractors to ensure compliance with the approval and the associated conditions of consent.

Reason: To ensure compliance with this consent.

PD0003 Dust Control

22. Dust control measures shall be implemented during all periods of earth works, demolition, excavation and construction to minimise the dust nuisance on surrounding properties. In this regard, dust minimisation practices must be carried out in accordance with Section 126 of the Protection of the Environment Operations Act 1997.

Reason: To protect the amenity of the area.

PD0004 Materials on footpath

23. No building materials skip bins, concrete pumps, cranes, machinery, temporary traffic control, signs or vehicles associated with the construction, excavation or demolition shall be stored or placed on/in Council's footpath, nature strip, roadway, park or reserve without the prior approval being issued by Council under section 138 of the Roads Act 1993.

Reason: To ensure pedestrian access.

PD0006 Hours of work and noise

24. All work (excluding demolition which has separate days and hours outlined below) including building, and excavation work; and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (e.g. loading and unloading of goods, transferring of tools, machinery etc.) in connection with the proposed development must only be carried out between the following hours:

- Monday to Friday inclusive: 7.00am and 5.00pm; and
- Saturday: 8.00am to 5.00pm.
- No work is to be carried out on Sunday or Public Holidays.

Demolition works are restricted to:

- Monday to Friday: 7.00am to 5.00pm; and
- No demolition works are to be undertaken on Saturdays, Sundays or Public Holidays.

Note: Council may permit an extension to the approved hours of work in extenuating or unforeseen circumstances subject to an application and approval by City of Parramatta Council (CoPC) in accordance with the 'After Hours Works for Approved Development Applications Policy' (Policy).

A copy of this Policy and associated application form is available on the CoPC website. A fee will apply to any application made in accordance with this Policy.

The matters of consideration of any extension sought would include, but not be limited to the following aspects and should be detailed in any application made:

- Nature of work to be conducted;
- Reason for after-hours completion;
- Residual effect of work (noise, traffic, parking);
- Demographic of area (residential, industrial);
- Compliance history of subject premises;
- Current hours of operation;
- Mitigating or extenuating circumstance; and
- Impact of works not being completed.

Reason: To protect the amenity of the area.

PD0007 Complaints register

25. The applicant must record details of all complaints received during the construction period in an up to date complaints register. The register must record, but not necessarily be limited to:

- (a) The date and time of the complaint;
- (b) The means by which the complaint was made;
- (c) Any personal details of the complainants that were provided, or if no details were provided, a note to that effect;
- (d) Nature of the complaints;
- (e) Any action(s) taken by the applicant in relation to the complaint, including any follow up contact with the complaint; and
- (f) If no action was taken by the applicant in relation to the complaint, the reason(s) why no action was taken.

The complaints register must be made available to Council and/or the Principal Certifying Authority upon request.

Reason: To allow the Principal Certifying Authority/Council to respond to concerns raised by the public.

PD0008 Noise

26. Noise emissions and vibration must be minimised, work is to be carried out in accordance with the NSW Department of Environment, Climate Change and Water's Interim Noise Construction Guidelines 2009 for noise emissions from demolition, excavation and construction activities.

Vibration levels resulting from demolition and excavation activities must not exceed 5mm/sec peak particle velocity (PPV) when measured at the footing of any nearby building.

Reason: To protect the amenity of the area and limit potential vibration impacts.

PD0010 Survey Report

27. A survey certificate is to be submitted to the Principal Certifying Authority at footing and/or formwork stage. The certificate must indicate the location of the building in relation to all boundaries, and must confirm the floor level is consistent with that approved under this consent prior to any further work proceeding on the building.

Reason: To ensure the development is being built as per the approved plans.

TD0001 Road Occupancy Permit

28. Occupation of any part of the footpath or road at or above (carrying out work, storage of building materials and the like) during construction of the development shall require a Road Occupancy Permit from Council. The applicant is to be required to submit an application for a Road Occupancy Permit through Council's Traffic and Transport Services, prior to carrying out the construction/restoration works.

Reason: To ensure proper management of Council assets.

TD0002 Oversize vehicles using local roads

29. Oversize vehicles using local roads require approval from the National Heavy Vehicle Regulator (NHVR). The applicant is required to submit an application for an Oversize Vehicle Access Permit through NHVR's portal (www.nhvr.gov.au/about-us/nhvr-portal) prior to driving through local roads within the City of Parramatta LGA.

Reason: To ensure maintenance of Council's assets.

EWD0003 Waste data file maintained

30. A Waste Data file is to be maintained, recording building/demolition contractor's details and waste disposal receipts/dockets for any demolition or construction wastes from the site. These records must be retained and made available to Council on request.

Reason: To confirm waste minimisation objectives under Parramatta Development Control Plan 2011 are met.

Prior to the issue of an Occupation Certificate/Subdivision Certificate

PE0001 Occupation Certificate

31. Occupation or use of the building or part is not permitted until an Occupation Certificate has been issued in accordance with Section 109H of the Environmental Planning and Assessment Act 1979.

Reason: To comply with legislative requirements of the Environmental Planning and Assessment Act 1979.

BE0001 Record of inspections carried out

32. In accordance with Clause 162B of the Environmental Planning and Assessment Regulation 2000, the Principal Certifying Authority responsible for the critical stage inspections must make a record of each inspection as soon as practicable after it has been carried out. The record must include:
- (a) The development application and Construction Certificate number as registered;
 - (b) The address of the property at which the inspection was carried out;
 - (c) The type of inspection;
 - (d) The date on which it was carried out;
 - (e) The name and accreditation number of the certifying authority by whom the inspection was carried out; and
 - (f) Whether or not the inspection was satisfactory in the opinion of the certifying authority who carried it out.
- Reason:** To comply with statutory requirements.

PE0024 The Release of Bond(s)

33. A written application to Council's Civil Assets Team for the release of a bond must quote the following:
- (a) Council's Development Application number; and
 - (b) Site address.
- The bond is refundable only where Council is satisfied the public way has been adequately reinstated, and any necessary remediation/rectification works have been completed.

An Occupation Certificate is not to be issued until correspondence has been issued by Council detailing the bond has been released.

Note: Council's Civil Assets Team will take up to 21 days from receipt of the request to provide the written advice.

Reason: To safe guard the public assets of council and to ensure that these assets are repaired/maintained in a timely manner.

EWE0001 Clinical waste storage/disposal

34. Clinical waste, waste containers and storage areas must be managed to comply with the NSW Health Policy Directive Clinical and Related Waste Management for Health Services 2017, Protection of the Environment Operations Act 1997 and Regulations.

Reason: To ensure clinical waste is managed in accordance with legislative requirements.

EWE0003 Medical waste – disposal by authorised contractor

35. Medical wastes shall be disposed of by an authorised waste disposal contractor. Contractor details are to be submitted to the Principal Certifying Authority before the issue of an occupation certificate.

Reason: To ensure proper disposal of medical wastes.

The Use of the Site

PF0017 Goods not to be displayed outside premises

36. No goods are to be stored/displayed outside the walls of the building.

Reason: To ensure visual amenity.

PF0049 Graffiti Management

37. The owner/manager of the site/business is responsible for the removal of all graffiti from the building/structures/signage and/or fencing within 48 hours of its application.

Reason: To ensure the removal of graffiti.

PF0025 #Operating hours

38. The days and hours of operation for the clinic are restricted to:

Day	Time
Monday	8:00am to 8:00pm
Tuesday	8:00am to 8:00pm
Wednesday	8:00am to 8:00pm
Thursday	8:00am to 8:00pm
Friday	8:00am to 8:00pm
Saturday	8:00am to 5pm
Sunday	Closed.
Public Holidays	Closed.

The days and hours of operation for the office is restricted to:

Day	Time
Monday	8:00am to 6:00pm
Tuesday	8:00am to 6:00pm
Wednesday	8:00am to 6:00pm
Thursday	8:00am to 6:00pm
Friday	8:00am to 6:00pm
Saturday	Closed.
Sunday	Closed.
Public Holidays	Closed.

Reason: To minimise the impact on the amenity of the area.

PF0029 Shopfront appearance

39. Roller shutters are not to be placed over any external door or window of the premises. Any security grille is to be located on the inside of the glass shop front and must be an open grille able to be seen through.

Reason: To provide an appropriate streetscape appearance.

PF0004 External Plant/Air-conditioning noise levels

40. Any external plant/air-conditioning system must not exceed a noise level of 5dBA above the background noise level when measured at the boundaries of the property.

Reason: To minimise noise impact of mechanical equipment.

EPF0001 Storage of hazardous or toxic materials

41. To ensure hazardous and toxic materials are not a threat to the environment, they must be stored in accordance with Safework Authority NSW requirements. All tanks, drums and containers of toxic and hazardous materials shall be stored in a bunded area. The bund walls and floors shall be constructed of impervious materials and shall be of sufficient size to contain 110% of the volume of the largest tank plus the volume displaced by any additional tanks within the bonded area.

Reason: To ensure the health and safety of the public and workers.

EPF0005 Material Safety Data Sheets

42. To ensure correct handling of hazardous materials, Safety Data Sheets (SDS) must be held at the facility for all hazardous materials. These can be obtained free of charge from the supplier.

Reason: To ensure compliance with the Work Health and Safety Act 2011 & Regulations.

EAF0001 Use is not to cause offensive noise or vibration

43. The use of the premises not giving rise to:

- (a) transmission of unacceptable vibration to any place of different occupancy,
- (b) a sound pressure level measured at any point on the boundary of any affected residential premises that exceeds the background noise level by more than 5 dB(A). The source noise level shall be assessed as an LAeq,15 min and adjusted in accordance with Environment Protection Authority (EPA) guidelines for tonality, frequency weighting, impulsive characteristics, fluctuations, and temporal content as described in the NSW Environmental Planning & Assessment Act 1979: Noise Policy for Industry 2017 and the Protection of the Environment Operations Act 1997.

Reason: To prevent loss of amenity to the area.

EAF0004 No 'offensive noise'

44. Noise and vibration from the use and operation of any plant and equipment and/or building services associated with the premises shall not give rise to "offensive noise" as defined by the Protection of the Environment Operations Act 1997.

Reason: To reduce noise levels.

EAF0007 Noise from mechanical equipment

45. The proposed use of the premises and the operation of all plant and equipment shall not give rise to an 'offensive noise' as defined in the Protection of the Environment Operations Act 1997.

Reason: To protect the amenity of the area.

EAF0009 Use of Premises

46. The use of the premises not giving rise to:

- (a) transmission of unacceptable vibration to any place of different occupancy;
- (b) a sound pressure level at any affected premises that exceeds the background (LA90) noise level in the absence of the noise under consideration by more than 5dB(A). The source noise level shall be assessed as an LAeq,15min and adjusted in accordance with Environment Protection Authority guidelines for tonality, frequency weighting, impulsive characteristics, fluctuations and temporal content.

Reason: To prevent loss of amenity to the area.

EWF0001 Hazardous/Clinical waste disposal

47. Disposal of wastes from the premises shall comply with the waste management plan. Waste minimisation practices are to be demonstrated with the ongoing use, with records of disposal of hazardous wastes being kept. The storage and disposal of any hazardous waste (sharps and or clinical waste, items contaminated by blood) is to be in accordance with requirements of the Protection of the Environment Operations (Waste) Regulation 2014.

Note: The disposal of hazardous wastes through a general waste collection service is not permitted.

Reason: To ensure provision is made for appropriate disposal of wastes.

EWF0003 Remove putrescible waste at sufficient frequency

48. All putrescible waste shall be removed from the site with sufficient frequency to avoid nuisance from pests and odours.

Reason: To ensure provision of adequate waste disposal arrangements.

EWF0005 Management of waste storage facilities

49. All waste storage areas are to be maintained in a clean and tidy condition at all times.

Reason: To ensure the ongoing management of waste storage areas.

EWF0006 Storage of bins between collection periods

50. Between collection periods, all waste/recyclable materials generated on site must be kept in enclosed bins with securely fitting lids so the contents are not able to leak or overflow. Bins must be stored in the designated waste/recycling storage room(s) or area(s) between collection periods.

Reason: To ensure waste is adequately stored within the premises.

Date: 4 March 2021
Responsible Officer: Apoorva Chikkerur