

BASIX[®]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1061924M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Thursday, 19 December 2019

To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning,
Industry &
Environment

**STRATHFIELD COUNCIL
RECEIVED**

**DA2020/08/01
16 January 2020**

Project summary

Project name	5 Powell St Homebush (Stg 2)
Street address	5 Powell St & 17-35 Parramatta Road Homebush 2140
Local Government Area	Strathfield Municipal Council
Plan type and plan number	deposited 1219481
Lot no.	3
Section no.	-
No. of residential flat buildings	1
No. of units in residential flat buildings	202
No. of multi-dwelling houses	0
No. of single dwelling houses	0

Project score

Water	✓ 40	Target 40
Thermal Comfort	✓ Pass	Target Pass
Energy	✓ 25	Target 25

Certificate Prepared by

Name / Company Name: ESD Synergy Pty Ltd

ABN (if applicable): 17165174685

Description of project

Project address

Project name	5 Powell St Homebush (Stg 2)
Street address	5 Powell St & 17-35 Parramatta Road Homebush 2140
Local Government Area	Strathfield Municipal Council
Plan type and plan number	deposited 1219481
Lot no.	3
Section no.	-

Project type

No. of residential flat buildings	1
No. of units in residential flat buildings	202
No. of multi-dwelling houses	0
No. of single dwelling houses	0

Site details

Site area (m ²)	6257
Roof area (m ²)	820
Non-residential floor area (m ²)	323.0
Residential car spaces	168
Non-residential car spaces	33




Common area landscape

Common area lawn (m ²)	0.0
Common area garden (m ²)	400.0
Area of indigenous or low water use species (m ²)	0.0

Assessor details

Assessor number	20754
Certificate number	0004489550
Climate zone	56

Project score

Water	 40	Target 40
Thermal Comfort	 Pass	Target Pass
Energy	 25	Target 25

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building C, 202 dwellings, 24 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
101	2	76.6	0.0	0.0	0.0
105	1	49.5	0.0	0.0	0.0
109	2	73.5	0.0	0.0	0.0
202	1	50.5	0.0	0.0	0.0
206	1	52.0	0.0	0.0	0.0
210	1	49.6	0.0	0.0	0.0
303	1	50.0	0.0	0.0	0.0
307	1	44.0	0.0	0.0	0.0
311	2	76.7	0.0	0.0	0.0
404	2	82.6	0.0	0.0	0.0
408	1	47.6	0.0	0.0	0.0
501	2	76.6	0.0	0.0	0.0
505	1	49.5	0.0	0.0	0.0
509	2	73.5	0.0	0.0	0.0
602	1	50.5	0.0	0.0	0.0
606	1	52.0	0.0	0.0	0.0
610	1	49.6	0.0	0.0	0.0
703	1	50.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
102	1	50.5	0.0	0.0	0.0
106	1	52.0	0.0	0.0	0.0
110	1	49.6	0.0	0.0	0.0
203	1	50.0	0.0	0.0	0.0
207	1	44.0	0.0	0.0	0.0
211	2	76.7	0.0	0.0	0.0
304	2	82.6	0.0	0.0	0.0
308	1	47.6	0.0	0.0	0.0
401	2	76.6	0.0	0.0	0.0
405	1	49.5	0.0	0.0	0.0
409	2	73.5	0.0	0.0	0.0
502	1	50.5	0.0	0.0	0.0
506	1	52.0	0.0	0.0	0.0
510	1	49.6	0.0	0.0	0.0
603	1	50.0	0.0	0.0	0.0
607	1	44.0	0.0	0.0	0.0
611	2	76.7	0.0	0.0	0.0
704	2	82.1	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
103	1	50.0	0.0	0.0	0.0
107	1	44.0	0.0	0.0	0.0
111	2	76.7	0.0	0.0	0.0
204	2	82.6	0.0	0.0	0.0
208	1	47.6	0.0	0.0	0.0
301	2	76.6	0.0	0.0	0.0
305	1	49.5	0.0	0.0	0.0
309	2	73.5	0.0	0.0	0.0
402	1	50.5	0.0	0.0	0.0
406	1	52.0	0.0	0.0	0.0
410	1	49.6	0.0	0.0	0.0
503	1	50.0	0.0	0.0	0.0
507	1	44.0	0.0	0.0	0.0
511	2	76.7	0.0	0.0	0.0
604	2	82.1	0.0	0.0	0.0
608	1	47.6	0.0	0.0	0.0
701	2	76.6	0.0	0.0	0.0
705	1	49.5	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
104	2	82.6	0.0	0.0	0.0
108	1	47.6	0.0	0.0	0.0
201	2	76.6	0.0	0.0	0.0
205	1	49.5	0.0	0.0	0.0
209	2	73.5	0.0	0.0	0.0
302	1	50.5	0.0	0.0	0.0
306	1	52.0	0.0	0.0	0.0
310	1	49.6	0.0	0.0	0.0
403	1	50.0	0.0	0.0	0.0
407	1	44.0	0.0	0.0	0.0
411	2	76.7	0.0	0.0	0.0
504	2	82.1	0.0	0.0	0.0
508	1	47.6	0.0	0.0	0.0
601	2	76.6	0.0	0.0	0.0
605	1	49.5	0.0	0.0	0.0
609	2	73.5	0.0	0.0	0.0
702	1	50.5	0.0	0.0	0.0
706	1	52.0	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
707	1	44.0	0.0	0.0	0.0
711	2	76.7	0.0	0.0	0.0
804	2	82.1	0.0	0.0	0.0
903	1	50.0	0.0	0.0	0.0
907	1	51.6	0.0	0.0	0.0
1003	1	50.0	0.0	0.0	0.0
1007	1	51.6	0.0	0.0	0.0
1103	1	50.0	0.0	0.0	0.0
1107	1	51.6	0.0	0.0	0.0
1203	1	50.0	0.0	0.0	0.0
1207	1	51.6	0.0	0.0	0.0
1303	1	50.0	0.0	0.0	0.0
1307	1	51.6	0.0	0.0	0.0
1403	1	50.0	0.0	0.0	0.0
1407	1	51.6	0.0	0.0	0.0
1503	1	50.0	0.0	0.0	0.0
1507	1	51.6	0.0	0.0	0.0
1603	1	50.0	0.0	0.0	0.0
1607	1	51.6	0.0	0.0	0.0
1703	1	50.0	0.0	0.0	0.0
1707	1	51.6	0.0	0.0	0.0
1803	1	50.0	0.0	0.0	0.0
1807	1	51.6	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
708	1	47.6	0.0	0.0	0.0
801	2	76.6	0.0	0.0	0.0
805	2	73.7	0.0	0.0	0.0
904	2	82.1	0.0	0.0	0.0
908	2	76.1	0.0	0.0	0.0
1004	2	82.1	0.0	0.0	0.0
1008	2	76.1	0.0	0.0	0.0
1104	2	82.1	0.0	0.0	0.0
1108	2	76.1	0.0	0.0	0.0
1204	2	82.1	0.0	0.0	0.0
1208	2	76.1	0.0	0.0	0.0
1304	2	82.1	0.0	0.0	0.0
1308	2	76.1	0.0	0.0	0.0
1404	2	82.1	0.0	0.0	0.0
1408	2	76.1	0.0	0.0	0.0
1504	2	82.1	0.0	0.0	0.0
1508	2	76.1	0.0	0.0	0.0
1604	2	82.1	0.0	0.0	0.0
1608	2	76.1	0.0	0.0	0.0
1704	2	82.1	0.0	0.0	0.0
1708	2	76.1	0.0	0.0	0.0
1804	2	82.1	0.0	0.0	0.0
1808	2	76.1	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
709	2	73.5	0.0	0.0	0.0
802	1	50.0	0.0	0.0	0.0
901	2	76.2	0.0	0.0	0.0
905	2	78.0	0.0	0.0	0.0
1001	2	76.2	0.0	0.0	0.0
1005	2	78.0	0.0	0.0	0.0
1101	2	76.2	0.0	0.0	0.0
1105	2	78.0	0.0	0.0	0.0
1201	2	76.2	0.0	0.0	0.0
1205	2	78.0	0.0	0.0	0.0
1301	2	76.2	0.0	0.0	0.0
1305	2	78.0	0.0	0.0	0.0
1401	2	76.2	0.0	0.0	0.0
1405	2	78.0	0.0	0.0	0.0
1501	2	76.2	0.0	0.0	0.0
1505	2	78.0	0.0	0.0	0.0
1601	2	76.2	0.0	0.0	0.0
1605	2	78.0	0.0	0.0	0.0
1701	2	76.2	0.0	0.0	0.0
1705	2	78.0	0.0	0.0	0.0
1801	2	76.2	0.0	0.0	0.0
1805	2	78.0	0.0	0.0	0.0
1901	2	76.2	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
710	1	49.6	0.0	0.0	0.0
803	1	50.0	0.0	0.0	0.0
902	1	50.5	0.0	0.0	0.0
906	2	76.5	0.0	0.0	0.0
1002	1	50.5	0.0	0.0	0.0
1006	2	76.5	0.0	0.0	0.0
1102	1	50.5	0.0	0.0	0.0
1106	2	76.5	0.0	0.0	0.0
1202	1	50.5	0.0	0.0	0.0
1206	2	76.5	0.0	0.0	0.0
1302	1	50.5	0.0	0.0	0.0
1306	2	76.5	0.0	0.0	0.0
1402	1	50.5	0.0	0.0	0.0
1406	2	76.5	0.0	0.0	0.0
1502	1	50.5	0.0	0.0	0.0
1506	2	76.5	0.0	0.0	0.0
1602	1	50.5	0.0	0.0	0.0
1606	2	76.5	0.0	0.0	0.0
1702	1	50.5	0.0	0.0	0.0
1706	2	76.5	0.0	0.0	0.0
1802	1	50.5	0.0	0.0	0.0
1806	2	76.5	0.0	0.0	0.0
1902	1	50.5	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
1903	1	50.0	0.0	0.0	0.0
1907	1	51.6	0.0	0.0	0.0
2003	1	50.0	0.0	0.0	0.0
2007	1	51.6	0.0	0.0	0.0
2103	3	95.7	0.0	0.0	0.0
2201	3	101.7	0.0	0.0	0.0
2205	2	76.5	0.0	0.0	0.0
2303	3	95.7	0.0	0.0	0.0
2401	3	101.7	0.0	0.0	0.0
2405	3	133.7	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
1904	2	82.1	0.0	0.0	0.0
1908	2	76.1	0.0	0.0	0.0
2004	2	82.1	0.0	0.0	0.0
2008	2	76.1	0.0	0.0	0.0
2104	2	78.0	0.0	0.0	0.0
2202	2	89.4	0.0	0.0	0.0
2206	3	99.3	0.0	0.0	0.0
2304	2	78.0	0.0	0.0	0.0
2402	2	89.4	0.0	0.0	0.0
2406	3	164.8	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
1905	2	78.0	0.0	0.0	0.0
2001	2	76.2	0.0	0.0	0.0
2005	2	78.0	0.0	0.0	0.0
2101	3	101.7	0.0	0.0	0.0
2105	2	76.5	0.0	0.0	0.0
2203	3	95.7	0.0	0.0	0.0
2301	3	101.7	0.0	0.0	0.0
2305	2	76.5	0.0	0.0	0.0
2403	3	95.7	0.0	0.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m ²)	Unconditioned floor area (m ²)	Area of garden & lawn (m ²)	Indigenous species (min area m ²)
1906	2	76.5	0.0	0.0	0.0
2002	1	50.5	0.0	0.0	0.0
2006	2	76.5	0.0	0.0	0.0
2102	2	89.4	0.0	0.0	0.0
2106	3	99.3	0.0	0.0	0.0
2204	2	78.0	0.0	0.0	0.0
2302	2	89.4	0.0	0.0	0.0
2306	3	99.3	0.0	0.0	0.0
2404	2	78.0	0.0	0.0	0.0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building C

Common area	Floor area (m ²)
Lift car (No.1)	-
Switch room (No. 1)	37.0
Plant or service room (No. 1)	95.0
Hallway/lobby type (Serviced apts)	455.0

Common area	Floor area (m ²)
Lift car (No.2)	-
Garbage room (No. 1)	137.0
Ground floor lobby (Serviced apts)	47.0
Hallway/lobby type (Resi)	715.0

Common area	Floor area (m ²)
Lift car (No.3)	-
Community room (No. 1)	59.0
Ground floor lobby (Resi)	59.0

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building C

(a) Dwellings

- (i) Water
- (ii) Energy
- (iii) Thermal Comfort

(b) Common areas and central systems/facilities

- (i) Water
- (ii) Energy

2. Commitments for multi-dwelling houses

3. Commitments for single dwelling houses

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

- (i) Water
- (ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building C

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	✓	✓	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		✓	✓
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		✓	✓
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	✓
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	✓
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	✓	✓	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✓	
(g) The pool or spa must be located as specified in the table.	✓	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	✓	✓	✓

	Fixtures					Appliances		Individual pool				Individual spa		
Dwelling no.	All shower-heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish-washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	4 star	-	-	-	-	-	-	-

	Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	✓	✓	✓
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		✓	✓
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		✓	✓
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		✓	✓

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	✓	✓	✓
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must: (aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and (bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✓ ✓	
(h) The applicant must install in the dwelling: (aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below; (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓ ✓ ✓	✓
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		✓	

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	central hot water system 1	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off

Dwelling no.	Cooling		Heating		Artificial lighting						Natural lighting	
	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
2405, 2406	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	3 (dedicated)	2 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no
804, 904, 1004, 1104, 1204, 1304, 1404, 1504, 1604, 1704, 1804, 1904, 2004, 2006, 2101, 2103, 2106, 2201, 2203, 2206, 2301, 2303, 2306, 2401, 2403	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	3 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

Dwelling no.	Cooling		Heating		Artificial lighting						Natural lighting	
	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
102, 103, 105, 106, 107, 108, 110, 202, 203, 205, 206, 207, 208, 210, 302, 303, 305, 306, 307, 308, 310, 402, 403, 405, 406, 407, 408, 410, 502, 503, 505, 506, 507, 508, 510, 602, 603, 605, 606,	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

	Cooling		Heating		Artificial lighting						Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
607, 608, 610, 702, 703, 705, 706, 707, 708, 710, 802, 803, 902, 903, 907, 1002, 1003, 1007, 1102, 1103, 1107, 1202, 1203, 1207, 1302, 1303, 1307, 1402, 1403, 1407, 1502, 1503, 1507, 1602, 1603, 1607, 1702, 1703, 1707,												

Dwelling no.	Cooling		Heating		Artificial lighting						Natural lighting	
	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitchen
1802, 1803, 1807, 1902, 1903, 1907, 2002, 2003, 2007												
All other dwellings	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	1-phase airconditioning 2.5 Star (old label)	2 (dedicated)	1 (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	yes (dedicated)	0	no

Dwelling no.	Individual pool		Individual spa		Appliances & other efficiency measures							
	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	-	no	3.5 star	-	2 star	no	no

(iii) Thermal Comfort

	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	✓		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		✓	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		✓	✓
(g) Where there is an in-slab heating or cooling system, the applicant must: (aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or (bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.	✓	✓	✓
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	✓	✓	✓

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
101	37.2	23.4
102	22.9	20.1
103	23.5	23.0
104	28.4	17.7
105	37.0	23.4
106	34.3	24.5
107	23.3	22.8
108	37.8	24.6
109	19.6	21.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
110	29.3	20.5
111	11.6	23.9
201	30.0	24.8
202	22.1	19.6
203	22.7	22.0
204	21.4	17.6
205	30.0	23.7
206	24.0	23.6
207	20.0	22.3
208	36.2	25.8
209	35.2	21.2
210	25.9	20.1
211	7.0	25.5
301	34.7	19.2
302	26.2	17.7
303	27.2	18.8
304	23.9	13.7
305	34.5	20.5
306	28.0	24.0
307	23.2	17.4
308	34.5	20.4
309	39.2	18.9
310	29.3	18.1
311	9.0	24.3
401	35.0	19.2
402	26.8	17.5
403	27.9	18.8

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
404	24.4	13.5
405	35.2	19.9
406	28.8	23.6
407	21.1	16.9
408	34.0	21.9
409	33.8	19.2
410	29.5	18.1
411	6.2	23.5
501	34.9	19.3
502	27.3	17.2
503	28.5	18.5
504	27.6	14.2
505	35.7	19.9
506	29.3	23.4
507	23.8	17.1
508	30.5	25.1
509	36.5	25.3
510	29.7	18.2
511	9.1	24.9
601	35.0	19.3
602	27.7	17.4
603	19.1	18.1
604	28.0	14.1
605	36.3	19.6
606	29.8	22.6
607	23.9	17.2
608	26.7	24.6

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
609	34.7	22.8
610	28.3	17.7
611	9.2	25.3
701	35.3	19.3
702	28.1	17.4
703	29.5	17.5
704	28.3	14.2
705	39.8	19.0
706	35.6	23.6
707	31.1	15.9
708	33.2	25.0
709	36.3	22.5
710	38.4	18.5
711	9.3	25.1
801	19.2	23.5
802	13.6	18.1
803	13.7	19.3
804	30.7	17.4
805	12.8	17.6
901	15.6	19.2
902	29.0	17.0
903	30.4	17.2
904	31.5	15.7
905	33.4	19.4
906	39.9	16.6
907	37.4	24.9
908	10.7	24.6

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
1001	17.0	17.2
1002	31.2	15.5
1003	32.9	17.7
1004	33.2	14.0
1005	32.0	18.4
1006	35.1	15.6
1007	26.4	24.6
1008	11.4	23.6
1101	17.3	16.9
1102	31.5	15.4
1103	33.2	17.4
1104	33.5	13.9
1105	32.3	18.1
1106	35.4	15.4
1107	26.6	24.2
1108	11.7	23.3
1201	17.4	16.7
1202	31.7	15.6
1203	33.4	16.9
1204	33.6	13.8
1205	32.5	18.4
1206	35.6	15.2
1207	26.8	24.1
1208	11.8	23.2
1301	17.6	16.6
1302	32.1	15.3
1303	33.8	16.6

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
1304	33.9	13.8
1305	32.8	18.1
1306	35.8	15.1
1307	27.0	23.8
1308	12.0	23.5
1401	17.7	16.5
1402	32.3	15.3
1403	34.0	16.7
1404	34.1	13.8
1405	33.0	18.0
1406	35.9	15.1
1407	27.1	23.4
1408	12.2	23.1
1502	32.5	15.1
1503	34.2	16.7
1504	34.2	13.9
1505	33.1	18.0
1506	36.1	15.0
1507	27.3	23.3
1508	12.3	23.1
1602	32.7	15.0
1603	36.4	16.6
1604	34.3	13.9
1605	33.3	17.9
1606	36.2	15.0
1607	27.3	22.8
1608	12.5	23.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
1701	18.1	16.5
1702	32.8	15.2
1703	34.5	16.5
1704	34.5	13.9
1705	33.4	17.6
1706	36.3	14.9
1707	27.4	22.6
1708	12.5	23.0
1801	18.2	16.4
1802	33.0	15.0
1803	34.7	16.8
1804	34.6	13.9
1805	33.6	17.8
1806	36.4	14.4
1807	27.6	22.5
1808	12.7	22.7
1901	18.3	16.4
1902	33.1	14.8
1903	34.9	16.9
1904	34.7	13.8
1905	33.7	17.5
1906	36.5	13.9
1907	27.7	22.6
1908	12.8	22.7
2001	22.2	17.1
2002	36.8	15.0
2003	38.2	16.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)
2004	34.8	13.7
2005	33.9	17.4
2006	36.6	14.3
2007	27.8	22.5
2008	15.6	23.3
2101	16.5	17.9
2102	15.8	17.5
2103	20.6	12.5
2104	34.0	17.6
2105	36.7	14.2
2106	22.8	24.6
2201	11.6	17.7
2202	10.1	17.8
2203	18.4	12.5
2204	34.1	17.5
2205	36.8	14.1
2206	19.4	24.4
2301	11.7	17.7
2302	10.2	17.5
2303	18.5	12.4
2304	34.3	17.5
2305	36.9	14.0
2306	19.5	24.7
2401	17.3	19.9
2402	15.1	16.4
2403	24.5	11.9
2404	38.6	18.3

	Thermal loads	
Dwelling no.	Area adjusted heating load (in mJ/m ² /yr)	Area adjusted cooling load (in mJ/m ² /yr)
2405	39.4	20.8
2406	35.0	26.0
All other dwellings	17.8	16.6

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✓	✓
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✓	✓	✓
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✓	✓	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✓	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✓	✓
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✓	✓

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✓	✓
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✓	✓
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✓	✓	✓

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/BMS
Lift car (No.1)	-	-	light-emitting diode	connected to lift call button	No
Lift car (No.2)	-	-	light-emitting diode	connected to lift call button	No
Lift car (No.3)	-	-	light-emitting diode	connected to lift call button	No
Switch room (No. 1)	ventilation supply only	none ie. continuous	light-emitting diode	manual on / manual off	No
Garbage room (No. 1)	ventilation exhaust only	-	light-emitting diode	motion sensors	No
Community room (No. 1)	air conditioning system	time clock or BMS controlled	light-emitting diode	manual on / manual off	No
Plant or service room (No. 1)	ventilation supply only	thermostatically controlled	light-emitting diode	manual on / manual off	No
Ground floor lobby (Serviced apts)	ventilation (supply + exhaust)	time clock or BMS controlled	light-emitting diode	time clock and motion sensors	No
Ground floor lobby (Resi)	ventilation (supply + exhaust)	time clock or BMS controlled	light-emitting diode	time clock and motion sensors	No
Hallway/lobby type (Serviced apts)	ventilation (supply + exhaust)	time clock or BMS controlled	light-emitting diode	time clock and motion sensors	No
Hallway/lobby type (Resi)	ventilation (supply + exhaust)	time clock or BMS controlled	light-emitting diode	time clock and motion sensors	No

Central energy systems	Type	Specification
Central hot water system (No. 1)	gas-fired boiler	Piping insulation (ringmain & supply risers): (b) Piping internal to building: R0.6 (~25 mm)
Lift (No. 1)	gearless traction with V V V F motor	Number of levels (including basement): 24
Lift (No. 2)	gearless traction with V V V F motor	Number of levels (including basement): 24
Lift (No. 3)	gearless traction with V V V F motor	Number of levels (including basement): 24

4. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✓	✓
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✓	✓	✓
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✓	✓	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✓	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✓	✓
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✓	✓

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✓	✓
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✓	✓
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✓	✓	✓

Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

1. Commitments identified with a "✓" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✓" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✓" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).