

CONDITIONS OF APPROVAL

Application Number:	DA2022/2081
Land to be developed (Address):	Lot 2742 DP 752038, 292 Condamine Street NORTH MANLY NSW 2100
Proposed Development:	Demolition works and construction of a golf club house and associated facilities

Terms and Reasons for Conditions

Under section 88(1)(c) of the EP&A Regulation, the consent authority must provide the terms of all conditions and reasons for imposing the conditions other than the conditions prescribed under section 4.17(11) of the EP&A Act. The terms of the conditions and reasons are set out below.

GENERAL CONDITIONS

1. Approved Plans and Supporting Documentation

Development must be carried out in accordance with the following approved plans (stamped by Council) and supporting documentation, except where the conditions of this consent expressly require otherwise.

Approved Plans				
Plan Number	Revision Number	Plan Title	Drawn By	Date of Plan
GA2020-023-001	12	Title page	Group Architects	25/08/2023
GA2020-023-D01	12	Demolition Plan	Group Architects	25/08/2023
GA2020-023-101a	12	Site plan	Group Architects	25/08/2023
GA2020-023-102	12	Ground floor plan	Group Architects	25/08/2023
GA2020-023-103	12	First floor plan	Group Architects	25/08/2023
GA2020-023-104	12	Roof plan	Group Architects	25/08/2023
GA2020-006-200	12	South and East Elevations	Group Architects	25/08/2023
GA2020-023-201	12	North, West, South-West Elevations	Group Architects	25/08/2023
GA2020-006-300	12	Sections 1,2,3	Group Architects	25/08/2023
L-01 of 9	E	Landscape Design Location Plan	Sernescapes Landscape Designs	29/08/2023

L-02 of 9	E	Landscape Design Site Plan/ Scope of Works	Sernescapes Landscape Designs	29/08/2023
L-03 of 9	E	Landscape Design Existing Tree Management Plan	Sernescapes Landscape Designs	29/08/2023
L-04 of 9	E	Landscape Design Zone A- Planting Plan	Sernescapes Landscape Designs	29/08/2023
L-05 of 9	E	Landscape Design Zone B- Planting Plan	Sernescapes Landscape Designs	29/08/2023
L-06 of 9	E	Landscape Design Zone C- Planting Plan	Sernescapes Landscape Designs	29/08/2023
L-07 of 9	E	Landscape Design Zone D- Planting Plan	Sernescapes Landscape Designs	29/08/2023
L-08 of 9	E	Landscape Design Zone E- Planting Plan	Sernescapes Landscape Designs	29/08/2023
L-09 of 9	E	Landscape Design Zone E- Planting Plan	Sernescapes Landscape Designs	29/08/2023
DR-000	1	Legend	Stellen Consulting	21/10/2022
DR-001	3	Pipe Layout & Catchment Plan	Stellen Consulting	25/09/2023
DR-002	1	Roof layout	Stellen Consulting	21/10/2023
DR-003	1	Details	Stellen Consulting	21/10/2023
SD-001	0	Sediment & Erosion Control Plan	Stellen Consulting	21/10/2023
LT-200	0	As Noted	Stellen Consulting	25/09/2023

Approved Reports and Documentation			
Document Title	Version Number	Prepared By	Date of Document
Warringah Golf Club- Plan of Management	--	Not stated	August 2023
Arboricultural Impact Assessment	-	Liam Strachan	14 June 2023
Waste Management Plan	1.3	Auswide Consulting	July 2023
Acid Sulphate Management Plan	-	Idealgeotech	11/2022
DA Acoustic Assessment Report	1	Acoustic Logic	12/10/2022
BCA & Access Compliance Report	Final	DPC	07/02/2023
Flood Management Report	-	Stellan Civil Engineering	09/11/2022
Preliminary Site Investigation	-	Neo Consulting	01/02/2023

In the event of any inconsistency between the approved plans, reports and documentation, the approved plans prevail.

In the event of any inconsistency with the approved plans and a condition of this consent, the condition prevails.

Reason: To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

2. Compliance with Other Department, Authority or Service Requirements

The development must be carried out in compliance with all recommendations and requirements, excluding general advice, within the following:

Other Department, Authority or Service	EDMS Reference	Dated
Ausgrid	Ausgrid Referral Response	N/A
Department of Planning and Environment	IDAS-2023-10149	1 May 2023

(NOTE: For a copy of the above referenced document/s, please see Application Tracking on Council's website www.northernbeaches.nsw.gov.au)

Reason: To ensure the work is carried out in accordance with the determination and the statutory requirements of other departments, authorities or bodies.

3. Approved Land Use

This consent shall authorise the use of site for the purpose of a *recreational facility (outdoor)*, in accordance with the Dictionary of the recreational facility (outdoor), Warringah Local Environmental Plan 2011, as follows:

means a building or place (other than a recreation area) used predominantly for outdoor recreation, whether or not operated for the purposes of gain, including a golf course, golf driving range, mini-golf centre, tennis court, paint-ball centre, lawn bowling green, outdoor swimming pool, equestrian centre, skate board ramp, go-kart track, rifle range, water-ski centre or any other building or place of a like character used for outdoor recreation (including any ancillary buildings), but does not include an entertainment facility or a recreation facility (major).

This consent authorises the use of the club house building for ancillary uses detailed on the approved plans comprising pro-shop/workshop, administration area, foyer, amenities, back of house and meeting rooms as depicted on ground floor drawing GA2020-023-102 (revision 12), drawn by Group Architects, dated 25/08/2023 and listed at condition 1.

No approval is granted at this time for use of the clubhouse building as a 'registered club' as defined in the Warringah Local Environmental Plan 2011. Any such use shall require approval via a separate development consent.

Any variation to the approved land use beyond the scope of the above definition will require the submission to Council of a new development application.

Reason: To ensure compliance with the terms of this consent.

4. Prescribed Conditions

- (a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).
- (b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);
 - (i) A sign must be erected in a prominent position on any site on which building

work, subdivision work or demolition work is being carried out showing the name, address and telephone number of the Principal Certifier for the work, and

- (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
- (iii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

- (c) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifier for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
 - (i) in the case of work for which a principal contractor is required to be appointed:
 - A. the name and licence number of the principal contractor, and
 - B. the name of the insurer by which the work is insured under Part 6 of that Act,
 - (ii) in the case of work to be done by an owner-builder:
 - A. the name of the owner-builder, and
 - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifier for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

- (d) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
 - (i) protect and support the adjoining premises from possible damage from the excavation, and
 - (ii) where necessary, underpin the adjoining premises to prevent any such damage.
 - (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
 - (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative requirement.

5. General Requirements

- (a) Unless authorised by Council:
 - Building construction and delivery of material hours are restricted to:
 - 7.00 am to 5.00 pm inclusive Monday to Friday,
 - 8.00 am to 1.00 pm inclusive on Saturday,
 - No work on Sundays and Public Holidays.

Demolition and excavation works are restricted to:

- 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

- (b) Should any asbestos be uncovered on site, its demolition and removal must be carried out in accordance with WorkCover requirements and the relevant Australian Standards.
- (c) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of an Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.
- (d) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.
- (e) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.
- (f) Prior to the release of the Construction Certificate, payment of the following is required:
 - i) Long Service Levy - Payment should be made to Service NSW (online or in person) or alternatively to Northern Beaches Council in person at a Customer Service Centre. Payment is not required where the value of the works is less than \$250,000. The Long Service Levy is calculated on 0.25% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.
 - ii) Section 7.11 or Section 7.12 Contributions Plan – Payment must be made to Northern Beaches Council. Where the subject land to which the development is proposed is subject to either a Section 7.11 or 7.12 Contributions Plan, any contribution to which the development is liable under the respective plan that applies is to be paid to Council. The outstanding contribution will be indexed at time of payment in accordance with the relevant Contributions Plan.
- (g) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.
- (h) No skip bins, building materials, demolition or excavation waste of any nature, and no hoist, plant or machinery (crane, concrete pump or lift) shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.
- (i) Demolition materials and builders' wastes are to be removed to approved waste/recycling centres.
- (j) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.), on the land to be developed, or within adjoining properties, shall be removed or damaged during excavation or construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.
- (k) Prior to the commencement of any development onsite for:
 - i) Building/s that are to be erected
 - ii) Building/s that are situated in the immediate vicinity of a public place and is

dangerous to persons or property on or in the public place

- iii) Building/s that are to be demolished
- iv) For any work/s that is to be carried out
- v) For any work/s that is to be demolished

The person responsible for the development site is to erect or install on or around the development area such temporary structures or appliances (wholly within the development site) as are necessary to protect persons or property and to prevent unauthorised access to the site in order for the land or premises to be maintained in a safe or healthy condition. Upon completion of the development, such temporary structures or appliances are to be removed within 7 days.

- (l) A "Road Opening Permit" must be obtained from Council, and all appropriate charges paid, prior to commencement of any work on Council property. The owner/applicant shall be responsible for all public utilities and services in the area of the work, shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.
- (m) The works must comply with the relevant Ausgrid Network Standards and SafeWork NSW Codes of Practice.
- (n) Requirements for new swimming pools/spas or existing swimming pools/spas affected by building works.
 - (1) Child resistant fencing is to be provided to any swimming pool or lockable cover to any spa containing water and is to be consistent with the following;

Relevant legislative requirements and relevant Australian Standards (including but not limited) to:

- (i) Swimming Pools Act 1992
 - (ii) Swimming Pools Amendment Act 2009
 - (iii) Swimming Pools Regulation 2018
 - (iv) Australian Standard AS1926 Swimming Pool Safety
 - (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
 - (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools.
- (2) A 'KEEP WATCH' pool safety and aquatic based emergency sign, issued by Royal Life Saving is to be displayed in a prominent position within the pool/spa area.
 - (3) Filter backwash waters shall be conveyed to the Sydney Water sewerage system in sewered areas or managed on-site in unsewered areas in a manner that does not cause pollution, erosion or run off, is separate from the irrigation area for any wastewater system and is separate from any onsite stormwater management system.
 - (4) Swimming pools and spas must be registered with the Division of Local Government.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community.

6. **Staff and Contractor Parking**

The applicant is to make provision for parking for all construction staff and contractors for the duration of the project. All Staff and Contractors are to use the offstreet parking once available. All necessary facilities are to be provided to accommodate this requirement including lighting in the carpark, security cameras, etc.

Reason: To ensure minimum impact of construction activity on local parking amenity.

7. **Parking Enclosure**

No parking spaces, or access thereto, shall be constrained or enclosed by any form of structure such as fencing, cages, walls, storage space, or the like, without prior consent from Council.

Reason: To ensure accessibility is maintained.

FEES / CHARGES / CONTRIBUTIONS

8. **Policy Controls**

Northern Beaches Section 7.12 Contributions Plan 2022

A monetary contribution of \$79,500.00 is payable to Northern Beaches Council for the provision of local infrastructure and services pursuant to section 7.12 of the Environmental Planning & Assessment Act 1979 and the Northern Beaches Section 7.12 Contributions Plan (as amended).

The monetary contribution is based on a development cost of \$7,950,000.00.

The total amount payable will be adjusted at the time the payment is made, in accordance with the provisions of the Northern Beaches Section 7.12 Contributions Plan (as amended).

Details demonstrating compliance, by way of written receipts issued by Council, are to be submitted to the Certifier prior to issue of any Construction Certificate or, if relevant, the Subdivision Certificate (whichever occurs first).

A copy of the Contributions Plan is available for inspection at 725 Pittwater Road, Dee Why or on Council's website at Northern Beaches Council - Development Contributions.

Reason: To provide for contributions in accordance with the Contribution Plan to fund the provision of new or augmented local infrastructure and services.

9. **Security Bond**

A bond (determined from cost of works) of \$10,000 and an inspection fee in accordance with Council's Fees and Charges paid as security are required to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection).

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, and details demonstrating payment are to be submitted to the Certifier prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.northernbeaches.nsw.gov.au).

Reason: To ensure adequate protection of Council's infrastructure.

BUILDING WORK – BEFORE ISSUE OF A CONSTRUCTION CERTIFICATE

10. Amended Landscape Plan

a) An Amended Landscape Plan shall be issued to the Certifier prior to the issue of a Construction Certificate to include the following details:

- a) Provision of additional screen planting to the carpark located on the northern edge of the works. A minimum of 10 large shrubs such as *Callicoma serratifolia* are to be provided along the length of the carpark in the proposed planting beds.
- b) Certification shall be provided to the Certifier that these amendments have been documented.

Reason: Landscape amenity.

11. Flooding

In order to protect property and occupants from flood risk the following is required:

Flood Effects Caused by Development – A2

There is to be no filling of the land or any other reduction of the available flood storage which results in a net loss of storage below the 1% AEP flood level of 3.3m AHD.

Building Components and Structural Soundness – B1

All new development below the Flood Planning Level of 3.6m AHD shall be designed and constructed as flood compatible buildings in accordance with Reducing Vulnerability of Buildings to Flood Damage: Guidance on Building in Flood Prone Areas, Hawkesbury-Nepean Floodplain Management Steering Committee (2006).

Building Components and Structural Soundness – B2

All new development must be designed to ensure structural integrity up to the Probable Maximum Flood of 5.69m AHD, taking into account the forces of floodwater, wave action, flowing water with debris, buoyancy and immersion.

Building Components and Structural Soundness – B3

All new electrical equipment, power points, wiring, fuel lines, sewerage systems or any other service pipes and connections must be waterproofed and/or located above the Flood Planning Level. All existing electrical equipment and power points located below the Flood Planning Level 3.3m AHD must have residual current devices installed to cut electricity supply during flood events.

Floor Levels – C1

New floor levels within the development shall be set at or above the Flood Planning Level of 3.3m AHD.

Car parking – D4

Vehicle barriers or restraints are to be installed so as to prevent vehicles leaving the site. Protection must be provided for all events up to the 1% AEP flood event.

Perimeter walls/louvres installed as vehicle barriers or restraints are to be designed to allow flood waters to pass through and are to have a minimum of 50% open area from the natural ground level up to the 1% AEP flood level.

Fencing – F1

New fencing (including pool fencing, boundary fencing, balcony balustrades and accessway balustrades) shall be open to allow for the unimpeded movement of flood waters. It must be designed with a minimum of 50% open area from the natural ground level up to the 1% AEP flood level 3.3m AHD. Openings should be a minimum of 75mm x 75mm.

Storage of Goods – G1

Storage areas for hazardous or potentially polluting materials shall not be located below the Flood Planning Level of 3.6m AHD unless adequately protected from floodwaters in accordance with industry standards.

Details demonstrating compliance are to be submitted to the Certifier prior to the issue of the Construction Certificate.

Reason: To reduce the impact of flooding and flood liability on owners and occupiers of flood-prone property and reduce public and private losses in accordance with Council and NSW Government policy.

12. Emergency control and evacuation plan

An emergency control and evacuation plan which complies with the Australian Standard, Emergency Control Organisation and Procedures for Buildings, Structures and Workplace, AS:3745:2002 should be prepared and maintained by your development to assist management and staff in the event of an emergency. This standard sets out the requirements for the development of procedures for the controlled evacuation of the building, structures and workplaces during emergencies. Further information in relation to planning for emergencies can be obtained from Emergency NSW <http://www.emergency.nsw.gov.au> or Emergency Management Australia <http://www.ema.gov.au>

The plan is to be certified by the Certifier prior to issue of the Construction Certificate.

Reason: Public Safety

13. Compliance with Ecologist's Recommendations – Pre-construction

All pre-construction biodiversity-related measures specified in Table 14 of the Flora and Fauna Assessment Report and Waterway Impact Statement (Narla Environmental dated 31 August 2023) and these conditions of consent are to be implemented at the appropriate stage of the development. Compliance with pre-construction measures are to be certified by the Project Ecologist and provided to the Certifier prior to issue of the Construction Certificate.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures.

14. No Clearing of Vegetation

Unless otherwise exempt, no vegetation is to be cleared prior to issue of a Construction Certificate.

Details demonstrating compliance are to be submitted to the Certifier prior to issue of Construction Certificate.

Reason: To protect native vegetation.

15. Plans of Kitchen Design, construction and fit out

Prior to any Construction Certificate (CC) being issued, detailed plans that demonstrate compliance with Standard 3.2.3 of the Australian and New Zealand Food Standards Code, the Food Act 2003 and Australian Standard AS 4674 'Design, construction and fit out of food premises', must be submitted to and approved by the Certifying Authority. These plans are to be prepared by a suitably qualified person.

The plans must detail adequate provision for storage including separate storage of food, equipment, chemicals and personal belongings.

Reason: To ensure that the Food premise complies with the design construction and fit-out requirements.

16. **Vegetation Management Plan**

Prior to issue of the any Construction Certificate, a Vegetation Management Plan must be prepared to the satisfaction of Manager Bushland and Biodiversity of Northern Beaches Council and submitted to the Certifier. The Plan should be prepared with reference to the Biodiversity Requirements for Development Applications Guideline 3: Biodiversity Management Plans (BMPs) available on Council's website, as well as other current best practice industry standards for VMPs. The Vegetation Management Plan may form part of a Construction Environmental Management Plan.

Reason: To protect native vegetation and wildlife in accordance with relevant Natural Environment LEP/DCP controls.

17. **On-Site Stormwater Disposal Details**

The Applicant is to provide a certification of drainage plans detailing the provision of on-site stormwater disposal in accordance with Northern Beaches Council's Water Management for Development Policy, and generally in accordance with the concept drainage plans prepared by Stellen Consulting, drawing number DR -001, DR-002, DR-003, dated 28/8/2023. Detailed drainage plans are to be prepared by a suitably qualified Civil Engineer, who has membership to Engineers Australia, National Engineers Register (NER) or Professionals Australia (RPENG) and registered in the General Area of Practice for civil engineering.

Detailed drainage plans, including engineering certification, are to be submitted to the Certifier for approval prior to the issue of the Construction Certificate.

Reason: To ensure appropriate provision for the disposal of stormwater and stormwater management arising from the development.

18. **Design of Stormwater Outlet Structure to Creek**

Stormwater outlet structures to the creek must be designed in accordance with DPE Water's Guidelines for Outlet Structures on Waterfront land.

No mortar is to be used on the outlet. Rocks must be placed using an interlocking system with varying rock sizes. Rock size should range from 80-300mm and be placed to 300mm deep (with a keystone downslope) according to the following specifications:

Dmin	20mm
=	
D10	80mm (i.e. only 10% smaller than 80mm)
=	
D50	150mm
=	
D90	300mm
=	

The surface should be a textured finish to break up and dissipate sheet flows.

This design is to be submitted to the Certifier prior to the release of the Construction Certificate.

Reason: To protect the surrounding creek bank from the effects of localised erosion. Vehicular Swept Paths

Vehicular manoeuvring paths must be provided to demonstrate that the B85 vehicles can enter or depart from the last two (2) parking spaces by no more than a 3 point turn without encroaching on adjacent loading dock area. The drawings must be compliant with Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking.

Details demonstrating compliance with this condition must be submitted to the Certifier prior to the issue of the construction Certificate.

Reason: To ensure compliance with Australian Standards relating to manoeuvring, access and parking of vehicles.

19. **Construction Traffic Management Plan**

As a result of the site constraints, limited vehicle access and parking, a Construction Traffic Management Plan (CTMP) and report shall be prepared by a TfNSW accredited person and submitted to and approved by the Northern Beaches Council Traffic Team prior to issue of any Construction Certificate.

Due to heavy traffic congestion Kentwell Road, truck movements will be restricted during the major commuter peak times being 8.00-9.30am and 4.30-6.00pm. Truck movements must be agreed with Council's Traffic Engineer prior to submission of the CTMP.

The CTMP must address following:

- The proposed phases of construction works on the site, and the expected duration of each construction phase
- The proposed order in which works on the site will be undertaken, and the method statements on how various stages of construction will be undertaken
- Make provision for all construction materials to be stored on site, at all times
- The proposed areas within the site to be used for the storage of excavated materials, construction materials and waste containers during the construction period
- The proposed method of access to and egress from the site for construction vehicles, including access routes and truck routes through the Council area and the location and type of temporary vehicular crossing for the purpose of minimising traffic congestion and noise in the area, with no access across public parks or reserves being allowed
- The proposed method of loading and unloading excavation and construction machinery, excavation and building materials, formwork and the erection of any part of the structure within the site. Wherever possible mobile cranes should be located wholly within the site
- Make provision for parking onsite. All Staff and Contractors are to use the basement parking once available
- Temporary truck standing/ queuing locations in a public roadway/ domain in the vicinity of the site are not permitted unless approved by Council prior
- Include a Traffic Control Plan prepared by a person with suitable RMS accreditation for any activities involving the management of vehicle and pedestrian safety
- The proposed manner in which adjoining property owners will be kept advised of the timeframes for completion of each phase of development/construction process. It must

- also specify that a minimum Fourteen (14) days notification must be provided to adjoining property owners prior to the implementation of any temporary traffic control measure
- Include a site plan showing the location of any site sheds, location of requested Work Zones, anticipated use of cranes and concrete pumps, structures proposed on the footpath areas (hoardings, scaffolding or shoring) and any tree protection zones around Council street trees
 - Take into consideration the combined construction activities of other development in the surrounding area. To this end, the consultant preparing the CTMP must engage and consult with developers undertaking major development works within a 250m radius of the subject site to ensure that appropriate measures are in place to prevent the combined impact of construction activities, such as (but not limited to) concrete pours, crane lifts and dump truck routes. These communications must be documented and submitted to Council prior to work commencing on site
 - The proposed method/device to remove loose material from all vehicles and/or machinery before entering the road reserve, any run-off from the washing down of vehicles shall be directed to the sediment control system within the site
 - Specify that the roadway (including footpath) must be kept in a serviceable condition for the duration of construction. At the direction of Council, undertake remedial treatments such as patching at no cost to Council
 - The proposed method of support to any excavation adjacent to adjoining properties, or the road reserve. The proposed method of support is to be designed and certified by an appropriately qualified and practising Structural Engineer, or equivalent
 - Proposed protection for Council and adjoining properties
 - The location and operation of any on site crane

The CTMP shall be prepared in accordance with relevant sections of Australian Standard 1742 – “Manual of Uniform Traffic Control Devices”, RMS’ Manual – “Traffic Control at Work Sites”.

All fees and charges associated with the review of this plan is to be in accordance with Council’s Schedule of Fees and Charges and are to be paid at the time that the Construction Traffic Management Plan is submitted.

Reason: To ensure public safety and minimise any impacts to the adjoining pedestrian and vehicular traffic systems.

20. **Vehicle Access & Parking**

All internal driveways, vehicle turning areas, garages and vehicle parking space/ loading bay dimensions must be designed and constructed to comply with the relevant section of AS 2890 (Off-street Parking standards).

With respect to this, the following revision(s) must be undertaken:

- Dimensioned plans to be submitted for the parking area including the driveway width to confirm that parking bays and the driveway are appropriately sized.
- A minimum of two (2) bicycle parking spaces and one (1) motorcycle parking space should be provided on the Architectural Plans to promote sustainable transport mode options for journeys to and from the site.

These amendment(s) must be clearly marked on the plans submitted to the Certifier prior to the issue of a Construction Certificate.

Reason: To ensure compliance with Australian Standards relating to manoeuvring, access and parking of vehicle. Further, to ensure compliance with Council’s DCP and adequate provision for

active travel to/from the site.

21. Building Code of Australia Fire Safety Requirements

The Building Code of Australia fire safety requirements for the building as detailed and recommended in the BCA and Access Compliance Report prepared by DPC, dated 7/2/2023, Final Rev. is to be considered as part of the assessment for any Construction Certificate. Details demonstrating compliance are to be provided to the Certifying Authority, prior to the issue of a Construction Certificate.

Reason: To ensure adequate provision is made for Health, Amenity, access and Fire safety for building occupant health and safety.

22. Engagement of Project Ecologist

A Project Ecologist is to be employed for the duration of the approved works to ensure all biodiversity protection measures are carried out in accordance with Flora and Fauna Assessment Report and Waterway Impact Statement, prepared by Narla Environmental, dated September 2023 (reference).

The Project Ecologist must have one of the following memberships / accreditation:

Practising member of the NSW Ecological Consultants Association

(<https://www.ecansw.org.au/find-a-consultant/>) OR

- Biodiversity Assessment Method Accredited Assessor under the relevant legislation (<https://customer.lmbc.nsw.gov.au/assessment/AccreditedAssessor>)

Evidence of engagement of the Project Ecologist is to be provided to the Certifier prior to issue of Construction Certificate.

Reason: To protect native vegetation and wildlife.

23. Stormwater Management

Stormwater shall be disposed of in accordance with Council's Policy. The stormwater management plan is to be implemented to ensure that there is no increase in stormwater pollutant loads arising from the approved development. Details demonstrating compliance are to be submitted to the Certifier for approval prior to issue of the Construction Certificate.

Reason: To make appropriate provision for stormwater management and disposal arising from development, ensuring that the proposed works do not negatively impact receiving waters.

24. Compliance with Standards

The development is required to be carried out in accordance with all relevant Australian Standards.

Details demonstrating compliance with the relevant Australian Standard are to be submitted to the Certifier prior to the issue of the Construction Certificate.

Reason: To ensure the development is constructed in accordance with appropriate standards.

25. Sydney Water "Tap In"

The approved plans must be submitted to the Sydney Water Tap in service, prior to works commencing, to determine whether the development will affect any Sydney Water assets and/or easements. The appropriately stamped plans must then be submitted to the Certifier demonstrating the works are in compliance with Sydney Water requirements.

Please refer to the website www.sydneywater.com.au for:

- "Tap in" details - see <http://www.sydneywater.com.au/tapin>
- Guidelines for Building Over/Adjacent to Sydney Water Assets.

Or telephone 13 000 TAP IN (1300 082 746).

Reason: To ensure compliance with the statutory requirements of Sydney Water.

26. Waste and Recycling Requirements

Details demonstrating compliance with Northern Beaches Waste Management Guidelines, are to be submitted to and approved by the Certifier prior to the issue of any Construction Certificate.

If the proposal, when compliant with the Northern Beaches Waste Management Guidelines, causes inconsistencies with other parts of the approval i.e. architectural or landscaped plans, a modification(s) to the development may be required.

Reason: To ensure adequate and appropriate waste and recycling facilities are provided.

27. Temporary construction driveway

A 4m wide temporary construction driveway is to be established utilising the existing eastern vehicle crossover on the Kentwell Street frontage of the site.

The temporary driveway is to utilise the existing bitumen surface adjacent to the southern and eastern boundaries, and then extend through the grassed portion at the north-west termination point of the bitumen carpark, and over part of the hardstand futsal and tennis courts terminating at the approved clubhouse building footprint and carpark.

The temporary construction driveway is to be constructed at or above existing ground levels to avoid severance of tree roots.

The temporary construction driveway shall be provided prior to commencement of any work on the site and shall be maintained throughout the duration of construction works.

Reason: To enable construction sequencing of the clubhouse and the future Warringah Recreation Centre carpark and to minimise disturbance to trees and reduce or prevent the transport of sediment from the construction site onto public roads.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

28. Project Arborist

a) A Project Arborist, with minimum AQF Level 5 in arboriculture, shall be engaged to provide tree protection measures in accordance with the Arboricultural Impact Assessment dated 14.06.23 prepared by Abnoba Arbor and Australian Standard 4970-2009 Protection of Trees on Development Sites. The Project Arborist is to specify and oversee all tree protection measures such as tree protection fencing, trunk and branch protection and ground protection.

b) The Project Arborist is to supervise all demolition, excavation and construction works near all trees to be retained including construction methods near the existing trees to protect tree roots, trunks, branches and canopy. Where required, manual excavation is to occur ensuring no tree root at or >25mm (Ø) is damaged by works unless approved by the Project Arborist.

c) Existing ground levels shall be maintained within the tree protection zone of trees to be retained unless authorised by the Project Arborist.

d) All tree protection measures specified must:

- i) be in place before work commences on the site, and
- ii) be maintained in good condition during the construction period, and
- iii) remain in place for the duration of the construction works.

e) The Project Arborist shall provide certification to the Principal Certifier that all recommendations listed for the protection of the existing trees have been carried out satisfactorily to ensure no impact to the health of the trees. Photographic documentation of the condition of all trees to be retained shall be recorded including at commencement, during the works and at completion.

- Note:
- i) A separate permit or development consent may be required if the branches or roots of a protected tree on the site or on an adjoining site are required to be pruned or removed.
 - ii) Any potential impact to trees as assessed by the Project Arborist will require redesign of any approved component to ensure existing trees upon the subject site and adjoining properties are preserved and shall be the subject of a modification application where applicable.

Reason: Tree protection.

29. **Tree Removal Within the Property**

This consent approves the removal of the following trees within the property as numbered in the Arboricultural Impact Assessment dated 14.06.23 prepared by Abnoba Arbor:

- Trees numbered 4 through to 42 inclusive.

Reason: To enable authorised building works.

30. **Work Zones and Permits**

Prior to commencement of the associated works, the applicant shall obtain a Work Zone Permit where it is proposed to reserve an area of road pavement for the parking of vehicles associated with a construction site.

A separate application is required with a Traffic Management Plan for standing of construction vehicles in a trafficable lane and a Roads and Maritime Services Work Zone Permit shall be obtained for State Roads.

Reason: To ensure Work zones are monitored and installed correctly.

31. **Road Occupancy Licence**

Prior to commencement of the associated works, the applicant shall obtain a Road Occupancy License from Transport Management Centre for any works that may impact on traffic flows on Condamine Street, Pittwater Road or the operation of the signalised intersections of Kentwell Road with these two streets.

Reason: Requirement of TMC for any works that impact on traffic flow.

32. **Installation and Maintenance of Sediment and Erosion Control**

Sediment and erosion controls must be installed in accordance with Landcom's 'Managing Urban Stormwater: Soils and Construction' (2004). Techniques used for erosion and sediment control on site are to be adequately maintained and monitored at all times, particularly after periods of rain, and shall remain in proper operation until all development activities have been completed and the site is sufficiently stabilised with vegetation.

Reason: To protect the surrounding environment and receiving waters from the effects of sedimentation and erosion from the site

DURING BUILDING WORK

33. Requirement to notify about new Acid Sulfate Soils evidence

Any new information revealed during excavation works and further sampling and testing, that has the potential to alter previous conclusions about Acid Sulfate Soils shall be immediately notified to the Council and the Principal Certifier and a report be obtained from a suitably qualified person. Any recommendations provided by the report are to be complied with during works.

Reason: To protect the environment.

34. Site Contamination – Acid Sulfate Soils

All stockpiles of potentially contaminated soil must be stored in a secure area in a way that is not likely to cause pollution or be a public health risk.

All contaminated soil removed from the site must be disposed of at a waste facility that can lawfully receive that waste and must be done in accordance with all relevant Acts, Regulations and Guidelines.

Copies of all test results and disposal dockets must be retained by whom? for at least 3 years and be made available to authorised Council officers on request.

Note: The following Acts and Guidelines applied at the time of determination:

- i) Protection of the Environment Operations Act 1997;
- ii) Environment Protection Authority, Waste Classification Guidelines (2014);
- iii) Water Quality Australia, National Acid Sulfate Soils Guidance (2018); and
- iv) Acid Sulfate Soil Advisory Committee, Acid Sulfate Soil Manual (1998).

Reason: To protect environment and public health.

35. Protection of Sites of Significance

a) Should any Aboriginal Cultural Heritage items be uncovered during earthworks, works should cease in the area and the Aboriginal Heritage Office contacted to assess the finds.

b) Under Section 89a of the NPW Act should the objects be found to be Aboriginal, NSW Biodiversity and Conservation Division, Heritage NSW and the Metropolitan Local Aboriginal Land Council (MLALC) should be contacted.

Reason: Preservation of significant environmental features.

36. Tree and Vegetation Protection

a) Existing trees and vegetation shall be retained and protected including:

- i) all trees and vegetation within the site not approved for removal.
For clarity, the following trees as numbered in the Arboricultural Impact Assessment dated 14.06.23 prepared by Abnoba Arbor are to be retained: Trees Numbered 1, 2, 3 and 43 through to 114 inclusive,
- ii) all trees and vegetation located on adjoining properties,
- iii) all road reserve trees and vegetation.

b) Tree protection shall be undertaken as follows:

- i) tree protection shall be in accordance with the Arboricultural Impact Assessment dated 14.06.23 prepared by Abnoba Arbor and Australian Standard 4970-2009 Protection of Trees on Development Sites including the provision of temporary fencing to protect existing trees within 5 metres of development,
- ii) existing ground levels shall be maintained within the tree protection zone of trees

- to be retained unless authorised by the Project Arborist,
- iii) removal of existing tree roots at or >25mm (Ø) diameter is not permitted without consultation with the Project Arborist,
 - iv) no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
 - v) structures are to bridge tree roots at or >25mm (Ø) diameter unless directed by the Project Arborist on site,
 - vi) excavation for stormwater lines and all other utility services is not permitted within the tree protection zone without consultation with the Project Arborist including advice on root protection measures,
 - vii) should either or all of v), vi) and vii) occur during site establishment and construction works, the Project Arborist shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Principal Certifier,
 - viii) any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained during the construction works is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of Australian Standard 4970-2009 Protection of Trees on Development Sites,
 - ix) the activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites shall not occur within the tree protection zone of any tree on the lot or any tree on an adjoining site,
 - x) tree pruning from within the site to enable approved works shall not exceed 10% of any tree canopy and shall be in accordance with Australian Standard 4373-2007 Pruning of Amenity Trees,
 - xi) the tree protection measures specified in this clause must: i) be in place before work commences on the site, and ii) be maintained in good condition during the construction period, and iii) remain in place for the duration of the construction works.

The Principal Certifier must ensure that:

- c) The activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites do not occur within the tree protection zone of any tree and any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained on the site during the construction is undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of that standard.

Note: All street trees within the road verge and trees within private property are protected under Northern Beaches Council development control plans except where Council's written consent for removal has been obtained. The felling, lopping, topping, ringbarking or removal of any tree(s) is prohibited.

Reason: Tree and vegetation protection.

37. Condition of Trees

a) During the construction period the applicant is responsible for ensuring all existing trees required to be retained are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to or by seeking arboricultural advice from the Project Arborist during the works.

b) In this regard all protected trees shall not exhibit:

- i) a general decline in health and vigour,
- ii) damaged, crushed or dying roots due to poor pruning techniques,
- iii) more than 10% loss or dieback of roots, branches and foliage,
- iv) mechanical damage or bruising of bark and timber of roots, trunk and branches,
- v) yellowing of foliage or a thinning of the canopy untypical of its species,
- vi) an increase in the amount of deadwood not associated with normal growth,
- vii) an increase in kino or gum exudation,
- viii) inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition,
- ix) branch drop, torn branches and stripped bark not associated with natural climatic conditions.

c) Any mitigating measures and recommendations required by the Arborist are to be implemented.

d) The owner of the adjoining allotment of land is not liable for the cost of work carried out for the purpose of this clause.

Reason: Protection of trees.

38. **Compliance with Ecologist's Recommendations – During Construction**

All biodiversity-related measures are to be implemented during construction in accordance with with Table 14 of the Flora and Fauna Assessment Report and Waterway Impact Statement (Narla Environmental dated 31 August 2023).

Compliance with these measures is to be certified by the Project Ecologist in writing to the Principal Certifier.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures.

39. **Dead or Injured Wildlife**

If construction activity associated with this development results in injury or death of a native mammal, bird, reptile or amphibian, a registered wildlife rescue and rehabilitation organisation must be contacted for advice.

Reason: To protect native wildlife.

40. **Protection of Habitat Features**

All natural landscape features, including any rock outcrops, native vegetation and/or watercourses, are to remain undisturbed during the construction works, except where affected by necessary works detailed on approved plans.

Reason: To protect wildlife habitat.

41. **Relocation of Logs and Coarse Woody Debris – Certified by Ecologist**

All logs and branches are to be salvaged from cleared trees and reused as fauna habitat within areas of retained native vegetation on the site.

Reason: To protect wildlife habitat.

42. **Installation and Maintenance of Sediment and Erosion Controls**

Council proactively regulates construction sites for sediment management.

Sediment and erosion controls must be installed in accordance with Landcom's 'Managing Urban Stormwater: Soils and Construction' (2004) and the Erosion and Sediment Control Plan prepared by Erosion and Sediment Control Plan prepared by Stellen Consulting, dated 21/10/2022 prior to commencement of any other works on site.

Erosion and sediment controls are to be adequately maintained and monitored at all times, particularly after periods of rain, and shall remain in proper operation until all development activities have been completed and vegetation cover has been re-established across 70 percent of the site, and the remaining areas have been stabilised with ongoing measures such as jute mesh or matting.

Reason: Protection of the receiving environment.

43. **Implementation of Construction Traffic Management Plan**

All works and construction activities are to be undertaken in accordance with the approved Construction Traffic Management Plan (CTMP). All controls in the CTMP must be maintained at all times and all traffic management control must be undertaken by personnel having appropriate TfNSW accreditation. Should the implementation or effectiveness of the CTMP be impacted by surrounding major development not encompassed in the approved CTMP, the CTMP measures and controls are to be revised accordingly and submitted to Council for approval. A copy of the approved CTMP is to be kept onsite at all times and made available to Council on request.

Reason: To ensure compliance of the developer/builder in adhering to the Construction Traffic Management procedures agreed and are held liable to the conditions of consent.

44. **Ongoing Management**

The applicant shall be responsible in ensuring that the road reserve remains in a serviceable state during the course of the demolition and building works.

Reason: To ensure public safety.

45. **Geotechnical Requirements**

All recommendations (if any) included in the Geotechnical Report referenced in Condition 1 of this consent are required to be complied with during works.

Reason: To ensure geotechnical risk is mitigated appropriately.

46. **Survey Certificate**

A survey certificate prepared by a Registered Surveyor at the following stages of construction:

- (a) Commencement of perimeter walls columns and or other structural elements to ensure the wall or structure, to boundary setbacks are in accordance with the approved details.
- (b) At ground level to ensure the finished floor levels are in accordance with the approved levels, prior to concrete slab being poured/flooring being laid.
- (c) At completion of the roof frame confirming the finished roof/ridge height is in accordance with levels indicated on the approved plans.

Details demonstrating compliance are to be submitted to the Principal Certifier.

Reason: To determine the height of buildings under construction comply with levels shown on approved plans.

47. **Potential Contamination -Management**

The requirements of the Preliminary Site Investigation by NEO Consulting (N6898) are to be fully implemented from commencement of any excavation, demolition or development works including :

- The demolition of structures and excavation activity on site be undertaken in accordance with relevant Australian Standards, SafeWork NSW codes of practice and any other applicable requirements;
- Any soils requiring excavation, onsite reuse and/or removal must be classified in accordance with "Waste Classification Guidelines Part 1: Classifying Waste" NSW EPA (2014); and
- A site specific 'Unexpected Finds Protocol' is to be made available for reference for all occupants and/or site workers in the event unanticipated contamination is discovered.

Additionally the principal Certifying Authority is to be notified and ensure that all contamination/contaminated soil is appropriately managed.

Reason: Protection of the environment, SEPP (Resilience and Hazards) 2021 compliance.

48. **Pollution Control**

All stockpiles, materials, waste and slurry associated with works (including excavated material) is to be contained at source within the construction area and enclosed in waterproof covering and/or sediment and erosion control while not in use. All waste and debris is to be removed off site and disposed of as frequently as required in accordance with applicable regulations.

Reason: To protect the surrounding environment, and ensure that pollutants and building associated waste do not leave the construction site.

49. **Waste/Recycling Requirements (Waste Plan Submitted)**

During demolition and/or construction the proposal/works shall be generally consistent with the submitted Waste Management Plan titled dated [INSERT].

Reason: To ensure waste is minimised and adequate and appropriate waste and recycling facilities are provided.

50. **Waste/Recycling Requirements (Materials)**

During demolition and/or construction the following materials are to be separated for recycling: timber, bricks, tiles, plasterboard, metal, concrete, and evidence of disposal for recycling is to be retained on site.

Reason: To ensure waste is minimised and recovered for recycling where possible.

BEFORE ISSUE OF THE OCCUPATION CERTIFICATE

51. **Acid Sulfate Soil Management Confirmation**

Details demonstrating compliance with the approved Acid Sulfate Soil Management Plan by Ideal Geotech dated November 2022 ref. no Job No: 60025A-IDF is to be submitted to the satisfaction of the principle certifier prior to the issue of the occupation certificate.

Reason: To ensure management of potential acid sulfate soils.

52. **Required Tree Planting**

a) Trees shall be planted in accordance with the following: All trees indicated on Landscape Plans Dwg Nos L-01 through to L-09 Revision E dated 29/08/2023 prepared by Serenscapes.

b) Details demonstrating compliance are to be submitted to the Principal Certifier prior to the issue of any Occupation Certificate.

Reason: To maintain environmental amenity.

53. **Landscape Completion**

Landscaping is to be implemented in accordance with the approved Landscape Plans.

Prior to the issue of any Occupation Certificate details from a qualified landscape architect or landscape designer shall be submitted to the Principal Certifier certifying that the landscape works have been completed in accordance with any conditions of consent.

Reason: Environmental amenity.

54. **Condition of Retained Vegetation - Project Arborist**

Prior to the issue of an Occupation Certificate a report prepared by the Project Arborist shall be submitted to the Principal Certifier assessing the health and impact on all existing trees required to be retained including the following information:

- a) compliance to any Arborist recommendations for tree protection generally and during excavation works,
- b) extent of damage sustained by vegetation as a result of the construction works,
- c) any subsequent remedial works required to ensure the long term retention of the vegetation.

Reason: Tree protection.

55. **Compliance with Ecologist's Recommendations – Post Construction**

All biodiversity-related measures are to be implemented at the appropriate stage of development in accordance with Table 14 of the Flora and Fauna Assessment Report and Waterway Impact Statement (Narla Environmental dated 31 August 2023).

Satisfactory establishment/initiation of post-construction measures is to be certified by the Project Ecologist and provided to the Principal Certifier prior to issue of any Occupation Certificate.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures.

56. **Protection of Habitat Features**

All natural landscape features, including any rock outcrops, native vegetation and/or watercourses, are to remain undisturbed except where affected by necessary works detailed on approved plans.

Details demonstrating compliance are to be provided to the Principal Certifier prior to issue of any Occupation Certificate.

Reason: To protect wildlife habitat.

57. **Relocation of Logs and Coarse Woody Debris – Certified by Ecologist**

All logs and branches are to be salvaged from cleared trees and reused as fauna habitat within areas of retained native vegetation on the site.

Details demonstrating compliance are to be certified by the Project Ecologist and provided to the Principal Certifier prior to issue of the Occupation Certificate.

Reason: To protect wildlife habitat.

58. No Weeds Imported On To The Site

No Priority or environmental weeds (as specified in the Northern Beaches Local Weed Management Plan 2019 – 2023) are to be imported on to the site prior to or during construction works.

Details demonstrating compliance are to be submitted to the Principal Certifier prior to issue of any Occupation Certificate.

Reason: To reduce the risk of site works contributing to spread of Priority and environmental weeds.

59. Priority Weed Removal and Management

All Priority weeds as specified in the Northern Beaches Local Weed Management Plan 2019 – 2023) within the development footprint are to be removed.

Details demonstrating compliance are to be submitted to the Principal Certifier prior to issue of any Occupation Certificate.

Reason: To reduce the risk of site works contributing to spread of Priority weeds.

60. Certification for the Installation of Stormwater Treatment Measures

A certificate from a Civil Engineer, who has membership to Engineers Australia and the National Engineers Register must be provided, stating that the stormwater treatment measures have been installed in accordance with the plans prepared by Stellen dated 25/9/23. The certificate must confirm that stormwater treatment measures are completed, online, in good condition and are not impacted by sediment. Vegetated measures must exhibit an 80 percent survival rate of plantings.

The certificate shall be submitted to the Principal Certifier prior to the release of an Occupation Certificate.

Reason: Protection of the receiving environment.

61. Works as Executed Drawings - Stormwater Treatment Measures

Works as Executed Drawings for the stormwater treatment measures must be prepared in accordance with Council's Guideline for Preparing Works as Executed Data for Council Stormwater Assets.

The drawings shall be submitted to the Principal Certifier prior to the release of the Occupation Certificate.

Reason: Protection of the receiving environment.

62. Positive Covenant and Restriction as to User for On-site Stormwater Disposal Structures

The Applicant shall lodge the Legal Documents Authorisation Application with the original completed request forms (NSW Land Registry standard forms 13PC and/or 13RPA) to Council and a copy of the Works-as-Executed plan (details overdrawn on a copy of the approved drainage plan), hydraulic engineers' certification.

The Applicant shall create on the Title a restriction on the use of land and a positive covenant in respect to the ongoing maintenance and restriction of the on-site stormwater disposal structures within this development consent. The terms of the positive covenant and restriction are to be prepared to Council's standard requirements at the applicant's expense and endorsed by Northern Beaches Council's delegate prior to lodgement with the NSW Land Registry Services.

Northern Beaches Council shall be nominated as the party to release, vary or modify such covenant. A copy of the certificate of title demonstrating the creation of the positive covenant and restriction for on-site storm water disposal as to user is to be submitted.

Details demonstrating compliance are to be submitted to the Principal Certifier prior to the issue of an Occupation Certificate.

Reason: To ensure the on-site stormwater disposal system is maintained to an appropriate operational standard.

63. **Outdoor lighting**

Prior to the issue of Occupation Certificate, the Principal Certifier must be satisfied that all outdoor lighting is designed and positioned to minimise any detrimental impact upon the amenity of other premises and adjacent dwellings and that the outdoor lighting complies with the relevant provisions of Australian Standard 1158.3:2005 Pedestrian area (Category P) lighting – Performance and design requirements and Australian Standard 4282:2019 Control of the obtrusive effects of outdoor lighting.

Reason: To protect public health and amenity.

64. **Garbage and Recycling Facilities**

All internal walls of the waste rooms shall be rendered to a smooth surface, coved at the floor/wall intersection, graded and appropriately drained to the sewer with a tap in close proximity to facilitate cleaning.

Waste room floors shall be graded and drained to an approved Sydney Water drainage system.

Waste rooms shall be clear of any other services or utilities infrastructure such as gas, electricity air-conditioning, plumbing, piping ducting or equipment.

Reason: To prevent pollution of the environment, provide a safe workplace for contractors and residents and to protect the amenity of the area.

65. **Waste and Recycling Facilities Certificate of Compliance**

The proposal shall be constructed in accordance with the Northern Beaches Waste Management Guidelines.

Details demonstrating compliance are to be submitted to the Principal Certifier prior to the issue of an Occupation Certificate.

Reason: To ensure waste and recycling facilities are provided.

66. **Waste/Recycling Compliance Documentation**

Evidence of disposal for recycling from the construction/demolition works shall be submitted to the Principal Certifier prior to the issue of an Occupation Certificate.

Reason: To ensure waste is minimised and recycled.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

67. **Landscape Maintenance**

a) If any landscape materials/components or planting under this consent fails, they are to be replaced with similar materials/components. Trees, shrubs and groundcovers required to be planted under this consent are to be mulched, watered and fertilised as required at the time of planting.

b) If any tree, shrub or groundcover required to be planted under this consent fails, they are to be replaced with similar species to maintain the landscape theme and be generally in accordance with the approved Landscape Plan and any conditions of consent.

Reason: To maintain local environmental amenity.

68. Compliance with Ecologist's Recommendations – Ongoing

All ongoing biodiversity-related measures are to be implemented in accordance with Table 14 of the Flora and Fauna Assessment Report and Waterway Impact Statement (Narla Environmental dated 31 August 2023) and these conditions of consent.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures.

69. Maintenance of Stormwater Treatment Measures - Minor

Stormwater treatment measures must be maintained at all times in accordance with manufacturer's specifications and as necessary to achieve the required stormwater quality targets for the development.

Northern Beaches Council reserves the right to enter the property and carry out appropriate maintenance of the device at the cost of the property owner.

Reason: Protection of the receiving environment.

70. Stormwater Pollution Control Pits

The Registered Proprietors of the property must maintain on a regular basis (every six months or after heavy rain events) stormwater pollution control pits, grated drains and inlet pits including the clearing of silt, debris and rubbish, in perpetuity. The Registered Proprietors must ensure the effective operation of pollution control pits to prevent pollution of receiving waters by stormwater generated onsite.

Reason: To ensure appropriate provision is made for the treatment and management of stormwater generated by the development for the protection and preservation of the aquatic habitats and biota within receiving waters.

71. Noise Management ongoing

Compliance with acoustic engineers recommendations (Acoustic Logics Project 20221047.1), including :

- Operating hours for the licensed premises, not to exceed 7 am to 10 pm, Monday to Sunday.
- Speakers, for the proposed bar are to be vibration isolated from the building structure.
- Maximum patrons to be 320 and distributed for each space as recommended.
- Music speakers within the internal spaces not to exceed spatially averaged sound pressure level of 75dB(A)L10.
- External disposal of bottles and waste including mechanical collection should be done prior to 10 pm and not before 7 am.
- Signage to be displayed at the entrance/ exit reminding patrons to minimise noise from departing premises,
- A complaint register to be maintained on site to monitor and act on any complaints.
- Staff managing people congregating in the carpark at night.

The Plan of Management being updated to include the above measures.

Reason: To minimise noise to neighbouring residential receivers.

72. Separate consent for signage

Development Consent must be obtained for any signs which are either externally fitted or applied, prior to the erection of any such signs. This does not apply to signs which are classified as being "Exempt Development".

Reason: To protect residential amenity.

73. CCTV footage on premises:

The Licensee shall maintain a CCTV system that meets the following minimum requirements:

1. A camera must be located at the main entrance to the venue and positioned to record any person entering through this entrance. The CCTV recordings of this camera must be sufficient to enable an individual to be identified, beyond reasonable doubt, when:
 - a. the person represents not less than 100% of the screen height, and
 - b. there is an unobstructed view of the person's face.
2. In addition, CCTV cameras must be maintained throughout the premises with camera coverage to specifically record images of the following areas:
 - a. all other public entrances and exits, whether or not in use at the time,
 - b. staircases,
 - c. all portions of the floor area accessible to the public where entertainment is provided,
 - d. toilet external entrances,
 - e. all public accessible areas within the premise excluding toilets
3. Camera views are not to be obstructed by temporary or permanent structures, signage or other impediments.
4. The correct time, date and camera identification must be automatically embedded on all recordings and be able to be read when the image is played back on a different system without interfering with the view of the target area.
5. Recordings should be retained for a period of 30 days before being reused or destroyed. The licensee shall ensure that no person is able to delete or alter any recordings within the 30 day period.
6. When the venue is open and trading, at least one person shall be at the venue that is capable of accessing the CCTV system and is able to immediately review recordings and produce copies.
7. Immediate access to the CCTV system and the ability to review recordings is to be granted to NSW Police, OLGR Inspectors or other regulatory officers upon request

Reason: Public safety

74. Maximum Patron Capacity

- i. Signage (in lettering not less than 15mm in height on a contrasting background) is to be erected in a prominent position near the main principle entry to the premises. The signage shall state:

Approved patron capacity is limited to 320

- ii. A comfortable dining position must be available for each patron upon the premises. This will include a seat and access to table/bench space generally in accordance with the approved plans.

Reason: Public safety

75. Neighbourhood Amenity

The management of the premises:

- i. Shall ensure patrons do not crowd or loiter in the vicinity of the premises in such manner that pedestrian movement is obstructed or hindered.
- ii. Shall ensure that the manner in which the business of the premises is conducted and/or the behaviour of persons entering and leaving the premises does not cause undue disturbance to the amenity of the neighbourhood. In this regard, the management shall be responsible for the control of noise and litter generated by persons and/or premises operations. If so directed by Council, the Management is to employ private security staff to ensure that this condition is complied with.
- iii. Shall record in a Register full details of any disturbance complaint/s made by a person to management or staff in respect to the manner in which the business of the premises is conducted and/or the behaviour of persons entering or leaving the premises. Such recording will include time, date, nature of the complaint/s and any complainant details if provided.

Reason: Public safety

76. Crime Scene Preservation

Immediately after the person in charge of the Licensed Premises become aware of an incident involving an act of violence causing an injury to a person on the premises, the person must:

- i. Take all practical steps to preserve and keep intact the area where the act of violence occurred
- ii. Retain all materials and implements associated with the act of violence in accordance with the crime scene preservation guidelines issued by the NSW Police
- iii. Make direct and personal contact with the Local Area Command or his/her delegate and advise the Commander or delegate of the incident and
- iv. Comply with any directions given by the Commander or delegate to preserve or keep intact the area where the violence occurred.

Reason: Public safety

77. Plan of Management

The licensee is to operate the business in accordance with the Warringah Golf Club Plan of Management dated August 2023.

Reason: Public safety

78. Licensed Premises

The Licensed Premises are not to be themed or operated as a Nightclub. No DJ styled booth, no disco lighting systems and no dance floor area are to be utilised at any time in the premises.

Reason: Public safety

79. Hours of Operation

The hours of operation are to be restricted to:

Use	Hours of operations	Days
Pro Shop	6.00am to 7.00pm	Monday to Sunday
Office	9.00am to 5.00pm	Monday to Friday
Garden lounge	7.00am to 10.00pm	Monday to Sunday
Dining and function rooms	12.00pm to 10.00pm	Monday to Sunday
Bar	12.00pm to 10.00pm	Monday to Sunday

Upon expiration of the permitted hours, all service (and entertainment) shall immediately cease, no patrons shall be permitted entry and all customers on the premises shall be required to leave within the following 30 minutes.

Reason: Information to ensure that amenity of the surrounding locality is maintained.

80. Patrons

The maximum number of patrons within:

- The ground-floor outdoor seating area (Garden lounge) shall not exceed 50 at any time.
- The first-floor dining/function area (including the terrace) shall not exceed 60 at any time.
- The first-floor function area (including the terrace) shall not exceed 60 at any time.
- The first-floor sports bar (including the terrace) shall not exceed 50 at any time.

Reason: To ensure compliance with the terms of this consent.