All communications to be addressed to:

Headquarters
4 Murray Rose Ave
Sydney Olympic Park NSW 2127

Telephone: 1300 NSW RFS e-mail: records@rfs.nsw.gov.au

Headquarters Locked Bag 17 Granville NSW 2142

Facsimile: 8741 5433



The General Manager Penrith City Council PO Box 60 PENRITH NSW 2751

Your Ref: DA19/0419 Our Ref: D19/2355 DA19071519582 GB

ATTENTION: lan Dencker 31 July 2019

Dear Mr Dencker

## Integrated Development Application - 1//825553 - 5-7 Floribunda Avenue Glenmore Park 2745

I refer to your correspondence dated 3 July 2019 seeking general terms of approval for the above Integrated Development Application.

The New South Wales Rural Fire Service (NSW RFS) has considered the information submitted. General Terms of Approval, under Division 4.8 of the 'Environmental Planning and Assessment Act 1979', and a Bush Fire Safety Authority, under Section 100B of the 'Rural Fires Act 1997', are now issued subject to the following conditions:

## **Water and Utilities**

The intent of measures is to minimise the risk of bush fire attack and provide protection for emergency services personnel, residents and others assisting fire fighting activities. To achieve this, the following conditions shall apply:

1. The provision of water, electricity and gas supplies shall comply with sections 4.1.3 and 4.2.7 of 'Planning for Bush Fire Protection 2006'.

## **Evacuation and Emergency Management**

The intent of measures is to provide suitable emergency and evacuation (and relocation) arrangements for occupants of special fire protection purpose developments. To achieve this, the following conditions shall apply:

2. A Bush Fire Emergency Management and Evacuation Plan shall be prepared consistent with 'Development Planning - A Guide to Developing a Bush Fire Emergency Management and Evacuation Plan December 2014' and Australian Standard AS3745 2010 'Planning for Emergencies in Facilities'.

## Landscaping

*ID:119582/113534/5* Page 1 of 2

3. Landscaping within the site shall comply with the principles of Appendix 5 of 'Planning for Bush Fire Protection 2006'.

Should you wish to discuss this matter please contact Garth Bladwell on 1300 NSW RFS.

Yours sincerely

Nika Fomin

**Manager Planning & Environment Services East** 

For general information on bush fire protection please visit <a href="www.rfs.nsw.gov.au">www.rfs.nsw.gov.au</a>