

aleksandar design group

52 Kellett Street, Potts Point NSW 2011

T: 02 9361 5560
E: aj@aleksandardesigngroup.com.au
www.aleksandardesigngroup.com.au

Nominated Architect: Aleksandar Jelicic Registration No. 7167

© Copyright Aleksandar Design Group PTY LTD

Revisions:


Revision A November 2017
Revision B March 2018
Revision C March 2018
Revision D June 2018



1	INTRODUCTION	04	5	THE PROPOSAL VISION BUILT FORM EVOLUTION	27 28 29
2	STRATEGIC POSITION INTRODUCTION REGIONAL CONTEXT PARRAMATTA LIGHT RAIL SITE LOCATION LAND USE AND DENSITY PRECINCT STURCTURE PLAN OPEN SPACES KEY EMPLOYMENT & INSTITUTIONAL AREAS	05 06 07 08 09 10 11 12 13		SITE PLAN FSR CALCULATION PLAN BASEMENT PLAN GROUND FLOOR PLAN TYPICAL F02 - 04 FLOOR PLAN TYPICAL F05 FLOOR PLAN TYPICAL F06 - 23 FLOOR PLAN MASSING ELEVATION 01 MASSING ELEVATION 02 MASSING ELEVATION 03 MASSING ELEVATION 04	32 33 34 35 36 37 38 39 40 41
3	PLANNING FRAMEWORK INTRODUCTION LEP FRAMEWORK FSR RECOMMENDED FSR LEP FRAMEWORK HOB RECOMMENDED HOB STREET FRONTAGE/ SETBACKS	14 15 16 17 18 19 20		MASSING ELEVATION 05 MASSING ELEVATION 06 MASSING SECTION 01 MASSING SECTION 02 SOLAR ANALYSIS CROSS VENTILATION ANALYSIS WINTER SHADOWS ANALYSIS VIEW FROM THE SUN	43 44 45 46 47 48 49 50
4	SITE ANALYSIS INTRODUCTION CONTEXT SITE ANALYSIS STREETSCAPE OPPORTUNITIES + CONSTRAINTS (CURRENT APPROVAL)	21 22 23 24 25 26		YIELD PRECEDENTS CONCLUSION ADG COMPLIANCE TABLE IMAGE 01 IMAGE 02 APPENDIX	51 52 53 54 55 56

1

INTRODUCTION



This UDR is prepared as part of Planning Proposal submitted in accordance with Section 55 of the Environmental Planning and Assessment (EP&A) Act 1979 and provides an outline and justification for the proposed amendments to the development controls for Mixed Use and High Density Residential land at 17-20 &23-24 Loftus Crescent ("the subject site"). This proposal seeks to amend the Strathfield Local Environmental Plan (LEP) 2012.

This UDR has been prepared in support of an application to increase the maximum building height control from 15 metres to 75 metres and increase the maximum floor space ratio (FSR) control from 1.65:1 and 1.35:1 to 3.6:1. The subject site (17-20 Loftus Crescent) is zoned B4 Mixed use Zone and no change to the land use zone is proposed. And the subject site (23-24 Loftus Crescent) is R4. The UDR will facilitate a landmark 10-11 storey mixed use building (31.9m-35 metres), containing ground retail, commercial and social infrastructure land uses, and 108 residential apartments (41 apartments for Building A and 67 apartments for Building B). The south side of the site is facing suburban railway and within 250 metres walking distance of the Homebush railway station.

The site comprises four (6) allotments and is known legally as

- 24 Loftus Crescent (Lot 20 DP 9154) 536.28 m² 23 Loftus Crescent (Lot 19 DP 9154) 528.651 m²
- 20 Loftus Crescent (Lot 16 DP 9154) 491.454 m² 19 Loftus Crescent (Lot 15 DP 9154) 478.027 m²
- 18 Loftus Crescent (Lot 14 DP 9154) 490.113 m² 17 Loftus Crescent (Lot A DP 405742) 391.033 m²

This UDR forms part of a package of supporting documents for consideration by Council and the Gateway under Section 56 of the EP&A Act 1979. This UDR application is therefore supported by the following studies and documentation:

> Traffic and Transport Assessment, prepared by Traffix dated Oct 2017;

2

STRATEGIC POSITION

INTRODUCTION

The Homebush Precinct is located immediately northwest of Strathfield Town Centre and Stratfield Rail Station. It is the largest of the eight Precincts along the Corridor and extends from the Western Rail Line northwards along the Northern Rail Line into Concord West.

The Precinct is bounded to the north and west by Homebush Bay Drive, Mason and Bressington Parks and Liberty Grove, and Parramatta Road and the Western Rail Line to the south. Concord Road and Swan Avenue marks the Precinct's eastern boundary.

The site is located within the local government council of Strathfield, and is within the key Humebush Precint according to the proposed Parramatta Road Urban Transformation Strategy. It is strategically located between Sydney's two main CBDs and near the junction of two major rail routes. This key location provides the opportunity to transform Homebush into a major high-density, mixed-use Precinct that draws together employment opportunities and housing, supported by an extensive open space network and ef cient vehicular, active, and public transport linkages.

 Key Precinct (Paramatta Road Urban Tranformation Strategy)



Site Location and Surrounding Suburbs

-SITE

REGIONAL CONTEXT



The site is located at Homebush, within 200m walking distance to Homebush train station, parallel to Parramatta Road, which makes the site highly accessible via public transport.


The site is also located a short distance from the M4 Motorway which is undergoing an upgrade as part of Westconnex.

PARRAMATTA LIGHT RAIL

TELOPEA NEIGHBOURHOOD **PROJECT** WESTMEAD HEALTH PARRAMATTA NORTH WESTERN SYDNEY UNIVERSITY RYDALMERE PARRAMATTA CBD **CAMELLIA** WENTWORTH RHODES ROSEHILL SILVERWATER GRANVILLE NEWINGTON **KEY Train Station** OLYMPIC PARK STATION **CARTER STREET** Precinct SYDNEY OLYMPIC PARK **Greater Parramatta to Olympic** STRATHFIELD TRIANGLE Peninsula priority growth area **HOMEBUSH** Parramatta Light Rail preferred network STRATHFIELD Burwood STATION Parramatta Light Rail proposed map, http://parramattalightrail.nsw.gov.au i--SITE

The site will gain the benefit from the future light rail aimed to link the precincts from Westmead, Carlingford and Strathfield.


SITE LOCATION



The site sits on Loftus Crescent / Lane which in parallel to Parramatta Road in Homebush, where is planned as one of "Eight Precints" in Parramatta Road Corridor Strategy Plan. Parramatta Road Corridor spans 20 kilometres from Granville in the west to Camperdown in the east. It is the land adjoining and at least one block back from Parramatta Road, as well as Precincts that have been identified as a focus for future growth based on their different functions and character.

Homebush as one of the key Precinct in the stategy, is undergoing rapid growth in response to the needs of the increasing population. Homebush Precinct will become a new, mixed use precinct for the corridor, housing a new community of residents attatched to the area for its high amenity and access to employment at Parramatta CBD and Olympic Park. The precinct will provide a long term of housing stock to meet the demand as Sydney Olympic park grows into a new city.

LAND USE AND DENSITY



Homebush will be a focus for high density housing, with a hub of activity between Homebush, North Strath eld, Concord West and Strath eld Stations. Both Parramatta Road and George Street will form main streets to build on the character of the Bakehouse Quarter and the curve of Parramatta Road.

Taller residential buildings will mark the centre of activity at the Precinct's core. The network of streets to the north and west from here will be easy and safe to walk through, with medium-density housing and the green corridor of Powells Creek. The area around Flemington Markets will have a new employment and retail focus.

Proposed Growth Projections

2023	2050
8,310	19,570
4,210	9,450
5,610	12,853
	8,310 4,210

Proposed Indicative Land Use Mix (additional)

	RESIDENTIAL GFA (M²)		EMPLOYMENT GFA (M²)		
	SHORT TERM (2023)	LONG TERM (2050)	SHORT TERM (2023)	LONG TERM (2050)	
Precinct	435,000	1,030,000	195,000	283,000	
Frame Area	0	87,000	0	0	


STRUCTURE / PRECINCT PLAN




Delivering the Vision

- building on the vibrancy and character of the Bakehouse
- · delivering a high quality open space network and improving the areas around the train stations
- planting trees and improving the environment along Parramatta Road
- · ensuring the viability of shops and commercial uses along Parramatta Road
- addressing on-street parking along Parramatta Road
- minimising traffic congestion along Parramatta Road, including north-south connections
- · boosting service frequency at Flemington, Homebush, Concord West and North Strathfield Stations
- addressing barriers such as the M4 Motorway and Concord
- · managing flooding, noise and contamination constraints.
- Creating compelling urban forms within an urban context and dedicating a majority of the ground plane to public amenity.
- Achieving a high amenity standard to built forms with 2 hours solar access to 70% of apartments at mid-winter and natural cross ventilation to 60% of apartments.
- Increase the attractiveness and function of the rear laneway.

OPEN SPACES



KEY EMPLOYMENT & INSTITUTIONAL AREAS



3

PLANNING FRAMEWORK


INTRODUCTION




This UDR seeks to amend the Strathfield Local Environmental Plan (LEP) 2012, to achieve the objectives highlighted in Parramatta Road Corridor Urban Transformation Strategy Report, as follows:

- Amend the Height of Buildings Amend the Floor Space Ratio


CURRENT LEP FRAMEWORK



RECOMMENDED FSR CHANGES TO LEP



The site is nominated to have a 3.6:1 FSR as stated in the amendments to the Parramatta Road Corridor Urban Transformation Strategy.



CURRENT LEP FRAMEWORK




Height of Buildings

The site is permitted to have a building height of 16m (O).




Heritage



None of the subject sites is heritage listed and the surrounded buildings are not heritage listed.


RECOMMENDED HEIGHT MAP



RECOMMENDED SETBACK



	MAXIMUM STREET WALL HEIGHTS		MINIMUM BUILDING SETBACKS	
	Street Frontage	Upper Levels	Street Frontage	Upper Levels
Parramatta Road				
Green Setback	18m	Varies as per controls	6m	2-6m
Heritage	9m	Varies as per controls	Om	8m
Active & Commercial Frontage	18m	Varies as per controls	6m (in a Green Edge) Om (other conditions)	2-6m
Local Street				
Green Setback	18m	Varies as per controls	6m	2-6m
Heritage	9m	Varies as per controls	Om	8m
Active & Commercial Frontage	18m	Varies as per controls	6m (in a Green Edge) Om (other conditions)	2-6m
Non-Heritage or Active & Commercial Norton Street Balmain Road Water Street Cardigan Lane	9m	Varies as per controls	3-6m	2-6m
All other conditions	18m	Varies as per controls	3-6m	2-6m



4

SITE ANALYSIS

Analysis of the site from a local perspective

SITE ANALYSIS 04

INTRODUCTION



The site is located at 17-20 Loftus Lane, Homebush.

The site is defined by the following factors:

- Close proximity to key transport infrastructure including trains from Homebush Station, buses on Parramatta Road and future light rail stop to Carlingford and Parramatta.
- Close proximity to commercial/mixed use spine along Parramatta Road and Baker Quarter as well as Shopping Centres in Strathfield and Burwood.
- Close proximity to local parks.

SITE ANALYSIS 04

CONTEXT



The site is located at 17-20 Loftus Lane, in the local government area of Strathfield, within the proposed Homebush Precinct according to Parramatta Road Urban Transformation Strategy.

It is surrounded by a mix of residential dwellings and to the West and Soutth, and business mixed use buildings to the North and

The site is within 400m from Homebush train station and buses on Parramatta Road to CBD and Parramatta. It also close to future light rail stop which connects to Parramatta and Carlingford

The site has good public amenity, being 1000m from shopping centres and minutes walk to local parks.



Local Business



Train Station




Subject Site



SCALE 1:2500 @A3

SITE ANALYSIS 04 SUBJECT SITE



SITE ANALYSIS 04

STREETSCAPE - SITE

View angle



View 1 - Looking east down Loftus Lane




View 3 - Looking North West on the corner of Loftus Crescent and Subway Lane



View 2 - Looking West down on the corner of Loftus Crescen and Subway Lane



View 4 - Looking East down Loftus Crescent





SITE ANALYSIS

OPPORTUNITIES AND CONSTRAINTS



The significant opportunities are:

- · large land holdings, generally unfragmented land and limited strata titled properties
- · proximity to high amenity open space, recreation facilities and Sydney Olympic Park
- · potential to enhance existing recreational opportunities and linkages for active transport
- · access to the proposed Parramatta Light Rail
- · enhanced road connections for all modes of transport to increase accessibility to employment, recreation and cultural opportunities currently separated by riparian corridors and road/rail infrastructure
- improved connectivity to the five Rail Stations bordering the Precinct at Concord West, North Strathfield, Flemington, Homebush and Strathfield
- · enhanced pedestrian connectivity and safety across Parramatta Road, the M4 Motorway and railway lines whilst improving connections to Sydney Markets and the Bakehouse Quarter
- · improved active transport access to regional recreation and open space facilities with a focus on connecting to the existing recreational routes around Olympic Park
- reduced car dependency by lowering parking rates in areas with good access to public transport.

The primary constraints and challenges are:

- · existing high traffic volumes on the strategic road network
- · access barriers for all modes of transport created by major roads, the Rail Lines and riparian corridors
- · low pedestrian connectivity and permeability within the Precinct
- · high parking demand and levels of on-street parking throughout the Precinct fragmented communities within the Precinct.



5

THE PROPOSAL

05

PROPOSAL

VISION



Vision

Sitting between Sydney's two main CBDs, Homebush can be transformed into an active and varied hub, blending higher density housing and a mix of different uses, supported by a network of green links and open spaces with walking access to four train stations.

Living and Working There


Homebush will be a focus for high density housing, with a hub of activity between Homebush, North Strath eld, Concord West and Strath eld Stations, Both Parramatta Road and George Street will form main streets to build on the character of the Bakehouse Quarter and the curve of Parramatta Road.

Taller residential buildings will mark the centre of activity at the Precinct's core. The network of streets to the north and west from here will be easy and safe to walk through, with medium-density housing and the green corridor of Powells Creek. The area around Flemington Markets will have a new employment and retail focus.


Delivering the Vision

- · building on the vibrancy and character of the Bakehouse
- * delivering a high quality open space network and improving the areas around the train stations
- · planting trees and improving the environment along Parramatta Road
- minimising traffic congestion along Parramatta Road, including north-south connections
- managing flooding, noise and contamination constraints.
- Creating compelling urban forms within an urban context and dedicating a majority of the ground plane to public amenity.
- · Achieving a high amenity standard to built forms with 2 hours solar access to 70% of apartments at mid-winter and natural cross ventilation to 60% of apartments.
- . Increase the attractiveness and function of the rear laneway.

PROPOSAL 05 BUILT FORM EVOLUTION




1. Setbacks and controls to subject site according to Parramatta Road Urban Transformation Strategy Report.




2. Massing of proposed 11 storey towers in accordance with building height recommended by Parramatta Road Urban Transformation Strategy Report.

PROPOSAL 05 BUILT FORM EVOLUTION




3. Massing removed for upper levels to comply with ADG building separation to adjacent future development.



4. Proposed towers redefined to comply with indicative future developable forms at adjacent site (shown in light blue).

05 PROPOSAL BUILT FORM EVOLUTION



FUTURE DEVELOPMENTS SHOWN ARE AS INDICATIVE ONLY

5. Public domain + communal open space + links.



FUTURE DEVELOPMENTS SHOWN ARE AS INDICATIVE ONLY

6. Proposed forms + indicative future development.






PROPOSAL 05 SITE PLAN



ProposedBuilding Envelope Future Potential Development Building Envelope



05 PROPOSAL FSR CALCULATION PLAN




TOTAL SITE AREA	TOTAL GFA	FSR
BUILDING A (SUBJECT SITE)	3835	3.60
BUILDING B (SUBJECT SITE)	6815	3.6





PROPOSAL 05 TYPICAL BASEMENT PLAN






Potential Development Building Envelope

Subject Site





PROPOSAL 05 GROUND FLOOR PLAN








TYPICAL L02 - 04 FLOOR PLAN



aleksandar © copyright Aleksandar Design Group pty ltd

17-20 & 23-24 Loftus Crescent Homebush 36

TYPICAL L05 FLOOR PLAN








05 PROPOSAL TYPICAL L06 - 23 FLOOR PLAN






MASSING ELEVATIONS - NORTH




MASSING ELEVATIONS - SOUTH




05 | PROPOSAL


MASSING ELEVATIONS - EAST (BUILDING B)



MASSING ELEVATIONS - EAST (BUILDING A)




MASSING ELEVATIONS - WEST (BUILDING B)




05 | PROPOSAL

MASSING ELEVATIONS - WEST (BUILDING A)



05 PROPOSAL MASSING ELEVATIONS - EAST





aleksandar © copyright Aleksandar Design Group pty Itd

KEY

17-20 & 23-24 Loftus Crescent Homebush 45

05 PROPOSAL MASSING ELEVATIONS - SOUTH





LEVEL 01



LEVEL 02-03



LEVEL 04

© copyright Aleksandar Design Group pty Itd



LEVEL 05




LEVEL 06-09



LEVEL 10

PROPOSAL 05 SOLAR ANALYSIS


BUILDING A



SOLAR ACCESS 2HOURS SOLAR ACCESS 0-2HOURS NO SOLAR ACCESS

80.5% 12.2% 7.3%

BUILDING B



SOLAR ACCESS 2HOURS SOLAR ACCESS 0-2HOURS NO SOLAR ACCESS








LEVEL 11





LEVEL 01



LEVEL 02-04



LEVEL 05



LEVEL 06-09



LEVEL 10



LEVEL 11

05 PROPOSAL CROSS VENTILATION ANALYSIS

BUILDING A



CROSS VENTILATED APARTMENTS (FIRST 9 LEVELS)





CROSS VENTILATED APARTMENTS (ALL LEVELS)

93%

BUILDING B




CROSS VENTILATED APARTMENTS (FIRST 9 LEVELS)

71%



CROSS VENTILATED APARTMENTS (ALL LEVELS)

76%





e copyright
Aleksandar Design Group pty Itd

05

PROPOSAL


SHADOW TESTING

The overshadowing impacts of the proposed design were tested for the 21st June. The majority of the overshadowing occured to the residential areas to the South west in the morning.



21st JUNE 12PM

21st JUNE 9AM





21st JUNE 3PM







PROPOSAL 05 SHADOW TESTING










21st JUNE 10AM









21st JUNE 2PM 21st JUNE 3PM 21st JUNE 12PM 21st JUNE 1PM

1064.98 M²

YIELD SUMMARY

SUBJECT SITE 23-24 LOFTUS CRESCENT HOMEBUSH

BUILDING A	NO. OF STOREY	GFA/LEVEL (M2)	UNITS/LEVEL	1 BED	2 BED	3 BED	2 HR SOLAR	CROSS VENT	TOTAL GFA (M2)	TOTAL UNITS
LEVEL 1 COMMERCIAL & RESIDENTIAL	1	535	2	0	2	0	2	2	535	2
TYPICAL LEVEL 2 - 4 RESIDENTIAL	3	510	5	0	12	3	12	12	1530	15
TYPICAL LEVEL 5 RESIDENTIAL	1	295	4	1	3	0	3	4	295	4
TYPICAL LEVEL 6 - 10 RESIDENTIAL	5	295	4	5	15	0	16	20	1475	20
				6	32	3	33	38		
SUB TOTAL	10			15%	78%	7%	80.5%	93%	3835	41

min. 60%

TOTAL RES. GFA 3300 TOTAL LAND CONTRIBUTION TOTAL NO. OF UNITS 41 3835 TOTAL GFA TOTAL FSR 3.60

535

TOTAL COM. GFA

SITE B AREA (OPTION 2)

SUBJECT SITE 17-20 LOFTUS CRESCENT HOMEBUSH

BUILDING B	NO. OF STOREY	GFA/LEVEL (M2)	UNITS/LEVEL	1 BED	2 BED	3 BED	2 HR SOLAR	CROSS VENT	TOTAL GFA (M2)	TOTAL UNITS
LEVEL 1 COMMERCIAL	1	985	NA						985	NA
TYPICAL LEVEL 2 - 4 RESIDENTIAL	3	800	9	12	12	3	15	15	2400	27
TYPICAL LEVEL 5 RESIDENTIAL	1	490	4	1	3	0	3	4	490	4
TYPICAL LEVEL 6 - 10 RESIDENTIAL	5	490	6	5	25	0	25	26	2450	30
TYPICAL LEVEL 11 RESIDENTIAL	1	490	6	1	5	0	6	6	490	6
				19	45	3	49	51		

73% 76% min. 70% min. 60% 6815 67

M ²	985	TOTAL COM. GFA
M ²	5830	TOTAL RES. GFA
M ²		TOTAL LAND CONTRIBUTION
	67	TOTAL NO. OF UNITS
M ²	6815	TOTAL GFA
:1	3.6	TOTAL FSR

TOTAL SITE A, B AREA

SUB TOTAL

2945.98 M²

BUILDINGS A, B		
TOTAL SITE AREA	2945.98	
TOTAL COM. GFA	1520	1
TOTAL RES. GFA	9130	1
TOTAL LAND CONTRIBUTION	0	1
TOTAL NO. OF UNITS	108	
TOTAL GFA	10650	1
TOTAL FSR	3.6	╗.

05

PROPOSAL

YIELD CALCULATION

05

PROPOSAL

TOWER ADJACENT TO HERITAGE PRECEDENT

DUO UNILODGE CONNOR ONE CENTRAL PARK ONE CENTRAL PARK PARK LANE THE MARK WEST TOWER 18 STOREY EAST TOWER 34 STOREY 18 STOREY 16 STOREY 12 STOREY 18 STOREY 27 STOREY







ONE CENTRAL PARK 34 STOREYS 28 BROADWAY, CHIPPENDALE

One Central Park is an award winning mixed-use building located in Chippendale developed by Frasers Property and Sekisui House as part of the Central Park renewal project.

Designed by Foster and Partners, Ateliers Jean Nouvel and PTW Architects, the building features two residential towers, 34 storey and 17 storey, including 4 storeys of retail.

05 PROPOSAL CONCLUSION

In conclusion, this UDR has been prepared in support of an application to increase the maximum building height control from 16 metres to 75 metres and increase the maximum floor space ratio (FSR) control from 1.35:1 and 1.651 to 3.6.

The proposal takes advantage of an under-utilized site, to revitalize and activate the immediate area.

PROPOSAL 05 ADG COMPLIANCE TABLE

APARTMENT DESIGN GUIDE		DESIGN CRITERIAS		NO	EXPLANATION
			4	X	
		DESIGN CRITERIAS			
3	SITING THE DEVELOR	PMENT			
3A	SITE ANALYSIS	contains: - site location plan - local context plan - site context and survey plan - analysis	٧		complies with future chara
3B	ORIENTATION	proposed buildings are sited to clearly address the street while maximising solar access to apartments	4		complies
3C	PUBLIC DOMAIN INTERFACE	Upper level balconies and windows should overlook the public domain. Activity on the the street is to be promoted	٧		complies
3D	COMMUNAL AND PUBLIC OPEN SPACE	Communal open space to be 25% of the site	4		complies
		Min. 2h direct sunlight to min. 50% of the communal open space in winter	4		complies
3E	DEEP SOIL ZONES	Min. are of deep soil: 7% of total site areas	4		achievable
3F	VISUAL PRIVACY	Min. Separation distance to the side and rear boundaries: building height up to 12 m (4 storeys): min. distance habitable rooms: 6 m, non-habitable rooms: 3 m building height up to 25 m (5-8 storeys): min. distance habitable rooms: 9 m, non-habitable rooms: 4.5 m building over 25 m (9-8 storeys): min. distance habitable rooms: 12 m, non-habitable rooms: 6 m Separation distances between buildings on the same site should combine required building separations depending on the type of room.	1		achievable
		Gallery access circulation should be treated as habitable space when measuring privacy separation distances between neighbouring properties.			
3G	PEDESTRIAN ACCESS AND ENTRIES	public and private entries are to be identifiable	4		achievable
3Н	VEHICLE ACCESS	impact of vehicle access to be minimised and separated from pedestrian entry to keep pedestrians safe	4		achievable
3.J	BICYCLE AND CAR PARKING	Within 800 m of a railway or light rail stop in Sydney Metropolitan Area or within 400 m of land zoned B3 Commercial Core, B4 Mixed Use or equiv. min. requirement is set out in Guide to Traffic Generating Development or the council requirements, whichever is Car parking needs must be provided off street.	1		achievable
		DESIGN CRITERIAS			
4	DESIGNING THE BUIL	DING			
AMENITY	,				
4A	SOLAR AND DAYLIGHT ACCESS	Sydney Metropolitan Area, Newcastle, Wollongong: 70% of apts to receive 2h sunlight in winter to Private Open Space and living room. Other areas: 70% of apts to receive 5h sunlight in winter to Private Open Space and living room	4		achievable
		Max. 15% receive no direct sunlight in winter	4		achievable
		Caylight access is maximised, where surlight is limited, e.g. courtyard, skylights, highlight windows only secondary light source, light coloured internal finishes,	1		achievable
		Design includes shading and glare control, e.g. balconies, awnings, louvres, pergolas, planting,	4		achievable
48	NATURAL VENTILATION	All habitable rooms are naturally ventilated. The Layout and Design of single aspect apts maximises ventilation.	1		achievable
		Courtyards and indentations width to depth ratio: 2:1 or 3:1	4		achievable
		60% of apts up to nine storeys of the building to be cross ventilated	4		complies
		From ten storeys and higher 100% of apts are regarded as cross ventilated. If they have an enclosure to the balcony, it has to be openable.	٧		achievable
		Max. depth of a Cross-over and cross-through apts: 18 m glass to glass	4		achievable

4C	CEILING HEIGHTS	Min. ceiling heights - habitable room: 2.7 m - non-habitable room: 2.4 m	4	achievable
		For 2 storey apartments: 2.7 m for main living floor and 2.4 m for second floor, where the area does not exceed 50% of the apartment area.		not applicable
		Attic space: 1.8 m at edge of room with a 30 degree min. ceiling slope		not applicable
		Mixed use areas: 3.3 m for ground and first floor for future flexibility		not applicable
4D	APARTMENT SIZE AND LAYOUT	Min. areas required incl. one bathroom: (for every additional bathroom 5 m2 is to be added, for every additional bedroom 12 m2 to be added): - Studio: 35 m2 - 1 Badroom: 50 m2 - 2 Badroom: 70 m2 - 3 Bedroom: 90 m3	4	achievable
		Every habitable room must have a window in an external wall with a min. glass area of min. 10% of the floor area of the room. Daylight and air may not be borrowed from other rooms.	1	achievable
402	Apt Depth	Depth of habitable room is max. 2.5 x ceiling height. (With a 2.7 height would be 6.75 depth)	1	achievable
		Max. depth for open plan layouts (living/dining/kitchen) is 8 m	4	achievable
4D3	Apt Size	Min. areas (excl. wardrobe space): - master bedroom: 10 m2 - all other bedrooms: 9 m2 Bedroom min. dimensions (excl. wardrobe space): 3m	4	achievable
		Min. width of living (*livingidining): studio * 1 bedroom: 3.6 m 2*3 bedroom: 4 m Cross-over and cross through apts always 4 m	4	achievable
		Min. length of wardrobes: 1.5 m Main bedroom should have a wardrobe of: (L/D/H) 1.8 x 0.6 x 2.1 m	4	achievable
4E	PRIVATE OPEN SPACE AND BALCONIES	Min. area of primary balconies: - studio: 4 m2 (min. depth 1 m) - 1 bedroom: 8 m2 (min. depth 2 m) - 2 bedroom: 10 m2 (min. depth 2 m) - 3 + bedrooms: 12 m2 (min. depth 2 4 m) Min. balcony depth to be counted: 1m	4	achievable
		At ground level or podium private open space is to be provided. Minarea: 15 m2, min. depth: 3 m	4	achievable
4F	COMMON CIRCULATION AND SPACES	Max. number of apts off a circulations core is 8. If not possible: not more than 12 apartments off a circulations core on a single level.	4	achievable
		For buildings 10 storeys and higher, max. number of apts sharing a single lift is 40. If not possible demonstrate high level of amenity including: - sunlight and natural cross ventilation in apts - access to ample daylight and natural ventilation in common circulation space - common areas for seating and gathering - generous corridors with greater than ceiling heights - other innovative design solutions that provide high levels of amenity.	4	achievable
4G	STORAGE	In addition to storage in ktichen, bathroom and bedrooms, min. storage provided: - studio: 4 m3 - 1 bedroom: 6 m3 - 2 bedroom: 8 m3 - 34 bedroom: 10 m3 Min. 50% of the storage to be within the apartment.	4	achievable
4H	ACOUSTIC PRIVACY	noise transfer and impact is to be minimised	4	achievable
4.1	NOISE AND POLLUTION	noise impact of the environment is to be minimised	4	achievable
CONFIG	JRATION			
4K	APARTMENT MIX	a variety of apartments is to be provided	√	complies
4L	GROUND FLOOR APARTMENTS	street frontage activity to be maximised	4	achievable
4M	FACADES	Facades provide visual interest, while respecting character of the area	4	achievable
4N	ROOF DESIGN	roof to be integrated into the building design and of use for residentials	√	achievable

40	LANDSCAPE DESIGN	landscape design contributes to amenity	√	achievable
4P	PLANTING ON STRUCTURES	Planting on structures contributes to quality of open space	4	achievable
4Q	UNIVERSAL DESIGN	A variety of apartments with adaptable use are provided	√	achievable
4R	ADAPTIVE REUSE	New additions to buildings are contemporary and enhance the area's identity	4	achievable
48	MIXED USE	Mixed use developments are provided in appropriate locations and provide active street frontages to encourage pedestrian movement	1	complies
4T	AWNINGS AND SIGNAGE	Awnings are to be integrated with the building design	√	achievable
PERFORMANCE				
4U	ENERGY EFICIENCY	Development incorporates passive environmental design, passive solar design to optimise heat storage in winter and reduce heat transfer in summer.	4	achievable
4V	WATER MANAGEMENT AND CONSERVATION	Potable water use is to be minimised. Urban stormwater ist treated on site before being discharged to receiving waters. Flood management systems are integrated into the design.	4	achievable
4W	WASTE MANAGEMENT	Waste storage facilities are designed to minimise impact on the streetscape, building entry and amenity of residents	4	achievable
4X	BIULDING MAINTENANCE	Building design detail provides protection from weathering	4	achievable



IMAGES

Loftus Crescent & Subway Lane Intersection



IMAGES

Loftus Crescent looking toward east.

APPENDIX