

Appendix B - Tree Survey Assessment Sheet

16 Norhtwood Road, Northwood NSW.

Tree No.	Botannical Name <i>Common Name</i>	Age Class	Height M	Spread M	DCH mm	DRB mm	TPZ m. rad.	SRZ m. rad.	L/Sc Amen.	Description, Condition and Comments	SULE
1	Syncarpia glomulifera <i>Turpentine</i>	M	14	6	328 460 500	535	9.1	2.5	3	Evergreen tree indigenous to the locality, fair to average condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back, structure & form modified by past pruning, invaded by vine	3e
2	Syncarpia glomulifera <i>Turpentine</i>	M	11.5	6	609	700	7.3	2.8	3	Evergreen tree indigenous to the locality, fair to average condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, epicormic growth, invaded by vine	3e
3	Syncarpia glomulifera <i>Turpentine</i>	M	10	3	266	360	3.2	2.2	3	Evergreen tree indigenous to the locality, average to poor condition, structure & form modified by past pruning, small branch and twig die back, epicormic growth	3e
4	Syncarpia glomulifera <i>Turpentine</i>	M	10	6	575	660	6.9	2.8	2	Evergreen tree indigenous to the locality, fair condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, epicormic growth	2e
5	Syncarpia glomulifera <i>Turpentine</i>	M	12	5	350	428	4.2	2.3	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, epicormic growth, modified by past pruning	2a
6	Syncarpia glomulifera <i>Turpentine</i>	M	12	7	535	610	6.4	2.7	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, no visible evidence of pests or disease, modified by past pruning	2a
7	Phoenix canariensis <i>Canary Island date palm</i>	M	8	9	1010	1260	12.1	3.6	3	Conifer species introduced to the site, good condition, the species is not rare or endangered, structure and form typical of the species, invasive species, tree located within 2.5 m of dwelling	2c
8	Cupressus sempervirens 'Stricta' <i>Narrow Italian cypress</i>	M	5.5	0.6	77	107	2.5	2	2	Conifer species introduced to the site, good condition, the species is not rare or endangered, co-dominant stems, strong union	2a

Tree No.	Botannical Name <i>Common Name</i>	Age Class	Height M	Spread M	DCH mm	DRB mm	TPZ m. rad.	SRZ m. rad.	L/Sc Amen.	Description, Condition and Comments	SULE
9	Syagrus romanzoffiana <i>Cocos palm</i>	M	9	5	210	404	2.5	2.3	2	Palm species introduced to the site, good condition, the species is not rare or endangered, structure and form typical of the species	2a
10	Syncarpia glomulifera <i>Turpentine</i>	M	15	10	464 523	800	8.4	3	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, co-dominant stems, strong union, no visible evidence of pests or disease	2a
11	Syncarpia glomulifera <i>Turpentine</i>	M	16	11	550	754	6.6	2.9	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, no visible evidence of pests or disease	2a
12	Archontophoenix alexandrae <i>Alexander palm</i>	SM	7	4	125 148 150	535	2.9	2.5	2	Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union	2a
13	Archontophoenix alexandrae <i>Alexander palm</i>	SM	6	4	126 138 183	540	3.1	2.6	2	Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union	2a
14	Archontophoenix alexandrae <i>Alexander palm</i>	SM	7	4	115 154 157	542	3	2.6	2	Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union	2a
15	Syncarpia glomulifera <i>Turpentine</i>	M	13	5	285	360	3.4	2.2	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back	2a
16	Angophora costata <i>Smooth bark apple</i>	M	18	10	546	785	6.6	3	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north close to the common boundary fence, good condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, sparse high crown	2a

Tree No.	Botannical Name <i>Common Name</i>	Age Class	Height M	Spread M	DCH mm	DRB mm	TPZ m. rad.	SRZ m. rad.	L/Sc Amen.	Description, Condition and Comments	SULE
17	Syncarpia glomulifera <i>Turpentine</i>	M	16	9	487	665	5.8	2.8	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north close to the common boundary, good condition, the species is not rare or endangered, structure and form typical of the species, fair condition, small branch and twig die back, suppressed	2a
18	Syncarpia glomulifera <i>Turpentine</i>	SM	6	4	173	230	2.1	1.8	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 5m from boundary fair condition, the species is not rare or endangered, small branch and twig die back, suppressed	2a
19	Eucalyptus saligna <i>Sydney Blue gum</i>	M	24	22	600	720	7.2	2.9	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 6m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, storm damage	2e
20	Syncarpia glomulifera <i>Turpentine</i>	SM	9	3	130	190	1.6	1.6	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 4m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species	2a
21	Syncarpia glomulifera <i>Turpentine</i>	SM	9	3	188	223	2.3	1.8	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 3.5m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species	2a
22	Syncarpia glomulifera <i>Turpentine</i>	M	12	6	210	285	2.5	2	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 2m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species	2a
23	Eucalyptus paniculata <i>Grey iron bark</i>	M	17	8	335	437	4	2.3	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the north 3m from boundary , fair condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back	2a
24	Syncarpia glomulifera <i>Turpentine</i>	M	18	9	478	624	5.7	2.7	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back	2a

Appendix B - Tree Survey Assessment Sheet

16 Norhtwood Road, Northwood NSW.

Tree No.	Botannical Name <i>Common Name</i>	Age Class	Height M	Spread M	DCH mm	DRB mm	TPZ m. rad.	SRZ m. rad.	L/Sc Amen.	Description, Condition and Comments	SULE
25	Syncarpia glomulifera <i>Turpentine</i>	M	17	9	442	610	5.3	2.7	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back	2a
26	Syncarpia glomulifera <i>Turpentine</i>	M	14	11	338	373	4.1	2.2	2	Evergreen tree indigenous to the locality, tree located close to rear boundary, good condition, the species is not rare or endangered, structure and form typical of the species, minor small branch and twig die back	2a
27	Syncarpia glomulifera <i>Turpentine</i>	M	17	4	293	430	3.5	2.3	2	Evergreen tree indigenous to the locality, tree located close to the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood	2e
28	Syncarpia glomulifera <i>Turpentine</i>	M	18	7	272	325	325	2.1	2	Evergreen tree indigenous to the locality, tree located close to the rear boundary, fair condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back	2a
29	Syncarpia glomulifera <i>Turpentine</i>	M	19	5	346	390	4.2	2.2		Evergreen tree indigenous to the locality, tree appears to be located 2.5 m clear of the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood	2a
30	Syncarpia glomulifera <i>Turpentine</i>	M	18	6	306 330	750	5.4	2.9	2	Evergreen tree indigenous to the locality, tree appears to be located 3m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood	2a
31	Syncarpia glomulifera <i>Turpentine</i>	M	13	9	267 290 330	520	6.2	2.5	2	Evergreen tree indigenous to the locality, tree appears to be located 6.5m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood	2a
32	Syncarpia glomulifera <i>Turpentine</i>	M	18	8	2x350 395	790	7.6	3	2	Evergreen tree indigenous to the locality, tree appears to be located 4.5m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood	2a

Tree No.	Botannical Name <i>Common Name</i>	Age Class	Height M	Spread M	DCH mm	DRB mm	TPZ m. rad.	SRZ m. rad.	L/Sc Amen.	Description, Condition and Comments	SULE
33	<i>Syncarpia glomulifera</i> <i>Turpentine</i>	M	17	6	398	600	4.8	2.7	2	Evergreen tree indigenous to the locality, tree appears to be located 1.5m clear of the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood, storm damage	2a
34	<i>Syncarpia glomulifera</i> <i>Turpentine</i>	M	16	8	2x333	620	5.7	2.7	2	Evergreen tree indigenous to the locality, tree appears to be located 7m clear of the rear boundary, fair condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood	2a
35	<i>Syncarpia glomulifera</i> <i>Turpentine</i>	M	18	6	276	460	3.3	2.4	3	Evergreen tree indigenous to the locality, tree appears to be located 3.5m clear of the rear boundary, fair condition, the species is not rare or endangered, storm damage, poor structure and form	3a
36	<i>Eucalyptus saligna</i> <i>Sydney Blue gum</i>	M	20	15	360	493	4.3	2.5	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the east 8m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood	2a
37	<i>Angophora costata</i> <i>Smooth bark apple</i>	M	19	15	740	1400	8.9	3.8	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the east 4.5m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood, trunk wound invaded by bracket fungi .	2e
38	<i>Pittosporum undulatum</i> <i>Native daphne</i>	M	10	6	185 135	500	2.7	2.5	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the east aproximately 3m from the boundary , good condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back	2a
39	<i>Angophora costata</i> <i>Smooth bark apple</i>	M	16	8	372	470	4.5	2.4	2	Evergreen tree indigenous to the locality, tree located on adjoining property to the east 7.5m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back	2a
40	<i>Angophora costata</i> <i>Smooth bark apple</i>	M	16	9	2x446	775	7.6	3	2	Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, co-dominant stems, strong union, bracket fungi observed on lower trunk	2e