

Thermal Comfort & BASIX Assessment

BUILDING SUSTAINABILITY CONSULTANTS



FRIENDLY INFORMATIVE FFFICIENT KNOWLEDGEABLE

Jones Nicholson Consulting Engineers Proposed Residential Development

To be built at:

140-146 Glenhaven Road,

Glenhaven, NSW 2567

Issue	File Ref	Description	Author	Date
А	16-0563	DRAFT - Thermal Comfort and BASIX Assessment	TMC	11/05/17
А	16-0563	BASIX and NatHERS certification. Stamp drawings	TMC	26/06/17

This report has been prepared by Efficient Living Pty Ltd on behalf of our client Jones Nicholson Consulting Engineers. Efficient Living prepares all reports in accordance with the BASIX Thermal Comfort Protocol and is backed by professional indemnity insurance. This report takes into account our client's instructions and preferred building inclusions.









Glenhaven Gardens – 140-146 Glenhaven Road, Glenhaven, NSW 2156

26 June 2017

Prepared for	Jones Nicholson Consulting Engineers			
	Suite 45, 40-44 Belmont Street, Sutherland, NSW 2232			
Contact	Scott McLaughlin			
	Phone: 02 9521 3088 Email: scottmc@jonesnicholson.com.au			
Introduction	Efficient Living has investigated the estimated thermal comfort, water and energy usage of the proposed development to be built at 140-146 Glenhaven Road, Glenhaven, NSW 2156.			
	Heating and cooling loads for the development have been determined using BERS thermal simulation software. The report is based on the architectural drawings provided by NBRS Architecture. For further details, refer to the individual BASIX certificates and Efficient Living inclusions summary respectively.			
Analysis	The BASIX assessment is divided into three sections, each independently measuring the efficiency of the development. These are Water, Thermal Comfort and Energy.			
	BASIX requires a minimum target of 40% for the Water section. A BERS pass or fail is required for the thermal comfort section and a minimum required target of 40% for the energy section.			
Water	The proposed development has achieved the BASIX Water target of 40%.			
	The water usage of the development is calculated based on the number and efficiency of permanent fixtures and appliances such as taps, showerheads and toilets, the dish washer and clothes washing machine.			
	The size of the rain tank and number of connections has a huge impact on your water score as does the area of gardens and lawns and whether or not low water plant species are incorporated.			
Thermal comfort	Thermal Comfort targets are set by the Department of Planning in the form of heating and cooling caps. The buildings thermal physics is measured using BERS thermal performance assessment tools. This equates an expected level of energy consumption to heat and cool each dwelling per annum expressed in MJ (megajoules) per square meter of floor area.			
	Each unit has individual heating and cooling caps and a weighted average heating and cooling load for the whole development. The weighted average caps are a lot harder to achieve than the individual unit caps.			
Energy	The proposed development has achieved the energy target of 40% to pass this section.			
	The energy usage of the development is calculated based on the efficiency of fixed appliances that will be used. This includes the air conditioning system, hot water system, lighting, exhaust fans, cook top, oven, and clothes drying facilities.			





Glenhaven Gardens – 140-146 Glenhaven Road, Glenhaven, NSW 2156

26 June 2017

Inclusions summary	The inclusions as outlined in the table below have been incorporated in each unit to allow them to reach their environmental sustainability targets.
Glazing Doors/windows	Aluminium framed single clear glazing to all fixed & sliding sash windows/doors
	U-Value: 6.70 (equal to or lower than) SHGC: 0.70 (±10%)
	Aluminium frame single clear glazing to all double hung glazing
	U-Value: 6.70 (equal to or lower than) SHGC: 0.57 (±10%)
	Given values are AFRC, total window system values (glass and frame)
Roof & Ceiling	Concrete roof tiles – dark colour roof (SA>0.7)
	Plasterboard ceiling
	R3.0 ceiling insulation where roof is above. No insulation to garage ceiling with roof above.
	Note: Loss of ceiling insulation due to penetrations from down lights have been accounted for in accordance with BCA Technical Notes, assume non-ventilated LED down lights IC abutted and covered.
External wall	Brick veneer with an R2.0 insulation – no insulation to external garage walls
	Default medium colour
Inter tenancy walls	Party wall – cavity brick. Insulation as per acoustic requirements
	Party wall adjacent to garage space – cavity brick
Walls with-in dwellings	Plasterboard on studs
Floors	Concrete slab on ground
Floor coverings	Carpet to bedrooms, tiles to bathrooms, laundry & living rooms





Glenhaven Gardens – 140-146 Glenhaven Road, Glenhaven, NSW 2156 26 June 2017

BASIX water inclusions	Score 40/40
Fixtures within units	Showerheads: Mid flow (>6L but <=7.5 L/min)
	Toilets: 4.0 star
	Kitchen taps: 4.0 star
	Bathroom vanity taps: 4.0 star
Individual rainwater tanks	Individual rain water tank size of 2,000L to each dwelling
	Each dwelling collecting from a min 50m² roof area
	Each tank to be connected to outdoor tap for irrigation of landscaping, all toilets & laundry
BASIX energy inclusions	Score 40/40
Individual hot water system	Individual gas instantaneous hot water system – 5 star
Appliances & other efficiency	Gas cooktop & electric oven
measures within dwellings	No BASIX requirement for "well ventilated fridge space"
Heating & cooling within units	All units to have individual, single phase, reverse cycle air conditioning to living areas and at least 1 bedroom.
	A minimum of 1.0 stars is required in cooling mode.
	A minimum of 1.5 stars is required in heating mode.
	No BASIX requirements for Day/ night zoning for air-con
Artificial lighting within units	At least 80% of all light fittings with-in each room are to have fluorescent or LED globes.

No BASIX requirement for alternative energy



Bathroom – Individual fan, ducted to roof or façade – manual on / manual off switch

Kitchen range hood – Individual fan, ducted to roof or façade – man on / man off switch

Laundry – Individual fan, ducted to roof or façade – manual on / manual off switch

Ventilation

within units

Alternative energy



Thermal Comfort Results

Proposed Residential Development



Glenhaven Gardens 140-146 Glenhaven Road, Glenhaven, NSW 2156

Issued in accordance with BASIX Thermal Comfort Simulation Method

Certificat	te # 0001623			Issued	d: 26/06/1	7 Accreditation # VIC/BDAV/12/1473		
		Thermal p	performance specifications			Page 1 of 1		
Unit	Number of	Floor area (M²)		Predict. loads (MJ/M²/y)		Star	Thermal Comfort Upgrades	
number	number Bedrooms	Con.	Uncon.	Heat	Cool (Sens & Lat)	Rating	Rating	memai comort opgrades
1	3	134	7	60	36	5.6	None	
2	3	128	0	56	29	6.1	None	
3	3	128	0	58	27	6.1	None	
4	2	128	0	52	29	6.4	None	
5	3	149	4	42	34	6.6	None	
6	3	128	0	58	42	5.4	None	
7	3	120	8	51	32	6.3	None	
8	3	128	0	58	26	6.2	None	
9	3	120	8	47	30	6.4	None	
10	3	127	0	52	34	6.1	None	
11	3	127	0	50	26	6.6	None	
12	3	127	0	49	36	6.1	None	

Phone: (02) 9970 6181 Email: admin@efficientliving.com.au Web: www.efficientliving.com.au

Nationwide House Energy Rating Scheme* — Multiple-dwelling summary



Assessor details

Accreditation

number: VIC/BDAV/12/1473
Name: Tracey Cools
Organisation: Efficient Living

Email: admin@efficientliving.com.au

Phone: (02) 9970 6181

Declaration None

of interest:

Software: BERS Pro v4.3.0.2 (3.13)

AAO: BDAV

Dwelling details


Street: 140-146 Glenhaven Road

Suburb: Glenhaven

State: **NSW** Postcode: **2156**

Scan to access this certificate online and confirm this is valid.





Summary of all dwellings

Certificate Details					
Certificate number	Dwelling/Unit number	Heating load	Cooling load	Total load	Star Rating
0001623313	1	60	36	97	5.6
0001623339	2	56	29	85	6.1
0001623321	3	58	27	85	6.1
0001623347	4	52	29	81	6.4
0001623362	5	42	34	76	6.6
0001623370	6	58	42	100	5.4
0001623388	7	51	32	83	6.3
0001623396	8	58	26	84	6.2
0001623404	9	47	30	77	6.4
0001623412	10	49	36	86	6.1
0001623420	11	50	26	76	6.6
0001623438	12	52	34	86	6.1

^{*} Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au



Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 819992M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 18/09/2014 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Monday, 26 June 2017

To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary				
Project name	140-146 Glenhaven Gardens			
Street address	140-146 Glenhaven Road Glenhaven 2156			
Local Government Area	Hills Shire Council			
Plan type and plan number	deposited 1205322			
Lot no.	102			
Section no.	-			
No. of residential flat buildings	0			
No. of units in residential flat buildings	0			
No. of multi-dwelling houses	12			
No. of single dwelling houses	0			
Project score				
Water	√ 40 Target 40			
Thermal Comfort	✓ Pass Target Pass			
Energy	✓ 40 Target 40			

Certificate Prepared by
Name / Company Name: Efficient Living
ABN (if applicable): 82116346082

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 1/13

Description of project

Project address	
Project name	140-146 Glenhaven Gardens
Street address	140-146 Glenhaven Road Glenhaven 2156
Local Government Area	Hills Shire Council
Plan type and plan number	deposited 1205322
Lot no.	102
Section no.	-
Project type	
No. of residential flat buildings	0
No. of units in residential flat buildings	0
No. of multi-dwelling houses	12
No. of single dwelling houses	0
Site details	
Site area (m²)	71896
Roof area (m²)	2574
Non-residential floor area (m²)	4567.0
Residential car spaces	13
Non-residential car spaces	5

Common area landscape					
Common area lawn (m²)	1000.0				
Common area garden (m²)	1038.0				
Area of indigenous or low water use species (m²)	0.0				
Assessor details					
Assessor number	BDAV/12/1473				
Certificate number	0001623440				
Climate zone	28				
Project score					
Water	✓ 40	Target 40			
Thermal Comfort	✓ Pass	Target Pass			
Energy	✓ 40	Target 40			

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 2/13

Description of project

The tables below describe the dwellings and common areas within the project

Multi-dwelling houses

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
1	3	134.0	7.0	80.0	0.0
5	3	149.0	4.0	80.0	0.0
9	3	120.0	8.0	80.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
2	3	128.0	0.0	80.0	0.0
6	3	128.0	0.0	80.0	0.0
10	3	127.0	0.0	80.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
3	3	128.0	0.0	80.0	0.0
7	3	120.0	8.0	80.0	0.0
11	3	127.0	0.0	80.0	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
4	3	128.0	0.0	80.0	0.0
8	3	128.0	0.0	80.0	0.0
12	3	127.0	0.0	80.0	0.0

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 3/13



BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 4/13

Schedule of BASIX commitments

- 1. Commitments for multi-dwelling houses
 - (a) Dwellings
 - (i) Water
 - (ii) Energy
 - (iii) Thermal Comfort
- 2. Commitments for single dwelling houses
- 3. Commitments for common areas and central systems/facilities for the development (non-building specific)
 - (i) Water
 - (ii) Energy

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 5/13

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for multi-dwelling houses

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		>	V
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	V
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	V
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	V
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	V	✓	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✓	
(g) The pool or spa must be located as specified in the table.	V	✓	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	•

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 6/13

	Fixtures					Appliances Individu			vidual pool		In	Individual spa		
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	no	-	-	-	-	-	-	-	-	-

			Alternative water sou	ırce				
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
All dwellings	individual water tank (no. 1)	Tank size (min) 2000.0 litres	To collect run-off from at least: 50.0 square metres of roof area; 0.0 square metres of impervious area; 0.0 square metres of garden and lawn area; and 0.0 square metres of planter box area.	yes	yes	yes	no	no
None	-	-	-	-	-	-	-	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	~	~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		V	•
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 7/13

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		•	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		~	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		✓	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✓	V
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		•	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	V	~	V

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous 5 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 8/13

	Cooling		Heating		Artificial lighting						Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bedrooms &/or study	No. of living &/or dining rooms	Each kitchen	All bathrooms/ toilets	Each laundry	All hallways	No. of bathrooms &/or toilets	Main kitche
All dwellings	1-phase airconditioning 1 Star (new rating)	1-phase airconditioning 1 Star (new rating)	1-phase airconditioning 1.5 Star (new rating)	1-phase airconditioning 1.5 Star (new rating)	3	1	yes	yes	yes	yes	0	no

	Individual po	ool	Individual s	ра	Appliances & other efficiency measures							
Dwelling no.	Pool heating system	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Refrigerator	Well ventilated fridge space	Dishwasher	Clothes washer	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	gas cooktop & electric oven	-	no	-	-	-	no	no

	Alternative energy
Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)
All dwellings	-

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 9/13

(iii) Thermal Comfort	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.			
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.			
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	V	~	V
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	V	•	V

		Thermal loads		
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)		
1	60.0	36.0		
2	56.0	29.0		
3	58.0	27.0		
4	52.0	29.0		
5	42.0	34.0		
6	58.0	42.0		
7	51.0	32.0		
8	58.0	26.0		
9	47.0	30.0		
10	52.0	34.0		
11	50.0	26.0		

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 10/13

	Thermal loads		
Dwelling no.	Area adjusted heating load (in mJ/m²/yr)	Area adjusted cooling load (in mJ/m²/yr)	
All other dwellings	49.0	36.0	

	Construction of floors and walls				
Dwelling no.	Concrete slab on ground(m²)	Suspended floor with open subfloor (m²)	Suspended floor with endclosed subfloor (m²)	Suspended floor above garage (m²)	Primarily rammed earth or mudbrick walls
1	134	-	-	-	No
5	149	-	-	-	No
7,9	120	-	-	-	No
10,11,12	127	-	-	-	No
All other dwellings	128	-	-	-	No

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 11/13

3. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	V	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	V
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		V	V

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	V
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	V	~	~

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 12/13

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).

BASIX Planning & Environment www.basix.nsw.gov.au Version: 2.3 / CASUARINA_2_39_3 Certificate No.: 819992M Monday, 26 June 2017 page 13/13