

| Tree ID No.                                     | Common Name       | Botanical Name                 | Height (m) | Ø (m) | Ø @ Base (m) | Condition | Vigour | Age         | Retention Value | SULE | Tree Protection Zone | Structural Root Zone | Comments  |
|---|-------------------|--------------------------------|------------|-------|--------------|-----------|--------|-------------|-----------------|------|----------------------|----------------------|---|
| <b>Lot 6 DP 1204186 - Victoria Street Berry</b> |                   |                                |            |       |              |           |        |             |                 |      |                      |                      |   |
| 1   | Narrow-leafed Ash | <i>Fraxinus angustifolia</i>   | 8          | 0.2   | 0.22         | Fair      | Good   | Semi mature | Low             | 2a   | 2.50                 | 1.75                 | Trunk forks at 1.2m. Holding internal epicormic growth.   |
| 2   | Narrow-leafed Ash | <i>Fraxinus angustifolia</i>   | 7          | 0.21  | 0.24         | Fair      | Good   | Semi mature | Low             | 2a   | 2.50                 | 1.82                 | Trunk forks at 1.2m. Holding internal epicormic growth. No central leader.  |
| 3   | Narrow-leafed Ash | <i>Fraxinus angustifolia</i>   | 9          | 0.29  | 0.32         | Fair      | Good   | Semi mature | Medium          | 2a   | 3.50                 | 2.05                 | Trunk forks at 2m. Holding internal epicormic growth and minor deadwood.  |
| 4   | Spotted Gum       | <i>Corymbia maculata</i>       | 14         | 0.35  | 0.41         | Poor      | Good   | Mature      | Low             | 3d   | 4.00                 | 2.28                 | Co-dominant leaders from 2m. Small diameter lateral branches.   |
| 5   | Spotted Gum       | <i>Corymbia maculata</i>       | 13         | 0.31  | 0.4          | Fair      | Good   | Mature      | Medium          | 2d   | 3.50                 | 2.25                 | Single, upright trunk with good taper. Poorly attached northeastern leader at 7m.   |
| 6   | Blue Gum hybrid   | <i>Eucalyptus sp.</i>          | 18         | 0.43  | 0.47         | Fair      | Good   | Mature      | Medium          | 2d   | 5.00                 | 2.41                 | Slight trunk lean to east. Canopy skewed to east and south. No western lateral branches. Water shoot at base.   |
| 7   | Spotted Gum       | <i>Corymbia maculata</i>       | 17         | 0.36  | 0.44         | Fair      | Good   | Mature      | Low             | 2d   | 4.50                 | 2.34                 | Co-dominant leaders from 5m. No southern or southwestern lateral branches.  |
| 8   | Camphor Laurel    | <i>Cinnamomum camphora</i>     | 15         | 0.27  | 0.37         | Poor      | Fair   | Mature      | Very low        | 4e   | 3.00                 | 2.18                 | Past removal of major southern leader at 1m. Remaining canopy skewed to west with no eastern branches. Sparse foliage.                                  |
| 9   | Sweet Gum         | <i>Liquidambar styraciflua</i> | 15         | 0.42  | 0.53         | Good      | Good   | Mature      | Medium          | 2a   | 5.00                 | 2.53                 | Southeastern canopy previously suppressed by neighbouring tree. Base of trunk raised above footpath level. Located approx. 1.5m from concrete footpath. |
| 10  | Sweet Gum         | <i>Liquidambar styraciflua</i> | 17         | 0.47  | 0.59         | Fair      | Good   | Mature      | Medium          | 2d   | 5.50                 | 2.65                 | Canopy skewed to north. Subdominant northeastern leader at 1.2m. Base of trunk raised above footpath level. Located approx. 1m from concrete footpath.  |
| 11  | Camphor Laurel    | <i>Cinnamomum camphora</i>     | 20         | Multi | 1.35         | Poor      | Poor   | Over mature | Very low        | 4e   | 14.50                | 3.75                 | Seven trunks from ground level. Past removal of two western leaders. Canopy skewed to east.   |
| 12  | Sweet Gum         | <i>Liquidambar styraciflua</i> | 18         | 0.39  | 0.49         | Fair      | Good   | Mature      | Medium          | 2a   | 4.50                 | 2.45                 | Suppression of southern canopy by T11. No southern lateral branches.  |

| Tree ID No. | Common Name    | Botanical Name                 | Height (m) | Ø (m)        | Ø @ Base (m) | Condition | Vigour | Age         | Retention Value | SULE | Tree Protection Zone | Structural Root Zone | Comments   |
|-------------|----------------|--------------------------------|------------|--------------|--------------|-----------|--------|-------------|-----------------|------|----------------------|----------------------|--|
| 13          | Sweet Gum      | <i>Liquidambar styraciflua</i> | 18         | 0.43         | 0.54         | Good      | Good   | Mature      | Medium          | 2a   | 5.00                 | 2.55                 | Single, upright trunk located < 1m from concrete footpath.   |
| 14          | Hakea          | <i>Hakea sp.</i>               | 7          | Multi        | 0.35         | Poor      | Fair   | Mature      | Low             | 4e   | 3.50                 | 2.13                 | Group of three trees with multiple trunks from ground level. Minor branch dieback and new internal epicormic shoots.   |
| 15          | Sweet Gum      | <i>Liquidambar styraciflua</i> | 15         | 0.36         | 0.46         | Good      | Good   | Mature      | Medium          | 2a   | 4.50                 | 2.39                 | Lower canopy skewed to north. Minor canopy suppression from T14.   |
| 16          | Sweet Gum      | <i>Liquidambar styraciflua</i> | 15         | 0.32         | 0.36         | Fair      | Good   | Mature      | Medium          | 2a   | 4.00                 | 2.15                 | Root plate raised above footpath level. Minor pruning of northern branches for clearances above bus stop.  |
| 17          | Camphor Laurel | <i>Cinnamomum camphora</i>     | 14         | .35, .2, .15 | 0.7          | Poor      | Good   | Mature      | Very low        | 4e   | 5.00                 | 2.85                 | Three leaders from near ground level. Likely regrowth from old stump. Holding deadwood to 100mm diameter.  |
| 18          | Camphor Laurel | <i>Cinnamomum camphora</i>     | 11         | .18, .15, .1 | 0.6          | Poor      | Fair   | Over mature | Very low        | 4e   | 3.00                 | 2.67                 | Trunk previously topped at 0.3m. Three leaders growing from stump.   |
| 19          | Wattle         | <i>Acacia sp.</i>              | 11         | 0.3          | 0.35         | Poor      | Fair   | Over mature | Low             | 4e   | 3.50                 | 2.13                 | Trunk leaning to north, across footpath. Major borer damage to lower trunk and two decay pockets from past branch failures.  |
| 20          | Camphor Laurel | <i>Cinnamomum camphora</i>     | 9          | 0.15         | 0.2          | Good      | Fair   | Semi mature | Very low        | 4e   | 2.00                 | 1.68                 | Single, upright trunk. Minor canopy suppression from T19.  |
| 21          | Camphor Laurel | <i>Cinnamomum camphora</i>     | 11         | .08 to .25   | -            | Fair      | Good   | Mature      | Very low        | 4e   | 3.00                 | 2.00                 | Group of three trees, in close proximity.  |
| 22          | Blackbutt      | <i>Eucalyptus pilularis</i>    | 28         | 1.48         | 1.8          | Fair      | Good   | Mature      | High            | 1b   | 15*                  | 4.24                 | Single trunk to 7m with two large leaders above. Past failure of southern leader at 15m and lower lateral branches. Holding major dead stubs (450mm diameter) and hangers. Lower laterals overlong. Lower eastern canopy holding epicormic regrowth. |
| 23          | Willow Myrtle  | <i>Agonis flexuosa</i>         | 9          | .3, .1       | 0.5          | Fair      | Fair   | Mature      | Low             | 3a   | 4.00                 | 2.47                 | Subdominant southern leader from 0.5m. Upper canopy suppressed by T24. Sparse foliage.   |
| 24          | Gum            | <i>Corymbia sp.</i>            | 28         | 0.81         | 0.91         | Good      | Good   | Mature      | High            | 1c   | 9.50                 | 3.18                 | Single trunk forks to three leaders at 6m. Subdominant eastern & northwestern leaders. Canopy skewed to north by T25. Centre of trunk located approx. 2.4m from fence.   |

| Tree ID No. | Common Name            | Botanical Name                 | Height (m) | Ø (m)   | Ø @ Base (m) | Condition | Vigour | Age         | Retention Value | SULE | Tree Protection Zone | Structural Root Zone | Comments  |
|-------------|------------------------|--------------------------------|------------|---------|--------------|-----------|--------|-------------|-----------------|------|----------------------|----------------------|---|
| 25          | Gum                    | <i>Corymbia sp.</i>            | 24         | 0.55    | 0.62         | Good      | Good   | Mature      | High            | 2a   | 6.50                 | 2.71                 | Northern canopy suppressed by T24. Majority of canopy overhangs boundary. Centre of trunk located approx. 1.5m from fence.  |
| 26          | Scribbly Gum           | <i>Eucalyptus sclerophylla</i> | 20         | 0.55    | 0.61         | Good      | Good   | Mature      | High            | 2a   | 6.50                 | 2.69                 | Canopy skewed to east. No western canopy overhanging boundary. Centre of trunk located approx. 2.7m from fence.   |
| 27          | Willow Bottlebrush     | <i>Callistemon salignus</i>    | 10         | 0.3     | 0.35         | Fair      | Fair   | Mature      | Low             | 3c   | 3.50                 | 2.13                 | Trunk leaning to northwest. Majority of canopy overhanging boundary.  |
| 28          | Silky Oak              | <i>Grevillea robusta</i>       | 17         | 0.51    | 0.6          | Fair      | Good   | Mature      | Medium          | 3a   | 6.00                 | 2.67                 | Minor trunk lean to south and canopy skewed to south. Past pruning of northern branches.  |
| 29          | Brush Box              | <i>Lophostemon confertus</i>   | 21         | .5, .36 | 0.82         | Fair      | Good   | Mature      | High            | 2a   | 7.50                 | 3.04                 | Two leaders from 0.5m. Subdominant northern leader. Majority of canopy overhanging boundary to 3m above ground. Centre of trunk located approx. 1.2m from fence.                          |
| 30          | Forest Red Gum         | <i>Eucalyptus tereticornis</i> | 26         | 0.71    | 0.8          | Poor      | Fair   | Mature      | Medium          | 2d   | 8.50                 | 3.01                 | Single trunk forks to four leaders at 5m. Poor attachment of eastern & western leaders. Canopy skewed to north. Holding juvenile leaves. Centre of trunk located approx. 1.4m from fence. |
| 31          | White Cedar            | <i>Melia azedarach</i>         | 13         | 0.31    | 0.35         | Fair      | Fair   | Mature      | Medium          | 3a   | 3.50                 | 2.13                 | Two leaders from 3m. Southwestern leader overhangs boundary. Camellia located 2m to west.   |
| 32          | Broad-leaved Paperbark | <i>Melaleuca quinquenervia</i> | 11         | 0.32    | 0.41         | Poor      | Fair   | Mature      | Low             | 3d   | 4.00                 | 2.28                 | Western leader poorly attached at 2.5m which overhangs boundary. Centre of trunk located approx. 1.7m from fence.   |
| 33          | Bangalay               | <i>Eucalyptus botryoides</i>   | 18         | 0.38    | 0.42         | Fair      | Fair   | Mature      | Low             | 3a   | 4.50                 | 2.30                 | Canopy suppressed by neighbouring trees. Upper canopy located above T32 and skewed to west. No eastern laterals. Centre of trunk located approx. 2.4m from fence.                         |
| 34          | Blue Gum hybrid        | <i>Eucalyptus sp.</i>          | 20         | 0.41    | 0.47         | Fair      | Fair   | Mature      | Medium          | 3c   | 5.00                 | 2.41                 | Slight trunk lean to west and canopy skewed to west. Majority of canopy overhangs boundary. Centre of trunk located approx. 1.3m from fence.  |
| 35          | Bangalay               | <i>Eucalyptus botryoides</i>   | 19         | 0.65    | 0.8          | Fair      | Good   | Mature      | Medium          | 2b   | 8.00                 | 3.01                 | Lower trunk leans to east, across boundary. Check tree ownership on property boundary. Past pruning of lower eastern & northeastern branches. Two leaders above 5m.                       |
| 36          | Blue Gum hybrid        | <i>Eucalyptus sp.</i>          | 14         | 0.3     | 0.35         | Good      | Good   | Semi mature | Low             | 2c   | 3.50                 | 2.13                 | Single, upright trunk. Three leaders above 6m.  |

| Tree ID No. | Common Name             | Botanical Name                | Height (m) | Ø (m)     | Ø @ Base (m) | Condition | Vigour | Age         | Retention Value | SULE | Tree Protection Zone | Structural Root Zone | Comments  |
|-------------|-------------------------|-------------------------------|------------|-----------|--------------|-----------|--------|-------------|-----------------|------|----------------------|----------------------|---|
| 37          | Bangalay                | <i>Eucalyptus botryoides</i>  | 18         | 0.89      | 0.96         | Fair      | Good   | Mature      | Medium          | 2a   | 10.50                | 3.25                 | Past pruning of eastern & central leaders. Remaining canopy skewed to west on three scaffolds. Group of Melaleuca & Camphor Laurel at base, not surveyed. |
| 38          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 6          | .05 to .1 | 0.5          | Fair      | Good   | Mature      | Low             | 2c   | 2^                   | 2.47                 | Multiple trunks from ground level. Two unsurveyed Melaleucas to north.  |
| 39          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 5          | .12, .1   | 0.3          | Fair      | Good   | Semi mature | Low             | 2c   | 2.00                 | 2.00                 | Soil at base of trunk, recent change to ground levels   |
| 40          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 6          | .1 to .2  | 0.25         | Fair      | Good   | Mature      | Medium          | 2a   | 2.50                 | 1.85                 | Group of four trees. Sooty mould on branches.   |
| 41          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 5 to 7     | .05 to .3 | 0.3          | Fair      | Good   | Mature      | Medium          | 2a   | 3.50                 | 2.00                 | Group of sixteen trees. Multiple leaders and often poor branch attachments.   |
| 42          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 4 to 7     | .2 to .25 | 0.3          | Fair      | Good   | Mature      | Medium          | 2a   | 3.00                 | 2.00                 | Group of three trees with five trunks from ground level.  |
| 43          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 8          | .25, .3   | 0.35         | Poor      | Good   | Mature      | Medium          | 2d   | 4.50                 | 2.13                 | Two trees with codominant leaders and poor unions.  |
| 44          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 11         | 0.4       | 0.45         | Poor      | Good   | Mature      | Medium          | 3d   | 5.00                 | 2.37                 | Canopy skewed to southeast by neighbouring trees.   |
| 45          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 9          | 0.3       | 0.4          | Poor      | Good   | Mature      | Low             | 3b   | 3.50                 | 2.25                 | Past failure of leaders.  |
| 46          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 8          | 0.3       | 0.35         | Fair      | Good   | Mature      | Medium          | 3a   | 3.50                 | 2.13                 | Canopy skewed to west.  |
| 47          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 12         | .35, .2   | 0.6          | Fair      | Good   | Mature      | Medium          | 3a   | 5.00                 | 2.67                 | Group of two trees. Canopies skewed to southeast.   |
| 48          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 11         | 0.35      | 0.4          | Poor      | Fair   | Mature      | Medium          | 3b   | 4.00                 | 2.25                 | Past failure of leader at 3m. Canopy skewed to north.   |

| Tree ID No. | Common Name             | Botanical Name                | Height (m) | Ø (m)                  | Ø @ Base (m)        | Condition | Vigour | Age    | Retention Value | SULE | Tree Protection Zone | Structural Root Zone | Comments   |
|-------------|-------------------------|-------------------------------|------------|------------------------|---------------------|-----------|--------|--------|-----------------|------|----------------------|----------------------|--|
| 49          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 8          | 0.4                    | 0.45                | Poor      | Fair   | Mature | Medium          | 3d   | 5.00                 | 2.37                 | Canopy skewed to north.  |
| 50          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 12         | .4, .35, .35, .2       | .45, .4, .4, .25    | Fair      | Good   | Mature | Medium          | 3d   | 5.00                 | 2.37                 | Group of four trees. Park bench beneath western canopy.  |
| 51          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 10         | .4, .35, .25, .25, .15 | .45, .4, .3, .3, .2 | Fair      | Fair   | Mature | Medium          | 3d   | 5.00                 | 2.37                 | Group of six trees. Past failure of one eastern leader. Recent removal of one neighbouring tree. |
| 52          | Narrow-leaved Paperbark | <i>Melaleuca linariifolia</i> | 10         | .25 to .45             | .3 to .5            | Fair      | Good   | Mature | Medium          | 4b   | 5.50                 | 2.47                 | Group of eight trees. Partial failure at ground level of one tree, contacting neighbouring tree. |